

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of...2...issues, the first publication being on the 15... day of Sept....., 19..82 and the last on the 22... day of...Sept....., 19..82

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this...22... day of Sept...., 19..82.

Beverly Linn
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

Wilford C. Dixon asks OK to unnamed creek

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

92-7104

Name: Wilford C. Dixon
Address: Rt. 4 Box 252B, St. Maries, Idaho 83861

Date Filed: Sept. 1, 1982

Amount: 0.12 cubic feet per second
Source: Unnamed Creek tributary to Santa Creek

Means: Pump and Pipe

Point of Diversion: SENW Sec 35 T 44N R 03W, Benewah County
Place of Use: SENW Sec 35 T 44N R 03W

Use: Irrigation (0.10 cfs) from March 15 to Nov. 15; Stockwater (0.02 cfs) from Jan. 1 to Dec. 31.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho 83814 on or before October 4, 1982.

A. KENNETH DUNN
Director


No. 6923 — Sept. 15-22.

MICROFILMED

RECEIVED

SEP 21 1982

Department of Water Resources
Northern District Office



PERMIT HOLDER Wilford C. Dixon PERMIT # 92-7104

P D TWP 44N RGE 3W SEC 36 W2W25E NW

P/U TWP RGE SEC SAME

MICROFILMED


NOV 24 1989

SOURCE Unnamed Cr. TRIBUTARY TO Santa Cr

MAP PLOT 16 IRR. ACRES - USGS QUAD H-55 SCALE 7 1/2 MIN

W

7.5 M

PERMIT HOLDER Wilford C. Dixon PERMIT # 92-7104P D TWP 44N RGE 3W SEC 35 N²W²SE NWP/U TWP RGE SEC SAME

MICROFILMED

NOV 24 1989

SOURCE Unnamed Cr. TRIBUTARY TO Santa CrMAP PLOT 16 IRR. ACRES - USGS QUAD H-55 SCALE 7 1/2 MIN

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-07104

Priority: September 1, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
0.2 AF

This is to certify, that WILFORD C. DIXON
RT. 4 BOX 252B

ST. MARIES, ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 1, 1982; and
has submitted Proof of Beneficial Use on October 21, 1987. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

UNNAMED CREEK

tributary to SANTA CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 35, Township 44N, Range 03W
BENEWAH County

PLACE OF USE: STOCKWATER

TWN RGE SEC

44N 03W 35 SENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of NOVEMBER, 1989.

MICROFILMED

NOV 24 1989

Acting for

Norman Young
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wilford C. Dixon Phone 245-5090

Post office address Rt 4 Box 252-B St. Maries

2. Source of water supply Unnamed Creek which is a tributary of Santa

3. Location of point of diversion is N²W²E $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 44N

Range 3W B.M. Benewah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: N²W²E $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 44N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10 head stock

Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

Applicant.

Applicant


3 NOV

5

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

x Wilford C. Dixon
(Applicant)

MICROFILMED

D. Ann Saylor
Chief, Operations Bureau

Witness my hand this 1st day of November, 1982.

- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 87.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7104, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by JK Date 9-1-82 Time 8:00 PM
Preliminary check by JK Fee \$ 30.00
Received by JK Date 9-1-82 (24343)
Publication prepared by Mr. [Signature] Date 9/2/82
Published in Idaho State Journal
Publication dates 9/3-30/82
Publication approved Mr. [Signature] Date 9/3/82
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by [Signature]

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of...2...issues, the first publication being on the 15... day of Sept....., 19..82 and the last on the 22.... day of...Sept....., 19..82

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this....22... day of Sept...., 19..82.

Beverly Linn
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

Wilford C. Dixon asks OK to unnamed creek

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

92-7104

Name: Wilford C. Dixon
Address: Rt. 4 Box 252B, St. Maries, Idaho 83861

Date Filed: Sept. 1, 1982

Amount: 0.12 cubic feet per second
Source: Unnamed Creek tributary to Santa Creek

Means: Pump and Pipe

Point of Diversion: SENW Sec 35 T 44N R 03W, Benewah County
Place of Use: SENW Sec 35 T 44N R 03W

Use: Irrigation (0.10 cfs) from March 15 to Nov. 15; Stockwater (0.02 cfs) from Jan. 1 to Dec. 31.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho 83814 on or before October 4, 1982.

A. KENNETH DUNN
Director

No. 6923 — Sept. 15-22.

RECEIVED

SEP 21 1982

DEPT. OF WATER RESOURCES
BOISE, IDAHO

November 22, 1989

WILFORD C. DIXON
RT. 4 BOX 252B
ST. MARIES, ID 83814

RE: PERMIT NO. 92-07104

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

WILFORD C. DIXON
RT. 4 BOX 252B
ST. MARIES, ID 83814

RE: PERMIT NO. 92-07104

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

WILFORD C. DIXON

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9207104	44N	03W	35	SE NW		UNNAMED CREEK	DIXON, WILFORD C.
NO MATCHES FOR THIS POD							

RECEIVED

NOV 24 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

RECEIVED
JUN 26 1989

Department of Water Resources

☒ B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

☒ Field Report ☒ Quad Sheet ☒ Gov. Lot Plat ☒ Rules Check list

☐ Aerial Photo ☐ Photo PD/PU

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

☐ Correspondence (Date) _____

☐ Other (List) _____

Contacts:

Remarks:

Exam Completed By J. King Date 9/30/88
Sr. Agent Review J. King Date 9/30/88
Regional Manager Review RYA Date 6/9/88

PERMIT NUMBER

92-7104

MICROFILMED

NOV 24 1989

Examination For Beneficial Use Field Report Check List Rule 5

✓ 5,1,2. Permitted uses partially developed by the permit holder shall be described. Permitted uses which were not developed by the permit holder shall be noted. Uses determined to exist which are not authorized by the permit being examined shall also be noted.

✓ 5,1,3. A concise description of the diversion works and a general description of the distribution works shall be given. This description must trace the water from the point of diversion to and including the place of use and the return to a public water source, if any. The make, capacity, serial number and model number of all pumps, boosters or measuring devices associated with the point of diversion at the source of the water supply shall be described on the field report.

✓ 5,1,4. Any interconnection of the water use being examined with other water rights or with other conveyance systems shall be described on the field report. Any reservoir, diversion dam, shall be included. This description shall be in the form of a concise word picture of the storage of water, if stored, its release, redirection and conveyance to the place of use. A schematic diagram of the project works shall also be provided in the field report.

✓ 5,1,5. If water is returned to a public water source after use, a legal description of the point where the water is returned and source to which discharge is made shall be provided. Examples of uses which generally have an effluent discharge include fish propagation and power facilities. (MINING)

✓ 5,1,6. The method of compliance with each condition of approval of a permit shall be shown on the field report by the examiner.

✓ 5,1,7. If the water is used for irrigation, the boundaries of the various irrigated areas and the location of the project works providing water to each shall be platted on the proof maps and the full or partial acreage in each legal subdivision of 40 acres or government lot shall be shown.

✓ 5,1,8. Irrigated acreage shall be shown on the field report to the nearest whole acre in a legal subdivision except the acreage shall be shown to the nearest one-tenth acre for permits covering land of five acres or less.

✓ 5,1,9. Where a permit has been developed as separate distribution systems from more than one point of diversion, the separate areas irrigated from each point of diversion shall be shown on the proof maps as described hereinbefore and the legal subdivisions embracing the irrigated areas for each such respective point of diversion together with the total irrigated area shall be described.

✓ 5,1,10. The field examiner does not need to show total volume of water for municipal and fire protection uses on the field report unless the project works provide for storage of water.

✓ 5,1,11. The total number of holding/rearing ponds and the dimensions and volume of the ponds shall be shown on the field report for fish rearing or fish propagation use. The annual volume shall be calculated based on the changes of water per hour.

✓ 5,1,12. Information shall be submitted concerning the beneficial use that has been made of the water unless the purpose of use is for irrigation. For example, for stockwater use, the number and type of stock watered shall be provided. Similar indications of the extent of beneficial use shall be provided for all other non-irrigation uses.


✓ 5,1,13. Information on the period during each year that the water is used shall be described for each use.

✓ 5,1,14. For permits having more than one use, the diversion rate measured for each use shall be described.

✓ 5,1,15. The amount (rate and/or volume) of water shall be limited by the smaller of the permitted amount, the amount upon which the license examination fee is paid, the capacity of the diversion works or the amount beneficially used, including any statutory limitation of the duty of water.

✓ 5,1,16. Suggested amendments shall be noted on the field report when the place of use, point of diversion, period or nature of use is different from the approved permit or from previously approved amendments.

✓ 5,1,17. An aerial photo must accompany field reports involving ten (10) or more irrigated acres unless waived by the director. If existing photos are not available, the director will accept a USGS Quadrangle map at the largest scale available. NOV 24 1980



PERMIT HOLDER Wilford C. Dixon PERMIT # 92-7104

P D TWP 44N RGE 3W SEC 35 W2W2S5NW

P/U TWP RGE SEC SAME

RECORDED

NOV 24 1989

SOURCE Unnamed Cr. TRIBUTARY TO Santa Cr.

MAP PLOT 16 IRR. ACRES - USGS QUAD H-55 SCALE 7 1/2 MIN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 72-7104

1. Owner: WILFORD C. DIXON

Phone No. 245-5090

Current Address: RT 4 BX 252 B ST. MARIE, ID 83861

2. Accompanied by: NONE

EXAM. DATE: 9/30/88

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: UNNAMED STREAM tributary to SANTA CR.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

STOCK DRINK FM. STREAM

RECORDED

NOV 24 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached

☐ Aerial Photo Attached

Showing location(s) of point(s) of diversion and _____ (required for irrigation of 10 acres or more).
place(s) of use (required).

☐ Photo of Diversion and System Attached CAMERA MALFUNCTION
(required for all but single household domestic groundwater, and stockwater).

JUN 6 1989

Department of Water Resources

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~STOCK DRINK FROM STREAM~~

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
NONE					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

66C-72-1004

Do not use this space

D. FLOW MEASUREMENTS


none

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

2 Horses .02 cfs

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

2 Horses .2 AF

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAP

IRRIGATION NOT PERFECTED

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use
Period of Use
From To
1-1 12-31
Rate of Diversion
Q (cfs)
0.2
Annual Volume
V (afa)
2

2. Recommended Amendments


- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☒ None

J. AUTHENTICATION

Field Examiner's Name
Tom King
Signature
Tom King
Certification Date
5/15/88
Field Report Preparation Date
9/30/90

CONSULTANT SEAL



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Tom King 7/11/89

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 92-7104
Name(s) of Permit Holder(s): Wilford C. Dixon
Post Office Address: Rt 4 Box 252B
St. Maries, Id Tel. No. 945-5090

☒ I hereby certify that construction of diversion works on the above referenced permit began on 5-12-83 (date) **MICROFILMED** I understand that I must continue to develop the water system with due diligence to maintain a valid permit. **NOV 24 1989**


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

2-6-85
Date

Wilford C. Dixon
Signature of Permit Holder

W. C. Don
Rt 4 Box 252 B
St. Marie, ID 83861



MICROFILMED

NOV 24 1989

RECEIVED



FEB 8 1985 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

BOISE, IDAHO 83720
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

NOVEMBER 9, 1987

WILFORD DIXON
RT. 4 BOX 252B
ST. MARIES, ID 83861

RE: Permit No. 92-7104

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

FILED

MAR 17 1988

RECEIVED

OCT 21 1987

no \$ encl. 92
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by _____

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 92-7104

Name(s) of Permit Holder: Wilford C. Dixon

Post Office Address: Rt 4 Box 252B

St. Maries, Id 83861 Telephone No. 245-5090

Source of Water: Unnamed Creek, tributary of Santa

Extent of Use:

Domestic _____ (number of households) Stockwater 2 Horses (number and type of stock)

Irrigation _____ (acres) Other/Remark we were going to

also use for irrigation of pasture, but on dry years there isn't
enough water - so we will just use for stock
Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 9-1-82

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Wilford Dixon 245-5090
(Name) (Telephone Number)

Rt 4 Box 252B St. Maries, Id 83861
(Address)


The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10-8-87
Date

Wilford C. Dixon
Signature of Permit Holder (and title, if appropriate)

MAR 17 1988

W.C. Dixon
Rt 4 Box 252 B
St. Maries, Id. 83861



State of Idaho
Dept. of Water Resources
Statehouse
 Boise, Id. 83720

138931
CERTIFIED MAIL
August 31, 1987

DIXON, WILFORD C.
RT. 4 BOX 252B
ST. MARIES, ID 83814

PROOF DUE NOTICE

RE: Permit No. 92-7104

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

FILED
MAR 17 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DIXON, WILFORD C.
RT. 4 BOX 2528
ST. MARIES, ID 83814

NOVEMBER 09, 1982

RE: PERMIT NO. 92-7104

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 92-7104

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 10/4/82 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/21/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
9/11/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: JK

Date: 10/13/82

OFFICE REVIEW:

SLW/LIT

26

- ☒ See attached sheet for more information.

By: JK

Date: 10/28/82

RECEIVED

OCT 25 1982

RECEIVED
JUL 20 1968

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

92-7104

DIXON, WILFORD C.

RT. 4 BOX 252B, ST. MARIES, ID 83814

Source: UNNAMED CREEK tributary to SANTA CREEK

Date Filed: 09/01/1982

Amount: 0.12 CFS

Diversion Point: SENW Sec 35 T 44N R 03W, BENEWAH Co.

Use: IRRIGATION	(0.10 CFS)	from 03/15 to 11/15
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SENW Sec 35 T 44N R 03W

Diversion Means: PUMP AND PIPE.

MICROFILMED