







FILMED

SEP 28 1987

Sidney



MICROFILMED

SEP 28 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 92-7066

Priority: January 14, 1980 Amount: .12 CFS 29.2 AFA

This is to certify, that WILLIAM ROGERS
TERRY ROGERS

SANTA MERCANTILE CO.

SANTA, ID 83866

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 14, 1980, and has submitted proof to the Department of Water Resources on January 28, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .12 cfs of water from;

UNNAMED STREAM
RENFRO CREEK

tributary to RENFRO CREEK
tributary to SAINT MARIES RIVER

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 10/15	.07 cfs	27.4 afa
Irrigation storage	01/01 to 12/31		1.6 afa
Irrigation from storage	04/01 to 10/15		1.6 afa
Stockwater	01/01 to 12/31	.02 cfs	.2 afa
Stockwater storage	01/01 to 12/31		1.6 afa
Stockwater from storage	01/01 to 12/31		1.6 afa
Diversion to storage	01/01 to 12/31	.12 cfs	
Totals		.12 CFS	29.2 AFA

LOCATION OF POINT OF DIVERSION(S): NWSE , Sec. 14, Township 44N, Range 1W
Benewah County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
44N	1W	14	NWSE	14			14

Total number of acres irrigated: 14

PLACE OF USE: Irrigation storage, same as Irrigation use
PLACE OF USE: Irrigation from storage, same as Irrigation use
PLACE OF USE: Stockwater, same as Irrigation use
PLACE OF USE: Stockwater storage, same as Irrigation use
PLACE OF USE: Stockwater from storage, same as Irrigation use
PLACE OF USE: Diversion to storage, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.

MICROFILMED
SEP 28 1981

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE


WATER RIGHT NO. 92-7066

CONDITIONS/REMARKS:

2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28 day of August, 1987.

for Director


DAVID B. SHAW

MICROFILMED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William &/or Terry Rogers Phone 245-3685

Post office address Santa Mercantile Co., Santa ID83866

2. Source of water supply Unnamed stream which is a tributary of Renfro Creek
Renfro Creek Saint Maries River

3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 44N

Range 1W B.M. Benewah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

.30cfs to stor. for irr. & stock from 1-1 to 12-31
Amount 1.6AF for stor. for irr. purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum) 1.6AF stor. for stock 1-1 to 12-31

Amount 1.6AF for Irr. from stor. purposes from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum) 1.6AF Stock from stor. 1-1 to 12-31

Amount .02cfs for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .28cfs for Irr. purposes from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. ~~.30~~ .30 cubic feet per second and/or b. DRT 2-27-80
1.6 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump in Renfro Creeek to pond, also runoff
into pond. Stock drink from pond and irrigation is from pond and Renfro Creek.

b. Height of storage dam 8 feet, active reservoir capacity 1.6 acre-feet; total reservoir
capacity 1.6 acre-feet, materials used in storage dam: Earth

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 14 Township 44N
Range 1W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 4 head of stock

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William F. Rogers. 4/12/80
(Applicant)

Proposed Priority 1/14/80

Received by RAH Date 1-14-80 Time 1:30 PM

Preliminary check by RAH Fee \$ 35.00

Received by RAH Date 1-17-80 (15189)

Publication prepared by KK Date 1-17-80

Published in the Idaho State Record

Publication dates 1/24 + 31/80

Publication approved RAH Date 2/6/80

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RAH Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7066, and said application is hereby approved _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____ February 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 27 day of February, 19 80.

A. Allen Saylor

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 3 issues, the first publication being on the 24 day of January, 1980 and the last on the 7th day of February, 1980.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this 7th day of February, 1980.

Beverly A. Linn
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

OK
2/4/80

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

92-7066

Name: William and-or Terry Rogers
Address: Santa Mercantile Co.,
Santa, Idaho 83866

Date Filed: Jan. 14, 1980

Amount: 0.30 cubic feet per second,
1.6 AC-FT.

Source: Unnamed stream tributary
to Renfro Creek, Renfro Creek
tributary to Saint Maries River

Means: Pump & Storage Pond

Point of Diversion: NWSE Sec 14 T
44N R 01W, Benewah county

Place of Use: NWSE Sec 14 T 44N R
01W for 14 acres

Use: Irrigation (0.28 cfs) from April
1 to Oct. 15; Irrigation Storage (1.6
AC-FT) from Jan. 1 to Dec. 31;

Irrigation from Storage (1.6 AC-FT)
from April 1 to Oct. 15; Stockwater

(0.02 cfs) from Jan. 1 to Dec. 31;
Stockwater Storage (1.6 AC-FT)

from Jan. 1 to Dec. 31; Stockwater
from Storage (1.6 AC-FT) from Jan.

1 to Dec. 31; Diversion to Storage
(0.30 cfs) from Jan. 1 to Dec. 31.

If issued, the permit(s) will be
subject to all prior water rights.

Protests against the granting of any
permit must be filed with the

Director of the Idaho Department of
Water Resources, 4055 Gov't Way,

Coeur d'Alene, Idaho 83814 on or
before February 11, 1980.

C. STEPHEN ALLRED
Director

No. 6025 — Jan. 24-Feb. 7.

Jan 31

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 92-7066
Name(s) of Permit Holder(s): William &/or Terry Rogers.
Post Office Address: Santa Mercantile Co
Santa Idaho 83866 Tel. 845-3685

☒ I hereby certify that construction of diversion works for the above referenced permit began on JUNE 13 1982 (date) 11/14/82 I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

11/19/82
Date

William Rogers.
Signature of Permit Holder

Wm Rogers

Santa Merc.

Santa Id 83866

NOV
20
1982

MICROFILMED



DEC 27 1988

RECEIVED

NOV 28 1982

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

WILLIAM & TERRY ROGERS
SANTA MERCANTILE CO.
SANTA, ID 83866

September 1, 1987

RE: Permit No. 92-7066

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

Permit No. _____

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$Q = \frac{8.8 \times 8_{hp} \times .80_{eff.}}{2.31(25) + 3} = 0.927 \approx 0.93 cfs$$

as $\nearrow$
Jennifer recommended

$$\frac{8.8 \times 8. \times .80}{2.31(100) + 3} = 0.24 cfs$$

as $\nearrow$
Tom recommended

Allow 0.24 cfs capacity

- b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 3.0 = 42$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 27.4$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = (197 \text{ days}) \rightarrow$$

- c) Volume Calculations for Other Uses:

facility volume = 4.56 AFA
*ok to allow 1.6 AFA as permitted***2. Overlap Review**

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion:
- 92-7052 - groundwater
-
- no overlap

- c) Analysis:

MICROFILMED

SEP 28 1987

May 10

May 28, 1987

WILLIAM & TERRY ROGERS
SANTA MERCANTILE CO.
SANTA, ID 83866

RE: Permit No. 92-7066

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 28 1987

Department of Water Resources

Permit No. 92-7066

Phone No. 245-3685 245-4477

no 83866

2. Accompanied by: _____ EXAM. DATE: 8/11/80

Address: _____ Phone No. _____

Relationship to Permit Holder:

3. Source: Resiro Creek tributary to _____

92-7052


1. Other water rights with same place of use: 92-705 C

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

SEP 28 1987

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

FIGURE A, cont.,
 $N_{static} = 1 \text{ at}$
 number of sprinklers, etc. | 5184

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

2 ponds - #1 pond avg depth 8', 1 1/2" plastic
to pump to garden hose 3/4" 3 rain bird 5/8"
and plant or pump 1 1/2" plastic from creek
to 1 1/2" discharge plastic to ref. pond #1
#1 pond also refilled by unnamed stream runoff.
From #2 pond use same system to irr. same Ac.
Both irr. same 14.3ac, Not Dom But yes on
home garden and lawn & yes stock 3 horses during exam
#2 Pond - avg depth 4' filled by fa runoff

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Briggs & Stra.	8	190432	Pacific Marine	1 1/2" plastic

*Code to correspond with No. on map and aerial photo

- 5. Point(s) of Diversion:**

[illegible]

6. Place(s) of Use:

Indicate Method of Determination MAD

[illegible]
$$T_0(x) =$$

UNRECORDED

SEP 28 1987

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Press - 3 heads Buckner 180 - 80psi, 50psi, 84psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$Q_{pump} = .84 \text{ cfs}$ $Q_{diversion} = .12 \text{ cfs}$ $Q_{stock} = .12 \text{ cfs}$ $Q_{irr} = .09 \text{ cfs}$ cal. values from attached sheet

2. Alternate Method for Checking Purposes:

$Q_{Total} = .30 \text{ cfs}$ via permit $Q_{irr} = .28 \text{ cfs}$ $Q_{stock} = .02 \text{ cfs}$ $Q_{Total} = Q_{irr} + Q_{div.} + Q_{stock} = .23 \text{ cfs}$

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 42.0 \text{ AF}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 32.7 \text{ AF}$ 35.2

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 32.7 \text{ AF}$ 35.2

2. Volume Calculations for Other Uses:

$V_{Storage} = 4.6 \text{ AF}$ $V = 1.6 \text{ AF}$ via permit storage irr & stock for
 $V_{stock} = .2 \text{ AF}$ $V = 1.6 \text{ AF}$ via permit from storage irr & stock

MICROFILMED

SEP 28 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

92-7052 Irr. overlap with lawn & garden of this permit

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock	1/1	12/31	.02 cfs	.2 AF
Irr.	4-1	10-15	.09 cfs	35.5 AF
DIVERSION TO STORAGE	1/1	12/31	.12	
Diversion to Storage	1/1	12/31	.12	
Irr from Storage	1/1	12/31	=	1.6
Stock from Storage	1/1	12/31	=	1.6
Storage for Stock	1/1	12/31	=	1.6
Storage for Irr	1/1	12/31	=	1.6
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Total: .23 cfs

36.1 AF
34.5
35.4

J. AUTHENTICATION

Field Examiner's Name

Jennifer Argraves

Signature

Jennifer Argraves

Certification Date

Field Report Preparation Date

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 28 1987

Flow Cal

Pump 1

$$Q = \frac{8.8(8) \cdot 7}{2.38(25) + 3} = .84 \text{ cfs}$$

$2.38(100) + 3 = .21 \text{ cfs}$ from pond

Volume Cal

$$\text{Pond \#1} \approx 110 \times 225 \times 8 = 198000 \text{ ft}^3 + \frac{\text{AF}}{43560 \text{ ft}^2}$$

$$= 4.5 \text{ AF}$$

$$\text{Pond \#2} = \left(\frac{1}{2}(25)(25) \right) 2 = 625 \text{ ft}^2 \times 4 = 2500 \text{ ft}^3$$

$$= .06 \text{ AF}$$

$$\text{Total storage} = 4.56 \text{ AF}$$

MICROFILMED

SEP 28 1981

Diversion
to Storage
through
1 1/2" plastic

5 gal

Field Notes

5.3 sec

5.5

5.7

5.6

5.7

5.5

Avg = 5.55 sec

System
Capacity

J.J.

$$\frac{5 \text{ gal}}{5.55 \text{ sec}} = .90 \frac{\text{gal}}{\text{sec}} \times \frac{60 \text{ sec}}{\text{min}}$$

$$= 54.0 \text{ gpm} \times \frac{2.23 \text{ cfs}}{1000 \text{ gpm}}$$

$$= \boxed{.121 \text{ cfs}}$$

sprinkler head:

1/4" - 50 psi.

From Tables

$$12.5 \text{ gpm} = .03 \text{ cfs}$$

1 1/4" - 84 psi.

$$8.9 \text{ gpm} = .02 \text{ cfs}$$

1 1/4" = 80 psi.


$$8.9 \text{ gpm} = .02 \text{ cfs}$$

$$\text{Total} = \cancel{.09 \text{ cfs}} \\ .07 \text{ cfs}$$

KW
9/19/87

RECORDED

SEP 28 1987



TWP. 44N RGE. 14W SEC. 14 MAP # H-7 MAP SCALE

DATE OF FIELD EXAM 8/11/86

FIELD REPORT MAP PERMIT # PZ-7066

FILMED

SEP 28 1987

Sidney



MICROFILMED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

92-7066
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
SEP 22 1986

Department of Water Resources

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 8/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index J.A. 8/18/86 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☒ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Arpaues 8/18/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 8/19/86 (Initial and date)

Exam Reviewed by Manager of Regional Office 9/15/86 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

SEP 28 1986

4/86

RECEIVED

MAY 12 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 1/2 \$50.00
Date 5/8/86 per
Receipt # 32043 Pat-
Receipt by kw
Sent to S.O. 5/9/86

RECEIVED
MAY 8 1986

1. Permit No. 92-7066

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: William James 4/or Terry Rae Rogers

3. Post Office Address: Santa Mercantile Co. Santa Idaho 83866

Telephone No. 208-245-3685 or 245-4477

4. Source of Water: unnamed creek stream & Bentr Creek

5. Extent of Use:

Domestic 1 (No. of households) Stockwater 4 horses (No. and type of stock)

Irrigation 14.3 (acres) Other/Remark Irrigation is of

pasture & domestic garden and orchard

6. Total rate &/or volume for which proof is submitted .30 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

6/82

8. Person to contact to accompany the department representative during the field examination:

William J. Rogers
(Name)

Santa Mercantile Co. Santa Id 83866 245-3685
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner. I have selected verifying that he has been retained to conduct the examination. If this box is marked, complete items 1 thru 7.)

Date 5/7/86

William J. Rogers
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

92-7066
ROGERS, WILLIAM
ROGERS, TERRY
SANTA MERCANTILE CO.
SANTA, ID 83866

138129

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. ~~You cannot later change your decision to use this alternative and submit the fee for the department to conduct the field examination, SEP 28 1987~~ you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

SEP 28 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JUNE 21, 1985

WILLIAM ROGERS
SANTA MERCANTILE CO.
SANTA ID 83866

RE: Permit No. 92-7066

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 28 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 92-7066.

Name(s) of Permit Holder: William d/or Terry Rogers.

Post Office Address: Santa mercuriale Co.

Santa Idaho 83866 Tel. No. 208-245-3685

Source of Water: unnamed stream d Rento Creek

Extent of Use: ☐ Domestic (number of households)
☒ Stockwater 4 horses (number and type of stock)
☒ Irrigation 14.3 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/25/85 Date **RECEIVED** William D. Rogers Signature of Permit Holder


William Rogers

Santa Mercantile Co.

Santa Idaho 83866

RECEIVED

JAN 26 1985



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138505

ROGERS, WILLIAM & TERRY
SANTA MERCANTILE CO.
SANTA, ID 83866

PROOF DUE NOTICE

NOVEMBER 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 92-7066 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 29, 1980

William &/or Terry Rogers
Santa Mercantile Co.
Santa, Idaho 83866

Dear Mr. & Mrs. Rogers.

RE: Permit No. 92-7066

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 92-7066

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2/11/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/5/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1-14-80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA Date: 2/11/80

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: Juni Date: 2/21/80

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 28, 1980

Mr. William Rogers
Santa Mercantile Co.
Santa, Idaho 83866

RE: 92-7066

Dear Mr. Rogers:

Enclosed is Receipt No. 15189 in the amount of \$35.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Stypa

PMS

Enclosure

MICROFILMED

92-2066-

ROGERS, WILLIAM &/or TERRY

SANTA MERCANTILE CO., SANTA, ID 83866

Source: UNNAMED STREAM tributary to RENFRO CREEK
RENFRO CREEK tributary to SAINT MARIES RIVER

Date Filed: 01/14/1980

Amount: 0.28 CFS 1.6 AC-FT

Diversion Point: NWSE Sec 14 T 44N R 01W, BENEWAH Co.

Use: IRRIGATION	(0.28 CFS)	from 04/01 to 10/15
IRRIGATION STORAGE	(1.6 AC-FT)	from 01/01 to 12/31
IRRIGATION FROM STORAGE	(1.6 AC-FT)	from 04/01 to 10/15
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
STOCKWATER STORAGE	(1.6 AC-FT)	from 01/01 to 12/31
STOCKWATER FROM STORAGE	(1.6 AC-FT)	from 01/01 to 12/31
DIVERSION TO STORAGE	(0.30 CFS)	from 01/01 to 12/31

Place of Use: NWSE Sec 14 T 44N R 01W FOR 14 ACRES

Diversion Means: POND & PUMP

MICROFILMED