




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 92-7051 Priority June 7, 1979 Amount .08 cfs

THIS IS TO CERTIFY, that Wesley &/or Lorabell Eaklor
of St. Maries, ID, has complied with the terms and conditions of Permit
No. 92-7051 issued pursuant to Application for Permit dated June 7, 1979,
and has submitted proof to the Department of Water Resources on June 18, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .08 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (2 units)	from Jan to Dec 31	at .08 cfs and	2.4 acre feet
	from to at cfs and		
	from to at cfs and		

(both dates inclusive)

Subject, however, to the condition that no more than .08 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.4 acre feet per year, said waters to be diverted within the NENE Section 36, Twp 46N,
Rge 2W in the County of Benewah

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
46N	2W	36	X																

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21 day of
September, 19 81.

RECEIVED
SEP 21 1981

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Wesley &/or Lorabell Eaklor Phone 245-2276

Post office address Rt. 4 Box 34 St. Maries, Idaho 83861

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 36 Township 46N

Range 2W B.M. Benewah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well and pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 220 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 36 Township 46N
Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICHAEL

[illegible]

None

Applicant _____

Applicant _____

Applicant _____

applicant to make this filing

marks

Proposed Priority 6/7/79

Received by AK Date 6-7-79 Time 2:15 PM
Preliminary check by AK Fee \$ 20.00
Received by AK Date 6-7-79 # 14012
Publication prepared by AK Date 6/3/79
Published in Idaho Falls Record
Publication dates 6/21-28/79
Publication approved AK Date 7/3/79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by AK S.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7051, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 80.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 13 day of JULY, 19 79.

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of two issues, the first publication being on the 21st day of June, 1979, and the last on the 28th day of June, 1979.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this 29th day of June, 1979.

C. Stephen Allred
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

92-7051

Name: Wesley or Lorabell Eaklor
Address: Rt. 4, Box 34, St. Maries, Idaho 83861

Date Filed: June 7, 1979

Amount: 0.08 cubic feet per second

Source: Groundwater

Means: Well and pump

Point of Diversion: NENE Sec 36 T 46N R 02W, Benewah county

Place of Use: NENE Sec 36 T 46N R 02W

Use: Domestic (0.08 cfs) from Jan. 1 to Dec. 31

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho, 83814 on or before July 9, 1979.

C. STEPHEN ALLRED
Director

No. 5776 — June 21-June 28

RECEIVED
JUL 9 1979

Department of Water Resources
Northern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

September 28, 1981

RE: Permit No. 92-7051

Wesley &/or Lorabell Eaklor
Route #4, Box 34
St. Maries, ID 83861

Dear Mr. and Mrs. Eaklor:

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

A handwritten signature in cursive script, reading "Jim Johnson", is written over the typed name.

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

JUL 29 1981

Department of Water Resources

92-7051

Permit No.
5-1

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

- ☐ Appointment letter mailed: _____
- ☐ Telephone call made: _____
(List Telephone No. used) _____
- ☐ Appointment scheduled for: _____
(Date, time, location) _____

EXAMINATION

Date 7-16-81 Accompanied by App. Total Q measured —

If source is surface water, estimate total flow of source —

Methods of measurement Est Meets Permit requirements? Yes

Measurement calculations:

2 Homes ✓

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
								<u>5 cfs</u>

System Description 6" x 220' well, pump & pipeline

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

Domestic

0.08 ✓

2.4 ✓

1-1

12-31

Total

0.08

2.4

Remarks

Fitness adaptor. - 2nd home water pipes froze & broke during winter - carry water from one home to the other until fixed.

MICROFILMED

UNCLASSIFIED

Date _____

18/9/16
12/7/2
1-23-81

Recommended Amendments:

[illegible]

Place(s) of Use


Point(s) of diversion: NE NE, 36, 46 N, 8W

(include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

[illegible]

MAP (Attach Aerial Photo)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 17, 1980

Mr. Wesley Eaklon
Rt. 4 Box 34
St. Maries, Idaho 83861

RE: 92-7051

Dear Mr. Eaklon:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 92-7051

Name(s) of Permit Holder: Eaklor, Wesley & Lorabell

Post Office Address: Rt. 4 Box 34

St. Maries, Id.

Tel. No. 245-2276

Source of Water: Groundwater

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 18, 1980

Date

Lorabell Eaklor
Signature of Permit Holder

PLACE
TEN CENT
STAMP

RECEIVED

JUN 23 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

EAKLOR, WESLEY & LORABELL
RT. 4 BOX 34
ST. MARIES, ID 83861

158150

MAY 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 92-7051 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

July 16, 1979

Wesley &/or Lorabell Eaklor
Rt. 4, Box 34
St. Maries, ID 83861

Dear Mr. & Mrs. Eaklor:

RE: Permit No. 92-7051

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

92-7051

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. ☒ Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. ☒ Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. ☒ Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map ☒
11. ☒ Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>NO</u> Idaho Fish & Game Dept.	<u>NO</u> Dept. of Lands
<u>NO</u> Bureau of Land Management	<u>NO</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ☒ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 6/7/79
Water Quality #16 NO
Water Quality #10 NO
intrastate NO interstate NO

Meas. Dev. or Sc. Meas. NO
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. NO
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

Jim
Reviewer
7/12/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 92-7051

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK _____

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) KK _____

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) ERT 7/3/79

Affidavit of Publication received(date) 7/2/79

(12) ms 7/9/79

Final date for protests July 9, 1979

Protests received: yes _____ no _____

(13) ms 7/9/79

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

6-7-9 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District North

By Bob Haynes Date 7-9-79

RECEIVED
JUL 10 1979

Department of Water Resources

92-2051-

EAKLOR, WESLEY &/or LORABELL

RT. 4 BOX 34, ST. MARIES, ID 83861

Source: GROUNDWATER

Date Filed: 06/07/1979

Amount: 0.08 CFS

Diversion Point: NENE Sec 36 T 46N R 02W, BENEWAH Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 36 T 46N R 02W

Diversion Means: WELL & PUMP

MICROFILMED