


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur M. Brynteson
(Applicant)

91-7001

RECEIVED

NOV 4 1969

Department of Reclamation

Affidavit of Publication

STATE OF IDAHO,)
County of Benewah,) ss

ed Robert M. Hammes, being first duly sworn on oath, deposes and says that he is publisher and business manager of The St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; The St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah county, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said paper for a period of two issues, the first publication being on the 9th day of October, 1969 and the last on the 16th day of October, 1969

That said newspaper was regularly distributed to its subscribers during the time of said period; that said notice was published in the regular and entire issue of said paper.

Jane Hammes
Subscribed and sworn to before me this 17th day of October, 1969

Ora Lyman
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

NOTICE OF
APPLICATION FOR WATER

Notice is hereby given that Arthur M. Bryntesen, Box 82, St. Maries, Idaho, has on August 22, 1969, applied for permit under application No. 91-7001 to divert 0.29 cubic feet per second of water from St. Joe River tributary of Coeur d'Alene Lake. Water will be diverted by pump and sprinkling system within Lot 1, Sec. 8, T. 46N, R. 2W, B. M., Benewah County and is to be used from May 1 to October 15 for irrigation and from January 1 to December 31 for domestic purposes in Lot 1, Sec. 8, T. 46N, R. 2W, B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Gazette Record,
St. Maries, Idaho on October 9 and
October 16, 1969.
No. 3218 - Oct. 9 - Oct. 16


91-7001 Bill submitted
11-4-69
ds

COEUR DALENE, IDAHO
Township N° 46 North, Range N° 2 West

G f F e E d D



Approx. location



NORTH

Legend:



River



Highway US 95A



Pump



Land to be irrigated

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 92-7027 Priority August 22, 1969 Amount 0.11 cfs

THIS IS TO CERTIFY, that ARTHUR M. BRYNTESEN
of St. Maries, Idaho, has complied with the terms and conditions of Permit
No. 92-7027 issued pursuant to Application for Permit dated August 22, 1969,
and has submitted proof to the Department of Water Resources on October 25, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.11 cfs of water from St. Joe River,
tributary to Coeur d'Alene Lake, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.11</u> cfs and	<u>3.6 acre feet</u>
<u>Irrigation</u>	from <u>May 1</u> to <u>Oct. 15</u>	at <u>0.11</u> cfs and	<u>21.0 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>3.0 af per acre</u>

(both dates inclusive)

Subject, however, to the condition that no more than 0.11 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
24.6 acre feet per year, said waters to be diverted within ~~the~~ Lot 1 of Sec. 8,
Twp. 46 N, Rge. 2 W, B. M. in the County of Benewah

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
46 N	2W	8	Lot NO. 1								X								Seven

Total number of acres irrigated Seven

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 4 day of
March, 19 76.

Director

Identification No. 91-7001

Application No. 92-7027

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED


LICENSE ISSUED FOR 0-11 SEC. 11.
LICENSE PAGE NO.

1. Name of applicant Arthur M Bryntesen
post office address Box 82 St. Maries, Idaho 83861
2. Source of water supply St. Joe River which is a tributary of Coeur d' Alene Lake
3. a. Location of point of diversion is A parcel of land in Lot 1 8 Township 46 N
Range 2 W B.M. Benewah County; additional points of diversion if any:
- b. If water is not consumed, it will be discharged into at a point in 1/4
of 1/4 of Section Township Range B.M.
4. Water will be used for the following purposes:
Amount 0.11 cfs for (multiple Domestic) purpose from Jan. 1st. to Dec. 31 st (both dates inclusive)
Amount 0.11 cfs for Irrigation purpose from May 1st to Oct. 15th (both dates inclusive)
Amount for purpose from to (both dates inclusive)
5. Total quantity to be appropriated:
a. 0.29 cubic feet per second and/or
b. acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 5hp Electric Pump
Underground sprinkling system.
- b. Height of storage dam feet, active reservoir capacity acre feet; total reservoir capacity acre feet, materials used in storage dam:
Period of year during which storage will occur to inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is inches; proposed depth of well is feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years. Some to be completed immediately and some in the near future.
b. Estimated construction cost is \$ 3000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: 1/4 of 1/4 of Section Township
Range B.M.
(2) Amount of power to be generated: hp under feet of head.
(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be supplied with domestic water 7.
(5) If water is to be used for other purposes describe:

91-7001

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arthur M. Bragstad
(Applicant)

91-7001

State Reclamation Engineer

Witness my hand this 10th day of November 19 69.

2. Denial of said application is for the following reasons:

c. Other: Maximum rate of diversion shall not exceed 0.29 c.f.s.

before November 1, 1974.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 91-7001, and said application is hereby APPROVED.

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

10/16/69
D. H. H. H.

Recommended for approval denial by

Hearing held by Date

Copies of protests forwarded by

Protests filed by:

Priority reduced to Reason

Publication approved Date 11-9-69

Publication dates 10-9 and 16-1969

Published in Official Record

Publication prepared by Date 10-1-69

Received by Date 8-28-69

Preliminary check by Date Fee \$10.00

Received by Date 8-22-69 Time 9:00 am

Affidavit of Publication

STATE OF IDAHO,)
County of Benewah,) ss

Robert M. Hammes, being first duly sworn on oath, deposes and says that he is publisher and business manager of The St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; The St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah county, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said paper for a period of two issues, the first publication being on the 9th day of October, 1969 and the last on the 16th day of October, 1969

That said newspaper was regularly distributed to its subscribers during the time of said period; that said notice was published in the regular and entire issue of said paper.


Subscribed and sworn to before me this 17th day of October, 1969

Ora L. Ryan
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho



91-7001 Bill submitted
11-7-69
de

CHIEF D'ALENT
Map No 40 North, Range No 2 West
C F E D



March 4, 1976

Re: Permit No. 92-7027

Mr. Arthur M. Bryntesen
Box 82
St. Maries, Idaho 83861

Dear Mr. Bryntesen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

ddr

Enc: Copy of license

1976 MAR 10 10 10 AM

February 18, 1976

Re: Permit No. 92-7027 (renumbered from 91-7001)

Mr. Arthur M. Bryntesen
Box 82
St. Maries, Idaho 83861

Dear Mr. Bryntesen:

A representative of this Department has made an examination of the works covered by your Permit No. 92-7027 and has found the following:

Quantity of water diverted: 0.11 cfs Source: St. Joe River

Amount of water that can be recognized as beneficially used under
Idaho law: 0.11 cfs

The maximum quantity diverted shall not exceed 24.6 acre feet per
year.

Point of diversion: Lot 1 of Sec. 8, Twp. 46 N, Rge. 2 W, B. M.

Beneficial use: Domestic purposes and the irrigation of seven acres
within Lot No. 1, Sec. 8, Twp. 46 N, Rge. 2 W, B. M.

Priority established: August 22, 1969

If you do not concur with these findings please contact us within 10 days, otherwise a
water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

RECEIVED

TOTAL ACREAGE _____ **7**

T
46
N






Diagram of System

11. Map of proposed project:

Approx. location



Legend:



River



Highway US 95A



Pump



Land to be irrigated

DATE OF EXAM 9/24/75

ACREAGE

Found 7 acres
Recommended 7 acres

Irrigation Requirement 3.0 Ac Ft/Ac

USE

Irrigation Q=0.11 cfs c.f.s. V=21.0 AF/Ann. from 5/1 to 10/15
Domestic Q=0.11 c.f.s. V=3.6 AF/Ann. from 1/1 to 12/31
Livestock Q= c.f.s. V= AF/Ann. from to

Is water co-mingled? yes no ☒

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Exchange? yes no ☒

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Total Q measured 0.11 cfs Method of measurement pressure gauge

Total Q recommended 0.11 cfs Meter No. Type Condition

Total V recommended 24.6 a.f./year

Recommended Amendments:

P.D.
Place of Use
Other
None ☒

MEASUREMENT CALCULATION:

Rain Jet Sprinklers
10 sprinklers @ 50 lbs
4.98 gpm x 10 ÷ 448.8 = 0.11 cfs

SYSTEM DESCRIPTION:

<u>Imp. Motor</u>	<u>Base Pump</u>	<u>Under-ground sprinkler system</u>
<u>H.P. 1 1/2</u>	<u>Size: G70</u>	<u>for the lawn. Water is</u>
<u>Serial SKPR 2927</u>	<u>2" input 2" output</u>	<u>also piped under the</u>
		<u>highway by 2" pipeline</u>
		<u>for sprinkler irrigation</u>

REMARKS:

the water is used to irrigate 7 acres and also
used for Domestic purposes (excluding drinking) for
6 households.

Examiner's Signature Paul Eisenhardt Jr. Date 9/24/75

Checked by Patricia Black Date 9/25/75

Approved by Date

March 24, 1975

Re: Permit No. 91-7001

C
Mr. Arthur M. Bryntesen
Box 82
St. Maries, Idaho 83861

O
Dear Mr. Bryntesen:

Please be advised that your permit is in good standing and that a water license can be issued as soon as the field examination has been made.

A representative of the Department will contact you during the coming 1975 irrigation season.

P
Sincerely,

Y
BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

RECEIVED
MARCH 25 1975

RECEIVED

MAR 27-1975

Department of Water Resources

Arthur Bryntesen
Box 82
St. Maries, Ida.
83861

March 19, 1975-

Dear Mr. Higginson,

I am writing in regard to our water permit # 91-7001. We received forms from your office last fall which we filled out and sent in. Later we received a letter stating an inspector from, I believe, Coeur d'Alene would be around to inspect our system. Since then we've heard nothing, and we've never seen the inspector.

MEMORANDUM
We do not want to lose our permit, as the water is very necessary and beneficial to us. Please inform us of any necessary steps that must be taken to retain this permit. Thank you.

Yours truly,

Mrs. A. Bryntesen

November 13, 1974

Re: Permit No. 91-7001

Arthur H. Bryntesen
Box 82
St. Maries, ID 83861

Dear Mr. Bryntesen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in **Coeur d'Alene.**

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

MICROFILMED

Identification No. _____

Permit No. 91-7001

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Arthur M. Brynteson
b) Post Office Address Box 82 - St. Maries, Ida. 83861
2. Permit Number 91-7001
3. Date of Priority that you are prepared to establish _____
4. a) Source from which water was appropriated St. Joe River
b) Location of the point of diversion 16 Parcel #4 land Lot 1/4 Section 8
Township 46 N Range 2 W Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 0.10 for Irrigation purposes from June 1 to Sept 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 108000 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Math. by the Brynteson

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

- a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 1 horsepower electric pump. River (surface water) pumped thru pipes to sprinklers.

- b) Describe the type and size of measuring device which you have installed at your point of diversion: None. Didn't know we were supposed to have one.

- c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300**



**RETURN
TO**



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

1. SENDER: Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and
show to whom, date, and address of
delivery 85¢

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO. | CERTIFIED NO. | INSURED NO.

26010

(Always obtain signature of addressee or agent)


I have received the article described above.
SIGNATURE

A. M. Brynteson

4. DATE OF DELIVERY

9-4-74

5. ADDRESS (Complete only if requested)



6. UNABLE TO DELIVER BECAUSE:

RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

August 30, 1974

CERTIFIED MAIL

#26010

Re: Permit No. 91-7001

Arthur M. Bryntesen
Box 82
St. Maries, ID 83861

Dear Mr. Bryntesen:

One of the conditions of approval of your water Permit No. 91-7001 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

November 10, 1969

Re: Permit No. 91-7001

Mr. Arthur M. Bryntesen
Box 82
St. Maries, Idaho 83861

Dear Mr. Bryntesen:

We enclose a copy of your approved application for permit 91-7001
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 3557 for \$10.

91-7001

October 27, 1969

Re: Application for Permit No. 91-7001 - Arthur M. Bryntesen

Gazette Record
127 South 7th
St. Maries, Idaho 83861

Gentlemen:

Would you please submit an affidavit of publication and a certified bill in connection with the above referenced item(s). The legal notice was to be published in your paper on October 9 and 16, 1969.

As the above permit application cannot be approved until we are in receipt of the affidavit, it is important that we receive it as soon as possible.

May we please have your prompt attention to this matter.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

91-7001

October 1, 1969

Re: Application for Permit No. 91-7001 - Arthur M. Bryntesen

Gazette Record
127 South 7th
St. Maries, Idaho 83861

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Legal notice

**NOTICE OF
APPLICATION FOR WATER**
Notice is hereby given that Arthur M. Bryntesen, Box 82, St. Maries, Idaho, has on August 22, 1969, applied for permit under application No. 91-7001 to divert 0.29 cubic feet per second of water from St. Joe River tributary of Coeur d'Alene Lake. Water will be diverted by pump and sprinkling system within Lot 1, Sec. 8, T. 46N, R. 2W, B. M., Benewah County and is to be used from May 1 to October 15 for irrigation and from January 1 to December 31 for domestic purposes in Lot 1, Sec. 8, T. 46N, R. 2W, B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Gazette Record,
St. Maries, Idaho on October 9 and
October 16, 1969.
No. 3218 - Oct. 9 - Oct. 16

91-7001

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Arthur M. Bryntesen, Box 82,
St. Maries, Idaho, has on August 22, 1969,
applied for permit under application No. 91-7001
to divert ~~about~~ 0.29 cubic feet per second ~~adit/diet~~
of water from St. Joe River tributary of Coeur d'Alene Lake.
Water will be diverted by pump and sprinkling system

within ~~the~~ Lot 1, Sec. 8, T. 46N, R. 2W, B.M., Benewah County

and is to be used from May 1 to October 15 for irrigation and from
January 1 to December 31 for domestic purposes
in ~~the~~ Lot 1, Sec. 8, T. 46N, R. 2W, B.M.

Any protest against this application must be filed with the Department
of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Gazette Record, St. Maries, Idaho,
on October 9 and October 16, 1969.

L.H.

91-7001

Sept 17, 1969

RE: Application for permit

91-7001

SEP 22 1969

Dear Mr. Mc Eldowney,

Department of Reclamation

We plan on dividing our 7 acres into 7 - 1 acre building lots and building houses on them. We will need water for the sewers and possibly have to put in a purifying plant for drinking water. We also feel we will need more than .02 cubic feet of water per second per acre for lawns and gardens.

We will do what ever you suggest, to enable us to use this water. Thank You for your help.

Yours Truly,

Art Brynteson
Box 82

St. Maries, Ida.

83861

91-7001

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE -- ANNEX 2
BOISE, IDAHO 83707

September 11, 1969

Re: Application for Permit No. 91-7001

Mr. Arthur M. Bryntesen
Box 82
St. Maries, Idaho

Dear Mr. Bryntesen:

Your application for permit to appropriate the public waters of the State of Idaho for use in Lot 1, Sec. 8, T. 46N, R. 2W, B.M. requires additional information.

We need to know the number of families you propose to serve with the 1.5 cubic feet per second for domestic purposes. As you may be aware, the maximum time we can consider for development under a permit is a five year period, therefore, your plans for development within the five year period may indicate the number of families you intend to serve.

Also, state law provides the maximum rate of diversion we can approve under normal circumstances as .02 cubic feet per second per irrigated acre. Therefore, the normal maximum rate of diversion we can consider for your 7 acres would be .14 cubic feet per second. In as much as this is a small tract of ground, we can probably assist you with the additional water, however, we must have a letter requesting additional water and stating your need for it. With this simple addition of information, we will be able to justify your additional water.

If we can assist you in any manner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

91-7001