


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SANTA WATER AND SEWER ASSOCIATION, INC.

By

George Bailey
(Applicant)

92-7003

RECEIVED

NOV 4 1969

Department of Reclamation

Affidavit of Publication

STATE OF IDAHO,)
County of Benewah,) ss

ed Robert M. Hammes, being first duly sworn on oath, deposes and says that he is publisher and business manager of The St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; The St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah county, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said paper for a period of two issues, the first publication being on the 16th day of October, 19 69 and the last on the 23rd day of October, 19 69

That said newspaper was regularly distributed to its subscribers during the time of said period; that said notice was published in the regular and entire issue of said paper.

Subscribed and sworn to before me this 24th day of October, 19 69

Ora Lyon
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Santa Water and Sewer Association, Inc., Santa, Idaho, has on September 22, 1969, applied for permit under application No. 92-7003 to divert .5 cubic feet per second of water from a groundwater source. Water will be diverted by well, tank and pipeline within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$ and SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 22, T. 44 N, R. 1 W, B. M., Benewah County and is to be used from January 1 to December 31 for multiple domestic purposes in the NE $\frac{1}{4}$ of Sec. 22, T. 44 N, R. 1 W, B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in the Gazette Record, St. Maries, Idaho, on October 16 and October 23, 1969.
No. 3220- Oct. 16-Oct 23


*Bill submitted
11-4-69
92-7003*

by: _____
by: _____
by: _____
by: _____

DATE _____
EXAMINATION RECORDS

eng
Kon Dartsch!
for spm. 6642054

Diagram of System



N.
44
T.

DATE OF EXAM 8-18-1972

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Municipal Q = .057 cfs V = 27.0 AF/Ann. from 1-1 to 12-31
54 gpd

Is water co-mingled? yes ☒ no _____

Name source: unnamed spring
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection:
twp. 44 N/S, Rge 1 E/W, B.M., Sec. 22, Sub. NE 1/4 NE 1/4 NE County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured .057 Method of measurement well log pump test

Total Q recommended .057 Meter No. _____ Type _____ Condition _____

Total V recommended 27.0 AF/Ann.

Recommended Amendments: 54 gpd

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

Ken Dartschi Eng. Per information from his records (well log)
test pumped at 25 gpm = .057 cfs
4.5 families x .6 AF = 27.0 AF/Ann.
1.2 = 54 AF/Ann.
gpd

SYSTEM DESCRIPTION:

Supply 4.5 families a well 243 ft deep w/ 3 hp. sub.
pump w/ 2" discharge to 30K storage

REMARKS:

pump running cont. most of year - no records however
on pumping time
30K storage also has a unnamed spring running into it
at an undetermined rate - well is now primary source

Examiner's Signature Ernie Ballou Date 8-18-1972

Checked by _____ Date _____

Approved by _____ Date _____

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 92-7003 Priority Dec. 2, 1969 Amount 0.057 cfs
(late proof)

THIS IS TO CERTIFY, that Santa Water & Sewer Association, Inc.
of Santa, Idaho, has complied with the terms and conditions of Permit
No. 92-7003 issued pursuant to Application for Permit dated September 22, 1969,
and has submitted proof to the Department of Water Administration on January 15, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.057 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.057 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.057 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 22, Twp. 44 N, Rge. 1 W, B.M.

in the county of Benewah; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 27 acre feet per year ~~xx~~

~~xx~~

Description and location of place of use: Vicinity of the City of Santa, Idaho.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
44 N	1 W	22	X	X	X	X													


Total number of acres irrigated _____

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 21ST day of

May, 19 73.


Director
92 7003

LICENSE ISSUED FOR 0.057 SEC. FT.
LICENSE PAID FOR _____

Identification No. _____
Application No. 92-7003

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT


APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Santa Water and Sewer Association, Inc.
post office address Santa, Idaho 83866
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 44 N
Range 1 W B.M. Benewah County; additional points of diversion if any: _____
NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 44 N, R. 1 W, B.M.
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .5 for multiple domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .5 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 30,000 gallon reinforced concrete storage tank, community domestic water system, spring house, pipeline
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 4 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years.
b. Estimated construction cost is \$ completed except for storage tank
8. Description of proposed uses:
a. If water is **not** for irrigation:
vicinity of the city of Santa
(1) Give the place of use of water: _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 44 N
Range 1 W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served City of Santa, or number of families to be supplied with domestic water 50.
(5) If water is to be used for other purposes describe: _____

92-7003

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SANTA WATER AND SEWER ASSOCIATION, INC.

By George Bailey
(Applicant)

92-7003

Received by [Signature] Date 9-22-69 Time 8:00 a.m.
Preliminary check by [Signature] Fee \$ 10.00
Received by [Signature] Date 9-26-69
Publication prepared by [Signature] Date 10-8-69
Published in Boyle's Record
Publication dates 10-16+23-69
Publication approved [Signature] Date 11-9-69
Priority reduced to 12-2-69 Reason Not enough

Protests filed by: [Signature]

Copies of protests forwarded by _____
Hearing held by _____ Date _____

Recommended for approval denial by [Signature]

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 92-7003, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 70.

c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 10th day of November, 19 69.

State Reclamation Engineer

[Signature]

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 92-7003 IN THE)
NAME OF SANTA WATER & SEWER ASSN., INC.)

ORDER OF REINSTATEMENT

WHEREAS, on September 22, 1969, Santa Water & Sewer Assn., Inc. applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate 0.5 cubic feet per second of water from a ground water source within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 22, T. 44N, R. 1W, B.M., Benewah County, to be used for multiple domestic purposes for the city of Santa, Idaho; and,

WHEREAS, on November 10, 1969, the Department approved Permit No. 92-7003 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before December 1, 1970; and,

WHEREAS, on October 1, 1970, the permit holder was notified by certified matil that they were required to submit proof of application of water to beneficial use and were instructed as to the steps to be taken to make that proof; and,

WHEREAS, on December 7, 1970, the permit holder was notified that Permit No. 92-7003 had lapsed for failure to submit the required proof of application of water to beneficial use; and,


WHEREAS, on February 10, 1971, the Department received the said proof; and,


WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why the permit should be reinstated;

THEREFORE, IT IS HEREBY ORDERED that Permit No. 92-7003 be REINSTATED and the priority advanced to December 2, 1969.

Dated this 8TH day of March, 1971.




R. KEITH HIGGINSON
Director

92 7003

RECEIVED

FEB 20 1971

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Santa Water & Sewer Association
b) Post Office Address Santa, Idaho
2. Permit Number 92-7003
3. Date of Priority that you are prepared to establish August 1, 1970 Sept 22, 1969
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: NW 1/4 NE 1/4, Section 22
Township 44 N, Range 1 W Boise Meridian, Other points of diversion: None

5. a) The amount of water and use to which the water has been applied:
amount .044 cfs for Domestic purposes from Jan 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .044 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Well tested by K.A. Deutsch & Associates Consulting Engineers, Co. Boise, Idaho - See letter of explanation

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 4" - 3HP - Submersible pump - sitting @ 180' depth in 243' - 6" cased well - 2" galv. discharge pipe and thence into distribution system including 30,000 gal storage tank
b) Describe the type and size of measuring device which you have installed at your point of diversion: a factory set "Criswell Flow Control Valve" #3288 set for 20 gpm. See letter.
c) Give well drillers name and address and date the well was completed _____

Driller Mr. A.E. Spray Box 195 B Moscow, Idaho
Well completed June 30, 1967

92 7003

Exam typed 5-10-71. (CA)

June 13, 1972

NOTARY PUBLIC for the State of Idaho
Residing at Laramie, Idaho
My commission expires June 12, 1972

Lucille Rheward

On this 4th day of January, 19 77, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

State of Illinois)
County of Demarata) ss.

2/9/77 (Date)

(Signature)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Remarks: The well in question was tested at various rates of flow using the installed pump. It was found to pump black sand with the water at approx 25 gpm. Flow rate. The constant rate flow device was therefore installed to limit the flow to 30 gpm

[illegible]

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use
Domestic water supply city of Seta, Idaho

Affidavit of Publication

STATE OF IDAHO,)
County of Benewah,) ss

ed Robert M. Hammes, being first duly sworn on oath, deposes and says that he is publisher and business manager of The St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; The St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah county, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said paper for a period of two issues, the first publication being on the 16th day of October, 19 69 and the last on the 23rd day of October, 19 69

That said newspaper was regularly distributed to its subscribers during the time of said period; that said notice was published in the regular and entire issue of said paper.

Jane Hammes
Subscribed and sworn to before me this 24th day of October, 19 69

Chris L. [Signature]
Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho



*Bill submitted
11-4-69
92-7003*

May 24, 1973

Re: License No. 92-7003

Santa Water & Sewer Association, Inc.
Santa,
Idaho 83866

Gentlemen:

Enclosed please find a copy of the Water License issued on the above referenced permit.

Sincerely,

Bobby D. Fleenor
Assistant Director

kss

Enclosure

92 7003

May 10, 1973

Santa Water & Sewer Association, Inc.
Santa,
Idaho 83866

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 92-7003 and has found the following:

Quantity of water diverted: 0.057 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.057 cfs

The maximum quantity diverted shall not exceed 27 acre feet per year.

Beneficial use: Domestic purposes within the NE $\frac{1}{4}$, Sec. 22,
Twp. 44N, Rge. 1W, B.M.

Point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, Twp. 44N, Rge. 1W, B.M.

Priority date established: Dec. 2, 1969 (late probt)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

92 7003

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Santa Water and Sewer Association, Inc.
Post office address Santa, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ Groundwater
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount .5 c.f.s. for Multiple domestic
_____ AF/Annum (nature of use)

Period of Use: from January 1 to December 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 92-7003
Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion .5 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 44 N N/S, Range 1 W E/W, B.M., Section 22, Subdivision NE $\frac{1}{4}$ NE $\frac{1}{4}$, Benewah
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: NW $\frac{1}{4}$ NE $\frac{1}{4}$, SW $\frac{1}{4}$ NE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 22, T. 44 N, R. 1 W, B.M.

Description of diverting works: 4" - 3 h.p. - submersible pump - sitting @ 180' depth in 243' - 6" cased well - 2" galv. discharge pipe and thence into distribution system including 30,000 gal. storage tank.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use. Vicinity of the City of Santa.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
44 N	1 W	22																	


TOTAL ACREAGE 92 7003

by:
by:
by:
by:

DATE EXAMINATION RECORDS

eng
Kon Dartsch:
for BSM. 6642054

Diagram of System



W. 44 T.

DATE OF EXAM 8-18-1972

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
~~unmeasured~~ Q= .057 cfs V= 27.0 AF/Ann. from 1-1 to 12-31

Is water co-mingled? yes ☒ no _____

Name source: unnamed spring
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. 44 N/S, Rge 1 ~~W~~ E/W, B.M., Sec. 22, Sub. ~~NE~~ 1/4 NE 1/4 NE
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .057 Method of measurement well log & pump test

Total Q recommended .057 Meter No. _____ Type _____ Condition _____

Total V recommended 27.0 AF/Ann.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

Ken Dretschke Eng. for information from his records (well log)
test pumped at 25 gpm = .057 cfs
45 families x .6 AF = 27.0 AF/Ann.

SYSTEM DESCRIPTION:

Supplies 45 families a well 243 ft deep w/ 3 hp. sub.
pump w/ 2" discharge to 30K storage

REMARKS:

pump running cont. most of year - no records however
on pumping time
30K storage also has a unnamed spring flowing into it
at an undetermined rate - well is now primary source

Examiner's Signature Ernie Baller Date 8-18-1972

Checked by _____ Date _____

Approved by _____ Date _____

March 9, 1971

Re: Permit No. 92-7003

Santa Water & Sewer Assn., Inc.
Santa,
Idaho 83866

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for permit 92-7003. Enclosed you will find an order which reinstates this permit, please note that the priority has been advanced to December 2, 1969.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If a particular person should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Order of Reinstatement

92 7003

February 3, 1971

Re: Permit No. 92-7003

Mr. Raymond D. Miner
SANTA WATER AND SEWER ASS'N, INC.
Santa, Idaho 83866

Dear Mr. Miner:

We are returning the affidavit of beneficial use submitted on January 15, 1971 in connection with the above referenced permit. Please note that the affidavit has not been signed by an official of your association and that it has not been notarized. Please have it signed and notarized and return it to this department immediately in order that your permit does not lapse.

We are also returning the extension of time request. We wish to advise you that if the affidavit of beneficial use is accepted, an extension of time will not be necessary.

If you have any questions, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

Enc: beneficial use form
extension request

92 7003

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 7, 1970

Re: Permit No. 92-7003

Santa Water & Sewer Association, Inc.


Santa,

Idaho 83866

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 92-7003 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:DR

92-7003

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver **ONLY**
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

1

Santa Water & Sewer Co.

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

2

INSURED NO.

Alfred Kempinski

DATE DELIVERED

SHOW WHERE DELIVERED *(only if requested)*

3

92-7003

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300



POSTMARK OF
DELIVERING OFFICE

INSTRUCTIONS: Show name and address below and complete instructions on other side where available. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN RECEIPT REQUESTED.**

**RETURN
TO**

NAME OF SENDER

Dept. of Water Administration

STREET AND NO. OR P.O. BOX

Statehouse - Annex 2

POST OFFICE, STATE, AND ZIP CODE

Boise, Idaho 83707

October 1, 1970

Re: Permit No. 92-7003

Santa Water & Sewer Association, Inc.
Santa
Idaho 83866

Gentlemen:

One of the conditions of the approval of your Permit No. 92-7003 was that proof of application of the water to beneficial use be submitted to this office on or before December 1, 1970.

Enclosed is an affidavit form which must be used to submit proof of beneficial use. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended.

Either the proof affidavit or a request for extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



Director

Enc: Proof affidavit
dr

CERTIFIED MAIL

22246

92-7003

November 10, 1969

Re: Permit No. 92-7003

Santa Water and Sewer Association, Inc.
Santa,
Idaho 83866

Gentlemen:

We enclose a copy of your approved application for permit 92-7003
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 3660 for \$10.00
2 informational letters
cc. Felton, Bielenberg, and Anderson
Attn: Mr. Robert Felton
114 East 3rd
Moscow, Idaho 83843

92-7003

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

October 8, 1969

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

Re: Application for Permit No. 92-7003 - Santa Water and Sewer Association, Inc.
93-7002 - Billie E. Howard

Gazette Record
127 South 7th
St. Maries, Idaho 83861

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Legal notices (2)

92-7003

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Santa Water and Sewer Association, Inc.,
Santa, Idaho, has on September 22, 1969,
applied for permit under application No. 92-7003
to divert ~~about~~ .5 cubic feet per second ~~from the~~
of water from a groundwater source.
Water will be diverted by well, tank and pipeline

within the NE¹/₄NE¹/₄, NW¹/₄NE¹/₄, SW¹/₄NE¹/₄ and SE¹/₄NE¹/₄ of Sec. 22, T. 44 N, R. 1 W,
B.M., Benewah County

and is to be used from January 1 to December 31 for multiple domestic
purposes

in the NE¹/₄ of Sec. 22, T. 44 N, R. 1 W, B.M.

Any protest against this application must be filed with the Department
of Reclamation within ten days from the last date of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Gazette Record, St. Maries, Idaho,
on October 16 and October 23, 1969

X/H

92-7003

September 22, 1969

Re: Application for Permit
Santa Water and Sewer Association, Inc.

Mr. Robert Felton
FELTON, BIELENBERG AND ANDERSON
Attorneys at Law
114 East 3rd
Moscow, Idaho

Déar Mr. Felton:

We are returning your firm's check submitted with the above referenced application for permit. The amount required for this application is only \$10.00 rather than the \$20.00 which you have submitted. Therefore, please forward a check in the correct amount to the Department and we will begin processing the application. Please contact us if we may be of further assistance,

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TC

Enc: check in the amount of \$20.00

93-7003

LEN BIELENBERG
ROBERT T. FELTON
W. E. ANDERSON

FELTON, BIELENBERG & ANDERSON

ATTORNEYS AT LAW
P. O. BOX 205
114 EAST 3RD STREET
MOSCOW, IDAHO 83843

AREA CODE 208
TELEPHONE 882-4586

September 17, 1969

RECEIVED
SEP 22 1969
Department of Reclamation

State of Idaho
Department of Reclamation
Statehouse
Boise, Idaho 83702

Gentlemen:

and check back
Please find enclosed the Santa Water and Sewer Association, Inc.
Application for Permit signed by the President, George Bailey.

Very truly yours,

FELTON, BIELENBERG & ANDERSON

By *Robert T. Felton*

RTF/eb
Enclosure

92-7003