





(SILVER CITY 1:62 500) 2670 II MURPHY 2.7 MI. SILVER CITY 24 MI.

SCALE 1:24 000



MICROFILMED


DEC 08 1988

CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 10-FOOT CONTOURS
 CONTOUR INTERVAL ON RIVER SURFACE 5 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 2000'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6 5/8" well	Model 200CN1	2	(Submer.)	Red Jacket	Model N14CC

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Name taken

MICROFILMED
FEB 25 1998






P/D
Well with
Power
Supply
+ timer
box
Photo taken
5-29-92
by
Rick
Collingwood



P/u
Stock
Trough #1
NESE, S10.
Photo taken
5-29-92
by
Rick
Collingwood

MICROFILMED
FEB 25 1998

57-07480



P/u
Stock
Trough #2
SENE, SIS
Photo taken
5-29-92
by
Rick
Collingwood.

MICROFILMED
FEB 25 1998

57-07480

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07480

Priority: August 15, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.1 AF

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1988; and has submitted Proof of Beneficial Use on September 19, 1989. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	3.0 AF
WILDLIFE	01/01 to 12/31	0.04 CFS	0.1 AF
	Totals	0.04 CFS	3.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 10, Township 02S, Range 02W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

02S 02W 10	NESE
15	SENE

PLACE OF USE:

WILDLIFE, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.

MICROFILMED
FEB 25 1998

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 57-07480

CONDITIONS OF APPROVAL AND REMARKS

6. Place of use is located within Con Shea Well & Pipeline Project
No. 8347.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of JANUARY, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

FEB 25 1998

RECEIVED

JAN 21 1997

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07480

Date of Priority: August 15, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

3.1 AF

Comes now
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

US DEPT OF INTERIOR

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 57-07480, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	3.0 AF
WILDLIFE	01/01 to 12/31	0.04 CFS	0.1 AF
	Totals	0.04 CFS	3.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE, Sec. 10, Township 02S, Range 02W
OWYHEE County

PLACE OF USE: STOCKWATERTWN RGE SEC

02S 02W 10

NESE

15

SENE

PLACE OF USE:

WILDLIFE, same as STOCKWATER use

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Boise, ID., this 21 day of January, 1998.

MICROFILMED

FEB 25 1998

(Signature)

PAGE 2

State of Idaho
Department of Water ResourcesAPPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07480

FOR DEPARTMENT USE ONLY


Preliminary check by SWK Fee = 50.00 Receipted by LS # C041225 Date 1/21/98

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 57-07480 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
6. Place of use is located within Con Shea Well & Pipeline Project No. 8347.

Witness my hand this 23RD day of January, 1998.
Acting for KARL J. DREHER, DirectorMICROFILMED
FEB 25 1998

RECEIVED
OCT 11 1989

RECEIVED
SEP 19 1989

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Western Regional Office

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by John L. 1-22-90
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 57-07480

Name(s) of Permit Holder: Bureau of Land Management

Post Office Address: Boise District Office
3948 Development Ave.
Boise, Idaho 83705

Telephone No. 334-1582

Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) Stockwater 680 (number and type of stock)

Irrigation _____ (acres) Other/Remark Misc. Wildlife

Total rate and/or volume for which proof is submitted .21 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 8/15/88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Kim Schultsmeier 334-1582
(Name) (Telephone Number)

Same as above
(Address)

REFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Connie L. Kinsinger Owyhee Area Manager
Signature of Permit Holder (and title, if appropriate)

APPROVEDForm 202
6/85

Ident. No. 57-07480

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

RECEIVEDTo appropriate the public waters of the State of Idaho **AUG 15 1988***no \$ encl*

1. Name of applicant Bureau of Land Management
Boise District Office
3948 Development Ave.
 Post office address Boise, Idaho 83705

Phone Department of Water Resources2. Source of water supply Ground Water which is a tributary of _____3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 10 Township 2 S Range 2W B.M. Owyhee County; additional
 points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.16 for Livestock Water purposes from Jan. 1 to Dec. 31 (both dates inclusive)
 (cfs or acre-feet per annum)

Amount 0.05 for Wildlife Water purposes from Jan. 1 to Dec. 31 (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.21 and/or (b) _____
 cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well will be six inch diameter cased.Water will be pumped using electric submersible and piped approximately 1½ milesto livestock trough and overflow pond in NE ¼ section 15, T.2S, R.2W.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
 reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

_____ to _____ inclusive.c. Proposed well diameter is six inch inches; proposed depth of well is 200 ft. feet.d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
one years (minimum 1 year).

RECEIVED

DEC 08 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 680 cattle
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Wildlife Water

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	2W	15	<u>W</u> L																

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? U.S. Government- Bureau of Land Management
- b. Who owns the land to be irrigated or place of use? B.L.M.
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Proj. No. 8347, Cor Sta. Well


Drilling permit 57-88-W-010 approval 10/24/88, SL

DEC 08 1988



UTM GRID AND 1971 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

GN
MN
0°18' 5 MILS
18 1/2° 329 MILS




MICROFILMED

DEC 08 1988

CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 10-FOOT CONTOURS
 CONTOUR INTERVAL ON RIVER SURFACE 5 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
 A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Daniel L. Arvizo
Daniel L. Arvizo (Applicant)

Proposed Priority 8/15/88

Received by nl JD Date 9-2-88 Time 3:00 pm Preliminary check by SL
 Date 8-15-88 Time 8:30 a
 Fee \$ 45.00 Received by RG # COO 2619 Date 9/20/88
 Publication prepared by GG Date 9-14-88 Published in Owyhee Avalanche
 Publication approved OK Date 10-28-88 9/21 & 9/28/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7480, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 28th day of November, 1988.

J. Glen Saxton

MICROFILMED

DEC 08 1988

The Owyhee Avalanche.

P.O. BOX 97

HOMEDALE, ID 83628

(208) 337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
COUNTY OF OWYHEE)

I, Joe E Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, Wednesday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Chronicle and the Owyhee Nugget, has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in two (2) (consecutive)
calendar weekly issue(s) of said newspaper, in the following date(s):

September 21, 1988
September 28, 1988

(Signed).....

Joe E Aman

Subscribed and sworn to before me this 28th day of September

A.D., 1988.

Alexa Aman Patrick

Notary Public in and for the State of Idaho,

residing at Homedale, Idaho.

My commission expires.....

10/1/91

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

57-07480 ✓ *DT*

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: GROUNDWATER
Diversion Pt: NENENE Sec 10 T

02S R 02W

Use: STOCKWATER (.160 CFS)
WILDLIFE (.050 CFS)

Date Filed: 8/15/1988

In: T02S R02W S15 NENE

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources.


Western Region, 2735 Airport
Way, Boise, Idaho 83705 on or
before OCTOBER, 10, 1988.

R. KEITH HIGGINSON,
Director

9-21&22-2tc

[Stamp]

DEC 08 1988



IDAHO DEPARTMENT OF WATER RESOURCES
1301 N. Orchard St.
P.O. Box 83720
Boise, ID 83720-0098
(208) 327-7980

To
US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

BLK-380 837062004 1A96 04 01/27/98
FORWARD TIME EXP RTN TO SEND
BUREAU OF LAND MANAGEMENT
1387 S VINNELL WAY
BOISE ID 83709

RETURN TO SENDER
Unclaimed

RECEIVED
JAN 29 1998
Department of Water Resources

2.4.98 - Database (WR2) updated for
WR 57-07480. Let -
License mailed to new address.

RECEIVED
FEB 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 26, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: WATER RIGHT NO. 57-07480

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 25 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED


²
FEB 25 1983

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECORDED


FEB 25 1988

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of January, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 57-07480

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706


Kari Lynn Townsend
Secretary

MICROFILMED

FEB 25 1998

M E M O R A N D U M

DATE: January 13, 1998

TO: File 57-07480

FROM: Kari Lynn Townsend

RE: Address Change

=====

Mail sent on January 5, 1998 was returned by the post office on 1-9-98. The envelope had a yellow sticker showing the new address that the post office had placed on it.

I updated the database in WR2 to show the new address on 1-13-98.

MEMO FILED
FEB 23 1998

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

North Orchard Street
Boise, Idaho 83706-2237

ADDRESS SERVICE
REQUESTED

PRESORTED
FIRST CLASS



BLM

RECEIVED

JAN 09 1998

Department of Water Resources

MICROFILMED

800 25 1033

BLM-380 837062007 1A96 08 01/07/98
FORWARD TIME EXP RTN TO SEND
BUREAU OF LAND MANAGEMENT
1387 S VINNELL WAY
BOISE ID 83709

AUTO 83706
83706/2237





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 5, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE ID 83706

RE: WATER RIGHT NO. 57-07480

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 60 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

RECORDED
FEB 25 1998

B/U FIELD EXAM REVIEW

by Cindy Lou

Permit #: 57-7480 Name: BLM Date: 1/2/97 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE	✓		Clarify source _____ Prelim. Order to Void - Source change.
P/D	✓		Amendment Needed? Addn'l 1/4? _____ Legal _____ P39 Same 1/4? _____ W32 _____ P36 Overlap(s) <u>None</u>
P/U	✓		Amendment Needed? <u>add 510 NESE, 155ENE</u> ^{change to} P41 Overlap(s) _____ (Gov't use special T's) _____ *P/D & P/U Amend? P37
RATE	✓		Permit/proof fee limits <u>0.21</u> <u>1</u> <u>0.04</u> Measured Quantity = <u>None</u> cfs Theoretical Quantity = <u>0.04</u> cfs
	✓		Recommended capacity <u>0.04</u> cfs
	✓		Recommended rate <u>0.04</u> cfs
VOLUME	✓		Season: (<u>1</u>) <u>1/1-12/31</u> = <u>365</u> days Calculations: $(680 \times 12 \times 12) / 325,850 = 3.0$ <u>+ (wildlife) = 0.1</u> = <u>3.1 AF</u>
	✓		Flow limit: cfs x days/yr. x 1.9835 = _____ AF Recommended volume <u>3.1</u> AF
USES	✓		Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS			Multiple p/d's in same 1/4? Use W32 _____ <u>① PU/Con Shea well & Pipeline #8347</u>
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02) _____ Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap _____ GW irrigation replaces surface water (050) _____ GW irrigation supplements surface water (065) _____ Water Quality _____ Other <u>R37</u>
PRIORITY	App Rcd	<u>8/15/88</u>	Due <u>12/1/89</u> Rc'd <u>9/17/89</u>
	Receipt#	<u>None</u>	Fee OK? (Yes/No) _____
	Order to Reinstate Needed?	Yes (No) Done? _____	Advanced to: _____
	Priority	<u>8/15/88</u>	Examined <u>8/23/96</u>

COMMENTS: amend PU, rate limited by capacity

USE	CFS	VOLUME
<u>Stock / 680</u>	<u>0.04</u>	<u>3.0</u>
<u>Wb</u>	<u>0.04</u>	<u>0.1</u>
<u>TOTAL</u>	<u>0.04</u>	<u>3.1</u>

 SRBA Overlap 57-7480
 Adjustment Memo _____
 LICENSE _____
 #1 AMEND: P43/P38
 #2 AMEND: (B)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 21 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07480

1. Owner: U.S. Dept. of Interior, Bureau of Land Management Phone No. (208) 384-3431
Current Address: Idaho State office, 3380 Americana Terrace ^(James Amundson)
Boise, ID 83706 ^(Boise Field office)
2. Accompanied by: Kim Schultsmeier EXAM DATE: 8-23-96
Address: Lower Snake River Ecosystem office ^{Boise Field} Phone No. (208) 384-3440
3948 Development Av. Boise, ID 83705
Relationship to Permit Holder: Employee
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None
2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	10	2S	2W	Owyhee	map, site visit

2. Place(s) of Use:


Indicate Method of Determination map, site visit

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2S	2W	10													S				
		15				S									W				
						W													

MICROFILMED

FEB 25 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 200'

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6 5/8" Well	Model 200SN1	2	(Submer.)	Red Jacket	Model N14CC

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Name taken

MICROFILMED

FEB 25 1998

E. NARRATIVE/REMARKS/COMMENTS

1. A Field Exam was conducted on 5-29-92 by Brick Collingswood and Fred Schley (BLM - Boise District). Photos were taken and some data obtained.
2. Additional data was obtained from BLM Project Files and BLM employees during an office exam on 8-23-96 conducted by Dan Tomich. BLM employees were Jones Amundsen & Kim Schultsmeier, Owyhee Resource Area, Lower Snake River Ecosystem, Boise Field Office, 3948 Development Av., Boise, ID.
3. Well + Pump Data: - from Engineer's Project File
Static water - 138', 14' drawdown = 152' when pumping.
Pump set @ 252', 1 1/2" well discharge pipe.
2 HP, 200 CNI motor, Red Jacket N14CC pump
3 checkvalves in well. 6 5/8" casing, +2' to 309',
6" Stainless Steel screen; 247' to 267'.
Test pumping of well - 33 GPM, 7 hrs, 14' drawdown.
Control Panel @ Well includes timer to pump water as needed.
4. 8400', 2"-160 PVC pipe installed to two stock troughs.
5. 680 livestock, winter grazing, 11/1 to 3/1.
Stockwater + Wildlife water.
6. BLM Project # 8347, Con Shea Well & Pipeline.
No overflow ponds were constructed as shown on Application.
7. Proct shows 8-15-88 as first diversion, but well was

Have conditions of permit approval been met? ☒ yes ☐ no

not completed until

11-4-88
RECORDED
FILMED
FEB 25 1998

$$b) \dot{Q} = 0.04 \text{ cfs} = 18 \text{ GPM}$$

FEB 25 1966

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 57-88-W-010 OTHER APPLICABLE NO: 57-07480
2. OWNER: U.S. Dept. of Interior, Bureau of Land Management Phone: (208) 384-3431
Address: Idaho State Office, 3380 Americana Terrace Boise, ID 83706 Jones Amundson Boise Field Office
3. WELL LOCATION: Twp 25, Rge. 2W, Sec. 10, NE 1/4 NE 1/4
County Owyhee (Provide sketch map and photo on reverse.)
4. DRILLER: Hiddleston Drilling Lic. No. _____
When Drilled? 10-24-88 to 11-4-88
5. WELL CONSTRUCTION:
Casing Diameter 6 5/8 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 309 ft. Method Drilled Air-Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☒ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No 18' of Cement grout Surface Seal -
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse) Shown in Well Driller's Report
6. HYDROLOGIC INFORMATION:
Depth to Static Water 137 ft. Water Temperature _____ °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☒ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☒ Yes ☐ No 3 check valves installed in well
Is there a possible source of contamination nearby? ☐ Yes ☒ No (- BLM Project file)

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS: The control panel for this well is equipped with a timer. The timer can be set to pump water to the two stock watering troughs as needed. The well is normally operated during the winter grazing season - 11/1 to 3/1.

Jan Tomich Water Rights Examiner 8-23-96 (office)
Signature of Dept. Representative & Title Inspection Date
Rick Collingwood 5-29-92 (Field)


PHOTOS, DRAWINGS, OTHER ATTACHMENTS:

Well photo and USGS Quad map w/ location of water system is included in report.

The photo was taken on 5-29-92 by Rick Collingwood, during his field exam.


MICROFILMED

FEB 25 1993





P/D
Well with
Power
Supply
+ timer
box
Photo taken
5-29-92
by
Bick
Collingwood



P/u
Stock
Trough #1
NESE, Slo.
Photo taken
5-29-92
by
Bick
Collingwood

RECEIVED
FEB 25 1993

57-07480

P/u

Stock

Trough #2

SENE, SIS

Photo taken

5-29-92

by

Rick

Collingwood



57-07480

RECORDED
FEB 25 1993

January 24, 1990

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07480

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 13 1990

within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

September 30, 1989

138664

PROOF DUE NOTICE

RE: PERMIT NO. 57-07480

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 13 1990

Drilling Permit No. 57-88-W-010
Water Permit No. 57-07480
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

OCT 27 1988

Department of Water Resources

1. Applicant USOI B.L.M.
2. Address Boise District Office 3948 Development Ave.
Boise, Id. 83705 Telephone _____
() Well Owner () Well Operator () Other, specify _____
3. Proposed well location NE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 10, Twp. 2S, Rge. 2W, County Owyhee,
Lot, block and subdivision _____
4. Proposed use of well: * (Check all that apply)
() Domestic (X) Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection (X) Other, Specify Wildlife
5. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter 6" Maximum depth 200'
Anticipated bottom hole temperature: _____
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 10/24/88
7. Well Driller (if known) Hiddleston Drilling 35
Address Rt. 1 Box 610-0 Mtn Home Id. 83647
8. Applicant's signature X Monte L. McClendon **MICROFILMED**
Title X Environmental Protection Specialist
Date X 10/24/88 **MAR 13 1990**

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

* total cfs = .21

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

8. ~~Before drilling starts, the~~

MICROFILMED

MAR 13 1990

Dated this 29th day of Oct., 1988.

Signed Stan Lester for Western
 Title Sr. Water Resource Agent Regional Manager*

Received by SC Fee \$1.00 Date 10/24/88
 Receipt No. W001188 Construction start extension to _____
 Extension approved by _____

* per verbal approval 10/24/88

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 57-07480

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

DEC 08 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

SEPTEMBER 14, 1988

Owyhee Avalanche
P.O. Box 97
Homedale, ID 83628

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 10, 1988.

Yours truly,

JUDY PENSE
Secretary

Encl.

RECEIVED

DEC 08 1988

57-07480

U.S. DEPT. OF INTERIOR
BUREAU OF LAND MGMT.
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, ID 83706

Source: GROUNDWATER

Diversion Pt: NENENE Sec 10 T 02S R 02W

Use: STOCKWATER	(.160 CFS)
WILDLIFE	(.050 CFS)

Date Filed: 8/15/1988

In: T02S R02W S15 NENE

RECEIVED

DEC 08 1988



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
3380 AMERICANA TERRACE
BOISE, IDAHO 83706



IN REPLY REFER TO:

7250 (931)
AUG 11 1988

Water Allocation Division
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

RECEIVED
AUG 15 1988

Gentlemen:

Department of Water Resources

Enclosed for processing are four (4) "Application for Amendment" forms and one (1) "Application for Permit" form. Billing is to be made through order number ID-910-BP8-0010.

Please return the approved applications to the following:

Ervin R. Cowley
Bureau of Land Management
Idaho State Office
3380 Americana Terrace
Boise, Idaho 83706

Thank you for your assistance.

Sincerely,

Ervin R. Cowley
Ervin R. Cowley
Watershed Specialist

61-7549
61-7503
61-7547
79-7144
7149

(5)

5 lic amendments to State Office
1 App to Western

RECEIVED

DEC 08 1988

RECEIVED

SEP 2 1988

Department of Water Resources
Western Regional Office