


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



x numbers this application
x numbers other rights on 57-2321


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

AUG 23 1989

Reg Wheeler
(Applicant)
General Partner
M & M Limited Partnership




THIS ROAD IS 197 & IT SHOWS
THAT TWENTY MILE NO
HIGHER FLOWS AS
SHOWS AN OTHER
PHOTOGRAPHS &
STATIONARY

Section 1

5/11/93B H240-

SECTION 11.1

JUN 25 1992



57-07449
T55 R3E JUN 25 1992
5.26 S. 35

TOTAL ACRES
SHOWN ARE
57-07449 plus
57-02327

PERMIT NO. 57-07449

PHOTOS TAKEN BY
RON HOWERTON ON
11-28-90

CHAIN NO. A57-02327



PHOTO TAKEN
FACING EAST
SHOWING WHERE
TWENTY MILE CR.
IS PIPED ACROSS
THE BYBEE CAN.
& HEADING EAST
TOWARDS ROAD
& TO WHERE
THE DITCH BEGINS.



FACING SOUTH
WHERE PIPE
CROSSES CANAL
w/ ~~THE~~ TWENTY MILE
CR.
WATER. (PUMPS
ARE FOR ANOTHER
RT. PUMPING OUT
OF BYBEE CANAL)

UNRECORDED

JUN 25 1992

PERMIT NO. 57-07449.
CLAIM NO. A57-02327

PHOTOS TAKEN BY
RON HOWELTON ON
11-28-90



CULVERT PIPE
BY THE ROAD
WHERE THE
DITCH BEGINS.
(NEAR FLAT ROAD)
(FACING WEST
W/PIPE COMING
OUT OF UNDER
THE ROAD)



PICTURE OF TWENTY
NINE BEFORE IT FLOWS
UNDER THE ROAD. NOTE!
PHOTO TAKEN IN NOV.
NO WATER FLOWING.

MICROFILMED

JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07449

Priority: June 20, 1985

Maximum Diversion Rate: 1.41 CFS
Maximum Diversion Volume: 549.0 AF

This is to certify, that HOLLY MEAKER
REG MEAKER

7314 SUNNYBROOK DR
BOISE ID 83709

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 20, 1985; and
has submitted Proof of Beneficial Use on April 26, 1990. An examination indicates
that the works have a diversion capacity of 6.010 cfs of water from:

TWENTY MILE GULCH

tributary to SHOOFLY CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.41 CFS	549.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 35, Township 05S, Range 03E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	03E	26	NWSW 4	SWSW 35	SESW 4	43
		35	SWNE 3	NENW 4	NWNW 37	
			SWNW 22	NESW 1	NWSW 3	
			SWSW 1	SESW 1	NWSE 6	
			SWSE 1			79

Total number of acres irrigated: 122

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECEIVED

JUN 25 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07449

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10th day of June, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

JUN 25 1992

State of Idaho
Department of Water Resources

RECEIVED
APR 9 1992

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07449

Department of Water Resources

Date of Priority: June 20, 1985

Maximum Diversion Rate: 1.41 CFS
Maximum Diversion Volume: 549.0 AF

Comes now

HOLLY MEAKER
REG MEAKER

7314 SUNNYBROOK DR
BOISE ID 83709

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 57-07449, and requests that the permit be changed as follows:

Source: TWENTY MILE GULCH

tributary to SHOOFLY CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	1.41 CFS	549.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 35, Township 05S, Range 03E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	03E	26	NWSW 4	SWSW 35	SESW 4	43
		35	SWNE 3	NENW 4	NWNW 37	
			SWNW 22	NESW 1	NWSW 3	
			SWSW 1	SESW 1	NWSE 6	
			SWSE 1			79

Total number of acres irrigated: 122

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, Id, this 7 day of April, 1992.

Reg Meaker
(Signature)

MICROFILMED

JUN 25 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07449

FOR DEPARTMENT USE ONLY

#0023736

Preliminary check by SA Fee = ✓\$20.00 Received by bilbo Date 4/9/92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 57-07449 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

Witness my hand this 9/10TH day of February, 1992.

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUN 25 1992

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	57-7449	M & M Limited Partnership	1.41
Full Assignment	57-7449	Meaker, Reg Meaker, Holly	1.41

MICROFILMED

JAN 07 1991

State of Idaho

Department of Water Resources

RECEIVED
DEC 13 1990

Department of Water Resources

ASSIGNMENT OF PERMIT

I, Reg Meaker, General & Limited
Partner of M&M Limited & Partnership,
hereby assign to Reg or Holly Meaker
of HC 85 Box 328, Grandview, Idaho 83624
Address

All my right, title, and interest in and to Permit No. 57-7449
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 12 day of Dec, 19 90.

Reg Meaker General &
Permit Holder Limited Partner

Holly Meaker
Spouse of Permit Holder

State of Idaho)

County of Quincy) ss

On this 12 day of Dec, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

MICROFILMED

JAN 07 1991

Notary Public residing at

Linda L. Smith
Mt Home, Id

seal

My commission expires:

4-18-94

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant M & M Limited Partnership Phone 834-2264

Post office address Rt. B, Box 328, Grand View, ID 83624

2. Source of water supply Twenty Mile Creek which is a tributary of Shoofly Creek

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 5S

Range 3E B.M. Owyhee County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.41 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.41 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Ditch, pump and sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECORDED

AUG 23 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	3E	35					10	38	30				30	36		9	20		173
		26										5	35	5					45

Total number of acres to be irrigated 218

c. Describe any other water rights used for the same purposes as described above. 02-4027/0071/7344,
57-4106, 57-7235, 57-2304, 57-4000, 57-7226

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Application is for development in place before Oct. 1, 1984 and is
being made to insure that the benefits of subordination per Swan Falls
agreement are obtained. I intend to claim the priority date of July 1972
when the expansion occurred in accordance with HB 71, if a basin-wide
adjudication occurs at a later date.

MICROFILMED

AUG 23 1989

1



DECLASSIFIED

Reg. Weber

General Partner
(Applicant)

M & M Limited Partnership

Proposed Priority 6/20/85

Received by AL Date 6/20/85 Time 1:30 pm

Preliminary check by LAS Fee \$ 6500 # 36085

Receipted by JP Date 6/20/85

Publication prepared by JP Date 7/18/85

Published in Owyhee Avalanche

Publication dates 2/1 + 2/8/89

Publication approved AL Date 3/29/89

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DET

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7449, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 30th day of May, 1989.

J. Glen Saylor

MICROFILMED

AUG 23 1989

The Owyhee Avalanche.

P.O. BOX 97

HOMEDALE, ID 83628

(208) 337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
COUNTY OF OWYHEE)

Department of Water Resources
Boise, Idaho 83725

I, Joe E Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now am over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, Wednesday of each and every week, in the City of Homedale and County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche, a continuation of the Owyhee Chronicle and the Owyhee Nugget, has been printed and published continuously and uninterruptedly in said County during a period of seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not in a supplement

thereto, in said newspaper, in two (2) (consecutive)
calendar weekly issue(s) of said newspaper, in the following date(s):

February 1, 1989

February 8, 1989

(Signed).....

Joe E Aman

Subscribed and sworn to before me this 9th day of February
A.D., 1989.

Leanne Neumann

Notary Public in and for the State of Idaho,

residing at Homedale, Idaho.

My commission expires 1-19-95

NOTICE OF APPLICATION FOR WATER RIGHT

The Following
application(s) have been
filed to appropriate the
public waters of the State of
Idaho.

57-07449

M & M LTD. PARTNERSHIP

RT. B BOX 328

GRAND VIEW, ID 83624

Source: TWENTY MILE
CREEK

Tributary: SHOOFLY
CREEK

Diversion Pt: SWSW Sec. 35
T 05S R 03E

Use: IRRIGATION (1.410
CFS)

Date Filed: 6/20/1985

In: T05S R03E S26 NWSW
SWSW SESW

S35 NENW NWNW SWNW
SWSW

SESW NWSE SWSE

210.0 ACRES TOTAL

The application(s) alleges
completion of development
and beneficial use of water
described about prior to
October 1, 1984. If approved,
the permit(s) will be subject
to all prior water rights
except subordinated hydro-
power rights. Protests must
be filed with the Department
of Water Resources, Western
Region, 2735 Airport Way,
Boise, Idaho 83705 on or
before FEBRUARY 21, 1989.

R. KEITH HIGGINSON,
Director

Published February 1, 8, 1989.

MICROFILMED

AUG 23 1989

June 16, 1992

HOLLY MEAKER
REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

RE: WATER RIGHT NO. 57-07449

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JUN 25 1992

April 1, 1992

HOLLY MEAKER
REG MEAKER
7314 SUNNYBROOK DR
BOISE ID 83709

RE: WATER RIGHT NO. 57-07449

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MIDDOCH MED
JUN 25 1992

LICENSE REVIEW CHECKLIST

Date 63-20-92

Permit # 57-7449

CS

NAME	<u>Yes</u> ☒	<u>No</u> ☐	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	<u>NA</u>	☒	Disagree with Actual Measurement?
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? (6.01 cfs)
TOTAL VOLUME			Rate/ac <u>4.5</u> AFA Irr. Season <u>D</u>
			<u>03-15 to 11-15</u> Standard Irr. Season
			<u>same</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☐	☒	Limited by Flow? $V_{IR} = 122 \times 4.5 = 549$ AFA
SOURCE	☒	☐	Changes? <u>Clarification</u> of <u>Originally</u>
			<u>Intended</u> source is the only <u>Change</u>
			allowed. Any other change results in
	☐	☒	Notice of Intent to Void. Creek to <u>Gulch</u>
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☒	☐	Is Overlap Analysis a Consideration?
P/U			Verify with Map <u>Reduced Area</u>
	☒	☐	Amendment Needed? <u>Add NWNE, SWNE, SENW, NWSW-S35</u>
	☒	☐	Is Overlap Analysis a Consideration?
USES	☐	☒	Changes required in the Period of Use for
			each Use to be compatible with Maps, Data
			Entry Standards, etc?
	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☐	☒	Non-Irrigation Uses
	☐	☒	Special Overlap Condition
	☐	☒	Other _____
CONDITIONS	☐	☐	Measuring Device
	☐	☒	W/Master Control
	<u>R32</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☐	App Rec'd
		☐	Exam Made

COMMENTS/MEMOS NEEDED:

Memo to remove condition 01G - measurement point

License ☐ 10-Day ☐ 15-Day ☒ Special Correspondence ☐

MEMORANDUM

TO: FILE 57-07449

FROM: PAM SKAGGS *CS*

RE: PERMIT CONDITION #01G

DATE: 26-MAR-1992

=====

The measurement portion of the field exam is based upon the measurements and recommendations from the field exam done on 57-02327. This right is for the additional flow not covered under 57-02327. The original field exam measured the flow without benefit of a measurement port and condition 01G is generally applied to groundwater rights. I recommend that the permit condition of 01G be dropped as a requirement of licensing.

MIFF FILMED

JUN 25 1992

DATE: 03/27/92
PAGE: 1

Audit: 03/27/92 SKAGGS

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM	
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE			
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac		
L5707449	T05S R03E S26	TWENTY MILE GULCH																																	
	:																																	43	
0204027	SNAKE RIVE :																																	60	
0207344	SNAKE RIVE :																																	47	
0207357	SNAKE RIVE :																																	278	
5102250C	BRUNEAU RI :	38								40																	40		04		02		30		148
R5702304B	SHOOFLY CR :																																	43	
R5702327	TWENTY MIL :																																	43	
5704000	UNNAMED ST :																																	30	
R5704000	UNNAMED ST :																																	43	
5704106	SPRINGS :																																	45	
R5704106	SPRINGS :																																	43	
5707226	SHOOFLY CR :																																	22	
R5707226	SHOOFLY CR :																																	43	
5707449	TWENTY MIL :																																	45	
R5707449	TWENTY MIL :																																	43	
--86 MAP--	C39Q-AA 10 :	32		32		32		17		40		37		38		39		37		38		30		36		39		41		30		37		555	
--86 MAP--	C73Q-AA 10 :	34		30		29		22		40		37		39		39		37		39		32		35		39		39		32		37		560	
L5707449	T05S R03E S35	TWENTY MILE GULCH																																	
	:									04		37		22				01		03		01		01				06		01				79	
0202242	SNAKE RIVE :																																	11	
0204027	SNAKE RIVE :			10						40		40		40		40		40		40								10						260	
0207344	SNAKE RIVE :			06		31				37		39		26		39		40		34		25		37				28		29				371	
5102250C	BRUNEAU RI :	20		25																														45	
5702304A	SHOOFLY CR :					06		03																										44	
5702304B	SHOOFLY CR :			06		30		03		26		01		10		39		39		34		12		36				30		19				285	
R5702304B	SHOOFLY CR :			05		29		02		29		39		32		38		40		39		32		38				25		21				369	
5702324	TWENTY MIL :																																	40	
R5702324	TWENTY MIL :																																	40	
5702327	TWENTY MIL :			06		26				25		02		10		39		39		36		10		04				10		19		04		230	
R5702327	TWENTY MIL :			05		29				29		39		32		38		40		39		11		05				25		05				297	
5704000	UNNAMED ST :									35		35		20																				90	
R5704000	UNNAMED ST :			05		29		02		29		39		32		38		40		39		32		38				25		21				369	
5704106	SPRINGS :			05		30				35		40		40		40		40		40		15		10				30		10				335	
R5704106	SPRINGS :			05		29		02		29		39		32		38		40		39		32		38				25		21				369	
5707225	GROUNDWATE :																																	1	
5707226	SHOOFLY CR :											39		26		39				34														138	
R5707226	SHOOFLY CR :			05		29		02		29		39		32		38		40		39		32		38				25		21				369	
5707286	SHOOFLY CR :							11																										11	
R5707286	SHOOFLY CR :							11																										11	
5707449	TWENTY MIL :									10		38		30								30		36				09		20				173	
R5707449	TWENTY MIL :			05		29				29		39		32		38		40		39		11		05				25		05				297	
--86 MAP--	C39Q-AA 10 :	39		39		39		36		23		34		39		37		39		39		39		39		31		28		22		01		524	
--86 MAP--	C73Q-AA 10 :	39		39		38		36		24		36		39		38		39		39		39		39		34		25		17		02		523	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

RECEIVED
DEC 26 1991

A. GENERAL INFORMATION

1. Owner: KEG MEAKER OR HOLLY MEAKER Permit No. 57-07449
Current Address: 2344 JUNNYBROOK DR., BOISE ID 83709 Phone No. 378-0210
2. Accompanied by: JANE AS ABOVE EXAM. DATE: 11-28-90
Address: " " " Phone No. 378-0210
Relationship to Permit Holder: " "

3. Source: TWENTY MILE Cr. tributary to SHOOFLY Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: 57-02327-TWENTY MILE, 57-04106-SPRINGS,
57-02304B & 07226 SHOOFLY Cr., 02-04027, 00071 & 07344-SNAKE R. ☐ Copies Attached
2. Other water rights with same point of diversion: 57-02327

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION NOTE - 57-04100 - UNCL. STREAM DID COVER STAKE HANDS, HOWEVER, THIS RT. IS BEING RECOMMENDED FOR DISALLOWAL DUE TO NON-USE.

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

SEE MAP ATTACHED FOR DIAGRAM

MICROFILMED
JUN 25 1992

Scale: 1" = 7 1/2' Orthophoto - 12/13/91

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Twenty Mile Cr. is totally captured and diverted into a ditch which is irrigated out of, but also becomes the drainage of the Creek into Shaofly Cr. The orig. drainage of flow of the Creek can be seen on old topos, etc. and headed northeast from where the ditch begins. Now, the entire flow goes thru the existing ditch which begins in the NW 35 & is designated as the P.P. Irrigation occurs from this

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
GRAVITY FLOW FROM TWENTY MILE CR.					
RE-LIFT → 2		50			
PUMP STATION PUMPS		50			
ONLY					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					35	55	3E	DUTHEE	ASC'S + ORTHOPHOTOGRAPH 1977 1988 1974
									AWSONAPP - 1987

6. Place(s) of Use:

Indicate Method of Determination AS in PLO - 82 12/13/91

	Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
				NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
57-07449	55	3E	26									4	35	4						43
			35			3		4	38	22	1	3	1	1		6	1			79
																TOTAL -				123
57-02327	55	3E	35		5	26		25	2	10	38	39	36	10	4	19	4			218
TOTAL IRR. AC	55	3E	26									4	35	4						43
			35		5	29		29	38	32	38	40	39	11	5	25	5			292
																TOTAL				340

MAINTAINED

Do not use this space

JUN 25 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SEE FIELD EXAM COPY FOR 57-02327 ATTACHED						

2. Measurements:

FIELD EXAM 57-02327 INDICATES 6.01 CFS DIVERTED.
4.6 LICENSED UNDER 57-02327
LNI APPLIED FOR UNDER PERMIT NO. 57-07449.
6.01 CFS TOTAL.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 122 \times 5 \text{ AF/AC} = 610 \text{ AF/ANN.}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.41 \times 245 \times 1.98 = 685.2$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 610 \text{ AF/ANN.}$

2. Volume Calculations for Other Uses:

N/A

MICROFILMED

JUN 25 1992

NOTE: TWENTY MILE CR IS PIPED OVER THE BYBEE CANAL IN THE NWSE

H. REMARKS AND OVERLAP REVIEW ANALYSIS

ditch until it empties into Shoofly Ch. Another ditch
tears off of this ditch approx. $\frac{1}{4}$ mile after div. point
and heads north $\frac{1}{4}$ mile to a re-lift pump which
pumps the water either into ditches or into the sprinkle
portion of the irrigation. This water continues to the Hiway
where a pond catches it & pumps can re-lift it and
irrigate more land. Irrigation occurs from the ditch
to this pond also. In the pond the Twenty Mile Cr water
is co-mingled w/ Shoofly Ch. water and spring water also.
Only overlap from the same source is 57-02327 and acres
are being corrected on that it (02327) so the total of both
of these will be the total irrigated from the Twenty Mile Cr source
all other overlaps are from different sources. (340 AC).

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-15	11-15	1.41 CFS	610 AF
Totals:			1.41 CFS	610 AF

2. Recommended Amendments


- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name JAN SHURTE
Signature Jan Shurte
Certification Date 12-11-91
Field Report Preparation Date 12-11-91

☐ None

☐ Other



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUN 25 1992



ST 434
67839

35
122.6

36
128.3

37
119.8

38
167

Section
Copper

THIS MAP IS 1977 & IT SHOWS
THAT TWENTY MILE NO
NUMBER FLOWS AS

IS SHOWN ON CARTO
PHOTOGRAPHS

200071000
14.3 1996

200 1988-1999

CRP 1988
15.8

CRP 1988
13.4

47.2

26
213

59.0 71.71
100.0 100.0

PERMIT No. 57-07449

CLAIM NO. A57-02327

PHOTOS TAKEN BY
RON HOWERTON ON
11-28-90





PHOTO TAKEN
FACING EAST
SHOWING WHERE
TWENTY MILE CK.
IS PIPED ACROSS
THE BYBEE CAN.
& HEADING EAST
TOWARDS ROAD
& TO WHERE
THE DITCH BEGINS.



FACING SOUTH
WHERE PIPE
CROSSES CANAL
W/ ~~TWENTY MILE~~ CK.
WATER. (PUMPS
ARE FOR ANOTHER
RT. PUMPING OUT
OF BYBEE CANAL)

REPROFILMED


JUN 25 1992

PERMIT NO. 57-07449.
CLAIM NO. AS7-02327

PHOTOS TAKEN BY
DON HOWESON ON
11-28-90



CULVERT PIPE
BY THE ROAD
WHERE THE
DITCH BEGINS,
(MUD FLAT ROAD)
(FACING WEST
W/PIPE COMING
OUT OF UNDER
THE ROAD)



PICTURE OF TWENTY
MILE BEFORE IT FLOWS
UNDER THE ROAD. NOTE:
PHOTO TAKEN IN NOV.
NO WATER FLOWING.

MICROFILMED

JUN 25 1992

December 18, 1990

Reg or Holly Meaker
HC 85 Box 328
Grandview, ID 83624

Dear Mr. and Mrs. Meaker:

Re: Permit No. 57-7449

This office acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the department's records.

The department received the proof of beneficial use form. The next step is for the department to conduct the field inspection to confirm and determine the extent of beneficial use. I cannot tell just when the representative from our Western Regional office will conduct the exam, but she/he will try to contact you or your representative prior to being in the area.

Also, note that your permit requires the installation of a flow measurement port as one of the conditions of approval. This device must be installed prior to the field inspection. Enclosed is a copy of the specifications for installation.

If you have questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: W. Region

MICROFILMED
JAN 07 1991

RECEIVED
APR 26 1990

For Office Use Only
Amt. of Fee \$ 125.00
Date 4/26/90
Receipt No. 0016541
Received by C. Wong

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 57-07449 Telephone No. 834-2264
Name(s) of Permit Holder(s): Reg or Holly Meaker, formerly M&M Lint. P&S
Post Office Address: HC 85 Box 328, Grandview, Idaho
Source of Water: Twenty Mile creek

If ground water, well driller's name: — Date drilled: —

Extent of Use:
Domestic (No. of households) Irrigation 218 (No. of acres)
Stockwater (No. and type of stock) Other

Total rate and/or volume for which proof is submitted 1.41 cfs acre/feet

Show date water was first diverted and beneficially used under this permit: 18 Jan, 1960

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? X Yes No Installed? Yes No

Fee Enclosed: \$ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Reg Meaker 834-2264
Name Telephone No.
HC 85 Box 328 Grandview 83624
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 07 1991

24 April 90 Reg Meaker
Date Signature (and title if on behalf of a company or organization)

December 6, 1990

Reg or Holly Meaker
HC 85 Box 328
Grandview, ID 83624

Dear Mr. or Mrs. Meaker:

Re: Permit No. 57-7449

The department received the proof of beneficial use form and the \$125 license exam fee on April 26, 1990. The permit, however, is in the name of M & M Limited Partnership.

Since a permit is considered as personal property, an assignment conveying the permit to you must be submitted. Enclosed is a form which can be used for that purpose.

I will hold the proof of beneficial use form for thirty days without action. Please execute and return the assignment form.

If you have questions, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECORDED

JAN 07 1991

138520

March 31, 1990

M & M LTD. PARTNERSHIP
RT. B BOX 328
GRAND VIEW, ID 83624

PROOF DUE NOTICE

RE: PERMIT NO. 57-07449

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 07 1991

MEMORANDUM

TO: FILE/APPLICATION NO.

FROM: TIM LUKE

RE: SWAN FALLS PROCESSING

DATE: 11-27-89

=====

This application was among those applications reviewed in the regional offices last year and recommended for out of sequence processing. This application includes a statement and sufficient supporting evidence concerning development of the project prior to October 1, 1984.

The department's Policy and Implementation Plan for Processing Water Rights in the Swan Falls Area provides for applications to be processed out of sequence if the development was completed prior to October 1, 1984 and the application filed prior to July 1, 1985. These filings are not required to be processed in sequence with other trust water filings because the effect of these filings have already occurred and because, due to subordination, the filings are not taking water held in trust. These filings are not subject to the staged development policy and public interest criteria of Section 42-203C, Idaho Code.

MICROFILMED

JAN 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 2, 1989

M & M LTD. PARTNERSHIP
RT. B BOX 328
GRAND VIEW, ID 83624

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 57-07449

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 23 1989

State of Idaho
Department of Water Resources

Swan Falls
Don't
Advertise

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: 6hs

APPLICATION NUMBER: 57-7449 *Advised per request of Tim Luke*

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

- ☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 57-4106, 7235, 2304, 4000, 7226
02-4027, 0071, 7344
☒ Yes ☐ No* In form for advertising.
Final date for protests: February 21, 1989
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application. 65 / 36085
☒ Publication dates and paper, recorded on application. Swan Falls
None ☒ Protests, dates, withdrawal, etc., recorded on application. 2/1 + 2/8/89
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/20/1985 Date of priority recommended.
Special conditions of approval or cover letter. DIC
Swan Falls trust water conditions - see remarks

By: Dnr

Date: 4/18/1989

STATE OFFICE REVIEW:

P03, P16

OIG

- ☐ See attached sheet for more information.

By: KW

Date: 5/24/89

RECEIVED
APR 20 1989

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

57-07449

M & M LTD. PARTNERSHIP
RT. B BOX 328
GRAND VIEW, ID 83624

Source: TWENTY MILE CREEK

Tributary: SHOOFLY CREEK

Diversion Pt: SWSW Sec 35 T 05S R 03E

Use: IRRIGATION (1.410 CFS)

Date Filed: 6/20/1985

In: T05S R03E S26
S35

NWSW
NENW
SESW

SWSW
NWNW
NWSE

SESW
SWNW
SWSE

SWSW

218.0 ACRES TOTAL

MICROFILMED

AUG 23 1989