

WR5810NP
(OD-138)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORTDATE: 12/19/90
PAGE: 1

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
L5707206	NO MATCHES FOR THIS POU IN AJ-POU-TEMP																						
5700046	HARDIMAN	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
A5700046	PARKINSON	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	5		
5700063	PENROSE	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	X		
A5700063	PARKINSON	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	X		
5700066	PENROSE	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	20		
A5700066	PARKINSON	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	X		
5704101	R.T. NAHAS CO.	S	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	20		
A5704101	PARKINSON	S	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	20		
5707206	NAHAS	P	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	13		
A5707206	PARKINSON	P	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	13		
L5707206	NAHAS	L	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	8		
A5707207	PARKINSON	P	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	5		
5707530	PARKINSON	A	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	10 10		
1986 MAPPING DATA ---	-	-	COUNTY 73 QUAD Z 57	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	33 20 5 1		


No OVERLAP

NOV 19 1991

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
57-04101	R.T. NAHAS CO.	S	01/01/1935		PICKETT CREEK	IRR	4.20		04S	01W	22		NESW
~~57-07206~~	~~JOHNSTON NAHAS NAHAS~~	~~P~~	~~01/30/1978~~		~~GROUNDWATER~~	~~IRR~~	~~0.60~~		~~04S~~	~~01W~~	~~22~~		~~NESW~~
L57-07206	JOHNSTON NAHAS NAHAS	L	01/30/1978		GROUNDWATER	IRR	0.16	0.16	04S	01W	22		NESW

RECEIVED

NOV 19 1991



57-03206

745 11

Riv

1601 9 1991

P/D

Picket

57-07206
T45 R1W

5.8
14.8

P/UT



B 4.3

16.49

CE 16.38

17.9 D

2122

2827

Section
Carnegie

222

2712

Section
Carnegie

2712
2712
2712

P/D _____

LOOKING EAST

Picture # 1



THIS LINE
RUNS NORTH
TO A CULVERT
WHERE IT
THEN GOES
UNDER THE
ROAD AND
TO THE PASTURE
ON THE FAR
SIDE OF THE
ROAD

LOOKING WEST

Picture # 2



CREEK
BANK

RECEIVED
JUL 19 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 57-07206

Priority: January 30, 1978

Maximum Diversion Rate: 0.16 CFS
Maximum Diversion Volume:¹ 40.0 AF

This is to certify, that R. T. NAHAS
EVA C. NAHAS

20630 PATIO DR.

CASTRO VALLEY CA 94546

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 30, 1978; and has submitted Proof of Beneficial Use on March 11, 1983. An examination indicates that the works have a diversion capacity of .160 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.16 CFS	40.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 22, Township 04S, Range 01W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S	01W	22	NESW	8		8

Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 5.0 afa per acre for the lands above.

RECEIVED

NOV 19 1991


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 57-07206

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1st
day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director



NOV 19 1991

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT C.F.S.
Orginial Permit	57-7206	J. Sheral Johnston	.6 cfs
Full Assignment	57-7206	R. T. Nahas & Eva C. Nahas	.6 cfs

MICROFILMED

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

OK to process
RC 1-14-83

I, J. Sheral Johnston, hereby assign to R. T. Nahas and Eva C. Nahas
of 20630 Patio Drive, Castro Valley, California 94546
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 57-7206
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 5th day of August, 19 80.

RECEIVED

JAN 14 1983

Department of Water Resources
Western Regional Office

J. Sheral Johnston
Permit Holder J. Sheral Johnston

Lois D. Johnston
Spouse of Permit Holder Lois D. Johnston

State of Idaho)
County of Sanyon) ss.

On this 5th day of August, 19 80, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

Willa Andersen
Notary Public residing at
Nampa, Idaho

seal

My commission expires:

2-19-83

Identification No. _____

Application No. 57-7206

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant J. Sheral Johnston Phone: N/A
post office address Oreana, Idaho 83659
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 22 Township 4S
Range 1W B.M. Owyhee County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.6 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.6 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 35 hp pump, ditch system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 775 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 30

c. Describe any other water rights used for the same purposes as described above. Pickett Creek
rights.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Charles Johnston
(Applicant)

01/30/78

Proposed Priority
Proposed Priority

Received by jc Date 2-6-78 Time 1:00PM
Preliminary check by jc Fee \$ 25.00 Rec'd # 10305
Receipted by jc Date 1/30/78
Publication prepared by jc Date 2-10-78
Published in Owyhee Tugget
Publication dates Feb 16 + 23, 1978
Publication approved jc Date 2-27-78
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by WHL jc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 57-7206, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1983.
- c. Other: The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26th day of April, 1978.

Norman C. Young
Administrator

PROOF OF PUBLICATION

STATE OF IDAHO
County of Owyhee } s.s.


I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 16 day of February, 1978, and the last publication being on the 23 day of February, 1978;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 23 day of Feb, 1978.


NOTARY PUBLIC

My commission expires 9-10-80

(SEAL)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that J. SHERAL JOHNSTON, Orea-na, ID has on February 3, 1978 submitted Application No. 57-7206 for a permit to appropriate 0.6 cubic feet per second of water from a groundwater source by means of well and pump within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 22 T4S - R1W B. M., Owyhee County to be used from Apr. 1 to Nov. 1 for irrigation o f 30 acres within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 22 T4S - R1W. B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before March 6, 1978.

C. STEPHEN ALLRED,
Director

Published in the Owyhee Nugget, Marsing, ID on February 16, 1978 and February 23, 1978.

OK
2-27-78


October 3, 1991

R. T. NAHAS
EVA C. NAHAS
20630 PATIO DR.
CASTRO VALLEY CA 94546

RE: WATER RIGHT NO. 57-07206

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

NOV 19 1991

September 5, 1991

R. T. NAHAS
EVA C. NAHAS
20630 PATIO DR.
CASTRO VALLEY CA 94546

RE: WATER RIGHT NO. 57-07206

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

NOV 19 1991

LICENSE REVIEW CHECKLIST

Permit No. 57-7206

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒

Limited by capacity ☒

Total volume Limited by flow

Chart checked for AF rate/ac ☒ 5.0

Capacity Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per $\frac{1}{4}$? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart 3/15-11/15

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in $\frac{1}{4}$

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap R33
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM

Needed according to proof filed ☒

Filed - needs amended ☒

Add'l fee required

Not filed -

Not needed

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒

Reviewer S. Curtis Date 12/17/90 Review time 7 min.

NOV 19 1991

WR5810NP
(OD-138)IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORTDATE: 12/19/90
PAGE: 1

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
L5707206	NO MATCHES FOR THIS POU IN AJ-POU-TEMP																						
5700046	HARDIMAN	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
A5700046	PARKINSON	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
5700063	PENROSE	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
A5700063	PARKINSON	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
5700066	PENROSE	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
A5700066	PARKINSON	D	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
5704101	R.T. NAHAS CO.	S	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
A5704101	PARKINSON	S	PICKETT CREEK	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
~~5707206~~	~~NAHAS~~	~~P~~	~~GROUNDWATER~~	~~04S~~	~~01W~~	~~22~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~		
~~5707206~~	~~NAHAS~~	~~P~~	~~GROUNDWATER~~	~~04S~~	~~01W~~	~~22~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~	~~:~~		
L5707206	NAHAS	L	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
A5707207	PARKINSON	P	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
5707530	PARKINSON	A	GROUNDWATER	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:		
1986 MAPPING DATA ----				-	COUNTY 73 QUAD Z	57	04S	01W	22	:	:	:	:	:	:	:	:	:	:	:	:		

No OVERLAP

NOV 1 1990

WR0722NP
(OD-22)

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS BY POINT OF DIVERSION

DATE: 12/18/90
PAGE: 1

WATER RIGHT NO.	LAST NAME	STG	PRIORITY DATE	P F	WATER SOURCE	WATER USE	RATE cfs	CAPACITY	TWP	RNG	SECT	TRACT	LOT
57-04101	R.T. NAHAS CO.	S	01/01/1935		PICKETT CREEK	IRR	4.20		04S	01W	22		NESW
~~57-07206~~	~~JOHNSTON NAHAS NAHAS~~	~~P~~	~~01/30/1978~~		~~GROUNDWATER~~	~~IRR~~	~~0.60~~		~~04S~~	~~01W~~	~~22~~		~~NESW~~
LS7-07206	JOHNSTON NAHAS NAHAS	L	01/30/1978		GROUNDWATER	IRR	0.16	0.16	04S	01W	22		NESW

NOV 19 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

57-7206
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index 6-29-89 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached? N/A

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: Other sources in same Q

Check of P/U index 6-29-89 KKC (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached? N/A

Type of Overlap? ☐ Increase rate of flow or volume

☒ Add P/D's

☐ Increase number of acres within tracts

☒ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? 06/10/88 KKC (Initial and date)

☒ Appointment made and telephone conversation memo attached

uses on other land
per SRBA field work,
fall, 1990.

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 8-24-89 Kelly K. Christensen (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent R 11/30/90 (Initial and date)

Exam Reviewed by Manager of Regional Office DM 12/4/90 (Initial and date)

Exam Data Entered in Computer ✓ (Initial and date)

Exam sent to State Office 12-5-90 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
☐ Copy of Permit
☐ Copies of any Amendments/Orders with Conditions of Approval
☐ Well Inspection Form (If Needed)
☐ Aerial Photo Required? ☐ yes ☐ no If yes: ☐ copy attached
☒ SRBA Attachment A Submitted to Adjudication Section
SRBA Claim Check Received RH 11/30/90 (initial & date)
☐ N/A ☒ Applicable, See Attachment A 57-7206
☐ Copy of U.S.G.S. Quad
☐ Check for Government Lots. If so, make a copy of government plat
☐ Check of P/D index _____ (initial & date)
Overlap ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____
☐ Check of P/U index _____ (initial & date)
Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____
☐ Scheduling Letter Sent? _____ (initial & date)
☐ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully Completed and Signed Field Report Form
☐ Photographs of Point of Diversion and Place of Use
☒ Copy of SRBA Claim Verification Sheet / ☒ Original Returned to
Adjudication Section

C. Review and Processing:

- Exam Completed _____ (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent _____ (initial & date)
Exam Reviewed by Manager of Regional Office _____ (initial & date)
Exam Sent to State Office _____ (initial & date)

ATTACHMENT A

SRBA CLAIM CHECK PER BENEFICIAL USE EXAM

EXAMINER KK CHRISTENSEN DATE SUBMITTED 11/30/90
ADJUDICATION AGENT RON HOWERTON RESPONSE DUE DATE 11/30/90
COUNTY OWY/KEE OWNER'S NAME PARKINSON

PERMIT DATA	<u>T</u>	<u>R</u>	<u>S</u>	<u>Q/Q</u>	<u>T</u>	<u>R</u>	<u>S</u>	<u>Q/Q</u>
P/D	<u>45</u>	<u>1W</u>	<u>22</u>	<u>NESW</u>				
P/U	<u>45</u>	<u>1W</u>	<u>22</u>	<u>NESW</u>				

ADJUDICATION DATA RELATING TO THIS PERMIT NUMBER

A. Check Permit Number for Adjudication Claim Filing

- ☐ Claim required for permit but not filed
(examiner needs to notify permit holder during exam)
☒ Claim filed for permit and copy attached *
☐ Claim filed although not required (proof filed after 11-19-87)
☐ No claim filed or required.

B. Check Adjudication Claims Relating to the Permit Holder but are Different Claims (new number - different right)

- ☐ Name index search
☐ Non-data entry claims search
☒ Claim found but large system no exam required *

Claims found requiring exam	Date field exam conducted	Exam data is in, Permit file Attached
--------------------------------	------------------------------	--

<u>A57-07206</u> Adj No.	<u>7/7/89</u>	☒	☐
Adj No.		☐	☐
Adj No.		☐	☐

* copies included only if pertinent to permit field exam

FX MADE 7-7-89

NOV 19 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 07 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-7206

1. Owner: HYDE RANCH PARTNERSHIP

Phone No. _____

Current Address: HC 79 Box 2087 MURPHY ID.

2. Accompanied by: BILL WHITE

EXAM. DATE: 7-7-89

Address: _____

Phone No. 834-2505

Relationship to Permit Holder: MANAGER

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

NOR 20: 57-00063 & 00066 (PICKETT CK.) PER SRBA EXAMS BY RUN HUNTER, FALL 1990

1. Other water rights with same place of use: NONE : 57-4101 DOES NOT IRRIGATE THIS GROUND ☐ Copies Attached

2. Other water rights with same point of diversion: NONE : 57-4101 SAME Q/Q BUT DIFFERENT SOURCE (PICKETT CK.) ☐ Copies Attached ☐ Copies of Field Exam's Attached *8L*

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

See photographs

8L 11/30/90

RECEIVED
NOV 19 1991

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SYSTEM IS A WELL WITH HANDLINES USING 23 RAIN BIRD MDL30, TIP 9/16 HEADS TO IRRIGATE P/U. MAIN LINE IS 4" & HAND LINES (3) ARE 3" DIA. DYNAMIC WATER LEVEL UNABLE TO MEASURE, PICKED UP WATER CASCADING AT APPROX 25 to 30' NORMAL LEVEL REPORTED TO BE 150' THE WELL DOES NOT PRODUCE ENOUGH WATER TO IRRIGATE MORE ACRES, THEREFORE IT WAS REDUCED TO THE 8 ACRES CURRENTLY IRRIGATED. ☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN	20		UNKNOWN	4"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	22	45	1W	OWAYHEE	QUAD MAP

6. **Place(s) of Use:**

Indicate Method of Determination AERIAL PHOTO

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
45	1W	22									8								8

NOV 19 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE						

2. Measurements:

FOUND 30 PSI @ 23 HEADS
 RAINBIRD MDL 30 9/64" TIRES.
 @ 30 PSI 30WH MDL 9/64" TIRES = 3.16 GPM ea

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $3.16 \text{ GPM} \times 23 = 72.68 / 448.8 = \underline{0.162 \text{ CFS}}$

2. Alternate Method for Checking Purposes: $\frac{20 \times 8.8 \times .8}{150 + (2.3 \times 30)} = \underline{0.64 \text{ CFS}}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8 \times 5 = 40$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.16 \times 214 \times 1.9835 = 67.9$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 40$

2. Volume Calculations for Other Uses:

NOV 19 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAP FOUND

PERMIT IS FOR: 30 ACRES AND 0.60 CFS
 FEES PAID FOR: 1.00 CFS MAX.
 FOUND: 8 ACRES AND 0.162 CFS
 LEGAL LIMIT: 8 * 0.02 = 0.16 CFS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4-1	11-1	0.16	40
Totals:			0.16 CFS	40 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name: KELLY K. CHRISTENSEN
 Signature: Kelly K. Christensen
 Certification Date: _____
 Field Report Preparation Date: 8-24-1989



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SL 12/17/90

RECEIVED

NOV 19 1991

57-03206

795

River

BM 3069

x 2889

3086

14

15

16

21

168 6 1991

CPA

P.D.

Picket

Creek

57-07206
745 R/W

PICTURES # 1 & 2
LOCATION

IP/D 4.5

17.9 D

222
272

2827

Section
Carnier

Section
Carnier

State of Idaho
Department of Water Resources

WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion. 11/31/91 per topo

1. Legal Description of well location Twp. 4S, Rge. 1W,
Sec. 22, Qtr./Qtr. NESW SE/NE or Lot _____
2. Owner HYDE RANCH PARTNERSHIP
Address HC 79 Box 2087, City MURPHY, State ID.
3. Approx. date of well construction UNKNOWN
Well Driller JOHNSON
4. Casing: Diameter 8" Condition Good
5. Casing length above land surface 18
6. Well depth (ft) 780' Flowing No Temp. _____
Access port Yes
7. Condition of piping and valving Good
8. Evidence of well seal —
9. Shut in pressure or static water level _____
10. Evidence of leakage around the casing No
11. Does well need repair No
12. Comments _____

(OVER)

NOV 19 1991

P/D _____

LOOKING EAST

Picture # 1



THIS LINE
RUNS NORTH
TO A CULVERT
WHERE IT
THEN GOES
UNDER THE
ROAD AND
TO THE PASTURE
ON THE FAR
SIDE OF THE
ROAD
)

LOOKING WEST

Picture # 2



CREEK
BANK

1991

4/86

RECEIVED

JUN 4 1987

Department of Water Resources

Department of Water Resources
Western Regional Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

JUL 28 1987

Also rec'd \$25 on
7/9/87 per Receipt No. 44996
for a total of \$100.00

For Office Use Only

Fee Received \$75.00

Date 6/4/87

Receipt # 44996, 44966

Receipt by NN

Sent to S.O.

KEYPUNCHED

1. Permit No. 57-7206

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: R.T. NAHAS Co.

3. Post Office Address: _____

Telephone No. _____

4. Source of Water: ground water

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 30 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted .06 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

UNKNOWN

8. Person to contact to accompany the department representative during the field examination:

BILL WHITE

(Name)

NOV 19 1991

BOX 26 MURPHY, ID 83650 (208) 834-2505

(Address)

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 5/29/87Signature of Permit Holder (and title, if appropriate) R.T. Nahas, V.P.

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

July 1, 1987

R. T. Nahas Company
c/o John Richard
P. O. Box 127
Murphy, ID 83650

Re: Permits Nos. 57-7207 and 57-7206

Dear John:

We are in receipt of examination fee information forms for the above-referenced permits, and of a check in the name of the R. T. Nahas Company, No. 5763 in the amount of \$175.00.

The purposes of this letter are to acknowledge receipt of these documents, and to advise that it appears that the amount submitted is insufficient. Permit No. 57-7207 is for 1.0 cfs for a fee of \$100.00. Permit No. 57-7206 is for an amount of 0.6 cfs with a resulting fee of also \$100.00. Thus, the check for \$175.00 needs to be augmented by an additional \$25.00 to fully cover the required fee for permit No. 57-7206.

The above information assumes that a typographical error was made when the examination fee information sheet for permit 57-7206 was completed. When we received this information sheet, the total rate identified as being diverted was .06 cfs. Because the permit describes 0.60 cfs, I have made the correction to the latter amount, assuming this is what you desire. If this is not the case, please advise and this office will refund \$25.00 because for 0.06 cfs the fee is only \$50.00.

In order to maintain a current priority date for permit No. 57-7206, please submit the additional fee within the next 30 days. If you have questions concerning this letter, please feel free to contact this office.

Sincerely,

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

RECEIVED

DRT:jp

c.c. State Office

NOV 19 1991

Enclosures: Receipt No. 44966 in the amount of \$175.00.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

57-7206
NAHAS, R. T.
NAHAS, EVA C.
20630 PATTO DR.
CASTRO VALLEY, CA 94546

138097

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.



NOV 19 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Bob Nahas
Address OREANA 83650
Owner's Permit No. 57-84-C-0008-000

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness 250 inches 6 1/2 inches + 2 feet 305 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 48 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Static water level 165 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.

40

Pumping Level

Hours Pumped

1

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	3	Soil		
8	3	48	SAND GRAVEL + CLAY		
6	48	83	Blue clay		
6	83	87	Tan clay		
6	87	253	Blue clay		
6	253	255	SAND		
6	255	305	Blue clay		
6	305	307	BLACK LAVA SAND	X	

RECEIVED
AUG 1 1984

Department of Water Resources

RECEIVED
AUG 2 1984Department of Water Resources
Western Regional OfficeWork started 2-25-84 finished 2-27-84

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____

Lot No. _____ Block No. _____

OWNERS

SW 1/4 Sec. 22, T. 4 N, R. 1 W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Hillston Drilling Firm No. 35Address mt home Date 2-27-84Signed by (Firm Official) Ken Kahl

and

(Operator) Ken Kahl

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(208) 334-2190

APRIL 25, 1983

R. T. NAHAS
20630 PATIO DR.
CASTRO VALLEY CA 94546

RE: Permit No. 57-7206

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334-2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Pense
Secretary

NOV 19 1991

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 57-7206

Name(s) of Permit Holder: R. T. Nahas

Post Office Address: 20630 Patio Dr.

Castro Valley, CA 94546 Tel. No. 415(538-9600)

Source of Water: Groundwater

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 30 (acres)
☐ Other _____

Measuring Device Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/11/83
 Date

Eva C. Nahas
 Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

MAR 14 1983

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

13c
U.S. POSTAGE
EPA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

R.T. & Eva C. Nahas
20630 Patio Dr. Castro Valley, CA
JOHNSTON, J. SHERAL
OREANA, ID 83659 94546

138215

PROOF DUE NOTICE

JANUARY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 57-7206 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

January 17, 1983

RE: Permit Nos. 57-7206 and 57-7207

R. T. Nahas & Eva C. Nahas
20630 Patio Drive
Castro Valley, CA 94546

Dear Mr. and Mrs. Nahas:

This office acknowledges receipt of the Assignment of the above referenced permits to you.

Enclosed for your records are copies of the permits. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permits into licensed water rights.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:kw
Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1980

Mr. Gene Curtis
Federal Land Bank Association
P. O. Box 7646
Boise, ID 83707

Dear Mr. Curtis:

RE: File Nos. 57-7206 and 57-7207

As requested in our telephone conversation, enclosed are assignment forms in the event J. Sheral Johnston wishes to assign all or a portion of his permits, Nos. 57-7206 and 57-7207, over to a new owner.

The assignment forms should be signed before a notary public and returned to this office.

I am also enclosing information pertaining to changing the measuring device requirement for permits in the amount of 0.7 cfs or more with instructions for installing an access port.

If you have any questions or need additional assistance, please do not hesitate to contact us here at State Office or Western Region in Boise.

Sincerely,

ROBERTA GARRETT
Records Supervisor

RG:rr

Enclosures



WATER RIGHT NUMBER 57-7206

WATER RIGHTS EDIT REPORT

06/08/79

PAGE 182

ACT
ION

N OWNER LAST NAME - JOHNSTON

FIRST NAME - L. SHERAL

N

CITY - GRENA

STATE - ID ZIP CODE - 83659

N

SOURCE - GROUNDWATER

N

STAGE - PERMIT

PRIORITY - 01-30-1978

COUNTY - OWYHEE

TOTAL DIV. RATE -

.6000CFS

N

DIVERSION POINT - NESW 22 04S 01W

N

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE -

.6000CFS

N

USE - IRRIGATION

PLACE OF USE - TWN 04S RNG 01W SEC 22 TRACT NESW

AC 13 TRACT NESE

AC 07

N

TRACT NWSE

AC 10

N

OTHER RIGHTS FOR SAME USE - PICKETT CREEK

N

PROOF DUE - 04-01-1983 PERMIT/DENIED - 04-26-1978

N

COND. OF APPRVL - 03A

N

DIVERSION MEANS - PUMP & DITCHES.

1412T
Moore Business Forms Inc. sv

3/79

IDENT. NO. 57-7206

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]

July 21, 1980

R. T. Nahas
20630 Patto Drive
Castro Valley, CA 94546

Dear Mr. Nahas:

Re: Permit No's. 57-7206 and 57-7207

Pursuant to your letter of July 1, 1980 and my telephone conversation with your office last week, it is my understanding that you wish to have the water right licenses issued for the above-referenced permits.

The first step toward licensing of these permits is to have Mr. Johnson assign the permits to you. Since a permit is personal property, only the permit holder or someone with power of attorney may take any action on the permits. (Assignment forms are enclosed).

Secondly, complete the enclosed statement of beneficial use postcards. These are the department's indicators that you wish to start the licensing procedure.


If you have questions concerning these permits, please feel free to contact me.

Sincerely,

RITA FLECK
Sr. Secretary

Enclosures

20630 PATIO DRIVE
CASTRO VALLEY, CA 94546



Ms. Rita Fleck
Sr. Secretary
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83725

RECEIVED

Rita

R.T. NAHAS COMPANY *Since 1947*
REAL ESTATE DEVELOPERS AND INVESTORS

20630 PATIO DRIVE
CASTRO VALLEY, CALIFORNIA 94546
TELEPHONE (415) 538-9600

RECEIVED

JUL 8 1980

July 1, 1980

Department of Water Resources

Ms. Rita Fleck
Sr. Secretary
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83729

RE: Permit Nos. 57-7206 and 57-7207

Dear Rita:

We recently acquired title to the Johnston farm in Oreana. Mr. Johnston had water permit Nos. 57-7206 and 57-7207. The pumps and irrigation system have been installed and are presently being put to beneficial use. We would, therefore, like to apply for permanent status on these permits.

Cordially,



R. T. Nahas

RTN:rb





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 2, 1978

Re: Permit No. 57-7206

J. Sheral Johnston
Oreana,
Idaho 83659

Dear Mr. Johnston:

Your approved copy of Application for Permit No. 57-7206 is enclosed and we direct your attention to the conditions of approval on the fourth page.

The exercise of this permit may also be affected by the court's determination of water rights in the case of Idaho Power Company v. State of Idaho, et al., Civil No. 62237, currently pending before the District Court of Ada County.

Idaho Power officials tell us that because of Case No. U-1006-124 filed before the Idaho Public Utilities Commission, Idaho Power Company is asking the District Court of Ada County to determine whether the Power Company's water rights on the Snake River are protected against subsequent upstream appropriations in the waters of the Snake River and surface and subterranean tributaries between Milner Dam and Hells Canyon.

Since the use of water under your permit may affect the flows in this reach of the Snake River, the final decision in Idaho Power Company v. State of Idaho, et al. (Ada County Civil No. 62237) may determine to what extent the exercise of your permit may be subject to the water rights of Idaho Power.

While the Ada County court is examining this question, Idaho Power Company has not filed a specific protest to your permit.

MICROFILMED

However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or a subsequent license or water right.

If you have any questions, please let us know.

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 57-7206

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) R.W.H. 2-6-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant

(4) R.W.H. 2-6-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none kw

(11) if OK

Affidavit of Publication received(date) 2-27-78

(12) W

Final date for protests 3/6/78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

1-30-78 Proposed Priority

_____ Reason for Reduction

No Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W

By W Date 3/7/78

RECEIVED

MAR 7 1978

Department of Water Resources

Supplemental
SR L
G & T



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

February 10, 1978

Re: Notice of Applications for Permit Nos. 57-7206 & 57-7207 -- J. Sheral Johnston

Owyhee Nugget
Marsing,
Idaho 83639

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before March 6, 1978.

Sincerely,

RITA FLECK
Secretary

Bill submitted
2-27-78
rf

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that J. SHERAL JOHNSTON
Oreana, ID
has on February 3, 1978 submitted Application No. 4 57-7206
for a permit to appropriate 0.6 cubic feet per second acres feet
XXXXXXXXXX per annum of water from a groundwater source
XXXXXXXXXX by means of well and pump
within the NE 1/4 SW 1/4 Sec 22 T4S-R1W B.M., Owyhee County

to be used from Apr 1 to Nov 1
for irrigation of 30 acres

within the NE 1/4 SW 1/4, NE 1/4 SE 1/4 Sec 22 T4S-R1W B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before March 6, 1978.

C. STEPHEN ALLRED

Director

Published in the Owyhee Nugget, Marsing, ID
on February 16, 1978 and February 23, 1978.

MICROFILMED

January 31, 1978

Re: Applications for Permit to
Appropriate Public Waters

J. Sheral Johnson
Oreana,
Idaho 83659

Dear Mr. Johnson:

I am returning your applications for permit to you for your signature.
Please sign them on Page 3 where marked and return them to this office
for processing.

Sincerely,

ROBERT W. HAMILTON
Supervisor of Water Distribution

RWH:rf

Enc.

RECEIVED