


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 10 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Deeds Lovestock Inc
(Applicant)
by Walter E. Deeds (pres.)
51 7085

PROOF OF PUBLICATION

STATE OF IDAHO
County of Owyhee } s.s.

I, RODNEY A. HAWES, being first duly sworn, on oath says that he is the Publisher of the OWYHEE NUGGET, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 21 day of March, 1974, and the last publication being on the 28 day of March, 1974;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.

Rodney A. Hawes
PUBLISHER

Subscribed and sworn to before me this 28 day of March, 1974.

Leona Spawer
NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

RECEIVED

APR 1 1974

Department of Water Administration

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that WELLS LIVESTOCK, INC., 512 N. Broadway, Buhl, ID., has on March 8, 1974, submitted Application No. 51 - 7085, for a permit to appropriate 1.6 cubic feet per second of water from Big Flat Creek, trib. to Three Creek by means of pump, motor & sprinkler system within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 13, T. 15 S., R. 10 E., B. M., Owyhee County, to be used from April 1 to June 15 & Aug. 15 to Oct. 15 for irrigation of 80 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ -SE $\frac{1}{4}$, S. 13, T. 15 S., R. 10 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before April 8, 1974.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, Idaho, on March 21, 1974, and March 28, 1974.

OK'd
4-1-74

51 7085

FEB 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESRECEIVED
JUN 12 1989

Department of Water Resources

BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 51-70851. Owner: Bert BrackettPhone No. 857-2217

Current Address: _____

2. Accompanied by: Dale NeaderhiserEXAM. DATE: 6/8/88Address: EmployeePhone No. No phoneRelationship to Permit Holder: Employee3. Source: Big Flat Creek tributary to Three Creek


B. OVERLAP REVIEW

1. Other water rights with same place of use: 51-0096A, 51-0096BWestern will need to get copies.☐ Copies Attached

2. Other water rights with same point of diversion: _____

☐ Copies Attached☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☒ Photo of Diversion and System Attached


(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

W. Wells Livestock

5-7085

51-7085




xx = Acres Under System

xx = Permit Acres

xx = Deeded Rt Acres

(xx) = Recommended License Acres

51-7085



Irrigated Land Looking East.

MICROFILMED

SEP 12 1990

51-7085



Looking at suction side of Pumps,
- 3 ft from W.S to Pump & →



MICROFILMED

SEP 12 1990



← Flat Creek
→ flow

Close Up of Pumps, 8" Piping and Valves



← Electric Panel
and Phase converter

2 - 8" Lines from pumps Join Into 10" Main Line
Distance from pump to joint - 45 ft.

MICROFILMED

SEP 12 1990

51-7085

W Wells Livestock

Center NE 1/4

SWNW

25 SENW

SWNE

54.0

NWSW

NBSW

NWSE

33.7

30.3

7.3

16.3

SWSW

SESW

SWSE

~~14/13~~
~~23/24~~

14.4

30.0

5 1/4 Cor Sec 13

MICROFILMED

SEP 12 1990

11 12
14 13

51-785

C25
305 T 698

Line

A-1
54.0 176

B-2
33.7

D-4
7.3

S-3
50.3

S-5
16.3

MICROFILMED

SEP 12 1990

14 13
23 24

F-6
14.4

S-7
50.0

29 AC

349

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 51-07085

Priority: March 8, 1974

Maximum Diversion Rate: 1.60 CFS
Maximum Diversion Volume:¹ 240.0 AF

This is to certify, that BERT BRACKETT
THREE CREEK

ROGERSON, ID 833020000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated March 8, 1974; and
has submitted Proof of Beneficial Use on April 30, 1975. An examination indicates
that the works have a diversion capacity of 1.730 cfs of water from:

BIG FLAT CREEK tributary to THREE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/15	1.60 CFS	240.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 14, Township 15S, Range 10E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15S	10E	13	SWNE 37	SENW 10	NWSE 5	
			SWSE 28			80

Total number of acres irrigated: 80

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 12 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 51-07085

CONDITIONS/REMARKS:

5. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
7. Use of water under this water right is subject to control by the watermaster of State Water District No. 51A

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of August, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 12 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07085

RECEIVED
APPROVED
AUG 15 1990

Department of Water Resources

Date of Priority: March 8, 1974

Maximum Diversion Rate: 1.60 CFS
Maximum Diversion Volume:¹ 240.0 AF

Comes now BERT BRACKETT
THREE CREEK
ROGERSON, ID 833020000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 51-07085, and requests that the permit be changed as follows:

Source: BIG FLAT CREEK tributary to THREE CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/15	1.60 CFS	240.0 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 14, Township 15S, Range 10E
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15S	10E	13	SWNE 37	SENW 10	NWSE 5	80
			SWSE 28			

Total number of acres irrigated: 80

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Three Cr, this 10 day of Aug, 1990.

MICROFILMED

SEP 12 1990

Bert Brackett
(Signature)

State of Idaho
Department of Water ResourcesAPPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 51-07085

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee ☒ \$20.00Receipted by J. Q. Date 8/15/90 #CO18020

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 51-07085 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. A measuring device of a type approved by this Department shall be maintained as a part of the diverting works.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

Witness my hand this 27TH day of AUGUST, 1990.

Acting for

R. Keith Higginson, Director

MICROFILMED
SEP 12 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	51-7085	Wells Livestock, Inc.	1.6
Full Assignment	51-7085	Brackett, Bert	1.6

MICROFILMED

APR 14 1987

RECEIVED

MAR 10 1987

State of Idaho

Department of Water Resources

RECEIVED

MAR 9 1987

Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources
Southern Region Office

I, Wells Livestock, Inc.
Walter Wells, hereby assign to Bert Brackett
of Three Creek Rogerson, ID 83302
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 51-7085
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 5th day of March, 1987.

Walter Wells
Permit Holder

Bert Brackett
Spouse of Permit Holder

MICROFILMED

APR 14 1987

State of Idaho)
County of Payee) ss.

On this 5th day of March, 1987, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ (she) (they) executed the same.

seal

Donald R. Rouse
Notary Public residing at
Payee

My commission expires:

May 7-88

EXHIBIT 5

Identification No. _____

Application No. 51-7085

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Wells Livestock Inc.
post office address 512 North Broadway, Buhl, Idaho
2. Source of water supply Big Flat Creek which is a tributary of Three Creek
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 13 Township 15S
Range 10E B.M. Owyhee County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 1.6 cfs for Irrigation purpose from April 1 to June 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.6 cfs for Irrigation purpose from Aug 15 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 1.6 cubic feet per second and/or
- b. _____ acre feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Pump, motor, sprinkler

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.

- b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

- a. If water is **not** for irrigation:

- (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

- (2) Amount of power to be generated: _____ hp under _____ feet of head.

- (3) List number of each kind of livestock to be watered _____

- (4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

- (5) If water is to be used for other purposes describe: _____

51 7085

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
155	10E	13			35						25					20			80


Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above. None
51-0096

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Flood waters to be used in spring and late summer when haying starts.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Neels Sewerlock Inc.
(Applicant)
by Walter E. Neels (pres.)
51 7085

Proposed Priority 3-8-1974

Received by MLP Date 3-8-74 Time 10:30 AM
 Preliminary check by MLS Fee \$ 35.00 (13833)
 Receipted by LT Date 3-8-74
 Publication prepared by df Date 3-15-74
 Published in Owyhee Nugget
 Publication dates 3-21 & 3-28-74
 Publication approved df Date 4-1-74
 Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by df

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 51-7085, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 75.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 10 day of April, 19 74.

L. Karl Hiji
 Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>mls</u>	<u>3-8-74</u>	Application No. <u>51-7085</u> Name <u>WELLS LIVESTOCK INC</u>
(2)	<u>mls</u>	<u>3-8-74</u>	Check: ☒ Point of Diversion ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for C/W and application of water to B/U ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)			Send copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>mls</u>	<u>3-8-74</u>	In form for advertising
(6)	<u>df</u>	<u>4-1-74</u>	Affidavit of Publication received
(7)	<u>R.W.H.</u>	<u>4-8-74</u>	Final date for protests <u>4-8-74</u> Protests received: yes ☐ no ☒
(8)		<u>NA</u>	Date and Place of hearing Decision reached at hearing
(9)		<u>NA</u>	Located within Water District No.
(10)		<u>NA</u>	Critical groundwater area: yes ☐ no ☐
(11)		<u>NA</u>	Groundwater levels: Decline (comment) Stable (comment) Increasing (comment)
(12)		<u>NA</u>	All requested information received from agencies or applicant yes ☐ no ☐
(13)		<u>NA</u>	Comments:
(14)	<u>R.W.H.</u>	<u>4-8-74</u>	Action recommended: ☒ Approve Priority <u>3-8-1974</u> ☐ Deny Reason for Reduction <u>Measuring device requirement</u> See attached sheet for conditions of approval (no sheet) No conditions for approval
(15)	<u>R.W.H.</u>	<u>4-8-74</u>	District <u>Western</u> by <u>Robert W. Hamilton</u> Date <u>4-8-74</u> Title <u>Supervisor of Water Dist.</u>

PROOF OF PUBLICATION

STATE OF IDAHO

County of Owyhee

s.s.


I, **RODNEY A. HAWES**, being first duly sworn, on oath says that he is the Publisher of the **OWYHEE NUGGET**, a newspaper of general circulation, published weekly by Rodney A. Hawes, publisher and printer thereof, at Marsing, County of Owyhee, State of Idaho;

That the annexed notice was published in said newspaper once each week and every week for 2 consecutive weeks, the first publication being on the 21 day of March, 1974, and the last publication being on the 28 day of March, 1974;

That the said newspaper has been published continuously and uninterruptedly in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of the attached notice.


PUBLISHER

Subscribed and sworn to before me this 28 day of March, 1974.


NOTARY PUBLIC

My commission expires 9-10-76

(SEAL)

RECEIVED

Department of Water Administration


NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that **WELLS LIVESTOCK, INC.**, 512 N. Broadway, Buhl, ID., has on March 8, 1974, submitted Application No. 51 - 7085, for a permit to appropriate 1.6 cubic feet per second of water from Big Flat Creek, trib. to Three Creek by means of pump, motor & sprinkler system within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, S. 13, T. 15 S., R. 10 E., B. M., Owyhee County, to be used from April 1 to June 15 & Aug. 15 to Oct. 15 for irrigation of 80 acres within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, S. 13, T. 15 S., R. 10 E., B. M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before April 8, 1974.

R. KEITH HIGGINSON,
Director.

Published in the Owyhee Nugget, Marsing, Idaho, on March 21, 1974, and March 28, 1974.


4-1-74

August 28, 1990

BERT BRACKETT
THREE CREEK
ROGERSON, ID 833020000

RE: PERMIT NO. 51-07085

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 12 1990

July 19, 1990

BERT BRACKETT
THREE CREEK
ROGERSON, ID 833020000

RE: PERMIT NO. 51-07085

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 12 1990

PLACE OF USE 1/4 1/4 T-R-S REPORT

10/12/89

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5100094	CURRENS	D	BIG FLAT CREEK	15S	10E	13	40	40														80	
5100095	CURRENS	D	BIG FLAT CREEK	15S	10E	13	40	40														80	
5100096A	WELLS LIVESTOCK CO.	D	BIG FLAT CREEK	15S	10E	13								10		10		10				30	
5100096B	WELLS LIVESTOCK CO.	D	BIG FLAT CREEK	15S	10E	13								20	20					10		50	
5100105	PATRICK	D	BIG FLAT CREEK	15S	10E	13								40								40	
5104097	BRACKETT LIVESTOCK INC	S	BIG FLAT CREEK	15S	10E	13								7								7	
5107085	BRACKETT	P	BIG FLAT CREEK	15S	10E	13				35						25				20		80	
5107267	WELLS LIVESTOCK INC.	A	BIG FLAT CREEK	15S	10E	13											10	10	20		10	40	90
L5107085	BRACKETT	L	BIG FLAT CREEK	15S	10E	13				35						25				20		80	


SEP 12 1990

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

51-7085
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report



A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☐ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☐ Copy of U.S.G.S. Quad
- ☐ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Carl E. Reeb 6/2/89 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent RS-2/9/89 (Initial and date)

Exam Reviewed by Manager of Regional Office SA 2/24/89 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE EXAMINATION

CHECKLIST

WATER RIGHT 51-7085

REVIEWER DRJ

DATE 2-9-89

[EACH RULE MUST BE CHECKED]

SEE FOOTNOTE FOR SYMBOLS

RULE 5 EXAMINATION FOR BENEFICIAL USE;

1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>✓</u>	1,5. <u>N/A</u>
1,6. <u>✓</u>	1,7. <u>✓</u>	1,8. <u>✓</u>	1,9. <u>N/A</u>
1,10. <u>N/A</u>	1,11. <u>N/A</u>	1,12. <u>N/A</u>	1,13. <u>✓</u>
1,14. <u>✓</u>	1,15. <u>✓</u>	1,16. <u>N/A</u>	1,17. <u>✓</u>

RULE 6 MEASUREMENT TERMINOLOGY;

1,1. <u>✓</u>	1,2. <u>✓</u>	2. <u>✓</u>	3. <u>✓</u>
4. <u>N/A</u>	5. <u>✓</u>		

RULE 7 DRAWINGS, MAP, AND SCHEMATIC DIAGRAM;

1,1. <u>✓</u>	1,2. <u>✓</u>	1,3. <u>✓</u>	1,4. <u>✓</u>
1,5. <u>✓</u>			

RULE 5,2. FIELD REPORT ACCEPTABILITY [STATE OFFICE REVIEW]

2,1. <u> </u>	2,2. <u> </u>	2,3. <u> </u>	2,4. <u> </u>
--------------------	--------------------	--------------------	--------------------

Reviewer

Date

N/A = NOT APPLICABLE

** = SEE ATTACHMENT NO.

* = SEE ITEM

*** = SEE REMARKS ATTACHED

IN BENEFICIAL USE REP

MICROFILMED

SEP 12 1990


FEB 28 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESRESERVED
JUN 12 1989Department of Water Resources **BENEFICIAL USE FIELD REPORT****A. GENERAL INFORMATION**Permit No. SI-70851. Owner: Bert BrackettPhone No. 857-2217

Current Address: _____

2. Accompanied by: Dale NeaderhiserEXAM. DATE: 6/8/88Address: EmployeePhone No. No phoneRelationship to Permit Holder: Employee3. Source: Big Flat Creek tributary to Three Creek**B. OVERLAP REVIEW**1. Other water rights with same place of use: SI-0096A, SI-0096BWestern will need to get copies.☐ Copies Attached

2. Other water rights with same point of diversion: _____

☐ Copies Attached☐ Copies of Field Exam's Attached**C. SYSTEM DESCRIPTION**1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

SEP 12 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Two 25 Hp centrifugal pumps in Parallel, intake water at creek and deliver to 8 lines with a total of 69 heads. Normal operating pressure at the pumps is 70 psi, but when the exam was conducted pressure only reached 30 psi. Apparently, one of the pumps ~~was~~ became plugged; yet, measured flow contradicts capacity with only one pump running.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1	General Electric	25	8141077	Berkely	425 GPM :
#2	Century Electric	25	SL-286UCZ-RC2	Berkely	425 GPM !

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					~~SW 1/4 13~~	~~15S~~	~~10E~~	~~Owyhee~~	~~Quad. Map~~
					NE SE NE 14	15S	10E	Owyhee	aerial photo

6. Place(s) of Use: Indicate Method of Determination Aerial Photo

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
~~15S~~	~~10E~~	~~13~~			9				15	23	29	15		9		12	7		119
~~15S~~	~~10E~~	~~14~~			3			7	7										10
Under system → 15S	10E	13			37				3	30	10					15	28		123
License → 15S	10E	13			37					10						5	28		80
																			129

Corrected 6/9/89 JH.

Do not use this space

D. FLOW MEASUREMENTS

☒ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Annubar	10.02"			091421	10.02"	

2. Measurements:

With annubar and manometer; $Q = 1.73$ cfs was measured @ 30 psi. Normal operating pressure is 70 psi. Therefore this measurement doesn't represent the normal operating capacity; However each pump has a 425 gpm capacity; combined open discharge flow ≈ 1.9 cfs. $\therefore$ measured flow seems reasonable.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 1.73 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = \frac{8.8 \times 25 \times 30}{3 + 2.31 \times 70} \times 2 = 1.9 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: 70 psi $\times 2.31 = 161.7$ ft (1); Dynamic pumping level: 3 ft (2)

Total Head: (1) + (2) = 164.7 (3) ; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: 3.6×0.6 KH $\times$ _____ CTR or 40 MULT $\times$ 1 PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

P# 1860

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{80}{129 \text{ ac.}} \times 3.0 = 240 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (1.73) \times 183 \times 1.9835 = 628 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 240 \text{ AFA}$$

2. Volume Calculations for Other Uses:

4/9/89

H. REMARKS AND OVERLAP REVIEW ANALYSIS

An overlap may exist, but we don't have the files here at Southern.

At time of measure, the system was never fully pressurized however, measurement seems reasonable based on capacity of pumps at free discharge.

6/9/89 Report Reviewed & Corrected - Mislocated Section Corner on Aerial Photo. Land list for license is distributed on the assumption that lands under the system not under Permit are Part II covered with Deeded Right 51-0096 A or B.
R.H.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	Apr 1	June 15	1.6 cfs	240387 AFA
Irrigation	Aug 15	Oct 15	1.6 cfs	240387 AFA
Totals:			1.6 cfs	240387 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Carl Reeb

Signature


Carl E Reeb

Certification Date

4/6/88

Field Report Preparation Date

6/8/88



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 12 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
SUPPLEMENTAL FIELD REPORT FOR ANNUBAR MEASUREMENT

SEP 12 1989

Measured by: Carl Reeb

Date: 6/8/88

Owner: Bert Brackett

Permit No. SI-7085

Description of well &/or measuring site

- Include any clarifications of the sketch
- Include legal description if more than one p.d. is described in the Field Report

Access Port located 20 ft from nearest bend. 2 25 hp Centrifugal pumps in Parallel take water from ditch in Creek. System never fully reached operating pressure of 70 PSI, Measurement was taken at 30 PSI. This measurement may have to be taken again since one of the pumps was not functioning properly.

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

CIR = Pipe Circumference in Inches = 32"

T = Pipe Thickness in Inches = .125"

ID = $2 [(0.1592 \times CIR) - T] =$ 9.94

ANNUBAR DESCRIPTION & CONSTANT (C)

Size Used in Test 10.020

State ID No. 091421

Select C based on size from Table below.

Nominal Pipe Size	C
4"	4.23
6"	3.75
8"	3.87
10"	3.94
12"	3.99
14"- 16"	4.01
18"- 24"	4.02
30" or larger	4.03

C selected 3.94

DIFFERENTIAL PRESSURE READING IN INCHES OF H₂O (H)

High Reading = 18"

Low Reading = 14"

High - Low = H = 4"

CALCULATION OF DISCHARGE IN CFS (Q)

$$Q = \frac{(ID)^2 \cdot (\sqrt{H}) \cdot (C)}{448.8}$$

$$Q = \frac{(9.94)^2 \cdot (\sqrt{4}) \cdot (3.94)}{448.8} = 1.73 \text{ cfs}$$

SKETCH (If not shown on Field Report)


MICROFILMED

SEP 12 1990

LO
SO
CO
AI
PO

天

James H. Adams


[illegible]

5-4 Cor Sec 13

A black and white photograph of a textured surface, possibly a book cover or endpaper. The texture is grainy and uneven. A prominent diagonal crease or fold runs from the upper left towards the lower right. There are some darker, irregular marks and what appears to be a small, dark, circular object or hole near the center of the crease. The overall appearance is aged and worn.

⑤ - Expenditures - Volume
1941

51-7085



Irrigated Land Looking East.

MICROFILMED

SEP 12 1990

SI-7085



Looking at suction side of Pumps,
— 3 ft from W.S. to Pump Q. —




4" Dia. into 8" Expansion
elbow. ↓

SEP 12 1990



← Flat Creek
→ flow

Close Up of Pumps, 8" Piping and Valves



← Electric Panel
and Phase converter

2- 8" Lines from pumps Join Into 10" Main line
Distance from pump to joint - 45 ft.

MICROFILMED

SEP 12 1990

To Carter
Date 9/18 Time 1:20

WHILE YOU WERE OUT

Terry Blau
of Southard
Phone 51-7085

Telephoned	☒	PLEASE call 1990	
Called to see you	☐	Will call again	
Wants to see you	☐	Returned your call	

Message A gentleman came
into Southard Reg. (Burt
Brackett, 51-7085) - He
had rec'd one of your
appt. letters - however he
has winterized his system
(pumps not operating) - Terry told
him we'd contact him (or he could

3-7

54.0

NWSW

SW

33.7

7.3

5.3

14.4

30.0

51-7085

1983
23/24

5/-1005



54.0

A1

B1

33

194

3

43

324

+

CONVERSATION MEMORANDUM

DATE 9-18-87

FILE 51-7085

NAME OF PARTY Bert Bracket

EMPLOYEE Carter Fritschle

RE: System is shut down for the
winter.

SEP 12 1989

Department of Water Resources

MICROFILMED

SEP 12 1990

MEMORANDUM

RECEIVED

TO: REGION/LOREN HOLMES

FROM: ROXANNE MCCARTHY

RE: FIELD EXAM/51-7085

DATE: 16-MAR-1989

RECEIVED
JUN 12 1989

MAY 5 1989

Department of Water Resources
Southern Region Office

Department of Water Resources

During pre-license review I noted a problem with this exam. The right is permitted for 80.0 acres of irrigation. The examiner found and recommended 129.0 acres. As you know, we cannot issue a license for acreage in excess of the Permit.

I am returning the exam so that a determination of the proper 80 acres can be done. Thanks in advance.

*I have re-Reviewed the file & recommended
Acres for Licensing - Note the Land Lost has
been extensively re-worked due to our failure
to note the bad section corner on the photo
the first time - guess you can't win them all*

LH.

MICROFILMED

SEP 12 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

51-7085
Bert Brackett
Flat Creek Ranch
Rogerson, ID 83302

September 14, 1987

Dear Permit Holder:

We are planning to conduct water right field examinations in the vicinity of your water right permit (the permit number is listed above your name) from September 17 to September 25. A field examination is needed to verify your water use so that a water right license can be issued. In order to conduct your exam as efficiently as possible, please call this office to schedule a day and time during the above referenced weeks that is convenient for you. Please note that your system should be operating under normal conditions during the examination.

One of the conditions of approval for your water permit is that a measuring device approved by this department be installed so that we can accurately measure your water use. This device may be a flowmeter or access port (for pressurized pipelines), or a surface water measuring device such as a weir or a flume. We have enclosed additional information concerning measuring devices.

If there is a problem with scheduling or conducting the examination at this time, please call us and other arrangements can be made.

MICROFILMED

SEP 12 1987

Sincerely,

Carter Fritschle
Water Resource Agent

NOTE:
ENCLOSED PLEASE FIND
RECEIPT NO. 44810
IN THE AMOUNT OF \$ 125⁰⁰



State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

Cecil D. Andrus
Governor

2735 Airport Way
Boise, Idaho 83705
(208) 334-2266

March 17, 1987

Re: Permit No. 51-7085

Bert Brackett
Rogerson,
Idaho 83302

Dear Mr. Brackett:

In checking with our state office it was discovered that Wells Livestock, Inc. has already submitted an assignment of the above referenced permit to you.

Our state office will be processing the assignment and will forward an acknowledgment letter with a copy of the permit to you.

If you have any further questions concerning this permit, please feel free to contact us.

Sincerely,

JAN SHURTE
Sr. Water Resource Agent

JS:j

MICROFILMED

SEP 17 1990

4/86
RECEIVED

MAY 11 1987

Department of Water Resources
Western Regional Office

RECEIVED

MAY 20 1987

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

KEYPUNCHED

For Office Use Only *OK*
Fee Received 125
Date 5-7-87
Receipt # 44810
Receipt by [Signature]
Sent to S.O. [Signature]
5-22-87

EXAMINATION FEE INFORMATION

1. Permit No. 51-7085

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Bert Brackett

3. Post Office Address: Flat Cr. Ranch, Rogerson, Idaho
83302 Telephone No. 857-2217

4. Source of Water: Big Flat Creek

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 80 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 1.6 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Summer 1974

8. Person to contact to accompany the department representative during the field examination:

Bert Brackett (Name)
Flat Creek Ranch, Rogerson, Idaho (Address)
857-2217 (Telephone Number)

MICROFILMED

SEP 14 1988

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

April 26, 1987
Date

Bert Brackett
Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

51-7085

Bert Brackett
Rogerson, ID 83302

138034

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

SEP 12 1990

March 31, 1987

RE: Permit No. 51-7085

Bert Brackett
Three Creek
Rogerson, ID 83302

Dear Permit Holder(s):

This office acknowledges receipt of the Assignment of the above referenced permit to you. Enclosed for your records is a copy of the permit.

In reviewing the permit, we find that the next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED
APR 14 1987

Permit No. 51-7085

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? Yes
2. Notary? Yes
3. a. Full Assignment?
- b. Partial Assignment?
4. "No assignment" condition on permit? No
5. Commencement of Works received? - B/L rec'd
 - a. Commencement of works requested?
 - b. Show Cause Order drafted & sent?
 - c. Cancellation necessary?
6. Affidavit of residency required? N/A
7. Extension granted due to litigation? - N/A
(If yes, commencement of works is not required.)

1. Type permit summary sheet. ✓
2. Coding sheet. ✓
3. Acknowledgement letter type.
4. Copy to region. ✓

Shavla —

Shavla —

✓ #1a

Shavla —

MICROFILMED

APR 14 1987

Date 3-24-87

Employee JL

May 7, 1975

Re: Permit No. 51-7085

Wells Livestock, Inc.
512 N. Broadway
Buhl, ID 83316

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in Boise.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

MICROFILMED

Identification No. _____

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
30-1975
Department of Water Resources

1. a) Name of Permit Holder WELLS LIVESTOCK, INC.
b) Post Office Address 518 No. Blvd. Ruhl, ID 83316
2. Permit Number 51-7085
3. Date of Priority that you are prepared to establish MARCH 8, 1974
4. a) Source from which water was appropriated RIG FLAT CREEK - E. FORK OF PALMER R.
b) Location of the point of diversion: SW 1/4 NW 1/4, Section 13
Township 15 S., Range 10 E. Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 1.6 cfs for IRRIGATION purposes from APR 1 to JUNE 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 1.6 cfs for IRRIGATION purposes from AUG 15 to OCT 15 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 1.6 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

- b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 2-25 H.P. MOTORS AND PUMPS AND
SPRINKLER SYSTEM

- b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

CIPOLLETTI WEIR - 2 FOOT

- c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 5/9/75 by fg

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
155	10E	13			25						25					20			80

Total number of acres irrigated 80

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

Apr. 29 1975
(Date)

Wells Trucking Inc
Wells & Wells, pres.
(Signature)

State of IDAHO)
) ss.
County of TWIN FALLS)

On this 29th day of APRIL, 1975, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (~~she~~) (~~they~~) executed the same.

James H. Patterson
Notary Public residing at Buhl

My commission expires 7-15-79.

- **SENDER:** Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one)

- ☐ Show to whom and date delivered 15¢
- ☐ Show to whom, date, & address of delivery.. 35¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

CERTIFIED MAIL

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

26569

(Always obtain signature of addressee or agent)

I have received the article described above.

SIGNATURE


Hella Lovelock

DATE OF DELIVERY

3-3-75

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE




UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1 and 2 on reverse side.
- Moistan gummed ends and attach to back of article.



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



RETURN
TO

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

February 28, 1975

CERTIFIED MAIL

26569

Re: Permit No. 51-7085

Wells Livestock, Inc.
512 North Broadway
Buhl, ID 83316

Gentlemen:

One of the conditions of approval of your water Permit No. 51-7085 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

RECEIVED

April 11, 1974

Re: Permit No. 51-7085

Wells Livestock, Inc.
512 North Broadway
Buhl, Idaho 83316

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 51-7085. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

51 7085

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

March 15, 1974

Owyhee Nugget
Marsing, ID 83639

Re: Application for Permit No. 51-7085 - Wells Livestock, Inc.

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Sincerely,

Bill submitted 4-1-74 by df

51 7085

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that WELLS LIVESTOCK, INC., 512 N. Broadway,
Buhl, ID
has on March 8, 1974 submitted Application No. 51-7085
for a permit to appropriate 1.6 cubic feet per second ~~2000 feet~~
~~XXXXXXXXXX~~ of water from Big Flat Creek, trib. to Three Creek
by means of pump, motor & sprinkler system
within the SW 1/4, S. 13, T. 15 S., R. 10 E., B.M., Owyhee County

to be used from April 1 to June 15 & Aug. 15 to Oct. 15
for irrigation of 80 acres

within the SW 1/4, NE 1/4, NW 1/4, S. 13, T. 15 S., R. 10 E., B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Administration, Statehouse, Boise, Idaho, 83707, on or before
April 8, 1974.

R. KEITH HIGGINSON

Director

Published in the Owyhee Nugget, Marsing, Idaho
on March 21, 1974 and March 28, 1974.

51 7085