








MICROFILMED

APR 10 1997

Total number of Acres 25,013.20
 Area of land East of River 1325.05 Ac; West of River 20,315.00 Ac; Of Water and unsu



FROM BINGHAM COUNTY FSA 208 785 5847

03-27-97 04:02PM TO IN STATE

1038712083277866

#898 P.4/4

BINGHAM, IDAHO

FSA 578/02 01 013


DEPART OF AGRICULTURE

Form Approved - OMB No. 0560-0004

PROGRAM YEAR 1996



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	50	JKJ904396	Jacuzzi	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Well Probe	double wire	Dynac	500		500'	

2. Measurements: operating pressure 65 psi (according to owner)
dynamic pumping depth 48'

MICROFILMED
MAR 25 1997

EEB 51 1202

RECEIVED

E. NARRATIVE/REMARKS/COMMENTS

50 Hp pump to 8" portable mainline
Supplying water to 4 1/4 mile wheel lines
with 32 birds (5/32")



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 25 1997

4

19

LINE

R31E

Well

4458

HIGH

4470

4452

4396

HM

4464

4420

4450

WEST

Point of Div.

30

Bo

4420

PLACE OF USE

3000

CANAL

BM 4410

BINGHAM CO
POWER CO

4394

4400

35-8878

39

39

4427

MAR 25 1997

58.6

38.5

19 20
29

Go

35-08878

30

Lot 3

Point of Div

T
65

Fairview Rd 2900



Lot 4

35-8878
MAR 25 1997

30

Schroeder Rd

2300S

BINGHAM CO

30

POWER CO

R31E

Highway 39

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE

AMENDED

WATER RIGHT NO. 35-08878

Priority: March 21, 1990

Maximum Diversion Rate:

1.42 CFS

Maximum Diversion Volume:

284.0 AF

This is to certify, that DOROTHY CORBRIDGE
RON CORBRIDGE

265 VAN BUREN

AMERICAN FALLS ID 83211

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 21, 1990; and has submitted Proof of Beneficial Use on August 10, 1992. An examination indicates that the works have a diversion capacity of 1.540 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.42 CFS	284.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (SWSW), Sec. 30, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	30	Lot 4(SWSW) 35	SESW 36		71

Total number of acres irrigated: 71

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED

APR 16 2005

State of Idaho
Department of Water Resources

AMENDED

WATER RIGHT LICENSE


AMENDED

WATER RIGHT NO. 35-08878

CONDITIONS OF APPROVAL AND REMARKS

7. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7th
day of APRIL, 1997.


KARL J. DREHER, Director

MICROFILMED

APR 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08878

Priority: March 21, 1990

Maximum Diversion Rate:

1.32 CFS

Maximum Diversion Volume:

264.0 AF

This is to certify, that DOROTHY CORBRIDGE
RON CORBRIDGE

265 VAN BUREN

AMERICAN FALLS ID 83211

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 21, 1990; and has submitted Proof of Beneficial Use on August 10, 1992. An examination indicates that the works have a diversion capacity of 1.540 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.32 CFS	264.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 4(SWSW), Sec. 30, Township 36S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	30	Lot 4(SWSW) 30	SESW 36		66

Total number of acres irrigated: 66

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 35-08878

CONDITIONS OF APPROVAL AND REMARKS

7. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17th day of MARCH, 1997.


KARL J. DREHER, Director



RECEIVED

For Office Use Only
Amt. of Fee \$ 125
Date 8-11-92
Receipt No. EJ 1706
Received by RB

STATE OF IDAHO

AUG 10 1992

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08878 Telephone No. 208-226-2369
Name(s) of Permit Holder(s): Dorothy Conbuidy & Ron Conbuidy
Post Office Address: 265 Van Buren, Am-Falls Rd., 83211
Source of Water: Under Ground Water also source in Aberdeen Dam
If ground water, well driller's name: Sam Volmer Date drilled Jan 20 1991
Extent of Use:
Domestic _____ (No. of households) Irrigation 71 (No. of acres)
Stockwater _____ (No. and type of stock) Other Michigan's Farm Pump

Total rate and/or volume for which proof is submitted 1.54 cfs 154 acre/feet

Show date water was first diverted and beneficially used under this permit: Spring of 1991

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☒ No Installed? ☒ Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Ron Conbuidy 226-2252 Work
Name Telephone No.
2920 Schuch Rd Am-Falls ID 83211
Address

The above information is my true statement of the extent to which the above numbered permit has been developed. I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 10 1992

August 6-92
Date

Ron Conbuidy
Signature (and title if on behalf of a company or organization)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	<u>125.00</u>
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single ownership
domestic use or stockwater use of
less than 13,000 gallons per day.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08878

Proposed Priority: March 21, 1990 Maximum Diversion Rate: 1.42 CFS

This is to certify, that DOROTHY CORBRIDGE

RON CORBRIDGE

265 VAN BUREN

AMERICAN FALLS, ID 83211

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.42 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 4(SWSW), Sec. 30, Township 06S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	31E	30	LOT 4(SWSW) 38	SESW 33		71

Total number of acres irrigated: 71

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1993.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 23 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08878

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of July, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 23 1990

Ident. No. 35-08878

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DOROTHY CORBRIDGE 208-226-2369
Address: 265 VAN BUREN
AMERICAN FALLS, ID 83211
OR
Name: RON CORBRIDGE 208-226-2407
Address: 2780 SCHRODER RD.
AMERICAN FALLS, ID 83211

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: LOT 4(SWSW), Sec. 30, Township 06S, Range 31E
BINGHAM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	1.420		

5. Total quantity appropriated is:
1.420 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO SPRINKLERS
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 100
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 years.

8. Description of proposed uses:
IRRIGATION

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES
06S	31E	30	LOT 4(SWSW) 38

ACRES
SESW 33
Total number of acres irrigated: 71

JUL 23 1990

RECEIVED

Ident. No. 35-08878

Page 2

10. Describe any other water rights used for the same purposes.
ABERDEEN-SPRINGFIELD CANAL SHARES

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Dorothy Conley
Applicant

Received by HLJ Date 3-21-90 Time 9:23 Preliminary check by DMD


Fee \$ 65.00 Receipted by HLJ # 12012463 Date 3-21-90

Publication prepared by RB Date 5/19/90 Published in Recorder-Herald

Publication approved HLJ Date 6-14-90

MICROFILMED

JUL 23 1990



Idaho:

KIRKHAM, Dale B.
KIRKHAM, Jr., Dale B.
P.O. Box 4026
Pocatello, Idaho 83201
Source: GROUNDWATER
Diversion Pt: NESW, Sec. 35, T. 02S, R.
35E.
Use: COMMERCIAL (3.000 CFS).
Total Diversion: (3.000 CFS).
Date Filed: 3/26/1990.
In: T02S, R35E, S35, NESW.

27-07511
HUNSTMANS PROPERTIES
7440 S. 45th W.
Idaho Falls, Idaho 83402
Source: GROUNDWATER
Diversion Pt: NWSE, Sec. 32, T. 01N, R.
37E.
Use: COMMERCIAL (.330 CFS).
Total Diversion: (.330 CFS).
Date Filed: 3/29/1990.
In: T01N, R37E, S32, NWSE.

35-08878
CORBRIDGE, Dorothy
CORBRIDGE, Ron
265 Van Buren
American Falls, Id. 83211
Source: GROUNDWATER
Diversion Pt: LOT 4 (SWSW), Sec. 30, T.
06S, R. 31E.
Use: IRRIGATION (1.420 CFS).
Total Diversion: (1.420 CFS).
Date Filed: 3/21/1990.
In: T06S, R31E, S30, Lot 4 (SWSW).
SESW.
71.0 ACRES TOTAL.

35-08884
SCHRITTER, Melvin
SCHRITTER, Roberta
345 Jefferson
American Falls, Id. 83211
Source: GROUNDWATER
Diversion Pt: NESE, Sec. 17, T. 06S, R.
30E.
Use: IRRIGATION (1.390 CFS).
Total Diversion: (1.390 CFS).
Date Filed: 3/9/1990.
In: T06S, R30E, S17, NENE, NWNE,
SWNE, SENE, NESE, NWSE, SWSE, SESE.
264.0 ACRES TOTAL.

35-08892
WARD, Owen K.
WARD, Opal M.
1469 W. Quinn Road
Pocatello, Id. 83201
Source: GROUNDWATER
Diversion Pt: LOT 2 (NWNE), Sec. 1, T.
03S, R. 34E.
Use: DOMESTIC (.180 CFS).
Total Diversion: (.180 CFS).
Date Filed: 3/28/1990.
In: T03S, R34E, S01, Lot 2 (NWNE).

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho Code
or the new public interest criteria of Sec.
42-203C, Idaho Code. Protests must be filed
with the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls, Idaho,
83402, on or before JUNE 4, 1990.

R. KEITH HIGGINSON
Director

(786)
Pub.: 5/17, 24

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Ted Townsend)

do

solemnly
swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

17th day of June, 1990;

and the last publication having been made on the

24th day of June, 1990;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 30th day of June in
the year 1990 before me a Notary Public of said State,
personal RD appeared

122 Bureau
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Kaye R. Chilton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

JUL 23 1990

**THIS
RIGHT HAS BEEN
DECREED IN THE
SRBA**



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 8, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DOROTHY CORBRIDGE
RON CORBRIDGE
265 VAN BUREN
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 35-08878

Dear Water Right Holders:

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a Amended Preliminary Order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the

MICROFILMED

APR 10 1997

subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script, appearing to read "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SWK:vrr

Enclosures

MICROFILMED


APR 10 1997

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of April, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **AMENDED PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 35-08878

DOROTHY CORBRIDGE
RON CORBRIDGE
265 VAN BUREN
AMERICAN FALLS ID 83211



Vanessa R Roby
Secretary

MICROFILMED

APR 10 1997

MEMORANDUM

DATE: April 4, 1997

TO: Norm Young

File 35-08878

FROM: Shelley W. Keen

RE: Amended license for 35-08878

We have received a timely petition for reconsideration for license 35-08878. The right holder requests that we issue the license for 71 acres as permitted instead of the 66 reported by the examiner. The right holder submitted FSA documentation showing credit for 71.0 acres of irrigated cropland. Jim and I reviewed the file and concluded that the scale of the ASCS photo used to determine acres was miscalculated, making it appear that there are five fewer acres in the SWSW (Lot 4) than there actually are. I checked this by having Paul Meyer scan and rectify the 1987 NAPP photo, digitize the place of use, and check the area with an Avenue script written for that purpose. He found 70.68 acres.

Procedurally, Glen recommends that we re-issue the license for 71 acres as an amended preliminary order.

MICROFILMED
APR 10 1997

5420

18

5420

55280

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

5420

RECEIVED

MAR 31 1997

Department of Water Resources

Jim Falls, Idaho
March 26, 1997

Dear Shelley Keen -

Am writing a letter of re-
consideration on the acreage
you have recommended on our
Water rights license # 35-08878.

Ken contacted the ASC office
and they say we have 77 acres.
That 71 of those acres are
farmable. They say we
can not be cut any more than
the 71 acres. I thank you.

Sincerely
Donna Kay Carbridge

MICROFILMED
APR 10 1997

From: DWR70::ARUBERRY 28-MAR-1997 08:29:14.82
To: DWR03::SKEEN
CC:
Subj: YOUR REQUEST, CORBRIDGE 35-08878

PARD, I DID NOT CALC ACREAGES IN THAT PART DUE TO NO CANAL SERVICE. HOWEVER, I DO HAVE A COPY OF THE ASCS PHOTO IN MY FILES, AND, AS LUCK WOULD HAVE IT FOR MRS CORBRIDGE THE ACREAGE IS CLEARLY INDICATED AS 71.0. THERE IS A HOMESTEAD IN THE SWSW ALONG THE SOUTH BORDER, IN THE SESW THERE IS A "BIRD IN FLIGHT" SHAPED AREA THAT APPEARS AS NOT FARMED. I DO REMEMBER THIS PLACE AND IT IS STILL (OR WAS THEN) AS THE ASCS PHOTO SHOWS. THE ROCK AREA IN THE SESW IS A LITTLE HIGHER IN TOPO THAN THE AREA ALONG THE ROADWAY.....
LET ME KNOW IF THERE IS ANYTHING ELSE I CAN DO FOR YOU.

ABR

Dorothy Corbridge
American Falls Ron

35-08878

Permit

↓ 71 Acres

66 Acres

226-23

Shelves

MICROFILMED
APR 10 1997

FARM SERVICE AGENCY
BINGHAM COUNTY FSA OFFICE
1600 HIGHLAND DRIVE
BLACKFOOT IDAHO 83221
(208) 785-6602 or (208) 785-2090
FAX (208) 785-5847

FROM: Steve Fuller

TO: Shelley King

DATE: 3-27-97

PAGE 1
OF

4

SUBJECT: Documents on Dorothy Conbridge
As requested by Mr. Conbridge

MICROFILMED

APR 10 1997

IDAHO
BINGHAM
Report ID: FSA-156EZ

U.S. Dept. of Agriculture
Farm Service Agency
Abbreviated 156 Farm Record

FARM 3793
Prepared: 01/23/97
Crop Year: 96
Page: 1

OPERATOR: Name, Address & I D No. FARMLAND CROPLAND IRRIGATED CROPLAND EFFECTIVE CROPLAND FARM IDENTIFIER STATUS

519-05-7102 S 1194.0 71.0 71.0 71.0 Trans from Power C ACTIVE
DOROTHY CORBRIDGE
265 VAN BUREN ST
AMERICAN FALLS ID 83211 1225

CRP: .0
IPM: N
RECON. REP. NO.: 000000
OFAY NORMAL PLANTED ACRES: 23.7

CROP	ROT.	BASE	CRP REDUCTION	ADJ. BASE	DATE	-----P&CP-----		-----YIELD-----		
						YEAR		YEAR	NI	IR
WHEAT	1	21.0	.0			95	.0	96	48	72
						94	.0	85	48	72
						93	71.0			
						92	38.0			
						91	.0	96	72	
						90	71.0	85	72	
----- HWY -----										
BARLEY	1	1.0	.0			95	.0	96	23	90
						94	.0	85	23	93
						93	.0			
						92	4.9			
						91	.0	96	90	
						90	.0	85	93	
----- HWY -----										


No. of Tracts: 1

Current Year

TRACT NO.	FARMLAND	CROPLAND	IRRIGATED CROPLAND	HEL	027	A027	W	CW	FW	PC	AW	MW	RW	MD	CWTE	CMNA	PCW
25576	1194.0	71.0	71.0	Y	Y	Y	N	N	N	N	N	N	N	N	N	N	N
IDENTIFIER Map E23 30-6-31																	
OWNER 1 - DOROTHY CORBRIDGE																	

MICROFILMED

APR 10 1997



FROM BINGHAM COUNTY FSA 208 785 5847

03-27-97 04:02PM TO IN STATE

1038712083277866

#898 P.4/4

BINGHAM, IDAHO

FSA 578/02 01 011

DEPT OF AGRIC

Form Approved - OMB No. 0560-0004

PROGRAM YEAR 1996

FARM NUMBER: 3793

FARM AND TRACT DETAIL LISTING

DATE: 05-28-96

Operator Name and Address

Original: SLDOROTHY CORBRIDGE 7102
265 VAN BUREN ST
AMERICAN FALLS, ID 83211-1225

Revision: _____

Cropland: 71.0

Farmland: 1,194.0

Tract Number	Field Num ID	Irr Prc	Crop	Var/ Type	Int Use	Land Use	Reported Acreage	Determined Acreage	O/ H	Crop Stat	PltPr FCIC	Prod Share	Prod ID
25576	1	Ir	WHEAT	SWW	Grain		71.00			1	2	1.0000	7102
		Crop WHEAT		Nirr	Irr 71.0								
Photo Number/Legal Description: Map E23 30-6-31													
Cropland:		71.0	Reported:	71.0	Difference:	.0	Reported D,B,S,R,A:	.0					

MICROFILMED
APR 10 1997

From: DWR03::SKEEN 27-MAR-1997 14:25:58.15
To: DWR70::ARUBERRY
CC: SKEEN
Subj: 35-08878 Corbridge

Al,

I have a favor to ask of you. Will you look at the information you collected during your review of Aberdeen-Springfield to see if there is any indication of the number of acres irrigated by the Corbridges on the S1/2 of the SW1/4 of Section 30, T6S, R31E? A quick look at the NAPP photo might also be helpful.

The permit was issued in 1990 for 71 acres. Based on Gary Buss's exam, we issued a license for 66 acres. Dorothy Corbridge called today to tell me that she is going to petition for reconsideration because she believes 71 acres are irrigated there. Gary's exam does not provide good documentation of the methodology used to determine 66 acres.

I will appreciate all the help you can give.

Thanks,

S. W. Keen



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

DOROTHY CORBRIDGE
RON CORBRIDGE
265 VAN BUREN
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 35-08878

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

MAR 25 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure


MICROFILMED
MAR 25 1997

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08878


DOROTHY CORBRIDGE
RON CORBRIDGE
265 VAN BUREN
AMERICAN FALLS ID 83211



Vanessa Roby
Secretary

PHOTOFILMED
MAR 25 1997

CLAIM NO.



SCALE: 8" = 1 MILE

GOVT CONSTRUCTION SECTION

T. 6S R. 315 SEC. 30

DATE 9/14/93

AGENT ASAC

00 MAP REF. *AA-35136185186*

NAPP REF.

MICROFILMED

MAR 25 1997

○ = SW claimed
 □ = SW found used
 △ = gen use

$\square \updownarrow = \text{gw/sw together}$
 $\Delta = \text{Supp.}$



1-7110
Ran Contingent
#24

MICROFILMED

MAR 25 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08878

DATE 2/28/97

REVIEWER: *SHARLA*

NAME	Change
...	...

OK

Address Change No

SOURCE _____



Is change clarification of originally intended source?

POINT OF DIV

If not, prepare Notice of Intent to Void _____

Amendment required NO

PLACE OF USE _____



Amendment required NO

Does map agree with written description? ☐ yes ☐ no

OVERLAPS

 P/D

___ P/U

RATE OF DIV

Permitted Rate 1.42 cfs

Fee limit 2.0 cfs \$125⁰⁰

Measured 1.54 cfs

Theoretical 1.56 cfs

Recommended Total Div Rate 1.32 cfs

ANNUAL VOLUME/
NATURE OF USES _____

Use

Volume Calculation

$$\underline{66 \times 4.0 = 264} \text{ af}$$

264.0 af

af

af

SUBTOTAL _____ af

Flow rate 1.32 cfs X 214 days X 1,983 = 559.3 af

Total volume recommended 264.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

~~R250~~ Overlap

3 Use-specific conditions

Advancement of Priority Date Required yes ☒ no

SRBA Claim Filed NA

Adjustment Memo

1st Amend Letter

2nd Amend Letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1995
Department of Water

A. GENERAL INFORMATION

Permit No. 35-8878

1. Owner: Ron & Dorothy Corbridge Phone No. 226-2369

Current Address: 265 Van Buren American Falls, Id 83211

2. Accompanied by: Ron Corbridge EXAM DATE: 8-19-93

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NA.

2. Other water rights with the same point of diversion: NA.

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4		SW	SW	30	6S	31E	Bingham	USGS Quad map

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6S	31E	30											30	36					66
													L-4						

MICROFILMED

MAR 25 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	50	JKJ904396	Jacuzzi	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Well Probe	double wire	dumpac	500		500'	

2. Measurements: operating pressure 65 psi (according to owner)
dynamic pumping depth 48'

FEB 5 1997

MONITORING DECEMBER

MAR 25 1997

E. NARRATIVE/REMARKS/COMMENTS

50 Hp pump to 8" portable mainline
Supplying water to 4 1/4 mile wheel lines
with 32 birds (5/32")



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 25 1997

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{(50)(8.814)(.7)}{(48') + (65)(2.308)} = 1.56 \text{ cfs } (699.2 \text{ gpm})$$

$$(4 \text{ lines}) \times (32 \text{ birds/line}) \times (5.39 \text{ gpm}) = 690 \text{ gpm } (1.54 \text{ cfs})$$

G. VOLUME CALCULATIONS

$$66 \text{ acrs} @ 0.02 \text{ cfs/acre} = 1.32 \text{ cfs}$$

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 66 \text{ acrs} \times 4 \text{ cfs} = 264 \text{ cfs}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.32 \text{ cfs} \times 214 \text{ d.} \times 1.9835 = 560.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 264 \text{ cfs}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4-1	10-31	1.32 cfs	264
Totals:			1.32 cfs	264 cfs

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Gary Buss Date 8-19-93

Reviewer [Signature] Date 2-3-95

SEAL

MICROFILMED

MAR 25 1997

19

R31E

LINE

4458

Well

HIGH

4396

4470

4452

HM

4464

4420

4450

WEST

Point of Div.

30

Bo

PLACE OF USE

4420

3000



4394

BINGHAM CO
POWER CO

CANAL

35-8878

FILED

MAR 25 1997

4427

4400

39

35-08878

30

Lot 3

Lot 4

35 MAR 25 1991 8878

30

30

212

August 21, 1992

DOROTHY CORBRIDGE
RON CORBRIDGE
265 VAN BUREN
AMERICAN FALLS ID 83211

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08878

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

SEP 10 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08878

Reviewed by Klg

Date 8/12/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

irrigate - 71

yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

yes Copy in the file? Drilling Permit No. 35-90-E-074

100 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?

25 Amount Submitted

yes Correct?

MEASURING DEVICE

yes Required?

yes Installed?

NA Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u>/</u>	-
No. of days late	<u>/</u>	=
Priority Date	<u>/</u>	+
New Priority Date	<u>/</u>	

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____

Proof Made 8/19/92

8/21/92 Klg

9/89

Drilling Permit No. 25-70-E-014Water Right Permit No. 35-08878

Injection Permit No. _____

RECEIVED

NOV 16 1990

Department of Water Resources
Eastern District OfficeState of Idaho
Department of Water Resources**DRILLING PERMIT****RECEIVED**

NOV - 1 1990

Department of Water Resources
Eastern District Office

1. Applicant Dorothy Corbridge for Corbridge
2. Mailing Address 215 Van Buren Am. Falls Id 83211

Telephone 208 226-2369

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location NW 1/4 SW 1/4, or Gov't lot No. 4 (SW 564)
 Sec. 30, Twp. 06S, Rge. 31E, County Bingham,
 Street Address of Well Site 06S 31E 30,
 Lot, block and subdivision Lot 4 SW SW 38 SE SW 33

4. Proposed use of well:

- ☐ Single family or stockwater use (less than 13,000 gallons per day)
- ☒ Irrigation (more than 1/2 acre)
- ☐ Monitoring - A well bore schematic and map is required for each well.
 No. of proposed wells: _____
- ☐ Other (describe fully) _____

5. Well construction information:

- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.
- B. Proposed surface diameter 12 Maximum depth 25 FT.
- C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

6. Construction Start Date Jan 30 - 19917. Anticipated Well Driller Dorothy Corbridge
 NOTE: The actual well driller must be identified prior to drilling.8. Applicant's signature Dorothy Corbridge Date SEP 10 1992Title Dorothy Corbridge
 (Owner) Firm Representative, Other)**MICROFILMED****Fee is \$10 for single family domestic. Other uses may be up to **\$100**

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is Approved


Date 11/2/91

If approved, this permit authorizes the construction of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:



Signature of Authorized Department Representative

Eastern Regional Manager
Title

Receipt No. E015462 Received by LK Fee \$200.00 Date 11/19/90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

MICROFILMED
SEP 10 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 12, 1992

Ron and Dorothy Corbridge
265 Van Buren
American Falls, ID 83211

Re: Permit No. 35-08878

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before the opening of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson

Karen L. Gustafson
Secretary/Records Manager

Ron CorBige
35-08878
35-91- *cannot locate*

SEP 10 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 11, 1990

DOROTHY CORBRIDGE
RON CORBRIDGE
265 VAN BUREN
AMERICAN FALLS, ID 83211

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 35-08878

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

JUL 11 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 23 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

KW
HPN

35~8878

INITIAL REVIEW BY Denise Motzuna DATE 9 April 90 APPLICATION NUMBER _____Ron or Dorothy Corbridge
REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ___ No* In form to receipt

ADDITIONAL INFORMATION

- ___ Overlapping place of use (Describe source & relationship to present application on the back.)
- ___ Overlapping point of diversion
- ___ Yes ☒ No Field check required
- ___ Yes ☒ No Field check by _____
- ___ Yes ☒ No Field report attached
- ___ Yes ☒ No Critical groundwater area
- ___ Yes ☒ No Groundwater management area
- ___ Yes ☒ No Send dam safety information
- ___ Yes ☒ No Send power requirement letter
- ___ Yes ☒ No Send fish farm requirement letter
- ___ Yes ☒ No Power residency affidavit
- ___ Yes ☒ No Power efficiency form
- ___ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ___ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ___ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
JUN 18 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No Inform for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 6-4-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required - Per Flow Test Force Memo
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☒ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 3-21-90 See below for additional information
By HWT Date 6-14-90

STATE OFFICE REVIEW P05, P23 P17 48 49 46 26
By KW See below for additional information
Date 6-26-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-
OK to allow 3 yrs. to develop

10-May-1990

Ron or Dorothy Corbridge
American Falls, ID 83211

RE: Application for Permit No. 35-8878

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on MAY 17 & 24, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUL 23 1990

35-08878

CORBRIDGE, DOROTHY
CORBRIDGE, RON
265 VAN BUREN
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: LOT 4 (SWSW) Sec 30 T 06S R 31E

Use: IRRIGATION (1.420 CFS)
Total Diversion: (1.420 CFS)

Date Filed: 3/21/ 1990

In: T06S R31E S30 Lot 4 (SWSW) SESW

71.0 ACRES TOTAL

MICROFILMED

JUL 25 1990