


11. Map of proposed project: *TOWNSHIP 3 NORTH; RANGE 35 E.B.M. BONNEVILLE*
INVOLVING SECTIONS 2, 3, & 10 *COUNTY*



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene F Thiel
(Applicant)

35-7030


6-1-A



3N 35E 5 1/2 SEC 3

5-1-C

Al 2 SW 4 SEC 2



5-2-C



DATE OF EXAM July 1-71

ACREAGE
Found 453
Recommended 453

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 8.0 c.f.s. V = 1585.5 AF/Ann. from Apr 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 8.38 cfs Method of measurement _____

Total Q recommended 8.0 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 1585.5 AF/ANN

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

432 nozzles @ PSI 5.44 gpm/p. head 693 heads
 $5.44 \times 693 = 3770 - 3770 \div 450 = 8.38 \text{ cfs}$

SYSTEM DESCRIPTION:

#1 main OS Motors Pump Motor - 600 H.P. 3 phase - 60 cycles
440 Volts, 1800 RPM, SER No. 1395701 - PEERLESS Vertical
pump - SER No. 213521 - #2 booster - OS Motors Unclused
pump motor - 150 H.P. 3 phase - 60 cycles - 220/440 Volts - 1777 RPM
SER No. 1407505 - FAIRBANKS Morse CENTRIFUGAL pump - 1 stage - Size 10
MODEL 5823 - HEAD FT. 140 - 1750 RPM - 3500 GPM - SER No. K2M1035578

REMARKS:

12" discharge North 3' to booster then on 8" to Gate valve
then to EAST-WEST MAINLINE. ANOTHER STEEL PIPE (10")
RUNS FROM 12" discharge and over BOOSTER and back
to 12" pipe 3' before gate valve.

Examiner's Signature Rev L. Chapman Date July 1-71

Checked by mjl Date 7-7-71

Approved by _____ Date _____

35 7030

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 35-7030 Priority August 22, 1968 Amount 8.0 cfs
(late proof)

THIS IS TO CERTIFY, that EUGENE F. THIEL
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7030 issued pursuant to Application for Permit dated June 28, 1968,
and has submitted proof to the Department of Water Administration on October 26, 1970,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 8.38 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 8.0 cfs for Irrigation from May 1 to Oct. 1 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 8.0 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 3, Twp. 3 N, Rge. 35 E, B.M.

in the county of Bonneville; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1,585.5 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	35 E	2									36	37	37	37					147
		3									38	38	37	39	38	39	39	38	306

Total number of acres irrigated 453

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of
November, 19 73.


Director

35 7030

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-7030 in the)
name of EUGENE F. THIEL) ORDER OF REINSTATEMENT
_____)

WHEREAS, on June 28, 1968, Eugene F. Thiel applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate 8.0 cubic feet per second of water from a ground water source, to be diverted from a point within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 3, T. 3N, R. 35E, B.M., Bonneville County, Idaho, to be used for irrigation purposes; and,

WHEREAS, on August 19, 1968, the Department issued Permit No. 35-7030 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before September 1, 1970; and,

WHEREAS on June 30 1970, the permit holder was notified by certified mail that he was required to submit proof of beneficial use and was instructed as to the steps to be taken to make that proof; and,

WHEREAS, on September 4, 1970, the permit holder was notified that Permit No. 35-7030 had lapsed for failure to submit proof of beneficial use; and,


WHEREAS, on October 26, 1970, the Department received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why the permit should be reinstated;

NOW THEREFORE, IT IS HEREBY ORDERED that Permit No. 35-7030 be REINSTATED and the priority be reduced to August 22, 1968.

Dated this 3rd day of November, 1970.


R. KEITH HIGGINSON
Director

35 7030

Identification No. _____

Permit No. _____

RECEIVED

OCT 26 1970 *late*

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Administration

1. a) Name of Permit Holder Eugene F. Thiel
b) Post Office Address Route #5 Box 99-A, Idaho Falls, Idaho 83401
2. Permit Number 35-7030
3. Date of Priority that you are prepared to establish June, 1967
4. a) Source from which water was appropriated A well. ✓
b) Location of the point of diversion: SE 1/4 SW 1/4, Section Three
Bonneville County, Idaho
Township 3 North, Range 35 East Boise Meridian, Other points of diversion: None
5. a) The amount of water and use to which the water has been applied:
amount 8.00 for irrigation purposes from May 1 to Oct. 30 incl.
(cfs and/or ~~acre feet per annum~~) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 8.00 cfs and/or ~~acre feet per annum~~
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Horace Phillips, lessee of property.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None
b) Describe the agreement or understanding by which you take water from the works: None
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) A six-stage 16-inch Peerless, 600 horsepower U.S. motor attached to 600 foot 12 inch column assembly, 22 inch well diameter, 640 ft. depth with 7,840 ft. of buried 12-gauge
8 lb. wrapped steel mainline graduated from 12 3/4" to 6 5/8" w/fittings.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Not installed; have ordered Badger type measuring device from Intermountain Water Service, Inc. of Boise, Idaho.
c) Give well drillers name and address and date the well was completed _____

Exam typed 6-16-71. (CR)

35 7030

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use None

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4
3N	35EBM	3									40	40	40	40	40	40	40	40
3N	35EBM	10	40	40	40	40	40	40	40	40								320
3N	35EBM	2									40	40	40	40				160
			TOTALS															

Total number of acres irrigated 800

10. Remarks: Permit holder, Eugene Thiel, on his own behalf ordered a Badger type water measuring device from Mr. Jack Barnett, Mgr. of Intermountain Water Service, Inc. P. O. Box 1471, Boise, Idaho, on October 20, 1970.

The above information is a true statement of the extent to which the above numbered permit has been developed.

October 22, 1970
(Date)

Eugene Thiel
(Signature)

State of Idaho
County of Bonneville
ss.

On this 22nd day of October, 1970, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she)(they) executed the same.

THOMAS C. WHITE
NOTARY PUBLIC
IDAHO FALLS, IDAHO
MY COMM. EXPI. 1-16-73
Notary Public residing at Idaho Falls, Idaho
My Commission Expires 1-16-73

My commission expires 1-16-73

Identification No. 35-7030
Application No. 42644

1176: James Hancock & Co.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

LICENSE ISSUED FOR 8.0 SEC. FT. **APPLICATION FOR PERMIT**
LICENSE PAGE NO. _____

APPROVED

To appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Eugene F. Thiel
post office address Route 5 Box 99-A, Idaho Falls, Idaho 83401

2. Source of water supply Well which is a tributary of N/A

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 3 NORTH
Range 35 E.B.M. Bonneville County; additional points of diversion if any: none

b. If water is not consumed, it will be discharged into ALL CONSUMED at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 8.00 for irrigation purpose from May 1 to October 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 8.00 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Six-stage sixteen-inch Peerless complete, bowl unit, with 600 HP U. S. Motor plus electrical controls attached to 600 foot 12 inch column assembly. A 10 inch Fairbanks Morse booster pump complete with electrical controls. 7,840 feet of buried 12-gauge 8 lb. wrapped steel main-line pipe graduated from 12 3/4 inches to 6 5/8 inches with fittings. Risers 56 feet apart with 21 1,300 feet x 4 inch lateral lines complete.

b. Height of storage dam N/A feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 22 inches; proposed depth of well is 640 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.

b. Estimated construction cost is \$ 75,000.00.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

35-7030

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
3N	35EBM	3									40	40	40	40	40	40	40	40	320
3N	35EBM	10	40	40	40	40	40	40	40	40									320
3N	35EBM	2									40	40	40	40					160

none

none

Issen, John, 1900-1901, 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, 1911, 1912, 1913, 1914, 1915, 1916, 1917, 1918, 1919, 1920, 1921, 1922, 1923, 1924, 1925, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935, 1936, 1937, 1938, 1939, 1940, 1941, 1942, 1943, 1944, 1945, 1946, 1947, 1948, 1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 258

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


and Cornelia Helen Griffiths, a widow. The Warranty Deed to such property

A second Real Estate Contract dated March 15, 1966 between J. C.

9961

be delivered in fee simple to the applicant herein.

11. Map of proposed project: *TOWNSHIP 3 NORTH; RANGE 35 E.B.M. BONNEVILLE COUNTY*
INVOLVING SECTIONS 2, 3, & 10



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eugene F Thiel
 (Applicant)

35-7030

Received by 4/ Date 6-28-68 Time 9:00am
Preliminary check by Owner Fee \$ 55.00
Receipted by 4/ Date 7-10-68
Publication prepared by 4/ Date 7-18-68
Published in Good Evening
Publication dates 7-25-68 to 8-1-68
Publication approved 4/ Date 7-25-68
Priority reduced to B-22-68 Reason late proof

Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by 4/

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7030, and said application is hereby **APPROVED**

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 70.

c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons:

Witness my hand this 19 day of August, 19 68.

State Reclamation Engineer

[Signature]

RECEIVED

AUG 15 1968

Department of Reclamation

Proof of Publication

The Post-Register

State of Idaho,
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two issues ~~consecutive weeks~~, first publication having been made
on the 25th day of July, 1968, last publication
having been made on the 1st day of August, 1968, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 2nd day of August, 1968

Karel Hale
Notary Public

My commission expires April 5th, 1971

B10, 1M

35-2030

will sub 8-11

WATER RIGHT NUMBER 35-7030

OWNER LAST NAME - THIEL

ADDRESS LINE 1 - RT. 1 BOX 185

ADDRESS LINE 3 -

SOURCE - GROUNDWATER

STAGE - LICENSE

TOTAL DIV. VOLUME -

DIVERSION POINT - SESW 03 03N 35E LOT

FROM - 05-01 TO - 10-01 USE - IRRIGATION

USE - IRRIGATION

FIRST NAME - EUGENE F.

ADDRESS LINE 2 -

CITY - TROUTDALE

TRIBUTARY OF -

PRIORITY - 08-22-1968

WATER DIST. -

USE DIV. RATE -

PLACE OF USE - TWN 03N RNG 35E SEC 03

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

TRACT NESW LOT

8.0000 -CFS

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

1585.50 AFA

DECREE NAME -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE -

PROOF MADE -

DIVERSION MEANS -

PROTESTED -

HEARING -

OLD NO. -

TOTAL ACRES

453

3/79

IDENT. NO. 35-7030

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 30, 1973

Re: Permit No. 35-7030

Eugene F. Thiel
Route 1 Box 185
Troutdale, Oregon 97060

Dear Mr. Thiel:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

35 7030

RECEIVED

JUN 8 1973 ms

Department of Water Administration
Easter, Oregon Office



ORGANICA FOODS

THIEL'S ORGANIC PRODUCE RT. 1 BOX 185 TROUTDALE, ORE. 97060 503-375-2888

RECEIVED

JUN 7 1973

Department of Water Administration

Dear Sirs:

Re: Permit no. 357030

We have had this land under rent to a tenant for several years, and had a verbal agreement with the renter to install the required water device. It seems as though they have never had the time to install the device as it is presently there and available. So I will take it upon myself to engage a welder as soon as possible to see to the proper installation.

Sincerely,

Gene Thiel

Gene Thiel

35 72030

November 13, 1973

Re: 35-7030

Eugene F. Thiel
Route 1, Box 185
Troutdale, Oregon 97060

Dear Mr. Thiel:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7030 and has found the following:

Quantity of water diverted: 8.38 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 8.0 cfs

The maximum quantity diverted shall not exceed 1,585.5 acre feet per year.

Beneficial use: Irrigation of 453 acres within the SW $\frac{1}{4}$ Sec. 2, Twp. 3 N, Rge. 35 E and within the SW $\frac{1}{4}$ and the SE $\frac{1}{4}$ Sec. 3, Twp. 3 N, Rge. 35 E

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 3, Twp. 3 N, Rge. 35 E, B.M.

Priority date established: August 22, 1968 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/jfr

35 7030



RECEIVED

NOV 2 1973

Department of Water Administration
Eastern District Office

ORGANICA FOODS

THIEL'S ORGANIC PRODUCE RT. 1 BOX 185 TROUTDALE, ORE. 97060 503-375-2888

Dear Sirs,

The correct device for my deep well is on the farm now. After replacing the old one with the new one because of improper fit, (doing this on a back trip too portland) then bringing it back to Idaho & all from here, it is finally ^{out} here. Mr. Tucker my renter there in Idaho cut a ~~hole~~ in the mainline in early august to install the first device only to find that it didn't fit.

Know that the proper sized device is out there. I hope to get it installed immediately. I know that harvest is over with - I feel that I can persuade Mr. Tucker and his hired men to install it.

This sounds like a lot of (run around) but I have had these devices bought for over two years in order to get them installed - only to be delayed until now.

35 2030 Sincerely - Gene Thiel

INTER-DEPARTMENT MEMO — 1

DATE November 7, 1973

FROM Bill Rhoads

TO Darlene

SUBJECT Exam No. 35-7030

Mr. Thiel has finally installed his Badger Meter #M0559059. This appears to be ready for licensing.

RECEIVED
NOV 8 1973
Department of Transportation



SIGNATURE

35 7030

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Eugene F. Thiel
Postoffice address Route #5, Box 99-A, Idaho Falls, Idaho Phone
Person to contact Phone

2. Source of water supply: Groundwater ☒ Surface water ☐ Well
(name spring, stream, etc.)
Tributary to

3. Water will be used for the following purposes:

Amount 8.0 c.f.s. for Irrigation
 AF/Annum (nature of use)

Period of Use: from May 1 to October 1
(mo.-day) inclusive (mo.-day)

Amount c.f.s. for
 AF/Annum (nature of use)

Period of Use: from to
(mo.-day) inclusive (mo.-day)

Amount c.f.s. for
 AF/Annum (nature of use)

Period of Use: from to
(mo.-day) inclusive (mo.-day)

Other uses:

Permit No. 35-7030
Examination for B/U

4. Total amount to be appropriated:

Max Rate of Diversion 8.0 cubic feet per second and annual volume AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 N N/S, Range 35 E E/W, B.M., Section 3, Subdivision SE $\frac{1}{4}$ SW $\frac{1}{4}$, Bonneville
County
Township N/S, Range E/W, B.M., Section , Subdivision $\frac{1}{4}$ $\frac{1}{4}$,
County
Township N/S, Range E/W, B.M., Section , Subdivision $\frac{1}{4}$ $\frac{1}{4}$,
County

Other Points of Diversions:


Description of diverting works: A six-stage 16-inch Peerless, 600 horsepower U.S. motor attached to 600 foot 12 inch column assembly, 22 inch well diameter, 640 ft. depth with 7,840 ft. of buried 12-gauge 8 lb. wrapped steel mainline graduated from 12-3/4" to 6-5/8" w/ fittings.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	35 E	3									40	40	40	40	40	40	40	40	320
		10	40	40	40	40	40	40	40	40									320
		2									40	40	40	40					160

Diagram of System



N. 3. 7.

Jefferson Co. Line

34.35

3.2

305.2

35.36

2.1

D25

218.0

D256

A

155.2

D34

39.5

33.0

D35

11.12

D36

20.30

6-1-A

3-1-C

2988

025

27 26
34 35

33 34
4 3

2989

D 25

34 35
3 2

301.2

D 256

35 702

3-2-C



DATE OF EXAM July 1-71

ACREAGE
Found 453
Recommended 453

Irrigation Requirement 3.5 Ac Ft/Ac

USE Irrigation Q = 8.0 c.f.s. V = 15855 AF/Ann. from Apr. 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: _____
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Exchange? yes_____ no_____

Name source exchanged with: _____
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Point of injection:
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Point of exchange:
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Total Q measured 8.38 cfs Method of measurement

Total Q recommended 8.06 Meter No. _____ Type _____ Condition _____

Total V recommended 1585.5 AF/ANN

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None

MEASUREMENT CALCULATION:

MEASUREMENT CALCULATION:
 $732 \text{ ft} \times 60 \text{ PSI} = 5.44 \text{ gpm/ft head} \times 693 \text{ heads}$
 $5.44 \times 693 = 3770 - 3770 - 450 = 8.38 \text{ cfs}$

SYSTEM DESCRIPTION:

SYSTEM DESCRIPTION: Revised 11-10-72 - R. J. ...
2nd floor ... SEC. No. 1407225 ...
SEC. No. 212001 ... Motors Included
pump motor: 150 H.P. 3-phase 60 cycles 220 V. 3 W. 4 W. Volts
SEC. No. 1407225 ...
11/17/5823 ...

REMARKS:

REMARKS: 12" DISCHARGE N. 1/4 1/2" DIAMETER THEN ON 8' TO GATE VALVE
DOWN TO EAST-WEST MAINLINE. FURTHER STEEL PIPE (10")
RUNS FROM 12" DISCHARGE JUST OVER BR. FLEX AND BACK
TO 12" PIPE 3' BEFORE GATE VALVE.

Examiner's Signature Ker L. Chapman Date July 1-11

Checked by _____ Date _____

Approved by _____ Date _____

35 7030

M E M O

TO: Norm
FROM: Darlene
DATE: 6/28/73
SUBJ: Permit 35-7030 - Eugene F. Thiel

I will try to make a long story short, here goes:

The field exam for the above subject permit was made by Rex Chapman in July, 1971. When I was ready to license last month, I could not determine from the exam report whether or not a measuring device was installed. I sent a memo to you asking for a quickie exam which was returned and indicated the device was not installed.

On May 23, 1973, we sent an order to show cause to the permit holder which he answered by letter sent to your office.

NOW, I need your office to follow up on this to make sure the required measuring device is installed this season. As soon as you can verify the installation, we can proceed with issuance of the water license. Am forwarding all the data referred to above.

If you have any questions, please contact me. I really appreciate your assistance in this matter.

35 7030

INTER-DEPARTMENT MEMO — 1

FROM Norm

DATE June 11, 1973

TO Darlene

SUBJECT Permit No. 35-7030

Have you been corresponding with Mr. Thiel (see attached letter?)

We do not have any record of ever having had an exam on this permit.

What do you wish us to do?

NCY

SIGNATURE

35 7030

SENDER: Be sure to follow instructions on other side

PM 5:00
MAY 4 1973

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☒ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

INSURED NO.

DATE DELIVERED

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

5-29-73

35 7000

**U.S. POSTAL SERVICE
OFFICIAL BUSINESS**



Postage at Delivering Office

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE \$3.00



SENDER INSTRUCTIONS

- Print in the space below your name, address, including ZIP Code.
- If special services are desired, check block(s) on other side.
 - Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83702

35 7000

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

May 23, 1973

CERTIFIED MAIL

72-4514

Re: Permit No. 35-7030

Eugene F. Thiel
Route #5, Box 99-A
Idaho Falls, Idaho 83401

Dear Mr. Thiel:


On July 1, 1971, this office inspected the water diversion works and place of use as described in Permit No. 35-7030. Our examiner found no measuring device of a type approved by the Department installed as part of your diverting works. Such a measuring device is an express condition which must be met prior to approval of a license for your permit.

As you may be aware, your water right cannot be confirmed by the issuance of a license unless all of the conditions of approval are met. In the event that a license is not issued and the permit lapses, further diversion of water under the permit would be illegal.

You are, therefore, hereby ordered to show cause, if any there be, before the Director of the Department of Water Administration, 614 State Street, Boise, Idaho, on or before June 23, 1973, as to why Permit No. 35-7030 should not be lapsed for failure to complete the requirements under said permit.

If you have any questions, please feel free to contact this office.

Very truly yours,


R. KEITH HIGGINSON
Director

RKH:jc

35 7030

B. 11

TO: ~~Norm~~ Darlene
FROM: ~~Darlene~~ Bill
SUBJ. Permit 35-7030 - Eugene F. Thiel
DATE: May 16, 1973

RECEIVED
MAY 17 1973
NCH

HELP! Would you believe, I have the license typed and the 10-day notice letter ready to mail, however, I don't know if the required measuring device has been installed. The exam was done by Rex Chapman in July of 1971, therefore, I need someone in your ~~off~~ office to make a quickie inspection to see if the device has been installed.

If I give you the information, can someone check it out? Hereit is anyway,

Name: Eugene F. Thiel
Route 5 - Box 99A
Idaho Falls, Idaho

Source: ground water

Amount: 8.0 cfs (exam indicates it will produce 8.38 cfs)

P.D.: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 3, Twp. 3 N, Rge. 35 E, B.M., Bonneville County

Place of use: SW $\frac{1}{4}$, Sec. 2; S $\frac{1}{2}$, Sec. 3; Twp. 3 N, Rge. 35 E, B.M.

RECEIVED
MAY 17 1973
NCH

Am hoping that this is close enough so you can run out there on your lunch hour. ~~the~~

If you can't find a measuring device, please advise so I can send a letter to Mr. Thiel and start cancellation procedures.

Appreciate your cooperation in this matter, hoping to hear from you soon.

Darlene

125 7030

U.S. Motors 600
Ser# 1395701

MAIN Pump & Motor

Peerless Pump

Ser# 213521

U.S. Motors 150 Hp
Ser# 1407505

Booster Pump & Motor

Pump, Fairbanks Morse

SER K2M 1035578

3500 RPM

The above data was taken to verify well & location.
No measuring device was installed at the time of
inspection. Rumor has it that someone else now
owns the farm. called the County Assessor's office
they list Ethel as owner.

November 3, 1970

Re: Permit No. 35-7030

Mr. Eugene F. Thiel
Route 5, Box 99-A
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 35-7030. Enclosed please find an order reinstating this permit; you will note that the priority has been reduced to August 22, 1968.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Order of Reinstatement

cc: Thomas C. Whyte
P.O. Box 1157
Idaho Falls, Idaho

35 7030

JOHN FEREBAUER
THOMAS C. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. Box 1157
IDAHO FALLS, IDAHO 83401

October 22, 1970

TELEPHONE 522-6630
AREA CODE 208

RECEIVED

OCT 26 1970

Department of Water Administration

Department of Reclamation
State of Idaho
State House, Annex Two
Boise, Idaho 83707

Re: Claim No. 35-7030
Eugene F. Thiel, Route 5, Box 99-A
Idaho Falls, Idaho 83401


Dear Sirs:

Enclosed is an original and a copy of the Department of Reclamation Proof of Application of Water to Beneficial Use form signed by the permit holder, Mr. Eugene F. Thiel.

Inadvertantly, Mr. Thiel let the date of September 1, 1970 slide by, but is still using the water for beneficial use and desires that he be granted his priority as set forth herein.

If you need any further information, please feel free to contact me and I shall immediately provide you with such information.

Very truly yours,


Thomas C. Whyte

TCW/lc

Enc.

cc: Robert St. Clair
St. Clair, St. Clair, Hiller & Benjamin
Attorneys at Law
P. O. Box 29
Idaho Falls, Idaho 83401

35-7030

COPY

Identification No. _____

Permit No. _____

RECEIVED

JUN 28 1967

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Administration

1. a) Name of Permit Holder Eugene F. Thiel
b) Post Office Address Route #5 Box 99-A, Idaho Falls, Idaho 83401
2. Permit Number 35-7030
3. Date of Priority that you are prepared to establish June, 1967
4. a) Source from which water was appropriated A well.
b) Location of the point of diversion: SE 1/4 SW 1/4, Section Three
Bonneville County, Idaho
Township 3 North, Range 35 East Boise Meridian, Other points of diversion: None
5. a) The amount of water and use to which the water has been applied:
amount 8.00 for irrigation purposes from May 1 to Oct. 30 incl.
(cfs and/ ~~XXXXXX XXXXX~~) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 8.00 cfs and/ ~~XXXXXX XXXXX~~
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Horace Phillips, lessee of property.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: None
b) Describe the agreement or understanding by which you take water from the works: None
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) A six-stage 16-inch Peerless, 600 horsepower U.S. motor attached to 600 foot 12 inch column assembly, 22 inch well diameter, 640 ft. depth with 7,840 ft. of buried 12-gauge 8 lb. wrapped steel mainline graduated from 12 3/4" to 6 5/8" w/fittings.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Not installed; have ordered Badger type measuring device from Intermountain Water Service, Inc. of Boise, Idaho.
c) Give well drillers name and address and date the well was completed _____

35 7030

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use None

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	35EBM	3									40	40	40	40	40	40	40	40	320
3N	35EBM	10	40	40	40	40	40	40	40	40									320
3N	35EBM	2									40	40	40	40					160

10. Remarks: Permit holder, Eugene Thiel, on his own behalf ordered a Badger type water measuring device from Mr. Jack Barnett, Mgr. of Intermountain Water Service, Inc. P. O. Box 1471, Boise, Idaho, on October 20, 1970.

The above information is a true statement of the extent to which the above numbered permit has been developed.

October 22, 1970 (Date)

Eugene Thiel (Signature)

Idaho State of _____ ss. _____ County of Bonneville

On this 22nd day of October, 1970, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

THOMAS C. WHITE
NOTARY PUBLIC
IDAHO FALLS, IDAHO
MY COMM. EXPS. 1-16-73
Notary Public residing at Idaho Falls, Idaho
My Commission Expires 1-16-73

My commission expires 1-16-73



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse -- Annex 2
Boise, Idaho 83707
(208) 384-2215

September 4, 1970


Re: Permit No. 35-7030

Mr. Eugene F. Thiel
Route 5, Box 99-A
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit 35-7030 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.



R. KEITH HIGGINSON
Director

RKH:DR

*Box 29
Idaho Falls*

35-7030

INSTRUCTIONS TO DELIVERING EMPLOYEE



Show to whom, date, and address where delivered



Deliver ONLY to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be typed in)

CERTIFIED NO.

1

Leopold F. Thiel

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

Mr. Henry Thiel

DATE DELIVERED

3

SHOW WHERE DELIVERED (only if requested)

JUL 2 1940

35 2030

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

POSTMARK OF
DELIVERING OFFICE

35 7030



INSTRUCTIONS: Show name and address below and
complete instructions on other side, where applicable.
Moisten gummed ends, attach and hold firmly to back
of article. Print on front of article **RETURN**
RECEIPT REQUESTED.

RETURN
TO

NAME OF SENDER

Department of Reclamation

STREET AND NO. OR P.O. BOX

Annex # 2

POST OFFICE, STATE, AND ZIP CODE

June 30, 1970

CERTIFIED MAIL

Re: Permit No. 35-7030

22005

Mr. Eugene F. Thiel
Route 5, Box 99-A
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

One of the conditions of the approval of your permit no.
35-7030 was that proof of application of the water
to beneficial use be submitted to this office on or before
September 1, 1970

Enclosed is an affidavit form which must be used to submit
this proof. You may request an extension of time provided the
delay is for reasonable cause as indicated in Section 42-204,
Idaho Code Amended.

Either the proof or a request for extension of time must
be received by this department on or before the above mentioned
date, otherwise the permit will lapse and be of no further force
or effect.



State Reclamation Engineer

Enc: Proof form
dr

35-7030

JOHN FEREBAUER
THOMAS G. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. Box 1157
IDAHO FALLS, IDAHO 83401

June 3, 1969

RECEIVED
TELEPHONE 572-6630
ED AREA CODE 208

JUN 6 1969

Department of Reclamation

Mr. Gary Page
Department of Reclamation
State of Idaho
State House - Annex 2
Boise, Idaho 83707

Re: Claim No. 35-4001 and Permit No. 35-7030
Eugene F. Thiel, Route 5 Box 99-A, Idaho Falls, Idaho

Dear Mr. Page:

This is a written verification of our telephone conversation regarding a certain well located in the South-east quarter of the Southwest quarter, Section 3, Township 3 North, Range 35 E.B.M., located in Bonneville County, Idaho.

I made ^①Application for Permit and a ^②Claim for A Water Right in June, 1968, and received information that the Claim No. was 35-4001, and the Application was 35-7030. In August I received back the approved Application for Permit 35-7030, and on August 28, I received information that the Claim for A Water Right, No. 35-4001, had processed ~~the claim~~.

Then on April 28, 1969, both Mr. Thiel and myself received a letter from your department referring to Claim No. 35-4001, asking that we file an Application for Permit to establish a priority for this well. Application forms were enclosed. In verifying my file I found the Application for Permit approved for Identification No. 35-7030, and, therefore, called you requesting whether it would be necessary to file a new Application for Permit.


It is my understanding that such new Application will not be necessary, and that whatever priority dates and appropriation of water might be given to Mr. Thiel would refer to the Application for Permit, Identification No. 35-7030.

35-7030

Mr. Gary Page
June 3, 1969
Page Two

If there is anything further which Mr. Thiel needs to do to protect the water rights of his well, please let me know at your earliest convenience; and we shall be more than happy to comply. Otherwise, I will presume that it is not necessary for Mr. Thiel or myself to do anything further to insure this water right.

Very truly yours,


Thomas C. Whyte

TCW/pn

cc: Mr. Eugene F. Thiel

35-7030

August 22, 1968

Re: Permit No. 35-7030

Eugene F. Thiel
Route 5, Box 99-A
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

We enclose a copy of your approved application for permit 35-7030
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 1081 for \$55.00

35-7030

August 13, 1968

Re: Application No. 35-7030
Eugene F. Thiel

Post Register
Idaho Falls,
Idaho 83401

Gentlemen:

As of this date we have not received the signed certified bill of publication or the affidavit of publication for the above referenced application. If you would please forward these items to us immediately it would be greatly appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

35-7030
REC 8-16-68

July 18, 1968

Re: Permit No. 35-7030
Eugene F. Thiel

The Post Register
Idaho Falls,
Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McElDowney
Appropriation Examiner

DW M:kh

Enclosure

PRE-Publication
The Post-Register

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Eugene F. Tsch. Route 3 Box 884, Idaho Falls, Idaho has on June 15, 1968 applied for permit to divert 2.4 cubic feet per second of water from subterranean source under application No. 35700. Water will be diverted by pump, power pipe and sprinklers within the SW 1/4 Sec. 10, Twp. 3 N., Rge. 35 E., B.M. in Bonneville County and is to be used from March 1 to October 1 for irrigation in SW 1/4 Sec. 10, Twp. 3 N., Rge. 35 E., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published July 25 and August 1, 1968.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Eugene F. Thiel, Route 5 Box 99-A, Idaho
Falls, Idaho has on June 28, 1968
applied for permit to divert ~~water~~ 8.0 cubic feet per second ~~xxxxxx~~
of water from subterranean source
under application No. 35-7030. Water will be diverted by pump, motor
pipe and sprinklers within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 3, Twp. 3 N., Rge.
35 E., B.M. in Bonneville County
and is to be used from May 1 to October 1 for irrigation
in SW $\frac{1}{4}$ Sec. 2; S $\frac{1}{2}$ Sec. 3; N $\frac{1}{2}$ Sec. 10, Twp. 3 N., Rge. 35 E., B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the The Post Register
on July 25th and August 1st.

35-7030

HS

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Eugene P. Tidal, Route 3, Box 384, Idaho Falls, Idaho has on June 25, 1968 applied for permit to divert 8.0 cubic feet per second of water from subterranean source under application No. 37280. Water will be diverted by pump, motor, pipe and sprinklers within the SE 1/4 Sec. 3, Twp. 3 N., Rge. 35 E., B.M. in Bonneville County and is to be used from May 1 to October 1 for irrigation in SW 1/4 Sec. 3, S 1/2 Sec. 3, N 1/2 Sec. 10, Twp. 3 N., Rge. 35 E., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

~~By KERRA W. WATSON~~
State Reclamation Engineer
Published July 26 and August 1, 1968.