

12/2 32



State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 35-7011 Priority Jan. 12, 1968 Amount 4.67 cfs

THIS IS TO CERTIFY, that CLEMENT-JACKSON, INC.
of Lewisville, Idaho, has complied with the terms and conditions of Permit
No. 35-7011 issued pursuant to Application for Permit dated January 12, 1968,
and has submitted proof to the Department of Water Administration on May 23, 1968,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 4.67 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 4.67 cfs for Irrigation from May 1 to Oct. 15 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 4.67 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32, Twp. 4 N, Rge. 36 E, B.M.

in the county of Jefferson; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1,085 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 N	36 E	32									39	39	39	39	38	39	39	38	310

Total number of acres irrigated 310

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 12 day of
February, 19 73.


Director

35 7011

Receipt # 9908

REGIMED

Department of the Interior - Office of Reclamation

Comes now Clement-Jackson, Inc. of (address) _____

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 35-7011, and requests that the permit and permit map be changed as follows:

[illegible]

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

[illegible]

35 7011

amendment Show 40-acre subdivisions, townships, ranges and ditches.

36

That no one will be injured by such change, and that such change will be made at permit holders own risk.

holders own risk.

is 7 day of February, 19 73.

(signature)

I, R. KEITH HIGGINSON, Director of the Department of Water Administration.

Witness my hand this

12 day of February

19 73

Director

LICENSE ISSUED FOR 4.67 SEC. FT.
LICENSE PAGE NO. _____

Identification No. 35-7011

Application No. 42244

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant CLEMENT-JACKSON, INC.
post office address Lewisville, Idaho 83431
2. Source of water supply subterranean well ~~which is not a part of~~
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 32 Township 4 N.
Range 36 E. B.M. Jefferson County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 6.4 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
irrigation purpose from May 1 to October 15 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 350 H.P. turbine pump and electric
motor; 5,380 feet of 10", 8" and 6" steel mainline pipe; and 12 strings, 1/4
mile each, of 4" portable aluminum lateral pipe complete with risers, couplers
and nozzles
b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 20 inches; proposed depth of well is 430 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 53,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

35-7011

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion _____ **Applicant**


b. Who owns the land to be irrigated or place of use _____
Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing—

10. Remarks

Twp 4 N Rge 36 E. G. M.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CLEMENT-JACKSON, INC., a corporation

By: [Signature]
(Applicant) Its Attorney and Agent

35-7011

[Signature]
State Reclamation Engineer

Witness my hand this 18 day of March 19 68.

2. Denial of said application is for the following reasons:

c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 73.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7011, and said application is hereby APPROVED

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

Recommended for approval denial by CSF

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: None

Priority reduced to _____ Reason _____

Publication approved MS Date 1-23-68

Publication dates 1-25 and 2-1-68

Published in Engineering News-Record

Publication prepared by MS Date 1-15-68

Received by MS Date 1-12-68 Let # 364 gmm

Preliminary check by MS Fee \$ 50.00

Received by MS Date 1-12-68 Time 9AM

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

State of Idaho)
County of Bonneville)

CLEMENT-JACKSON, INC.
(name)

of Lewisville,
(address)

State of Idaho, being first duly sworn, upon his oath deposes and says that the following information is true and correct to the best of his knowledge:

1. That he is the owner or duly authorized agent of the owner of Permit ³⁵⁻⁷⁰¹¹ ~~42244~~, being the President of Clement-Jackson, Inc.
2. State source of water supply subterranean well.
3. The point of diversion of the water is SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 32, Twp. 4 N., Rge. 36, E.B.M., Jefferson County, Idaho.
4. State for what purpose water is used irrigation
5. The amount of water used is 6.4 c.f.s. (state in what manner the quantity of water was determined and the qualifications of the person making such determination) Affiant determined this from actual user of the water in irrigating the following described lands.
6. State the place of such use, and if for irrigation the description by legal subdivisions of the land so irrigated NE $\frac{1}{4}$ SW $\frac{1}{4}$ -40 acres; NW $\frac{1}{4}$ SW $\frac{1}{4}$ -40 acres; SW $\frac{1}{4}$ SW $\frac{1}{4}$ -40 acres; SE $\frac{1}{4}$ SW $\frac{1}{4}$ -40 acres; NE $\frac{1}{4}$ SE $\frac{1}{4}$ -40 acres; NW $\frac{1}{4}$ SE $\frac{1}{4}$ -40 acres; SW $\frac{1}{4}$ SE $\frac{1}{4}$ -40 acres and SE $\frac{1}{4}$ SE $\frac{1}{4}$ -40 acres; Sec. 32, Twp. 4 N., Rge. 36, E.B.M., Jefferson County, Idaho.
7. Give description of works by which water is conducted to such place of use including 350 H.P. turbine pump and electric, the name of any canal or stream used to carry the water motor; 5,380 feet of 10", 8" and 6" steel mainline pipe; and 12 strings, 1/4 mile each, of 4" portable aluminum lateral pipe complete with risers, couplers and nozzles
8. The relation or understanding upon which the right to take water from the works is based is Our right to take the water is based upon actual user of the water for the beneficial use of the above described lands.
9. List all other water rights appurtenant to same place of use None.
10. The date of priority to be established is January 12, 1968.
11. Remarks Actually our corporation has used the water from this well through the above described works for the irrigation of the above described lands each irrigation season commencing with that of 1965 and continuing through the season of 1967 and are using the water for such purposes on those lands so far this year, 1968.

Gale W. Clement
(signature)

Subscribed and sworn to before me this 21st day of May, 1968.

[Signature]
(notary public)

Residing at Idaho Falls, Idaho.

My commission expires November 1st, 1969.

The Rigby Star

PRINTERS - PUBLISHERS

DIAL 745-7011

February 1, 1968 RIGBY, IDAHO

State Reclamation Department
State House
Room 107
Boise, Idaho 83701

Notice of Application for Water - 35-7011
(Clement-Jackson Co.) \$5.29

I hereby certify that the foregoing account is
just and correct, that the amount claimed is
legally due, after allowing all just credits,
and that no part of same has been paid.

The Rigby Star
Hope E. Jones
Signature of claimant

35-7011

The Rigby Star

PRINTERS - PUBLISHERS

DIAL 745-7011

February 1, 1968 RIGBY, IDAHO

State Reclamation Department
State House
Room 107
Boise, Idaho 83701

Notice of Application for Water - 35-7011
(Clement-Jackson Co.) \$5.29

I hereby certify that the foregoing account is
just and correct, that the amount claimed is
legally due, after allowing all just credits,
and that no part of same has been paid.

The Rigby Star
Hope E. Jones
Signature of claimant

35-7011

February 13, 1973

Re: Permit No. 35-7011

Clement-Jackson, Inc.
Lewisville,
Idaho 83431

Gentlemen:

Enclosed is a copy of the Water License issued on the above referenced permit.

Also enclosed is a copy of the approved application for amendment along with receipt
No. 9908 for \$10.00 covering the amendment filing fee.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

Enc: Copy of license
Copy of amendment
Receipt #9908

35 7011

February 6, 1973

Clement-Jackson, Inc.
Lewisville,
Idaho 83431

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7011 and has found the following:

Quantity of water diverted: 4.67 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 4.67 cfs

The maximum quantity diverted shall not exceed 1,085 acre feet per year.

Beneficial use: Irrigation of 310 acres within the S $\frac{1}{2}$ Sec. 32, Twp. 4N, Rge. 36E, B. M.

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 32, Twp. 4N, Rge. 36E, B. M.

Priority date established: Jan. 12, 1968

The point of diversion found by our examiner differs from that listed under your permit. Therefore, it will be required that you amend the permit before a water license can be issued. We have enclosed a partially completed application for amendment for your use in this matter. Please sign the application and return it to this office with a \$10.00 filing fee within 10 days of the date of this letter in order that we may issue your license as set forth above.

If you do not concur with these findings or have any questions, please contact us within the 10-day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Amendment form

35 7011

August 17, 1971

Clement & Jackson, Inc.
Lewisville,
Idaho 83431

Gentlemen:

C
O
An examination for beneficial use was made some time ago on your permit #35-7011, located in Section 32, Township 4N, Range 36E, B.M., by one of the examiners from the Boise office. It was not completed at that time because the measuring device was not installed and there was a question as to the location of the well. On August 11 the writer made an inspection to determine if the measuring device had been installed and check the point of diversion. The measuring device was found to be well installed and acceptable to the department. However, the point of diversion was found to be in the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 32. The permit states the point of diversion as being in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 32.

P
Therefore, it will be necessary for you to fill out the enclosed form to amend the point of diversion. There is a \$10.00 fee for this amendment which you may enclose with the returned amendment.

Y
With the nature of the location of the well, according to surrounding developments, we do not feel that it would be necessary to readvertise for this change in the point of diversion. The point of diversion was determined by the use of the A.S.C.S. maps in the Rigby office.

If you have further questions regarding this amendment, please feel free to contact us.

Very truly yours,

Loy H. Johnson
Water Resource Supervisor

LHJ:bj
Enc: amendment application

35 7011

Permit No. 35-7011 Clement - Jackson

Division for installation of measuring device

Jefferson

Sec. 32 T.4 N. R. 36 E

6.4 c.f.s.

Source: ground water

P.D.: SW $\frac{1}{4}$ SE $\frac{1}{4}$

Use: Irrigation

Extension:

Protest:

Completion of Works:

Other Rights:

Filed: 1-12-68

Due: 3-1-73

Made: 3-23-68

Priority: 1-12-68

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

~~7-27-73~~
~~7-27-73~~
7-27-73

35 7011

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 35-7011

This proof is for installation of measuring device

In Water District No.

1. Name of applicant Clement-Jackson, Inc., Lewisville, Idaho

2. Source of water supply: ground water

3. Location of point of diversion: Is in the SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section #32

T. 4 N R. 36 E County of Jefferson

4. Describe works as they exist, giving dimensions and capacities of same:

Westinghouse motor #2-5V8166, Johnston Pump #JX1282
350 H. P. turbine pump and electric motor; 5,380 feet of 10", 8", and 6" steel

mainline pipe; and 12 strings, $\frac{1}{4}$ mile each, of 4" portable aluminum lateral pipe complete

with risers, couplers and nozzles

Badger MDIM 10" Meter # MO402884 is installed 10' from pump flange
in 10" Tar paper wrapped discharge pipe, Pump not on, Meter Reading 15542600

5. Water is used for: Irrigation

6. State whether or not water has been turned into works of diversion.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

S $\frac{1}{2}$ Sec. 32, T. 4 N., R. 36 E., B.M. 320 acres

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks:

Check to see that a measuring device has been installed and also check to see where the point of diversion is actually located.

PD is actually in SE SW 32, T4N, R36E see
attached aerial Photo map.

(Needs amendment to Point of Diversion)


This examination was made on the

11th day of August, 1971
(Signed) Loyne Johnson Examiner.

Letter to Clement & Jackson notifying
need to amend PD with application form
8/17/71 Jay


35 7011

12/15/2000



Range 36 East

Township 4 North



35 7011

Form 23
2M-4-65

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 35-7011

REPORT ON PROOF OF installation of measuring device

35 7011

Source of supply Subterranean
a tributary of
Location of P.D.(s) SE 1/4 SW 1/4 Sec 32, T 4N, R 36E

Water is used for Irrigation
Quantity of water found
How was the measurement made?
Measurement calculations Pump was not on when
inspection was made

2100 G.P.H. 514 Foot of Head
Johnston Pump Idaho Falls

Diversion works description and diagram
Westinghouse
350 H.P. Motor
2-SV 816C
Johnston Pump
10" Discharge
into sprinkler system

Indicate area irrigated in each subdivision on the map.

Total acreage irrigated 310

If water is used for purposes other than irrigation, fully describe how the water is used and what is done with it after the use.

Who represented the permit holder at the examination?
no one was present
Recommended allowance for licensing
Description of required amendments. Comments

Location of P.D. to SE 1/4 SW 1/4 Sec 32,
T 4N, R 36E

Q = 4.67 cfs?

Needs amendment to P.O. Quantity needs to be
marked

Report checked?
Examination date July 68
Signature

2100 G.P.H.
514 Foot

Permit No. 35-7011 Dean Boyce

Name of Applicant Clement-Jackson, Inc. Lewisville, Idaho

Source of Water subterranean

a tributary of

Location of P.D. SW 1/4, sec. 32, T. 4 N, R. 36 E, B.M. See Attached

Jefferson County

Water is used for irrigation

Quantity of water claimed: Permit 6.4 c.f.s. Depositions 6.4 c.f.s.

Type of measuring device installed or method of measurement and general description of diversion works 350 HP turbine pump and electric motor;


5,380 feet of 10", 8" and 6" steel mainline pipe; and 12 strings, 1/4 mile each of 4" portable aluminum lateral pipe complete with rizers, couplers, and nozzles

Land to be irrigated or place of use: TWP. RGE. SEC. Description

4 N	36 E	32	S 1/2	

Total acreage 320
Filed - 1-12-68 Made - 5-21-68
Due - 3-1-73 Priority - 1-12-68

Other rights and acreage covered: (Indicate amounts, source, licensed or decreed, and acreage covered by subdivision; also show land covered on the map.
none



October 20, 1970

Re: Permit No. 35-7011

Clement-Jackson, Inc.
Lewisville,
Idaho 83431

Gentlemen:

On October 16th we received a letter from Robert W. St. Clair stating that you have installed a Badger meter on your irrigation sprinkler system. The Order to Show Cause issued September 10, 1970 is hereby extended until June 1, 1971. Prior to that time, we will make an inspection of your system to verify that you have installed the measuring device. The examiner will contact you prior to making this inspection. No further action will be taken on your permit until this inspection has been completed.

If you have any questions, please feel free to contact us.

Very truly yours,

C. STEPHEN ALLRED
Deputy Director

CSA/kh

cc. St. Clair, St. Clair, Hiller & Benjamin
Attn: Robert W. St. Clair
P.O. Box 29
Idaho Falls, Idaho 83401

35-7011

as

RECEIVED
OCT 20 1970
Department

LAW OFFICES
ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN
FIRST SECURITY BANK BUILDING
P. O. BOX 29
IDAHO FALLS, IDAHO 83401
TELEPHONE 522-2350

October 15, 1970

ROBERT W. ST. CLAIR
GILBERT C. ST. CLAIR
MORTON B. HILLER
WILLIS B. BENJAMIN

CLENCY ST. CLAIR (1871-1957)
PAUL T. PETERSON (1892-1967)

Dept. of Water Administration
State of Idaho
Statehouse - Annex 2
Boise, Idaho 83707

Attention: C. Stephen Allred, Deputy Director

Re: Permit No. 35-7011
Clement-Jackson, Inc.

Dear Mr. Allred:


This is to advise that yesterday, October 14, 1970, Clement-Jackson, Inc. completed installation of a Badger meter water measuring device on its irrigation sprinkler system covered by the above mentioned permit. The new Badger meter bears Serial No. MO 40 288 4.

We assume that all of the requirements have now been fulfilled pertaining to the issuance of the water license on said permit and will appreciate very much your advising us that the license will be issued soon.

Thanking you for your kind attention, we are

Very truly yours,

ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN


Robert W. St. Clair

RWS/css
cc Clement-Jackson, Inc.

35-7011

35-7011
522-7001
Hel Brown

LAW OFFICES
ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN
FIRST SECURITY BANK BUILDING
P. O. BOX 29
IDAHO FALLS, IDAHO 83401
TELEPHONE 522-2350

ROBERT W. ST. CLAIR
GILBERT C. ST. CLAIR
MORTON B. HILLER
WILLIS B. BENJAMIN

September 25, 1970

CLENCY ST. CLAIR (1871-1957)
PAUL T. PETERSON (1892-1967)

Dept. of Water Administration
State of Idaho
Statehouse - Annex 2
Boise, Idaho 83707

Attention: C. Stephen Allred, Deputy Director

Re: Permit No. 35-7011
Clement-Jackson, Inc.

Dear Mr. Allred:

Clement-Jackson, Inc. has handed us for answering your letter of September 10, 1970, in connection with issuance of license under the above-mentioned water permit.


This is to advise that the permittee corporation is proceeding this date to order a proper permanent water measurement device and intends to install the same as soon as received.

We will appreciate hearing from you if the hearing on the order to show cause scheduled for October 20, 1970 may be continued to a later date in the event the measuring device cannot be installed by that date on account of unforeseen adverse circumstances. We will do everything possible to conform to the requirements, for we do not want the permit cancelled.

Thanking you for your kind attention, we are

Very truly yours,

ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN


Robert W. St. Clair

RWS/css
cc Clement-Jackson, Inc.

35-7011

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and address where delivered ☐ Deliver ONLY to addressee.
(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

Clement Jackson

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

William James

DATE DELIVERED

SHOW WHERE DELIVERED (only if requested)

9/15/10

35-2011

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR FAILURE TO AVOID
PAYMENT OF POSTAGE 300%

65-15-7143-10

APR 1967

1967 APR 1967

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN RECEIPT REQUESTED**.

NAME OF SENDER

Department of Reclamation
STREET AND NO. OR P.O. BOX Annex #2 Statehouse
POST OFFICE, STATE, AND ZIP CODE Boise, Idaho 83707

RECEIVED
POST OFFICE

15

1970

83431

TO

September 10, 1970

Re: Permit No. 35-7011

Clement-Jackson, Inc.
Lewisville
Idaho 83431

Gentlemen:

Our letter to you dated February 10, 1969, indicated that the Department could not issue a license in connection with your permit No. 35-7011 due to the fact that you had failed to install a permanent water measurement device. Such device was required to be installed as a condition of the issuance of the permit pursuant to Sections 42-203, 42-701 and 42-237a, Idaho Code.

Therefore, you are hereby ordered to show cause on or before October 20, 1970, why permit 35-7011 should not be cancelled and held null and void for failure to comply with the terms and conditions of its issuance. This order is sent under the provisions of Section 42-311, Idaho Code.

You should be advised that, in the event the permit is cancelled due to your failure to show reasonable cause on or before the above date, continued diversion of water would be without permit and subject to legal action.

Very truly yours,

C. STEPHEN ALLRED
Deputy Director

CSA:DR

Certified Mail # 30278

35-7011

February 10, 1969

Re: Permit No. 35-7011 - Clement-Jackson, Inc.

**Clement-Jackson, Inc.
Lewisville,
Idaho 83431**

Gentlemen:

Your permit was approved with the special condition that a measuring device, of a type approved by this department, be installed as part of your diverting works. Upon examination of your works we find that no such device has been installed. You should be aware that until such a device is installed on your diverting works a license cannot be issued.

As soon as you have completed this installation, please contact this office and we will again examine your works and issue a license based upon the findings of that examination.

If you have any further questions, please feel free to call on us.

Very truly yours,

**Dean R. Schnaible, Reclamation
Engineering Administrator**

DRS:kh

357011

May 29, 1968

Re: Permit No. 35-7011
CLEMENT-JACKSON, INC.

Robert W. St. Clair
St. Clair, St. Clair, and St. Clair
Hassbrouck Building, Box 29
Idaho Falls, Idaho 83401

Dear Mr. St. Clair:

We acknowledge receipt of your affidavit submitted as proof of beneficial use on application for permit 35-7011.

Before a license can be issued a field examination must be made by a representative from this department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: None

cc: Gale W. Clement, President
Clement-Jackson, Inc.
Lewisville, Idaho

35-7011
examined
Form 8

35-7011

LAW OFFICES
ST. CLAIR, ST. CLAIR & HILLER
HABROUCK BUILDING
P. O. BOX 29
IDAHO FALLS, IDAHO 83401
TELEPHONE 522-2350

ROBERT W. ST. CLAIR
GILBERT C. ST. CLAIR
MORTON B. HILLER
WILLIS B. BENJAMIN

RECEIVED
MAY 23 1968
Department of Reclamation
CLENCY ST. CLAIR (1871-1957)
PAUL T. PETERSON (1892-1967)

May 21, 1968

Donald W. McEldowney, Appropriation Examiner
State of Idaho - Department of Reclamation
107 State House
Boise, Idaho 83701

35-7011
Re: Permit G-42244
Clement-Jackson, Inc.


Dear Don:

We are enclosing proof of application in above mentioned permit and will appreciate your proceeding to ripen this permit into license.

Kindest regards, we are

Very truly yours,

ST. CLAIR, ST. CLAIR & HILLER


Robert W. St. Clair

RWS/kdc
Enclosure

35-7011

March 19, 1968

Re: Permit 35-7011

Clement-Jackson, Inc.
Lewisville,
Idaho 83431

Gentlemen:

We enclose a copy of your approved application for permit 35-7011 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kd

Enclosure: Copy of application

P. S. Receipt No. 364 in the amount of \$50.00 was handed to you while you were in this office.

35-7011

Form 4

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Clement-Jackson, Inc., Lewisville, Idaho has on January 12, 1968 applied for permit to divert 3.4 cubic feet per second of water from a subterranean source under application No. 35-7011. Water will be diverted by a well, pump, motor, pipe, and sprinkler within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 22, T. 4 N, R. 36 E, B.M., Jefferson County and is to be used from May 1 to October 15 for irrigation in the S $\frac{1}{2}$, sec. 32, T. 4 N, R. 36 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON

State Reclamation Engineer

Publish: Jan. 25, and Feb. 1, 1968.

35-7011

January 15, 1968

Re: Application No. 35-7011

Rigby Star
Rigby,
Idaho 83442

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosure: legal notice

Form 3

35-7011

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Clement-Jackson, Inc., Lewisville, Idaho
has on January 12, 1968
applied for permit to divert ~~surface~~ 6.4 cubic feet per second ~~acre/feet~~
of water from a subterranean source
under application No. 35-7011. Water will be diverted by a well,
pump, motor, pipe, and sprinkler within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 32, T. 4 N, R. 36 E,
B.M., Jefferson County
and is to be used from May 1 to October 15 for irrigation
in the S $\frac{1}{2}$, sec. 32, T. 4 N, R. 36 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Rigby Star, Rigby, Idaho,
on January 25 and February 1.

35-7011 di