





Point(s) of diversion: NW 1/4 NE 1/4 Sec 4 T4N R26E

Place(s) of Use ✓ less acreage

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	26E	4	35	36	36	32													139 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Keith C Wilson Date 13 Dec 1983
 Checked by Ray Walker Date 12-22-83
 Approved by Ray Walker Date 9-18-84

34-7179 kaw

POINT OF DIVERSION

R26E

PLACE OF USE

T 4N

A-226
E. S. 2nd
51.9

RECEIVED

NOT TO SCALE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 34-7179 Priority April 12, 1977 Amount 2.78 cfs

THIS IS TO CERTIFY, that Everett T. Acor Jr. &/or Eyleen P. Acor
of Moore, Idaho, has complied with the terms and conditions of Permit
No. 34-7179 issued pursuant to Application for Permit dated April 12, 1977,
and has submitted proof to the Department of Water Resources on June 1, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 7.45 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>2.78</u> cfs and	<u>417.0</u> acre feet
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.78 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
417.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 4
Twp 4N, Rge 26E in the County of Butte

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	26E	4	35	36	36	32													139

Total number of acres irrigated 139

This right when combined with all other rights shall provide no more than .02 cfs
per acre nor more than 3.0 afa per acre for the lands above.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of
OCTOBER, 19 84.

MICROFILMED

Acting for the Director

Rosam C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 34-7179

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

MICROFILMED

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. 34 7179
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriates the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Everett T. Acor Jr. &/or Eyleen P. Acor Phone: 554-3561
post office address Moore, ID 83255
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 4 Township 4N
Range 26E B.M. Butte County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.20 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well & pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$15,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	26E	4	40	40	40	40													160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above.

160", Sept. 1, 1884, Big Lost River, plus storage in Mackay Reservoir


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eileen P. Acord
(Applicant)

Proposed Priority 4/12/77
Received by me Date 4-12-77 Time 3:50 p.
Preliminary check by LH Fee \$ 55.00
Received by me Date 4-12-77 # 6527
Publication prepared by me Date 4-15-77
Published in Idaho Advertiser
Publication dates April 21 & 28, 1977
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by me jc

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 34-7179, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 13 day of June 19 77.


Deputy Director

Affidavit of Publication

RECEIVED
MAY 17 1977

Department of Water Resources
Eastern District Office

I, Lella Cammack
of the Arco Advertiser, a weekly newspaper of
general circulation, published weekly at Arco,
Idaho, since March, 1909, do solemnly swear that
a copy of this notice, per clipping attached, was
published weekly in the regular and entire issue
of said newspaper, and not in any supplement
thereof,

for 2 consecutive weeks, commencing with

the issue dated 4-21-77

and ending with the issue dated 4-28-77

Lella Cammack

Subscribed and sworn to before me this

16 day of May, 1977

Charles J. Jones
Notary Public

Residence: Arco, Idaho.

My commission expires 5/14, 1978

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Everett T. Acor, Jr. & or Eyleen P.
Acor, Moore, Idaho, have on 4-12-77
submitted Application No. 34-7179
for a permit to appropriate 3.20
cubic feet per second of water from
a ground-water source by means of
well and pump within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 4, T. 4N, R. 26E,
B.M., Butte County; to be used
from Apr. 1 to Nov. 1 for the
irrigation of 160 acres within the
NE $\frac{1}{4}$, Sec. 4, T. 4N, R. 26E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of the
permit must be filed with the Idaho
Department of Water Resources,
1515 Lincoln Road, Idaho Falls,
Idaho, 83401 on or before May 9,
1977.

C. STEPHEN ALLRED
Director

Published in the Arco Advertiser,
Arco, Idaho, on April 21 and April
28, 1977.

RECEIVED

**THIS
RIGHT HAS BEEN
DECREED IN THE
SRBA**

Decreed as 34-7179

October 31, 1984

RE: Permit No. 34-7179

Everett T. &/or Eyleen P. Acor
Moore,
Idaho 83255

Dear Mr. and Mrs. Acor:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

September 28, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 34-7179

Everett T. &/or Eyleen P. Acor
Moore,
Idaho 83255

Dear Mr. and Mrs. Acor:

A representative of this Department has made an examination of the works covered by your Permit No. 34-7179, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.78 cfs Source: groundwater

The maximum quantity diverted shall not exceed 417.0 acre feet
per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$ Section 4, Twp 4N, Rge 26E

Beneficial Use: Irrigation of 139 acres within NE $\frac{1}{4}$, Sec. 4, Twp 4N, Rge 26E

Priority date established: April 12, 1977

Conditions (if any): This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

34-7179

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 9-7-1982 Accompanied by Kurt Acor Total Q measured 7.45 cfs ✓

If source is surface water, estimate total flow of source

Methods of measurement Spurling meter # 61015 Meets Permit requirements?

Measurement calculations: 0.01 af in 58.5 sec $(43560 \text{ ft}^2/\text{ac} \times 0.01 \text{ af}) \div 58.5 \text{ sec} = 7.45 \text{ cfs}$ capacity ✓ $Q = 139 \text{ ac} \times 0.02 \text{ cfs/ac} = 2.78 \text{ cfs}$ ✓	$U = 2.78 \text{ cfs} \times 1.9835 \times 24 \text{ days} = 1180 \text{ afa}$ ✓ $V = 139 \text{ ac} \times 3.0 \text{ afa} = 417 \text{ afa}$ ✓
---	---

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	50	G.E.	ENT518357	Aurora	3777159	Spurling Meter	Good	S/N 61015

System Description well pump 10" ed mainline to open discharge



*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation ✓	2.78 cfs ✓	417 afa ✓	4/1 ✓	11/1 ✓
				214 days
Total	2.78 cfs ✓	417 afa ✓	4/1	11/1

Remarks Condition Lic: R05

MICROFILMED



Point(s) of diversion: NW¹/₄ NE¹/₄ Sec 4 T4N R26E

Place(s) of Use ✓ less acreage

TWP.	RGE.	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
4N	26E	4	35	36	36	32													139 ✓

- Recommended Amendments:
- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature Spith C Wilson Date 13 Dec 1983

Checked by [Signature] Date 12-22-83

Approved by Kay Walker Date 9-18-84

34-7179 kaw

T 5 N

R 26 E

Place of Use

T 4 N

POINT OF DIVER

33

34

4

36

38

35

OUT

37

3

4

10

9

6-19

REPRODUCED

NOT TO SCALE

PERMIT NO. 34-7179 Everett Acor
(Name) Kurt Acor
Accompanied by: Acor
EXAMINATION: DATE: 9-7-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	50	ENJ518357	Aurora	3777159

Measuring Device Type: _____
Meter # _____ Annubar# _____ Size # _____
Remarks: Sparkling #61015


Measurement calculations:

0.01 af in 58.5 sec
0.001 5.5 7.9

Rd to Pump 0.55 min

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter 10" Length _____



MICROFILMED

1388
140

MAP

RGE.

TWP.				

RECOMMENDED AMENTMENTS:

☐ Change P/D

☐ Change P/U

☐ ADD P/D

☐ ADD P/U

☐ NONE

☐ Other _____

Overlap Review of the Permit 34-7179

per permit: Big Lost River
storage in Mackay Reservoir

+ Big Lost River Natural Flow right (160")

per micro-guiche 9/8/84:

p/d - 34-7201 gw ✓

plu - none

34-7201 - permit, no exam
in file; no overlap due
to stage

kw

Recommend A16(3.0) for
limit when combined w/
^{Natural Flow}
~~stage~~ rights (per permit
only)

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

July 16, 1982

Everett T. Acor Jr.
Eyleen P. Acor
Moore, Idaho 83255

RE: Permit No. 34-7179

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 34-7179.

Name(s) of Permit Holder: Everett T. Acce, Jr. & Evelyn P. Acce

Post Office Address: Moore, Idaho 83255

Tel. No. 554-3561

Source of Water: Well

Extent of Use:

☐ Domestic	_____	(number of households)
☐ Stockwater	_____	(number and type of stock)
☒ Irrigation	<u>200</u>	(acres)
☐ Other	_____	

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No



Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/28/82
D. a

Everett T. Acce Jr.
of Permit

Everett Scott
Moore, Idaho 83255



MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138527

ACOR, EYLEEN P. &/or Everett T. Jr.
MOORE, ID 83255

MARCH 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 34-7179 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 334-4440

March 4, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

IDENT. NO. 34-7179

WATER RIGHT
DATA ENTRY LOG

[illegible]

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 134-7179
 Old No. _____ New No. _____

Record

1. Original Owner: Eglean P. Acor & Everett T. Acor Jr.

Present Owner: _____

2. Address:

3. City: Maore State: ID Zip: 83255

4. A. Source of Water: GW

B. Tributary of:

5. A. Stage (A,P,L,D,S,J): P

B. Status (D,L,R,C,A,I,F - leave blank if valid):

C. Priority Date: 4-12-1977

D. County: 23

E. Total Diversion Rate: 3.2

F. Total Diversion Volume:

G. Transfer/Amendment (P,T of A or blank):

H. Water District:

I. DLE/Carey Act (D,C or blank):

J. Right Basis (for adjudication claims A,B,C only):

	Tract	Sec.	Twp.	Rge.	Gov't Lot	Rediv.
6. A. Point of Diversion	<u>NONE</u>	<u>4</u>	<u>4N</u>	<u>26E</u>		

7. Period of Use, Use, Diversion Rate/Volume:

from	<u>4-1</u>	to	<u>11-1</u>	for	<u>A</u>	purposes.	Amount	<u>3.2</u>
							(cfs or AC-Ft/yr)	
from		to		for		purposes.	Amount	
from		to		for		purposes.	Amount	
from		to		for		purposes.	Amount	
from		to		for		purposes.	Amount	
from		to		for		purposes.	Amount	

8. Use Code: *A*

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A.
B.
C.
D.
E.

11. Other Uses (Non-irrigation explanatory information):

12. Other Rights for Same Use: Big Lost ~~River~~ ^{River} & Mackay Res.

13. A. Proof Due Date: 6-1-1982

B. Date Permit Approved or Denied: 6-13-1977

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: 01, 03A

14. Diversion Means (brief narrative): *Well & pump.*

QIA 4-10-79

June 14, 1977

Re: Permit No. 34-7079

Everett T. &/or Eyleen P. Acor
Moore, ID 83255

Dear Mr. and Mrs. Acor:

Enclosed is a copy of your approved Application for Permit No. 34-7079. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

April 15, 1977

RE: Applications for Permit Nos. 34-7177 KIDMAN
34-7178 CAIN
34-7179 ACOR
34-7180 McAFFEE

The Arco Advertiser
Box "C"
Arco, ID 83213

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted _____ by _____
Bill Returned 5-17-77

RDC:ME

Enclosures (4)

PUBLIC NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Everett T. Acor, Jr. & or Eyleen P. Acor, Moore, Idaho, have on 4-12-77 submitted Application No. 34-7179 for a permit to appropriate 3.20 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 4, T. 4N, R. 26E, B.M., Butte County; to be used from Apr. 1 to Nov. 1 for the irrigation of 160 acres within the NE $\frac{1}{4}$, Sec. 4, T. 4N, R. 26E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before May 9, 1977.

C. STEPHEN ALLRED
Director

Published in the Arco Advertiser,
Arco, Idaho, on April 21 and April
28, 1977.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Everett T. Acor, Jr. &/or Eyleen P. Acor,
Moore, Idaho

have ~~has~~ on 4-12-77 submitted Application No. 34-7179
for a permit to appropriate 3.20 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 4, T. 4N, R. 26E, B.M., Butte County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 160 acres

within the NE $\frac{1}{4}$, Sec. 4, T. 4N, R. 26E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
May 9, 1977

C. STEPHEN ALLRED
~~XXXXXXXXXXXXXXXXXXXX~~

Director

Published in the Arco Advertiser, Arco, Idaho

April 21 and April 28, 1977

MICROFILMED

me. J.
me. B.
me. A.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Acov

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ARK 4/13/77

In form to receipt yes

(2) ARK 4/13/77

Send Copies to:

n/a Idaho State Health Department
n/a Idaho Fish and Game Department
n/a Bureau of Land Management

(3) ARK 4/13/77

n/a Request Special Use Permit from U.S.F.S.
n/a Request Easement from B.L.M.
n/a Request Information from Applicant
n/a Request Dam Safety Information

(4) ARK 4/13/77

In form for advertising yes

(5) ARK 4/13/77

Platted on Map No. Plat 2 of 2 4N 26E

(6) ARK 4/13/77

Located within Water District No. Basin 34

(7) ARK 4/13/77

Critical groundwater area: yes no X

(8) ARK 4/13/77

Groundwater levels:

Declining, X Stable, Increasing

(comment) 21 abbl (Butte)

(9) ARK 4/13/77 2NS

Other rights on the same place of use no other groundwater rights

(10) ARK 4/13/77

Comments: 160' Sept 1, 1884 Big Lost River, + Storage in Mackay (Reservoir)

(11) ME 5-17-77

Affidavit of Publication received (date) 5-17-77

(12) RDC 5/18/77

Final date for protests May 9-1977

Protests received: yes no

(13) IL IL

All requested information received from agencies or applicant: yes no

(14) IL IL

Action recommended:

☒ Approve

Deny

4/12/77 Proposed Priority

Reason for Reduction

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 5/18/77

RECEIVED

Supplemental

Copy
Sent