


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Irwin H. Thompson
Floyd J. Jensen
(Applicant)

AFFIDAVIT OF PUBLICATION

APR 6 1976

STATE OF IDAHO, }
County of Franklin } ss.

Department of Water Resources
Eastern District Office

J. Walter Ross

being duly sworn,

deposes and says:

That he is the *Co-publisher* of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said newspaper once

a week for *two* consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

March 18, 19*76*, and ending

with the issue of *March 25*, 19*76*.

J. Walter Ross

Fee \$ *12.58*

Subscribed and sworn to before me this *5* day

of *April*, 19*76*.

DeAnn D. Liddell

Notary Public, Residing at Preston, Idaho

My Commission Expires *March*, 19*78*.

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ivan H. Thompson & or Floyd J. Jensen, Preston, Idaho have on 3-12-76 submitted Application No. 13-7129 for a permit to appropriate 2.00 cubic feet per second of water from an unnamed drain by means of pump and mainline system within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, T. 16S, R. 39E, B.M., Franklin County; to be used from May 1 to Oct. 1 for the irrigation of 100 acres within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 8, SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, T. 16S, R. 39E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 5, 1976.

R. KEITH HIGGINSON
Director

Published in the Preston Citizen, Preston, Idaho on March 18 and March 25, 1976.

Legal No. 1110 — Pub.
March 18, 25, 1976. *rci*

MICROFILMED

#13-7129

E-654
579E
Wetland
Flooding

← P/D
RD from
Drain

FROM
DRAIN
E-654
374E
D-1100
New Wings

A 58
B 134
E 57
450E
(100) 500E

R39E

P/D
Pump
Pond

E-508
373E

E-595
409E
High Prairie

T16S

D-568
273D
Ruler, Washington

MICROFILMED

MAR 26 1993

8

17

250

207

306

201

8

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07129

Priority: April 10, 1976

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.09 CFS
38.2 AF

This is to certify, that FLOYD J. JENSEN
ESTATE OF IVAN H. THOMPSON

1580 W. 3200 S.
PRESTON, ID 83263

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 12, 1976; and has submitted Proof of Beneficial Use on April 30, 1981. An examination indicates that the works have a diversion capacity of .250 cfs of water from:

UNNAMED DRAIN

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.09 CFS	38.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 9, Township 16S, Range 39E
FRANKLIN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16S	39E	8	NESE	7		7
		9	SWSW	6		6

Total number of acres irrigated: 13

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall not divert more than .02 cfs per acre nor more than 3.5 afa per acre of lands above.

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07129

CONDITIONS/REMARKS:

6. The maximum combined rate of diversion under this right & Right 13-2148 shall not exceed 0.25 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of MARCH, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

RECEIVED

FEB 22 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 13-07129

Department of Water Resources

Date of Priority: April 10, 1976

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 38.2 AF

Comes now

IVAN H. THOMPSON
FLOYD J. JENSEN

RT. 2
PRESTON, ID 83263

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 13-07129, and requests that the permit be changed as follows:

Source: UNNAMED DRAIN

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.09 CFS	38.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW, Sec. 9, Township 16S, Range 39E
FRANKLIN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
16S	39E	8	NESE	7		7
		9	SWSW	6		6

Total number of acres irrigated: 13

MICROFILMED

MAR 26 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Preston Id., this 20 day of February, 1990.

Floyd Jensen
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 13-07129

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by Jenny Date 2/22/90 #C014868

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 13-07129 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. The maximum combined rate of diversion under this right & Right 13-2148 shall not exceed 0.25 cfs.

Witness my hand this 14TH day of MARCH, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

MAR 26 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 13-7129)
in the name of IVAN H. THOMPSON &/or FLOYD)
J. JENSEN)

ORDER

WHEREAS, on March 12, 1976, Ivan H. Thompson and Floyd Jensen applied to the Department of Water Resources for a permit to appropriate 2.00 cubic feet per second of water to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, Twp. 16S, Rge. 39E, B.M., Franklin County, to be used for irrigation purposes; and,

WHEREAS, on April 15, 1976, the Department approved said application and issued Permit No. 13-7129 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1981, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 7, 1981, the Department received a request from the permit holder for the removal of the measuring device requirement; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 13-7129.

Dated this 30th day of July, 1981.


L. GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUL 30 1981
DEPT. OF WATER RESOURCES
BOISE, IDAHO

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 13-7129
IN THE NAME OF IVAN H. THOMPSON AND/
OR FLOYD J. JENSEN

ORDER OF REINSTATEMENT

WHEREAS, on March 12, 1976, Ivan H. Thompson and Floyd J. Jensen applied to the Department of Water Resources for a permit to appropriate 2.00 cubic feet per second of water to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, Twp. 16S, Rge. 39E B.M., Franklin County, to be used for irrigation purposes; and,

WHEREAS, on April 15, 1976, the Department approved said application and issued Permit No. 13-7129 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1981; and,

WHEREAS, on January 31, 1981, the Department notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on April 21, 1981, the Department notified the permit holders that Permit No. 13-7129 had lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on April 30, 1981;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 13-7129 be REINSTATED and the priority advanced to April 10, 1976.

Dated this 11th day of June, 1981.


L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED
JUN 11 1981

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 13-7129

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED

13 7129

Identification No. _____

Application No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

- Ivan H. Thompson &/or
1. Name of applicant Floyd J. Jensen Phone: 852-1580
post office address Rt. #2, Preston, Idaho 83263
2. Source of water supply unnamed drain which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 16S
Range 39E B.M. Franklin County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 2.0 for irrigation purpose from May 1 to Oct. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 2.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. water will drain to existing pump and main line system
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
16S	39E	8															30	30	60
		9										40							40

Total number of acres to be irrigated 100

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Ivan H. Thompson

b. Who owns the land to be irrigated or place of use Floyd J. Jensen

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks This water to be drained into existing drain and diverted to the pump that is there and used for irrigation.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dwain H. Thompson
Floyd J. Jensen
(Applicant)

Proposed Priority 3-12-76

Received by CW Date 3-12-76 Time 11:11 A
Preliminary check by LT Fee \$ 25.00
Received by CW Date 3-12-76 # 15667
Publication prepared by CW Date 3-12-76
Published in Oreston Citizen
Publication dates Mar. 18 & 25, 1976
Publication approved me Date 4-8-76
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RDC DKK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 13-7129, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1981.
- c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of April, 1976.


Director

AFFIDAVIT OF PUBLICATION

APR 5 1976

STATE OF IDAHO, }
County of Franklin } ss.

Department of Water Resources
Eastern District Office

J. Walter Ross

being duly sworn,

deposes and says:

That he is the *Co-publisher* of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for *two* consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

March 18, 19*76*, and ending

with the issue of *March 25*, 19*76*.

J. Walter Ross

Fee \$ *12.58*

Subscribed and sworn to before me this *5* day

of *April*, 19*76*.

DeAnn D. Liddie

Notary Public, Residing at Preston, Idaho

My Commission Expires *March*, 19*78*.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ivan Jensen, Preston, Idaho, has on 3-18-76 submitted Application No. 13-712 for a permit to appropriate 200 cubic feet per second of water from an unnamed drain by means of pump and mainline system within the SE 1/4 SW 1/4, Sec. 9, T. 16S, R. 39E, B.M. Franklin County, to be used from May 1 to Oct. 1 for the irrigation of 40 acres within the SE 1/4 SW 1/4, Sec. 9, T. 16S, R. 39E, B.M.

If issued, this permit will be subject to all water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before April 5, 1976.

H. KEITH HIGHTON
Director

Published in the Preston Citizen, Preston, Idaho on March 19 and March 25, 1976. Legal No. 1110 Pub. March 18, 25, 1976.

March 15, 1990

FLOYD J. JENSEN
ESTATE OF IVAN H. THOMPSON
1580 W. 3200 S.
PRESTON, ID 83263

RE: PERMIT NO. 13-07129

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

79 June

1582 W 3200 50

Preston Ida

83263

MICROFILMED

MAR 26 1990

NOTE
CHARGE



Johnson
Tina

Water Resources
1301 North Orchard Street

State house mail

Basic Idaho 83720

State of Idaho Department of





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

January 31, 1990
R. KEITH HIGGINSON
DIRECTOR

IVAN H. THOMPSON
FLOYD J. JENSEN
RT. 2
PRESTON, ID 83263

RECEIVED
FEB 22 1990

RE: PERMIT NO. 13-07129

Department of Water Resources

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

Ray Walker
for JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

The water has never been used on the ground where it originates. Also Ivan H Thompson has died so the permit needs to be only in my name. Floyd J Jensen

Floyd J Jensen

January 31, 1990

IVAN H. THOMPSON
FLOYD J. JENSEN
RT. 2
PRESTON, ID 83263

RE: PERMIT NO. 13-07129

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 26 1990

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

13-7129

Permit No. _____

DEC 31 1985

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

DATE _____

INITIALS

REMARKS

Department of Water Resources

☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 8-10-82 Accompanied by Floyd Jensen Total Q measured 0.09 df

Source Drain Tributary to Supp. annubar measurement sheet used?

If source is surface water, estimate total flow of source

Methods of measurement Bucket & Stopwatch Meets permit requirements?

NWSL Sect. 9

Measurement calculations: amt. of Flow of drain taken at 4 places; a/ 15gpm, b/ 15gpm, c/ 6gpm, d/ 4gpm or total of 40gpm or 0.09cfs.

This amt runs to a storage pond. 50 hp pump runs two 1/4 milz lines

Large Pump theoretical - $Q = \frac{50 \text{ hp} (8.814) (80\%)}{2' \text{ Lift} + (2.31 \times 50 \text{ psi})} = \frac{352.56}{121.5} = \underline{\underline{2.90 \text{ cfs theoretical}}}$

[illegible]

System Description Water runs from a drain on Delbert Rawlings Property to ditch/culvert
under road to drain ditch and then a pond on Floyd Jensens property.
All water in pond can be pumped down in 4-5 days running 2 lines.
2 lines prob. pump 150-200 gpm per line.

***Code with map on reverse side. Disregard code if only one.**

$V_2 = \text{area} \times 3.5 \text{ af/qz}$

$$V = 0.09 \text{ cfs} \times 1.9835 \times 214 \text{ days} = 38.2 \text{ gfg}$$

RECOMMENDED AMOUNTS

USE

Irrigation

Irrigation requirement =

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

0.09 cfs

38.2

4-1

11-1

MICROFILMED


~~MAR 26 1990~~

Total

0.09

38.2

Remarks License 13-2148 from same source for same Point of Use. I found 13 more acres. This license will reflect only those 13 additional acres + will use the capacity flow found in exam for 13-2148. Licensing amendment should read: R17 (13-2148) (0.25 cfs) + R30 referencing use of slough water from Bear River under 13-2253.



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: NE 1/4 SW 1/4 Sect. 9 T 16S R 39E (water emerges from Drain field at this point)

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
16S	39E	8													7				7
		9											6						6
																			13

MICROFILMED

Recommended Amendments:

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above
- ☒ Change P.U. as reflected above ☐ Add P.U. as reflected above

- ☐ None
- ☐ Other

MAR 26 1990

Examiner's Signature

Checked by


Approved by

Date 12-23-86

Date 12-23-86

Date 11/30/88

#13-7129



E-624
579E
121000
100000

FROM DRAIN
P/D

FROM DRAIN
E-624
579E
121000
100000

E-624
579E
121000
100000

16.7
11.6
11.3

P/D
PUMP

17.0
8.9

R39E

C
216

D-568
573D

T16S

579E
121000
100000

131

557

MICROFILMED

MAR 26 1966

507

507

DEPARTMENT OF WATER RESOURCES

Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 13-7129.

Name(s) of Permit Holder: Floyd J Jensen

Post Office Address: R7D NO 2

Preston Idaho 83263

Tel. No. 852 1580

Source of Water: Drain

Extent of Use:

☐ Domestic	(number of households)
☐ Stockwater	(number and type of stock)
☒ Irrigation	<u>90</u> (acres)
☐ Other	<u>This drain is short and it will be hard to measure water. I would</u>

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

I like to request that measuring device be eliminated.
The above information is a true statement of the extent to which the above numbered permit has been developed.

7-28-81

Date

Floyd J Jensen
Signature of Permit Holder



PLACE
TEN CENT
STAMP
HERE



Gloyd Jensen
R7D NO 2
Preston Idaho 83263



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
AUG 14 1963
AT
IDAHO

Department of Water Resources

July 30, 1981

Re: Permit No. 13-7129

Floyd J. Jensen & Ivan H. Thompson
Route #2
Preston, ID 83263

Dear Sirs:

Enclosed is a copy of the Order which removes the measuring device requirement from the above referenced permit.

If you have any further questions concerning this matter, please contact us.

Sincerely,

JAN GROVER
Sr. Water Resources Agent

JG:j
Encl.



TO: Idaho Department of Water Resources

FROM: Floyd J. Jensen

DATE: July 7, 1981

RE: Request for Waiver of Measuring Device on Permit No. 13-7129

The system that I have developed produces less than 0.50 cfs. I created the drain that provides the water and no other wateruser diverts from the drain.

Floyd J. Jensen

MICROFILMED

July 2, 1981

Re: Permit No. 13-7129

Ivan H. Thompson &/or Floyd J. Jensen
Route #2
Preston, ID 83263

Gentlemen:

On April 30, 1981, this office received your statement of beneficial use card. We note from the card that you have completed development of a water system for irrigation of 90 acres.

We note that you requested on the card that the measuring device requirement be deleted. If we entirely remove the requirement the quantification of your right by our field examiner is difficult. Therefore, we direct your attention to an alternate measuring option - installation of an access port. The port, as described on the enclosed instructions, enables our examiners to quickly and easily measure your system at little cost to you.

Please install an access port on the mainline diverting from the drain per the instructions. When this has been completed, please contact a field examiner in our Eastern Region Office located at 150 Shoup, Idaho Falls. Personnel in the office will be happy to arrange a mutually acceptable time for the examination.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocations Section

DRT:jg
Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

THOMPSON, IVAN H. & JENSEN, Floyd J.
RT 2
PRESTON, ID 83263

APRIL 03, 1981

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 13-7129 HAS LAPSED SINCE YOU HAVE NOT NOTIFIED US THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT. YOU WERE PROVIDED FORMS FOR THAT PURPOSE IN OUR NOTICE TO YOU DATED JANUARY 31, 1981.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD, ENCLOSED, OR SHOW OTHER REASONABLE CAUSE WHY THE PERMIT SHOULD BE REINSTATED WITHIN 60 DAYS FROM THE DATE OF THIS LAPSE NOTICE.

C. STEPHEN ALLRED
DIRECTOR

ENCLOSURE

CERTIFICATION OF MAILING

I hereby certify that on April 21, 1981
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

John D. Fleck

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

THOMPSON, IVAN H. &/or JENSEN, FLOYD J.
RT 2
PRESTON, ID 83263

1383-15

JANUARY 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 13-7129 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

IDENT. NO. 13-7129

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 28, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

MINUTEMAN

April 16, 1976

Re: Permit No. 13-7129

Ivan H. Thompson &/or Floyd J. Jensen
Rt. #2
Preston, ID 83263

Dear Mr. Thompson and Mr. Jensen:

Enclosed is a copy of your approved Application for Permit No. 13-7129. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECEIVED

April 5, 1976

RE: Application for Permit No. 13-7129

Perston Citizen
Box 472
Preston, Idaho 83263

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on March 18 and March 25, 1976.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

March 15, 1976

RE: Application for Permit No. 13-7129 THOMPSON & JENSEN

Mr. Roland Carter, Watermaster
Water District 13-A
Rt. #2, Box 323
Preston, Idaho 83263

Dear Mr. Carter:

We are enclosing a copy of an application that may be of interest to your water district. Please review the application and if you have any comments, submit them to our Department as soon as possible. The last date of protest is April 5, 1976, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Enclosure

March 12, 1976

RE: Application for Permit No. 13-7129 THOMPSON & JENSEN

Preston Citizen
Box 472
Preston, Idaho 83263

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 4-06-76 by CW

RDC:CW

Enc: Legal Notice (1)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ivan H. Thompson &/or Floyd J. Jensen,
Preston, Idaho

have XXXX 3-12-76 submitted Application No. 13-7129
has on _____ cubic feet per second XXXXXXXXXXXXXXXXXXXXXXXX
for a permit to appropriate 2.00 acre feet per annum
of water from an unnamed drain
by means of pump and mainline system
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, T. 16S, R. 39E, B.M., Franklin County;

to be used from May 1 to Oct. 1
for the irrigation of 100 acres

within the S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 8, SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 9, T. 16S, R. 39E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
April 5, 1976

R. KEITH HIGGINSON

Director

Preston Citizen, Preston, Idaho

Published in the _____

March 18

on _____ and March 25, 1976

me. L.

March 12, 1976

RE: Application for Permit No. 13-7129

Mr. Floyd Jensen
Rt. #2
Preston, Idaho 83263

Dear Mr. Jensen:

Attached herewith is departmental receipt No. 15669 in the amount of \$35.00 for the above referenced application.

Very truly yours,

LOREN O. HOLMES
Assistant Regional Supervisor

LOH:CW

Attachment



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

Cecil D. Andrus
Governor

R. Keith Higginson
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

February 5, 1976

Mr. Floyd Jensen
Rt. #2
Preston, Idaho 83263

Dear Mr. Jensen:

Enclosed please find enclosed your application for permit and check No. 97-76 in the amount of \$10.00

We find it necessary to return your application because the statutory filing fee was not sufficient. For 2.00 c.f.s. of water a filing fee of \$35.00 is required.

We have also taken the liberty of retyping your application. Please check the new application for correctness, and if it meets with your approval, sign the back as before and return to this office with the statutory filing fee of \$35.00

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:ME

Enclosures

Attachment: Check No. 97-76

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

13 7129

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) UR 3-12

In form to receipt

(2) " "

Send Copies to:

☐ Idaho State Health Department
☒ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) " "

☒ Roland Cate 13A
☐ Request Special Use Permit from U.S.F.S.
☒ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) " "

In form for advertising

(5) " "

Platted on Map No. 16S 39E

(6) " "

Located within Water District No. N.A.

(7) " "

Critical groundwater area: yes N.A.

(8) " "

Groundwater levels: N.A.

☐ Declining, ☐ Stable, ☐ Increasing

(comment) _____

(9) _____

Other rights on the same place of use ?

(10) _____

Comments: _____

(11) CW 4-06-76

Affidavit of Publication received (date) April 6, 1976

(12) CW 4-06-76

Final date for protests April 5, 1976
Protests received: yes ☐ no ☒

(13) RDC 4/6/76

All requested information received from agencies or applicant: yes ☐ no ☐

(14) " "

Action recommended:

☒ Approve

RECEIVED

Deny

APR 8 1976

3/12/76 Proposed Priority

Department of Water Resources

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 4/6/76

Copy
M. J. Cate