

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09268

Priority: December 22, 2005

Maximum Diversion Rate: 0.60 CFS

This is to certify, that CITY OF SANDPOINT
1123 W LAKE ST
SANDPOINT ID 83864-1714

has applied for a permit to appropriate water from:

Source: CHUCK SLOUGH

Tributary: PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	0.60 CFS

LOCATION OF POINT OF DIVERSION:

CHUCK SLOUGH SE¼ NW¼ Sec. 21, Twp 57N, Rge 02W, B.M. BONNER County

PLACE OF USE: IRRIGATION


Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N 02W 21		10.0	10.0		.6			9.4									30.0

Total Acres: 30

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2008**.
2. Subject to all prior water rights.
3. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
4. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
5. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 7th day of February, 2006.


for KARL J DREHER, Director

72509

Ident. No.

96-9268

RECEIVED

DEC 22 2005

IDWR/North

RECEIVED

JAN 30 2006

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

DEPARTMENT OF
WATER RESOURCES

Applicant City of Sandpoint Phone (208) 263-3407
Mailing address 1123 Lake St Sandpoint, ID 83864

2. Source of water supply Big Chuck Slough which is a tributary of Pend Oreille River

3. Location of point of diversion is Township 57N Range 2W Sec. 21 in the NW ^{NW} ~~SW~~ _{SE} ^{SW} ~~SE~~ _{SE} ^{SW} ~~SE~~ _{SE} Govt. Lot _____ B.M., Bonner County;

additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 20 AF for Irrigation purposes from 4/15 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 60 cubic feet per second and/or (b) 20 AF acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Electric Pump 20 HP
300 GPM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

3. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	2W	21		10	10		.6			9.4									30

Total number of acres to be irrigated 30

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? City of Sandpoint

b. Who owns the land to be irrigated or place of use? City of Sandpoint

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____


12. Remarks: The City of Sandpoint is currently irrigating about 20 of these acres with potable City water. Approval of this application would replace that source as well as irrigate 10 acres of City park land. additional

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

 public Works-Dep't Head
Signature of Applicant (and title, if applicable)

Received by db Date 12/22/05 Time 1:40 P Preliminary check by _____
 Fee \$ 250.00 Received by db # N017306 Date 12/22/05
 Publication prepared by db Date 12/29/05 Published in Bonner Co. Daily Bulletin 1/5 & 12/06
 Publication approved _____ Date _____





**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 8, 2006

CITY OF SANDPOINT
1123 W LAKE ST
SANDPOINT ID 83864-1714

RE: Permit No. 96-9268

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name "Shelley" being more prominent.

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on February 8, 2006 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

96-9268

**CITY OF SANDPOINT
1123 W LAKE ST
SANDPOINT ID 83864-1714**



**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

M E M O R A N D U M

Date: February 02, 2006
To: Water Right File 96-9268
From: eretelle
Re: permit review

No WD or moratorium.

No protest or overlap.
Comment from F&G.

Irrigation season adjusted to standard.

Recommend approval as suggested by IDWR Northern.



IDAHO FISH AND GAME

2750 Kathleen Avenue
Coeur d'Alene, Idaho 83815

Dirk Kempthorne/Governor
Steven Huffaker/Director

January 19, 2006

*Go on computer
1/19/06
db*

Idaho Department of Water Resources
Northern Region
1910 Northwest Blvd, S 210
Coeur d'Alene, ID 83814

Via email to Dianne Ball:

REFERENCE: CITY OF SANDPOINT

We have reviewed the above named application to withdraw 0.60 cfs from Chuck Slough (Pend Oreille River) for irrigation from April 15 through October 31.

We have no specific objections; however water lines and pumps are an encroachment in lakes and rivers, which can be detrimental to fish and fish habitat.

We recommend that applicants be required to install the lines during low water when underwater excavation will be minimized. Dug materials should be sidecast to only one side and the bottom contour and substrate restored. The pump should be screened to prevent entrainment of fish; the maximum screen mesh size should be 0.25 inches. In addition, pump approach velocities should not exceed 0.5 ft/second to prevent losses of juvenile fish. It would be preferable to place pumps on land rather than in the water.

The applicant should obtain necessary encroachment permits from Idaho Department of Lands before installing water lines and pumps in state waters.

Thank you for the opportunity to comment.

Mary Terra-Berns
Environmental Staff Biologist

C: IDFG NRPB, Boise; File

RECEIVED

JAN 17 2006

IDWR/North

NOTICE OF APPLICATION

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9267

SUSAN R WHITEHEAD

1 SANDY DR

COCOLALLA ID 83813

Point(s) of Diversion L5 (SENW) S18 T55N R02W BONNER County

Source COCOLALLA LAKE - Tributary To COCOLALLA CREEK

Use: DOMESTIC 03/15 To 11/15 0.02 CFS

Total Diversion: 0.02 CFS

Date Filed: 12/12/2005

Place Of Use: DOMESTIC

T55N R02W S18 SENW Lot 5

Remark: Domestic use is for 1 home

96-9268

CITY OF SANDPOINT

1123 W LAKE ST

SANDPOINT ID 83864-1714

Point(s) of Diversion SENW S21 T57N R02W BONNER County

Source CHUCK SLOUGH - Tributary To PEND OREILLE RIVER

Use: IRRIGATION 04/15 To 10/31 0.6 CFS

Total Diversion: 0.6 CFS

Date Filed: 12/22/2005

Place Of Use: IRRIGATION

T57N R02W S21 NWNE SWNE NENW SENW

Number of Acres 30

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910

Northwest Blvd, Suite 210, Coeur D'Alene ID 83814 together with a

protest fee of \$25.00 for each application on or before 01/23/2006.

The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Legal SNP#7529

January 5, 12, 2006

*See reverse for
affidavit*

AFFIDAVIT OF PUBLICATION

RECEIVED

JAN 17 2006

IDWR/North

STATE OF IDAHO)

) ss.

County of Bonner)

Sherilyn Jones, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Notice of Application. My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the Bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 5 day of Jan, 2006 and ending on the 12 day of Jan, 2006.

Sherilyn Jones

SUBSCRIBED AND SWORN to before me, the undersigned Notary Public, this 12 day of Jan, 2006

Carolyn L. Inge
Notary Public

Residing at: Sandpoint
Comm. Exp.: 8/06



*See reverse for
legal time sheet*

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9267

SUSAN R WHITEHEAD

1 SANDY DR

COCOLALLA ID 83813

Point(s) of Diversion L5 (SENW) S18 T55N R02W BONNER County

Source COCOLALLA LAKE - Tributary To COCOLALLA CREEK

Use: DOMESTIC 03/15 To 11/15 0.02 CFS

Total Diversion: 0.02 CFS

Date Filed: 12/12/2005

Place Of Use: DOMESTIC

T55N R02W S18 SENW Lot 5

Remark: Domestic use is for 1 home

96-9268

CITY OF SANDPOINT

1123 W LAKE ST

SANDPOINT ID 83864-1714

Point(s) of Diversion SENW S21 T57N R02W BONNER County

Source CHUCK SLOUGH - Tributary To PEND OREILLE RIVER

Use: IRRIGATION 04/15 To 10/31 0.6 CFS

Total Diversion: 0.6 CFS

Date Filed: 12/22/2005

Place Of Use: IRRIGATION

T57N R02W S21 NWNE SWNE NENW SENW

Number of Acres 30

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 01/23/2006. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published on 01/05 & 01/12/2006



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

December 29, 2005

SHERI JONES
LEGAL NOTICE DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

e-mailed to Sheri 12/29/05

RE: Application for Permit No. 96-9267 and 96-9268

Please FAX proof copy before publication, to 208-769-1454
Thanks, Dianne

Dear Sheri:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates Indicated, January 5 and 12, 2006, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 01/23/2006. Your cooperation is VERY GREATLY appreciated, as always.

Sincerely

Dianne

Dianne Ball
Administrative Assistant

DEPARTMENT OF WATER RESOURCES
1910 NORTHWEST BLVD., SUITE 210
COEUR D'ALENE ID 83814
Phone 208-769-1450 - FAX - 208-769-1454

Ball, Dianne

From: Ball, Dianne
Sent: Thursday, December 29, 2005 2:23 PM
To: Legal Notices-Bonner Co Daily Bee (E-mail)
Subject: Legal notice for publication on January 5 and 12, 2006

Good afternoon, Sheri,

I trust you have had a blessed Christmas and are looking forward to a great new year.

Attached is our cover letter requesting publication of a legal notice on January 5 and 12, 2006. The legal notice is also attached.

If you have ANY questions, please call me at 208-769-1450

Also - **PLEASE FAX A PROOF COPY PRIOR TO PUBLICATION** - to 208-769-1454, so I can check layout, etc.

Many thanks for all the help you give throughout the year. You make our legals look great!

Dianne

*Dianne Ball
Administrative Assistant
Idaho Dept of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814
Phone (208)769-1450 FAX (208)769-1454*



CoverLetter
2-29-05 BCDB e-ma.



LegalNotice
2-29-05 BCDB e-ma.



State of Idaho
DEPARTMENT OF WATER RESOURCES
Northern Region, 1910 Northwest Blvd. Suite 210, Coeur d'Alene, Idaho 83814-2615
Phone: (208) 769-1450 Fax: (208) 769-1454 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 29, 2005

CITY OF SANDPOINT
1123 W LAKE ST
SANDPOINT ID 83864-1714

RE: Application for Permit No 96-9268

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Bonner County Daily Bee on January 5 and 12, 2006. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Gregory J. Taylor
Senior Water Resource Agent

Enclosure(s) – Receipt No. N017306 – for your records



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 1910 Northwest Blvd. Suite 210, Coeur d'Alene, Idaho 83814-2615

Phone: (208) 769-1450

Fax: (208) 769-1454

Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 27, 2005

MARY TERRA-BERNS
IDAHO DEPARTMENT OF FISH & GAME
2750 KATHLEEN AVE.
COEUR D'ALENE, ID 83815

FAXED TO MARY
5 Page total

Re: Water Permit Application No. 96-9268

Dear Mary:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application follows for your reference.

We are sending this to you for your comments, and would appreciate receiving your comments by no later than **January 20, 2005**. If we do not hear from you by that date, we will assume that no comment from you means you have no objection to, concerns about, or conditions pertaining to the issuance of this permit.

You may send comments by regular mail to the address above, by FAX to 769-1454, or by e-mail to Dianne.Ball@idwr.idaho.gov.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script that reads 'Dianne'.

Dianne Ball
Administrative Assistant

Taylor, Greg

From: Kim Woodruff [kim@ci.sandpoint.id.us]
Sent: Friday, December 23, 2005 8:36 AM
To: greg.taylor@idwr.idaho.gov
Subject: City of Sandpoint

Hello Greg,

Here's the information that you requested:

City of Sandpoint - as of 12/23/05

Mayor Raymond P. Miller
Council Cindy Elliott
Michael Boge
Francis Ogilvie
Alison Burgstahler
Chuck Spickelmire
Sandra Lamson

Department Heads

Public Works	Kody Van Dyk	263-3407
Legal / Planning	William Herrington	265-1481
Finance	Shannon Syth	263-3557
Fire	Robert Tyler	263-3502
Police	Mark Lockwood	263-3105
Clerk	Maree Peck	263-3310
Park and Rec	Kim Woodruff	263-3613