

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 41-07071

Priority: July 13, 1983

Maximum Diversion Rate:

0.12 CFS

Maximum Diversion Volume:

45.2 AF

This is to certify, that TIMOTHY P DEEG
2957 DEEG RD

AMERICAN FALLS ID 83211 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 13, 1983; and has submitted Proof of Beneficial Use on January 6, 1992. An examination indicates that the works have a diversion capacity of .120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.12 CFS	44.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.12 CFS	45.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 6, Township 09S, Range 31E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	31E	6	SWSE	11		11

Total number of acres irrigated: 11

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

DEC 19 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 41-07071

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of OCTOBER, 1994.


Acting for R. Keith Higginson, Director

DWR

DEC 19 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 41-07071

Proposed Priority: July 13, 1983 Maximum Diversion Rate: 0.19 CFS
This is to certify, that **TIMOTHY P. DEEG**
HC 76 BOX 2130
AMERICAN FALLS, ID 83211
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/15	0.15 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.19 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 6, Township 09S, Range 31E
POWER County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>					
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S	31E	6	SWSE	11		11
Total number of acres irrigated:						11

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 2, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Domestic use is for 1 home.

MICROFILMED

MAY 08 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 41-07071

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

7th day of March, 1991.

R. Keith Higginson
R. Keith Higginson, Director

for



MICROFILMED

MAY 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

JUL 10 1983

To appropriate the public waters of the State of Idaho

Department of Water Resources
Southern District Office
5711

1. Name of applicant Timothy P. Deeg Phone 208 226-5588

Post office address HC 76 Box 2130, American Falls, Idaho 83211

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 9 S

Range 31 E B.M. _____ Power _____ County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .08 cfs for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .147 cfs for irrigation purposes from April 1 to October 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .197 cubic feet per second and/or b. 19.7 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 7 $\frac{1}{2}$ hp Franklin submersible pump, 2" pipe,
two 60 gallon pressure storage tanks, 8" hole, 210' to water, and the well is to the depth
of 370'

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 370 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1/ years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 9 S

Range 31 E B.M. SW SE 4 $\frac{1}{2}$ place Cor
7-12-83

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 3 horses

(4) Name of municipality to be served Timothy P. Deeg, domestic, or number of families to be
supplied with domestic water 1

(5) If water is to be used for other purposes describe: domestic use first, as well as
irrigate 11 acres of pasture ground

MAY 08 1984

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9 S	31 E	6												11					11

Total number of acres to be irrigated 11

c. Describe any other water rights used for the same purposes as described above. none


9. a. Who owns the property at the point of diversion Timothy P. Deeg
- b. Who owns the land to be irrigated or place of use Timothy P. Deeg
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks The primary use of the well is for domestic use, as well as for irrigating a small amount of pasture land. Dan's Pump & Well Drilling drilled the well, and placed the said equipment into operation. I have attached a copy of the well driller's report.

MICROFILMED

MAY 08 1991

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as hereinafter set forth.

MICROFILMED
MAY 08 1991

Timothy P. Deeg
(Applicant)

merge 7/13/83 11:30 a
Received by *merge* Date *4/28/83* Time *11:30 am*
Preliminary check by *AF* Fee \$ *30.00* # *29087*
Receipted by *merge* Date *4/28/83*
Publication prepared by *M. Baldwin* Date *4/23/80*
Published in *Power Co. Press*
Publication dates *5/2 & 5/9/80*
Publication approved *M. Baldwin* Date *6/5/80*
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by *AF*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

MICROFILMED

MAY 08 1991

RECEIVED
JAN 06 1992

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$ 60.00Date 1/6/92Receipt No. 3022854Received by WASO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 41-07071 Telephone No. (208) 226-5588

2. Name(s) of Permit Holder(s): Timothy P. Deeg

3. Post Office Address: 2957 Deeg Road, American Falls, Idaho 83211

4. Source of Water: Ground Water

a. If ground water, well driller's name: Dan's Pump & Service Date drilled: 4/22/81

b. Pump horsepower: 7½ Pressure (psi): 55 Dynamic pumping level (ft.): 215

5. Extent of Use:

Domestic 1 (No. of households) Irrigation 11.0 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .19 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Timothy P. Deeg

(208) 226-5588 or 226-5711

Name

Telephone No.

2957 Deeg Road,

American Falls,

Idaho

83211

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1/4/92

Date

Timothy P. Deeg
Signature (and title if on behalf of a company or organization)

RECEIVED
JAN 22 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 24, 1994

TIMOTHY P DEEG
2957 DEEG RD
AMERICAN FALLS ID 83211

RE: WATER RIGHT NO. 41-07071

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

DEC 19 1994

LICENS REVIEW CHECKLIST



PERMIT NO. 41-7071 DATE 10-5-94

NAME Yes No Or Address Change? CHECK

PRIORITY DATE ✓ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE ✓ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ✓ Amendment needed?
 ✓ Overlaps?

PLACE OF USE ✓ Amendment needed?
 ✓ Overlaps?

DIV RATE ✓ Permit/fee limits: .19 CFS
POLYSONIC Meas Q = .12 Theo Q = .13 Recommend: .12 CFS
(11 x .02 = .22) IRR = .12 CFS DOM = .04
 Combined rates exceed capacity

ANNUAL VOLUME ✓ Season of use: C/4 (10-1 to 10-31) (REW)
 ✓ Calculations: 11 x 4 = 44 DOM @ 1.2
 Flow limit: .12 cfs x 214 x 1.9835 = 50.9
 Combined volumes exceed capacity/allowable

USES ✓ Change in Nature of Use or additional uses?
 Amendment necessary?

REMARKS ✓ Multiple p/d(s) in ¼ ¼?
 Other

CONDITIONS ✓ Measuring/Locking Devices
 ✓ Watermaster control - District
R31 Irrigation Overlap
 ✓ Water Quality
✓ Other NON-TRUST Heat/Cool/ Fish verified

COMMENTS: Reduce rate to capacity

RECOMMENDED	CFS	VOL	SRBA Claim Filed	<u>NO-N/A</u>
<u>Irrigation</u>	<u>.12</u>	<u>44</u>	Adjustment Memo Needed	<u>NO</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>		
<u> </u>	<u> </u>	<u> </u>		
<u>Total</u>	<u>.12</u>	<u>45.2</u>	LICENSE	<u>✓</u>
			1ST AMENDMENT LETTER	<u> </u>
			FINAL AMENDMENT LETTER	<u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 21 1994

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: TIMOTHY DEEG Permit No. 41-7071
Current Address: 2957 DEEG ROAD, AMERICAN FALLS, ID 83211 Phone No. 226-5588
2. Accompanied by: TIMOTHY DEEG EXAM. DATE: 6/1/94
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 9 inch cased well with submersible pump lifts water from 198 ft to a buried 4 inch PVC pipe, two 60 gal p-tanks in house basement (see map drawing). PVC line eventually connects with mainline & then to a wheel line and handlines. Polysonic measured flow rate between 52 and 54 gpm. Same well & pump also supplies domestic water to house. Lot size = 11.7 acres with 11 acres irrigated (includes lake lawn). House lawn has buried sprinklers.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*					
Motor Make	2.5				
Hp					
Motor Serial No.	Submersible				
Pump Make	rated 55 gpm				
Pump Serial No. or Discharge Size					

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

DEC 19 1994

Do not use this space

D. FLOW MEASUREMENTS☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC METER						

2. Measurements:

AVERAGE FLOW FROM POLYSONIC = 54 GPM (SEE ATTACHED TAPE)
= 0.12 CFS

E. FLOW CALCULATIONS☒ Additional Computation Sheets Attached

1. Measured Method:

THEORETICAL = 0.136

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated})^{11.0} \times (\text{Irrigation Requirement})^{4.0} = 44.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}]^{0.12} \times (\text{Days in Irrigation Season})^{2.15} \times 1.9835 = 51.1743$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 33.0$$

2. Volume Calculations for Other Uses:

DOMESTIC: 5 PERSONS x 60 GAL/DAY = 0.3 AFA

DEC 19 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

THE LARGE 500 HP PUMP IN THE FIELD IS USED TO WATER 41-7081 AND CAN BE USED TO WATER 10 OF THESE 11 ACRES.

NO PD OR POV OVERLAP EXISTS

*TOTAL DIVERSION RATE LIMITED BY SYSTEM CAPACITY

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.12	44.0
DOMESTIC	1/1	12/31	0.04	1.2
Totals:			0.12 *	45.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☒ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name MICHAEL T. HARSHBARGER
 Signature Michael T. HarsHBarger
 Certification Date _____
 Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DEC 19 1994

Memo

FOR: File 41-07071

FROM: Michael Harshbarger, Field Examiner

SUBJECT: Possible system change in near future

During the field exam, Timothy Deeg expressed that he was going to start watering the field in this exam with the large 500 HP irrigation well (which currently supplies water for 41-7081) as this 7.5 HP submersible pump does not have an adequate capacity and is costly to operate. The large well sits on this property and is labeled on the system diagram on the field report.

In any case, this well will still supply domestic water and irrigation water for the 1 acre lawn surrounding the house.

RECEIVED
APR 19 1994

LYSONIC MEASUREMENT

T. Deeg
41-7021
6/1/94

MODE SELECT
INPUT

OUTER DIAMETER
4.5039 IN

PIPE MATERIAL
? PVC

WALL THICKNESS
.01550 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? ?

TYPE OF SENSOR
? SMALL

DATA CHANGE
? YES

CHANGE DATA
? PIPE

WALL THICKNESS
0.1550 IN

CHANGE DATA
? PIPE

CHANGE DATA
? END

SPACING
2.558 IN U

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

DAMPING SET
10 SEC

06-01 10:0800 *R
+003.00 % AI2

MODE SELECT
TO CHECK

0159.9 MMSEC
102.04 % TO

06-01 10:0900 *R
-522.268E-16PM

06-01 10:1100 *R
-529.400E-16PM

06-01 10:1200 *R
-542.081E-16PM

06-01 10:1600 *R
-546.307E-16PM

06-01 10:1700 *R
-544.937E-16PM

AVERAGE

53.7 GPM

= 0.12 CFS

DEC 19 1994

GROUNDWATER MEASUREMENT REQUIREMENT ANALYSIS

FILE: 41-7071

DATE: 6-2-94

BY: MTH

THEORETICAL RATE OF FLOW: $Q = \frac{(8.8) \times (\text{H.P.}) \times (\text{EFF.})}{\text{TDH}}$

Q = CFS

H.P. = Total Brake Horsepower of pumping plant (including booster)

EFF. = Pumping plant efficiency (ASSUME 70% OR 0.70)

TDH = total dynamic head = [(LIFT) + (PSI X 2.31)]

LIFT = depth to water in FEET from land surface to pumping water level

PSI = pumping pressure measured in psi near pump
(if open discharge assume zero [0])

$$Q = \frac{(8.8) \times (7.5 \text{ HP}) \times (0.70)}{[(200 \text{ FT.}) + (60 \times 2.31)]} = 0.136 \text{ CFS}$$

LIFT FROM:

measurement ()

owner (X)

area estimate ()

well logs ()

Booster (Y) (X)

PSI FROM:

measurement ()

owner ()

estimate ()

owner gage (X)

NOTES ON PUMP:

Motor Make, Serial or ID

SUBMERSIBLE

Pump Make, Serial or ID, rating

REMARKS

ANNUAL VOLUME ANALYSIS

POTENTIAL Acre Feet/Acre/Annum = $\frac{(\text{DAYS IN SEASON}) \times (1.98) \times (Q)}{(\text{RECOMMENDED ACRES IRRIGATED})}$

(season) (days)

3/15 - 11/15 246

4/1 - 11/1 215

4/15 - 10/15 184

3/1 - 12/1 276

$$\text{POTENTIAL} = \frac{(215) \times (1.98) \times (0.12)}{(11)}$$

$$\text{POTENTIAL} = 4.64$$

REQUIRED Acre Feet/Acre/Annum = 3.0
(AF/Ann/Ac irrigation requirement from chart for area)

NOTE that this is NOT Consumptive use

IF POTENTIAL IS GREATER THAN REQUIRED THEN NO MEASUREMENT NECESSARY ()

IF POTENTIAL IS LESS THAN REQUIRED THEN MEASUREMENT IS NECESSARY ()

DEC 19 1994


PERMIT 41-7071 INIT MTH

T. R. S. Q/Q

1/D 95 31E 6 SWSE

SCALE Photo Quad

PHOTO ID. _____



996-7207-9



41-2021
TIM DEEG

P/D
WELL CASING
CIRCLED



WHITE SHACK IN DISTANCE
IS LOCATION OF NEW, LARGE
500+ HP IRRIGATION WELL

41-2021
TIM DEEG

DEC 19 1994

41-7021
TIM DEEG

Pou
Domestic



Pou
PART OF
11 ACRES
FIELD



DEC 19 1994

January 8, 1992

TIMOTHY P. DEEG
2957 DEEG ROAD
AMERICAN FALLS ID 83211

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 41-07071

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the SOUTHERN Regional Office in Twin Falls at (208)736-3033.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
JAN 22 1992

138398

December 31, 1991

TIMOTHY P. DEEG
HC 76 BOX 2130
AMERICAN FALLS ID 83211

PROOF DUE NOTICE

RE: PERMIT NO. 41-07071

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED
JAN 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 14, 1991

TIMOTHY P. DEEG
HC 76 BOX 2130
AMERICAN FALLS, ID 83211

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 41-07071

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

MAY 08 1991

24-Apr-1990

TIMOTHY P. DEEG
HC 76 BOX 2130
AMERICAN FALLS ID 83211

Re: Application for Permit No. 41-07071

Dear Applicant (s):

On March 25, 1988 the Federal Energy Regulatory Commission (FERC) issued an order satisfying the last condition to make the Swan Falls Agreement effective. The Department is now prepared to proceed with the normal processing of your application.

This office will be advertising the application in the Power County Press on 5/2 & 5/9/90. A period of ten days after the last publication will be allowed for the submittal of protests.

If the application is protested you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Very truly yours,

Loren O. Holmes, P.E.
Southern Region Manager

LH:MB

RECEIVED

MAY 08 1991

State of Idaho
County of Power

May 10 1990
Department of Water Resources
Eastern District Office

Erma Crompton being first duly sworn on oath, states:

That she is the Publisher of The Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice of advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 2 day of May 1990 and the date of last publication being the 9 day of May 1990

(Signed) Erma Crompton

State of Idaho
County of Power

On this 16 day of May in the year of 1990, before me, a Notary Public, personally appeared Erma Crompton, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Erma Crompton
Notary Public for Idaho
Residing at American Falls, Idaho
My commission expires: June 8, 1993

RECEIVED
JUN 1
Department of Water Resources
Southern Region

MICROFILMED
MAY 08 1991

NOTICE OF APPLICATION FOR
WATER RIGHTS
The following applications have been filed to appropriate the public waters of the State of Idaho:

U.S. Div. (150 cfs)
Dennis H. (104 cfs)

41-07066

GARY, KATHLEEN D.
SPOONER, HELEN O.
374 TITHEM RD.
AMERICAN FALLS, ID 83210000

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07071

DEEG, TIMOTHY P.
1000 S. 1000 E.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 13 T 09S R 31E
Total Diversion: (.100 CFS)

41-07072

BOTTORF, CHARLES R.
BOTTORF, CHARLES A.
3712 REGISTER RD
AMERICAN FALLS, ID 83211

Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 09S R 31E
Total Diversion: (.200 CFS)

41-07073

ALLEN, JEFF D.
P.O. BOX 311
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07067

WALKER, MERRILL E.
WALKER, DONNA D.
BOX 136
ROCKLAND, ID 83271

Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 10S R 31E
Total Diversion: (.690 CFS)

41-07068

ROCKLAND VALLEY RANCHES
BOX 134
ROCKLAND, ID 83271

Source: ROCK CREEK
Tributary: SNAKE RIVER
Diversion Pt: SENW Sec 15 T 09S R 30E
Total Diversion: (2.000 CFS)

41-07069

WALKER, ONA
WALKER, GLENNA
ROCKLAND, ID 83271

Source: GROUNDWATER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Southern Region
222 Shoshone Street East
Twin Falls, ID 83301
(208)734-3578

APRIL 23, 1990

POWER COUNTY PRESS
174 IDAHO STREET
AMERICAN FALLS, ID 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MAY 21, 1990.

Yours truly,

Mary Baldwin
Secretary/Office Coordinator

Enclosure

MICROFILMED

MAY 08 1991

41-07071

DEEG, TIMOTHY P.
HC 76 BOX 2130
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SWSE Sec 6 T 09S R 31E

Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.197 CFS)

Date Filed: 7/13/ 1983

In: T09S R31E S06 SWSE

11.0 ACRES TOTAL

MICROFILMED

MAY 08 1991

The permit(s) will be subject to all prior water rights. Protests must be filled with the Director, Dept. of Water Resources, Southern Region, 222 Shoshone Street East, Twin Falls, Idaho 83301 on or before MAY 21, 1990.

R. KEITH HIGGINSON, Director

Published 5/ 2/1990 & 5/ 9/1990

MICROFILMED

MAY 08 1991

FORM A

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 41-9091Name(s) of Permit Holder: Timothy P. DeegHC 76 - Box 2130Post Office Address: AMERICAN FALLS, IDAHO83211Telephone No. 226-5588Source of Water: GROUND WATER

Extent of Use: Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation 12 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: December 1982 well completed - water applied 5/83

Measuring Device: Required? Yes X No
 Installed? Yes X No

Flow Measurement Port: Required? X Yes No
Installed Required? X Yes No

Person to contact to accompany the Department representative during field examination: APPLICANT

(Name)

(Address)

(Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-24-85

Date

Timothy P. Deeg
 Signature of Permit
 (and Title, if appropriate)

MICROFILMED

MAY 08 1991

This is submitted as evidence development occurred prior to 7-1-85 not to be considered as an

acceptable proof of beneficial use, but as part of the water right record

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
SOUTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1041 Blue Lakes Blvd. North
Twin Falls, Idaho 83301
(208) 734-3578

RECEIVED

JUL 28 1983

Department of Water Resources
Southern District Office

June 29, 1983

Timothy P. Deeg
HC 76 Box 2130
American Falls, Idaho 83211

Re: Application for Permit

Dear Mr. Deeg:

Please find enclosed your application received in our office June 28, 1983 and your check in the amount of \$30.00.


The following items need to be corrected:

- 1) Item #3 - Township 9 South or 9 North?
Range - 31 East or 31 West?
- 2) Item 4 and 5 are not the same - #4 - .19
#5 - .197
- 3) Item 8a - Township 9 South or 9 North?
Range 31 East or 31 West?
- 4) Item 8b - Same as #8a.
- 5) Item 11 - Same as #8a.

Please correct these items and return the application and the filing fee in the amount of \$30.00 to this office for further processing.

If you have questions concerning this matter, please feel free to contact this office.

Very truly yours,


Gary L. Runderburg
Sr. Water Resource Agent

LOH:GLF:marya

Encl:

MICROFILMED

MAY 08 1991