

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 22-13448

Priority: November 25, 2005

Maximum Diversion Rate: 0.11 CFS

This is to certify, that MATT GERMINO
341 S 9TH
POCATELLO ID 83209

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.11 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER L3 (NE $\frac{1}{4}$ NW $\frac{1}{4}$) Sec. 2, Twp 06N, Rge 45E, B.M. TETON County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N 45E 2					X												
					L3												

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **January 01, 2007**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Domestic use is for 3 homes.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
7. Place of use is located within Lots 1A, 1B and 2B, Rammel Mountain Subdivision.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 26th day of January, 2006.


for KARL J DREHER, Director