

INTER-DEPARTMENT MEMO

RECEIVED

TO: FILE 63-11514

SEP 20 2005

SUBJECT: Proof of B.W.

FROM: STEVE LESTER

Department of Water Resources

DATE: 7/25/96

Appl. for Amendment of Permit filed 5/29/96 is 2 drilling permits * issued per request in effort to comply with 8/1/96 proof due date. Completed 2 new wells but still not production enough so revised filing 7/19 to add up to 2 more wells ** (note had revised amend. appl. 6/24 to correct old location of 1 of 2 wells drilled per 5/29 action). The Applicant's hope is that 1-2 add'l. wells will now provide adequate ground water to operate PPOW system. Entire inj. system (mainlines etc.) already in place per applicant's office visit information - it's now a matter of developing wells to extent possible to accommodate rotational etc. inj. production for this large area. Applicant intends to file proof within 60 day grace period - seems reasonable to approve Amendment upon proof being filed within grace period.

() For your information

() Response required * d.p. 63-96-W-0333 + 334

** d.p. 63-96-W-0540 + 541


signature

— PLEASE CONTACT ME IF
HAVE ANY QUESTIONS —

Drilling Permit No. 3-96-W-0540-000
Water Right Permit
Injection Permit No. 63-11514

COMPLETE FOR VERBALS

Time: _____

Permit Amendment
Pending (Advertising N/A)State of Idaho
Department of Water ResourcesAPPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)1. Applicant (please print): Big Sky Partnership (ATTN: DON MCFARLAND)2. Mailing Address: 350 FALLS AVE.City & State TWIN FALLS, ID Zip Code 83301 Telephone 734-0004 (fax = 0005)☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____3. Proposed Well Location: Twp. 1N, Rge. 9E, Sec. _____, _____ 1/4 _____ 1/4Gov't Lot No. _____ County Elmore

Street Address of Well Site _____ City _____

Give at least name of road + Distance to Road or Landmark

Lot, block and subdivision _____

4. Proposed Use of Well: I located to be specified prior to drilling - see cond. # 8
plus Attachments A & B.☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☒ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____
(Over 1,000 Head) (Describe)☐ INJECTION☐ MONITORING: A well bore schematic and map is required for each blanket permit.
No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ ReplaceB. Proposed Casing Diameter 18" Proposed Maximum Depth 500'C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)6. Construction Start Date: ASAP7. Anticipated Well Driller: HIDDLESTON Driller's Lic. No. 35

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Don McFarland Date 7/19/96Title Mng. Partner
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date

7/19/96

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

8. Prior to any well construction activity, the owner or licensed well driller must contact the department * to confirm the 1/4-1/4 location within one of the sites designated in Attachments A & B.

* CALL 334-2190

Steve Lester
Signature of Authorized Department Representative

Deputy Regional Manager
Title

Receipt No. W021232 Received by SL Fee \$200 Date 7/19/96

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension expires: _____


KEY

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)

☒ 4 P/O found 1991 site

☒ Permitted or Proposed visit



Scale: 2 inches equal 1 mile

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 19th day of July, 19 96. Big Sky by Don McFarland
Permit Holder
 (MANAGING PARTNER)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by _____ Publication prepared by N/A Date _____
 Published in _____ Publication dates _____

I, _____, of the Department of Water Resources hereby

DRILLING PERMIT
 ATTACHMENT A

Witness my hand this _____ day of _____

* amended 6/24/96 - see original form
 ** " 7/19/96 per current form \$50 ✓

SIGNATURE

ATTACHMENT B-- JULY 19, 1996

AMENDED APPLICATION FOR AMENDMENT
OF PERMIT NO. 63-11514

EXISTING OR PROPOSED POINTS OF DIVERSION

<u>SECTION</u>	<u>1/4-1/4</u>	<u>COMMENTS</u>
S.28	SESE	
S.32	SENE NESE SESE	D.P. 63-96-W-0333 2 WELLS
S.33	SWNE SENE NENW SWNW SENW NWSW SWSW NWSE	D.P. 63-96-W-0334 WELL #4 WELL #3 WELL #2
S.34	SWNW SENW	1 P/D ON/NEAR LINE WITH SENW 1 P/D ON/NEAR LINE WITH SWNW

-- ALL OF ABOVE IN T1N R9E; THOSE BELOW ARE IN T1S R9E --

S.4	NWNW	WELL #1 ON/NEAR LINE WITH S.5
S.5	NENE	WELL #1 ON/NEAR LINE WITH S.4

*Drilling Permit
Attachment B*

Drilling Permit No. 603-96-W-0541-000
 Water Right Permit 63-11514
 Injection Permit No. _____

WELL DRILLER: PLEASE COMPLETE FOR VERBALS

IDWR Employee Issuing Verbal: _____

Verbal Issued Date: _____ Time: _____

Permit Amendment
 Pending (Advertising N/A)

State of Idaho
 Department of Water Resources

APPLICATION FOR DRILLING PERMIT
(FOR THE CONSTRUCTION OF A WELL)

1. Applicant (please print): Big Sky Partnership (ATTN: DON McFARLAND)

2. Mailing Address: 350 Falls Ave.

City & State Twins Falls ID Zip Code 83301 Telephone 734-0004 (Fax 0005)

☒ Well Owner ☐ Well Operator ☐ Contractor or Other, specify _____

3. Proposed Well Location: Twp. 1N, Rge. 9E, Sec. _____, _____ 1/4 _____ 1/4

Gov't Lot No. _____ County Elmore

Street Address of Well Site _____ City _____

Give at least name of road + Distance to Road or Landmark

Lot, block and subdivision _____

4. Proposed Use of Well: 1 location to be specified prior to drilling - see cond. #8 plus Attachment A & B.

☐ DOMESTIC: The use of water for homes, organization camps, public campgrounds, livestock (1,000 head or less) and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

NON-DOMESTIC: ☒ Irrigation ☐ Municipal ☐ Industrial
☐ Stock ☐ Test ☐ Other _____
 (Over 1,000 Head) (Describe)

☐ INJECTION

☐ MONITORING: A well bore schematic and map is required for each blanket permit.
 No. of proposed wells: _____

5. Well Construction Information:

A. ☒ New well ☐ Modify ☐ Replace

B. Proposed Casing Diameter 18" Proposed Maximum Depth 600'

C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold Water Well) ☐ 85°F to 212°F (Low Temp. Geo. Well) ☐ 212°F or more (Geothermal Well)

6. Construction Start Date: ASAP

7. Anticipated Well Driller: Hiddleston Driller's Lic. No. 35

NOTE: The actual well driller must be identified prior to drilling.

8. Applicant's Signature Don McFarland Date 7/19/96

Title Gen. Mng. Partner
 (Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is APPROVED

Date 7/19/96

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
2. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum of 50 feet and 100 feet respectively from a septic tank.
3. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
4. Approval of this drilling permit does not authorize trespass on the land of another party.
5. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
6. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
7. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS:

8. Prior to any well construction activity, the owner or licensed well driller must contact the department* to confirm the 1/4-1/4 location within one of the sites designated in Attachments A & B.

* CALL 334-2190

Steve Lester
Signature of Authorized Department Representative

Deputy Regional Manager
Title

Receipt No. W121232 Received by FL Fee \$200 Date 7/19/96

EXTENSION OF DRILLING PERMIT


Extension approved by _____ Approval Date _____

This extension expires: _____

KEY

- ☒ 4 P/O found 1991 site
- ☒ Permitted or Proposed

Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 1/4 1/4, section, township, range and ditches. (the smallest subdivision represents 40 acres)



Scale: 2 inches equal 1 mile

I hereby request approval of this change subject to the fact that no one will be injured by the change, and that the change will be made at my own risk.

Signed this 19th day of July, 19 96. Big Sky by Don McFarland
Permit Holder
(Manager Partner)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Preliminary check by _____ Publication prepared by N/A Date _____
 Published in _____ Publication dates _____

I, _____, of the Department of Water Resources hereby

**DRILLING PERMIT
ATTACHMENT A**

Witness my hand this _____ day of _____

* amended 6/24/96 - see original form
 ** " 7/19/96 per current form \$50 ✓

SIGNATURE

ATTACHMENT B-- JULY 19, 1996

AMENDED APPLICATION FOR AMENDMENT
OF PERMIT NO. 63-11514

EXISTING OR PROPOSED POINTS OF DIVERSION

<u>SECTION</u>	<u>1/4-1/4</u>	<u>COMMENTS</u>
S.28	SESE	
S.32	SENE	D.P. 63-96-W-0333
	NESE	
	SESE	2 WELLS
S.33	SWNE	
	SENE	D.P. 63-96-W-0334
	NENW	WELL #4
	SWNW	
	SENW	WELL #3
	NWSW	
	SWSW	WELL #2
	NWSE	
S.34	SWNW	1 P/D ON/NEAR LINE WITH SENW
	SENW	1 P/D ON/NEAR LINE WITH SWNW

-- ALL OF ABOVE IN T1N R9E; THOSE BELOW ARE IN T1S R9E --

S.4	NWNW	WELL #1 ON/NEAR LINE WITH S.5
S.5	NENE	WELL #1 ON/NEAR LINE WITH S.4

*Drilling Permit
Attachment B*