

AMENDED

(This Page Only)

Page 1 of 7

STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

Transfer No. _____

APPLICATION FOR TRANSFER OF WATER RIGHT PART 1

Name of applicant BW Inc Phone 375-6666
Post Office address 250 S. Beechwood, Suite 120, Boise, Idaho 83709

A. PURPOSE OF TRANSFER

1. ☐ Change point of diversion ☐ Add diversion point(s) ☐ Change place of use
☒ Change nature of use ☒ Change period of use ☐ Other _____

2. Describe the reason for the proposed changes Land which was irrigated for various crops, including alfalfa, in the past is now being converted to ponds for aesthetic and wildlife use. The full amount of the diversion is no longer needed. The total pond area (16 ponds) is 38 Acres. The remaining irrigated land is for yard and garden is 114.7 acres. The remaining unused amount will be placed in the water bank.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. Right Number	Priority	Amount (cfs/ac-ft)	Nature of Use	Period of Use
63-194	06-01-1877	0.83 cfs	Div to Storage	03-15 to 11-15
63-194	06-01-1877	/121.1 afa	Aesthetic Storage	01/01 to 12/31
63-194	06-01-1877	2.51 cfs	Irrigation	03-15 to 11-15
63-194	06-01-1877	1.86 cfs	Water Bank	03-15 to 11-15

2. Total amount of water being transferred 5.20 cfs cubic feet per second and/or _____ acre-feet per annum.

3. Source of water Boise River tributary to Snake River

4. Point(s) of Diversion: Various crops, including alfalfa, have been historically grown on the proposed land

Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Local name for diversion
		SW	SW	16	4N	1E	Ada	Thomas Aikens Canal beginning reach
								Location clarified but not physically changed

5. Lands irrigated or place of use:

Twp.	Rge.	Sec.	NE ¼				NW ¼				SW ¼				SE ¼				Totals
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	
04N	01E	17			5.4	7.3				4.9	18.7			5.0	19.7	17.3	17.5	18.9	114.7
04N	01E	17				JW	JW			JW	JW			JW	JW	JW	JW	JW	38 aesthetic
04N	01E	17			9.2	7.9				3.7	10.7			1.2	15.2	11.9	9.2	16.3	85.3 water bank

Total acres 238.0