



## **CONFERENCE AND HEARING PROCEDURE**

### **APPLICATION FOR TRANSFER ISSUES**

Section 42-222, Idaho Code, identifies the following potential issues that the department can consider in connection with an application for transfer:

1. Will other water rights be injured by the proposed transfer?
2. Will the proposed change constitute an enlargement in the use of the original right(s)?
3. Will the proposed change conflict with the local public interest?
4. Will the proposed change be contrary to conservation of water resources within the State of Idaho?

### **BURDEN OF PROOF**

The applicant has the initial burden of proof for issues 1, 2, and 4 above and must provide evidence for the department to evaluate these criteria. The initial burden of proof on issue 3 above lies with both the applicant and protestant as to factors of which they are most knowledgeable and cognizant. The applicant has the ultimate burden of persuasion, however, for this issue.

### **PROCEDURE**

The department generally conducts an informal conference with the parties to determine the issues and to try to settle a protested matter before a hearing is scheduled. If a hearing is held, the department will issue a written decision based on the hearing record.

### **CONFERENCE**

The purpose of a pre-hearing conference is to provide the opportunity for the parties and the department to familiarize themselves with a contested matter and to attempt to resolve the matter. At the conference, the department may also formulate and simplify the issues, identify documents to avoid unnecessary proof, exchange proposed exhibits or prepared testimony, limit witnesses, discuss settlement or make settlement offers, schedule hearings, establish procedure at hearing and address other matters that may expedite orderly conduct and disposition of the proceeding or its settlement. The department may issue a "pre-conference statement order" which requires response to the inquiries.

### **HEARING**

The department will tape record the hearing. Copies of a hearing tape are available upon request and the payment of the cost of reproducing the tape. The hearing likely will be conducted by a hearing officer appointed by the Director rather than by the Director himself. If so, the hearing officer will prepare a recommended order for the Director's consideration. Parties can file exceptions to a recommended order, briefs in support of the exceptions or may request oral argument. Parties may seek judicial review of any final order issued by the Director. Parties may by written stipulation waive the right to a recommended order, particularly when a shortened decision process is desirable or necessary. Such a waiver does not eliminate any rights of the parties in connection with the final order of the Director and judicial review of the order.

### **EXHIBITS**

A party who plans to offer an exhibit as part of the hearing record must provide a copy of the proposed exhibit to the parties and to the hearing officer. As part of the conference a date may be set by which exchange of exhibits and witness lists must occur.

### **EFFECT OF FAILURE TO APPEAR AT A CONFERENCE OR HEARING**

Failure to appear at the time and place set for a conference or hearing by the applicant or protestant(s) may allow the department to dismiss without prejudice the protest(s) or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing party.

### **AMERICANS WITH DISABILITIES ACT**

Any hearing scheduled will be conducted in a facility which meets the accessibility requirements of the Americans with Disabilities Act. If you require special accommodations in order to attend, participate in or understand the hearing, please advise the department within (10) days prior to the hearing.

**APPLICANT:** Timothy P. Deeg

Transfer No. 71132

[illegible]

# EXHIBIT

tabbies  
1  
Admitted 3/31/05

T. 09S. R. 30E.

T. 09S. R. 31E.

40 40 21  
29 25

40 40 22  
36 36

1

6

5

40 40 40 22 36 38 40  
40 40 31 18 30 40  
PROPOSED NEW P.O.D.  
EXISTING IRRIGATION WELL  
11 33  
EXISTING P.O.D.  
IRRIGATION/DOMESTIC

40 40  
40 40

12

7

22.8 22.8  
40 40  
22.7 22.7  
40 40

## DEEG WATER RIGHTS

### Permissible Place of Use

- 40 41-7030 1.4 CFS, 504 AFA (441 AFA)\*, 126 ac.
- 40 41-7034 1.82 CFS, 364 AFA 91 ac.
- 40 41-7071 0.12 CFS, 44 AFA, 11 ac.
- ⊙ Point of Diversion

Section Lines

Quarter Section Lines

00-(white) Proposed PPU=10,011ac.



Aerial Photo 2000

Brockway Engineering, PLLC.  
ALR MARCH 30, 2005

EXHIBIT

A

Admitted 3/3/05

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

## CLAIM TO A WATER RIGHT



Under the provisions of Section 42-243, Idaho Code, any person using or claiming rights to the public waters of Idaho established by diversion and application to a beneficial use must file a claim with the Department of Water Resources on or before June 30, 1983. Exempted from this filing are single family domestic uses as defined in Section 42-230(d), Idaho Code. Also exempted are rights represented by a permit, license, decree, adjudicated right, or a previously filed claim.

The filing of this claim does not confirm the water right claimed but failure to file may result in forfeiture of a water right.

Notice is hereby given that Warm Creek Irrigation Co. c/o Carol Henesh  
(Name of Claimant) work 226-20  
Rt. 1, Box 237, American Falls, ID 83211 Telephone No. home 226-20  
(Mailing Address) (Zip Code)

claims a right to the diversion and beneficial use of the surface or ground water. The extent and nature of said claim is as follows:

- (1) Date of priority: (When was the water first applied to a beneficial use) April 1, 1889  
A claim is not acceptable on a ground water source with a priority later than March 25, 1963 or on a surface water source with a priority later than May 20, 1971. An exception is that a claim may be filed on single family domestic use for a ground water source.

- (2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water)  
Warm Creek tributary to Snake River

- (3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:

| (cfs, af)                | (Domestic, Irrigation, Stock, Etc.) | (Both dates inclusive)        |                 |
|--------------------------|-------------------------------------|-------------------------------|-----------------|
|                          |                                     | (Mo., Day)                    | (Mo., Day)      |
| Quantity <u>5.65 cfs</u> | Use <u>Irrigation</u>               | Period of Use From <u>4-1</u> | To <u>11-1</u>  |
| Quantity <u>.30 cfs</u>  | Use <u>Stock</u>                    | Period of Use From <u>1-1</u> | To <u>12-31</u> |
| Quantity <u>.05 cfs</u>  | Use <u>Domestic</u>                 | Period of Use From <u>1-1</u> | To <u>12-31</u> |
| Quantity _____           | Use _____                           | Period of Use From _____      | To _____        |
| Quantity _____           | Use _____                           | Period of Use From _____      | To _____        |

- (4) 6.00 cfs TOTAL QUANTITY USED.  
(cfs, af)

- (5) A) Point of diversion: (Location of point where water is diverted from its source)  
NE ¼ SW ¼, Sec. 18 Twp. 8S Rge. 31E B.M., County of Power  
Additional points of diversion: NWNW, Sec. 13, NWSE, Sec. 11, T. 8S, R. 3E,

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch, etc.). Give sizes and capacities: be as specific as possible. Describe any changes in the system and give the date of change. Headgates & ditches from Warm Creek. District 1 - Dille Ditch, District 2 - Morgan Ditch; District 3 - Sorenson Ditch; District 4 - Morgan Ditch

- (6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

| T  | R   | SEC. | NE¼  |      |      |     | NW¼  |      |     |      | SW¼ |     |     |     | SE¼ |     |     |     | TOTAL |
|----|-----|------|------|------|------|-----|------|------|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-------|
|    |     |      | NE¼  | NW¼  | SW¼  | SE¼ | NE¼  | NW¼  | SW¼ | SE¼  | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |       |
| 8S | 30E | 10   |      |      |      |     |      |      |     |      |     |     |     |     |     |     |     |     | 7.5   |
|    |     | 11   |      |      |      |     |      |      |     |      | 12  | 8   | 12  | 27  |     | 12  | 225 | 1   | 240   |
|    |     | 12   |      |      |      |     |      |      |     |      | 32  | 3.6 |     |     |     |     |     |     | 35.6  |
|    |     | 13   | 32.4 | 18.3 | 27.9 |     | 19.8 | 12   |     | 14.8 |     |     |     |     |     |     |     |     | 107.4 |
|    |     | 14   | 21.2 | 39.1 | 27   | 22  | 38   | 5    |     |      |     |     |     |     |     |     |     |     | 125.3 |
| 8S | 31E | 18   |      |      |      |     | 24.5 | 18.7 |     |      |     |     |     |     |     |     |     |     | 43.2  |
|    |     |      |      |      |      |     |      |      |     |      |     |     |     |     |     |     |     |     |       |
|    |     |      |      |      |      |     |      |      |     |      |     |     |     |     |     |     |     |     |       |
|    |     |      |      |      |      |     |      |      |     |      |     |     |     |     |     |     |     |     |       |

No. of acres 512.6

- B) If water is used for other than irrigation, fully describe that use, being as specific as possible: Domestic use for 3-4 homes and stockwater.

NOTE: Include here the type and number of stock watered: 664 cows & calves, 49 sheep, 22 horses, 25 horses, 4 goats

- (7) If you are claiming water as a member of an organization, list name of organization: Warm Creek Irrigation Company

# LAND LIST ATTACHMENT

Description and location of place of use:

| TWP. | RANGE | SEC. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | TOTALS                    |
|------|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------------------|
|      |       |      | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |                           |
| 8    | 30    | 10   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 7.5    | Paul Kendall<br>7.5       |
| 8    | 30    | 11   |        |        |        |        |        |        |        | 130    | 8.0    | 12.0   | 22.0   |        | 12.0   | 17.5   |        |        | Paul Kendall<br>89.5      |
| 8    | 30    | 11   |        |        |        |        |        |        |        |        |        |        | 5.0    |        |        |        |        |        | Frank Baguley<br>5.0      |
| 8    | 30    | 11   |        |        |        |        |        |        |        |        |        |        | 1.0    |        |        |        |        |        | Ralph Kendall<br>1.0      |
| 8    | 30    | 12   |        |        |        |        |        |        |        | 32.0   | 30.0   |        |        |        |        |        |        |        | Ralph Kendall<br>62.0     |
| 8    | 30    | 12   |        |        |        |        |        |        |        | 2.6    |        |        |        |        |        |        |        |        | Charles Strom<br>2.6      |
| 8    | 30    | 12   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 10.0   | Lois Dille<br>10.0        |
| 8    | 30    | 12   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | 4.1    | T. Kelley Crowder<br>4.1  |
| 8    | 30    | 13   |        |        |        |        |        |        | 12.0   |        |        |        |        |        |        |        |        |        | William Schultz<br>12.0   |
| 8    | 30    | 13   |        |        |        |        |        |        |        | 14.8   |        |        |        |        |        |        |        |        | Esther Isaac<br>14.8      |
| 8    | 30    | 13   |        |        |        |        |        | 19.8   |        |        |        |        |        |        |        |        |        |        | M.K. Thornhill<br>19.8    |
| 8    | 30    | 13   | 18.3   |        | 39.9   |        |        |        |        |        |        |        |        |        |        |        |        |        | Pearl Dille<br>48.2       |
| 8    | 30    | 13   | 4.1    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Vernon Mayen<br>4.1       |
| 8    | 30    | 13   | 6.5    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | David Randall<br>6.5      |
| 8    | 30    | 13   | 21.8   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | T. Kelley Crowder<br>21.8 |
| 8    | 30    | 14   |        |        |        |        |        |        | 5.0    |        |        |        |        |        |        |        |        |        | Paul Kendall<br>5.0       |
| 8    | 30    | 14   |        |        |        |        |        | 38.0   |        |        |        |        |        |        |        |        |        |        | Leo Henesh<br>38.0        |
| 8    | 30    | 14   | 3.9    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Cleo Shipp<br>3.9         |
| 8    | 30    | 14   | 2.1    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Leo Henesh<br>2.1         |
| 8    | 30    | 14   | 2.0    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | James Phythian<br>2.0     |
| 8    | 30    | 14   | 6.1    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Paul Kendall<br>6.1       |
| 8    | 30    | 14   | 22.2   | 22.5   | 22.0   | 22.0   |        |        |        |        |        |        |        |        |        |        |        |        | Don Zaring<br>96.2        |
| 8    | 30    | 14   | 4.0    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Joe Jones<br>4.0          |
| 8    | 30    | 14   | 3.0    |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        | Lyle Anderson<br>3.0      |
| 8    | 31    | 18   |        |        |        |        |        |        | 24.5   | 18.9   |        |        |        |        |        |        |        |        | Ruth A. Nielsen<br>43.4   |

22.2 shares


4.0 shares

3.0 Total Shares

Total number of acres irrigated 512.6



### Deeg Farm-Irrigation Consumptive Volume Demand




Deeg, Tim                      Estimate of Additional Volume from Transfer  
30-Mar-05

Acres Irrigated (Historical and Projected)=                      816  
Approximate Crop Distribution  
                    Grain                      50 %  
                    Potatoes                      50 %

Estimated Consumptive Use (Allen and Brockway, 1983, Aberdeen)

|           | Grain  |       | Potatoes |       | Projected C.U. | Estimated Historical |     |
|-----------|--------|-------|----------|-------|----------------|----------------------|-----|
|           | mm/day | in/mo | mm/day   | in/mo | Project        | Reduced C.U.         |     |
| March     |        |       |          |       |                |                      |     |
| April     | 1.31   | 1.55  |          |       | 52.6           | 53                   |     |
| May       | 3.45   | 4.07  | 1.82     | 2.15  | 211.6          | 212                  |     |
| June      | 7.81   | 9.22  | 4.93     | 5.82  | 511.6          | 450                  |     |
| July      | 8.08   | 9.54  | 7.03     | 8.30  | 606.8          | 450                  |     |
| August    | 2.29   | 2.70  | 5.29     | 6.25  | 304.4          | 300                  |     |
| September |        |       | 3.09     | 3.65  | 124.1          | 124                  |     |
| October   |        |       |          |       |                |                      |     |
| Total     | 703    | 27.09 | 679      | 26.17 | 1811.1         | 1588.3               | 12% |



WARM CREEK MEASUREMENTS  
(Dille Ditch)  
2.0 ft. wier near the Indian Springs Natatorium

Measured Prox. 11:00 A.M. by Lloyd Curry  
(exceptions noted)

| DATE                                          | TIME                     | HEAD | CFS  | MEASURED BY |
|-----------------------------------------------|--------------------------|------|------|-------------|
| 5/6/00                                        |                          | .46  | 2.10 |             |
| 5/17/00                                       |                          | .51  | 2.45 |             |
| 5/27/00                                       |                          | .49  | 2.31 |             |
| 6/8/00                                        |                          | .45  | 2.03 |             |
| 6/20/00                                       |                          | .43  | 1.90 |             |
| 7/7/00                                        |                          | .45  | 2.03 |             |
| 8/3/00                                        |                          | .46  | 2.10 |             |
| Weir washed out so couldn't measure any more. |                          |      |      |             |
| Wier was Repaired and was able to measure:    |                          |      |      |             |
| 9/26/01                                       |                          | .46  | 2.10 |             |
| Weir washed out again, unable to measure.     |                          |      |      |             |
| 2/28/02                                       | Still unable to measure. |      |      |             |
| 5/8/03                                        |                          | .49  | 2.31 |             |
| 5/27/03                                       |                          | .44  | 1.96 |             |
| 6/5/03                                        |                          | .45  | 2.03 |             |
| 6/19/03                                       |                          | .47  | 2.17 |             |
| 6/23/03                                       |                          | .48  | 2.24 |             |
| 7/11/03                                       |                          | .43  | 1.90 |             |
| 7/17/03                                       |                          | .39  | 1.64 |             |
| 7/29/03                                       |                          | .40  | 1.70 |             |
| 8/12/03                                       |                          | .43  | 1.90 |             |
| 8/21/03                                       |                          | .39  | 1.64 |             |
| 9/3/03                                        |                          | .46  | 2.10 |             |
| 9/19/03                                       |                          | .46  | 2.10 |             |
| 10/7/03                                       |                          | .46  | 2.10 |             |
| 10/16/03                                      |                          | .45  | 2.03 |             |


# WARM CREEK MEASUREMENTS

(Dille Ditch)

2.0 ft. wier near the Indian Springs Natatorium

Measured Prox. 11:00 A.M. by Lloyd Curry  
(exceptions noted)

| DATE    | TIME | HEAD | CFS  | MEASURED BY |
|---------|------|------|------|-------------|
| 4/28/04 |      | .47  | 2.17 |             |
| 5/13/04 |      | .52  | 2.52 |             |
| 6/4/04  |      | .48  | 2.24 |             |
| 6/22/04 |      | .49  | 2.31 |             |
| 7/6/04  |      | .41  | 1.77 |             |
| 7/21/04 |      | .43  | 1.90 |             |
| 8/12/04 |      | .45  | 2.03 |             |
| 8/26/04 |      | .43  | 1.90 |             |
| 9/13/04 |      | .43  | 1.90 |             |



**COLD CREEK MEASUREMENTS**  
6 ft. wier near the Indian Springs Natatorium  
Esther Isaak Ranch

Measured Prox. 11:00 A.M. by Lloyd Curry  
(exceptions noted)

| DATE     | TIME       | HEAD | CFS  | MEASURED BY       |
|----------|------------|------|------|-------------------|
| 4/6/00   |            | .36  | 4.36 |                   |
| 5/6/00   |            | .37  | 4.54 |                   |
| 5/17/00  |            | .37  | 4.54 |                   |
| 5/24/00  |            | .37  | 4.54 |                   |
| 6/8/00   |            | .37  | 4.54 |                   |
| 6/20/00  |            | .36  | 4.36 |                   |
| 7/7/00   |            | .37  | 4.54 |                   |
| 7/24/00  |            | .36  | 4.36 |                   |
| 8/3/00   |            | .36  | 4.36 |                   |
| 8/21/00  |            | .36  | 4.36 |                   |
| 9/21/00  |            | .36  | 4.36 |                   |
| 11/22/00 |            | .37  | 4.54 |                   |
| 2/27/01  | 9:00 A.M.  | .36  | 4.36 |                   |
| 5/4/01   |            | .37  | 4.54 |                   |
| 5/17/01  |            | .36  | 4.36 |                   |
| 6/5/01   |            | .37  | 4.54 |                   |
| 6/20/01  |            | .37  | 4.54 |                   |
| 7/6/01   |            | .37  | 4.54 |                   |
| 7/19/01  |            | .36  | 4.36 |                   |
| 8/6/01   |            | .36  | 4.36 |                   |
| 8/22/01  |            | .36  | 4.36 |                   |
| 10/11/01 |            | .37  | 4.54 |                   |
| 10/15/01 |            | .36  | 4.36 |                   |
| 2/28/02  | 10:00 A.M. | .36  | 4.36 |                   |
| 5/9/02   |            | .37  | 4.54 |                   |
| 6/7/02   |            | .37  | 4.54 |                   |
| 6/17/02  |            | .36  | 4.36 |                   |
| 7/2/02   |            | .35  | 4.18 |                   |
| 7/10/02  |            | .35  | 4.18 |                   |
| 7/19/02  |            | .35  | 4.18 |                   |
| 7/29/02  |            | .35  | 4.18 |                   |
| 8/13/02  |            | .36  | 4.36 |                   |
| 8/26/02  |            | .36  | 4.36 |                   |
| 9/18/02  |            | .36  | 4.36 |                   |
| 3-4-05   |            | 1.36 | 4.36 | Terrill @ 4:20 PM |

**COLD CREEK MEASUREMENTS**  
6 ft. wier near the Indian Springs Natatorium  
Esther Isaak Ranch

Measured Prox. 11:00 A.M. by Lloyd Curry  
(exceptions noted)

| DATE     | TIME      | HEAD | CFS  | MEASURED BY      |
|----------|-----------|------|------|------------------|
| 3/4/03   | 4.20 P.M. | .36  | 4.36 | Terrell Sorensen |
| 3/25/03  |           | .35  | 4.09 | Tom Morgan       |
| 5/2/03   |           | .37  | 4.54 |                  |
| 5/27/03  |           | .36  | 4.36 |                  |
| 6/5/03   |           | .36  | 4.36 |                  |
| 6/19/03  |           | .35  | 4.18 |                  |
| 6/23/03  |           | .35  | 4.18 |                  |
| 7/11/03  |           | .36  | 4.36 |                  |
| 7/17/03  |           | .35  | 4.18 |                  |
| 7/29/03  |           | .35  | 4.18 |                  |
| 8/12/03  |           | .36  | 4.36 |                  |
| 8/21/03  |           | .35  | 4.18 |                  |
| 9/3/03   |           | .35  | 4.18 |                  |
| 9/19/03  |           | .35  | 4.18 |                  |
| 10/7/03  |           | .35  | 4.18 |                  |
| 10/16/03 |           | .35  | 4.18 |                  |

# COLD CREEK MEASUREMENTS

6 ft. wier near the Indian Springs Natatorium  
Esther Isaak Ranch

Measured Prox. 11:00 A.M. by Lloyd Curry  
(exceptions noted)

| DATE     | TIME | HEAD | CFS  | MEASURED BY |
|----------|------|------|------|-------------|
| 4/28/04  |      | .36  | 4.36 |             |
| 5/13/04  |      | .36  | 4.36 |             |
| 6/4/04   |      | .36  | 4.36 |             |
| 6/22/04  |      | .35  | 4.18 |             |
| 7/6/04   |      | .35  | 4.18 |             |
| 7/21/04  |      | .35  | 4.18 |             |
| 8/12/04  |      | .36  | 4.36 |             |
| 8/26/04  |      | .36  | 4.36 |             |
| 9/13/04  |      | .36  | 4.36 |             |
| 10/13/04 |      | .34  | 4.00 |             |

# Tape Log

3/31/05  
ADM

0000 - 0260

Gary's Introduction

0070 will consider previous transfer  
approvals

0200 Discussion - 25 ac Permits

0276 - 794

Tim Dees (Direct)

To close up understanding about  
water. Went to divert more water.  
Currently, divert 6.68 cfs from  
well

Transfer 41-7030 in 1997 (126 ac)  
on approval did not increase well capacity.

498 Transfer, 41-7034 in 1998 (91 ac)  
on approval did not increase well capacity.

498 - Increase discharge by, drilling, new well  
or change pump.

515 Small domestic irrig. right.  
400' deep dom & irrig.

550 900' irrig. well

0600 No change in well water due to drought

0628 No change in Cold Creek water.

0656 No plan on increasing acres,  
No increase in consumptive use.

0740 3/4 grain 1/4 potatoes

0798 - 1200 Deeg ? by Mrs. Iszak

Currently pumps 668 with slight  
draw down.

Reports use thru GW district

7030 & 7032 Leased rights.

Thru 2007

988 Temp of well 60.8 °F

1131 Mus. of Cold Creek

1200 - 1202 Deeg ? by Sam Iszak

1981 Don

1992 Irrig. well

1378 Deeg ? by Gary Spickman

static 458' to water in irrig.

pumps 461' → 512' over season

static near beginning of season

1593

Chronology of irrig well devel.

1. Permit 6.95 348 ac,  
drilled 1992

2. Transfer of Nelson water

3. Purchased Permit Acquit devel.  
240 ac,

4. Transferred 1st Nelson water of 9/20,

1992 Nelson - 7030 126200  
7039

1820 - Would increase consumption use

2058 - Record stopped -

2329 - End of Dees.

2333 - Dr. Brockway Direct

2595 - Bottom hole temp 61-62°F by  
mers.

- No connection between  
Deep indiv. & shallow domestic  
Dees wells

2846 - Intent of transfer

2900 gpm - drawdown 54'

34 gpm/ft. of drawdown

- Add 3.

$$\begin{array}{r} 1.40 \\ 1.82 \\ \hline 3.22 \\ 12 \\ \hline 3.34 \text{ cfs} \end{array}$$

3181 12% increase in  
consumptive use,

816

41-7030 -

126

41-7034 -

91

41-7071 -

11

228

Permit 240

348588← Permit  
Diff. Lic. →

41-7076

227.5

41-7081

338565.5 acres

816 acres

Total

793.5 acres

3371

End of Dr. Brockway Direct

3380

Brockway ? by Mrs. ISK (unc. 4c)

4009

Dr. Brockway

? by Gary Spackman

} aquifer

Primary aquifer is limestone is where  
irrigation.Inferred no hydraulic connection  
between aquifers.

4678

End of Dr. Brockway

4788

Issue of expulsion

Roll Mr. Deeg

5252

---

5270 - Duane Iszek Direct

5537 - X of Iszek by Foster

Discussion 2 sent issue,

6985