

MVG**POD Data****07S 25E 27 SWSENE**

Legal Description	GPS Site ID	Diversion Name	Meas Option	POD
07S 25E 27 SWSENE	A0001253			100365
Latitude 000:00:00.000		Longitude 000:00:00.000	GPS File A1253	Flowmeter (1)
Comments CONTACT PERSON IS BRUCE HUNSAKER. METERS IN 1996. 12/21/95 GARYS				

Reporters

Type	Name / Address	Phone(s)
Owner	HUNSAKER, BRUCE MAINLINE RANCHES INC RT 2 BOX 353 RUPERT, ID 83350	

Flowmeter Data

Year	Date	Calibration Factor	Max CFS	Adj Max CFS	Acre-Ft	Adj Acre-Ft	Acre-Ft Qualif	Valid	Prefrd
1996	1/1/1995	0	0	0	0	0	ND	☐	☐
Comments									
1995	1/1/1995	0	0		0	0	ND	☐	☐
Comments									

PCC Data

Year	Total KWH	PCC Acre-Ft	Qualifier	PCC	PCC Date	Utility	Account Number	Service Number
2004	446560.00	790.4	3	564.98	01/01/2005	IP		6952432417
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	5/17/2005
2003	296760.00	418.6	1	708.93	06/17/2003	IP		6952432417
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	1/24/2005
2000	460640.00	865.78	3	532.05	01/01/2000	IP	14560009821	
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	8/23/2001
2001	265440.00	498.9	1	532.05	01/01/2000	IP	9660551760	6952432417
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	
2002	403480.00	758.3	1	532.05	01/01/2000	IP	9660551760	6952432417
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	2/14/2003
1999	260100.00	426	2	610.5	07/06/1999	IP	14560009821	
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	
1998	344680.00	567.7	1	607.2	10/10/1996	IP	14560009821	
Comments:						Tracking:	Preferred:	Validated:
							Change Date:	

PCC Calibration

Date 01/01/2005	PCC: 565	Change Date: 5/17/2005
------------------------	-----------------	------------------------

Kilowatt-Hour Meter Utility IP Pole No Meter Mfr Meter S/N Disk Const Multiplier	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #1</td> <td style="width: 10%;">KW 183</td> <td style="width: 10%;">GPM 1868</td> <td style="width: 10%;">PCC 532.05</td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 80</td> </tr> <tr> <td colspan="6">Descrip 7/6/99</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #2</td> <td style="width: 10%;">KW 181</td> <td style="width: 10%;">GPM 1217</td> <td style="width: 10%;">PCC 807.73</td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 10</td> </tr> <tr> <td colspan="6">Descrip 6/17/03</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #3</td> <td style="width: 10%;">KW 183</td> <td style="width: 10%;">GPM 1411</td> <td style="width: 10%;">PCC 704.37</td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 10</td> </tr> <tr> <td colspan="6">Descrip 6/17/03</td> </tr> </table>	Condition #1	KW 183	GPM 1868	PCC 532.05	PSI 0	Percent 80	Descrip 7/6/99						Condition #2	KW 181	GPM 1217	PCC 807.73	PSI 0	Percent 10	Descrip 6/17/03						Condition #3	KW 183	GPM 1411	PCC 704.37	PSI 0	Percent 10	Descrip 6/17/03					
Condition #1	KW 183	GPM 1868	PCC 532.05	PSI 0	Percent 80																																
Descrip 7/6/99																																					
Condition #2	KW 181	GPM 1217	PCC 807.73	PSI 0	Percent 10																																
Descrip 6/17/03																																					
Condition #3	KW 183	GPM 1411	PCC 704.37	PSI 0	Percent 10																																
Descrip 6/17/03																																					

Date 06/17/2003	PCC: 708.93	Change Date: 3/23/2004
------------------------	--------------------	------------------------

Kilowatt-Hour Meter Utility IP Pole No 07S25E2720 Meter Mfr A Meter S/N 02730268 Disk Const 1.2 Multiplier 40	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #1</td> <td style="width: 10%;">KW 180.94</td> <td style="width: 10%;">GPM 1217</td> <td style="width: 10%;">PCC 807.47</td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 5</td> </tr> <tr> <td colspan="6">Descrip Endgun on, booster off. Potatoes.</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #2</td> <td style="width: 10%;">KW 183.02</td> <td style="width: 10%;">GPM 1411</td> <td style="width: 10%;">PCC 704.45</td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 95</td> </tr> <tr> <td colspan="6">Descrip 7/16/03 Booster on.</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #3</td> <td style="width: 10%;">KW 0</td> <td style="width: 10%;">GPM 0</td> <td style="width: 10%;">PCC </td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 0</td> </tr> <tr> <td colspan="6">Descrip </td> </tr> </table>	Condition #1	KW 180.94	GPM 1217	PCC 807.47	PSI 0	Percent 5	Descrip Endgun on, booster off. Potatoes.						Condition #2	KW 183.02	GPM 1411	PCC 704.45	PSI 0	Percent 95	Descrip 7/16/03 Booster on.						Condition #3	KW 0	GPM 0	PCC	PSI 0	Percent 0	Descrip					
Condition #1	KW 180.94	GPM 1217	PCC 807.47	PSI 0	Percent 5																																
Descrip Endgun on, booster off. Potatoes.																																					
Condition #2	KW 183.02	GPM 1411	PCC 704.45	PSI 0	Percent 95																																
Descrip 7/16/03 Booster on.																																					
Condition #3	KW 0	GPM 0	PCC	PSI 0	Percent 0																																
Descrip																																					

Date 01/01/2000	PCC: 532.05	Change Date:
------------------------	--------------------	--------------

Kilowatt-Hour Meter Utility IP Pole No 24 Meter Mfr G Meter S/N 92541338 Disk Const Multiplier	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #1</td> <td style="width: 10%;">KW 183</td> <td style="width: 10%;">GPM 1868</td> <td style="width: 10%;">PCC 532.05</td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 100</td> </tr> <tr> <td colspan="6">Descrip Operating conditions percentages changed for 2000</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #2</td> <td style="width: 10%;">KW 0</td> <td style="width: 10%;">GPM 0</td> <td style="width: 10%;">PCC </td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 0</td> </tr> <tr> <td colspan="6">Descrip </td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #3</td> <td style="width: 10%;">KW 0</td> <td style="width: 10%;">GPM 0</td> <td style="width: 10%;">PCC </td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 0</td> </tr> <tr> <td colspan="6">Descrip </td> </tr> </table>	Condition #1	KW 183	GPM 1868	PCC 532.05	PSI 0	Percent 100	Descrip Operating conditions percentages changed for 2000						Condition #2	KW 0	GPM 0	PCC	PSI 0	Percent 0	Descrip						Condition #3	KW 0	GPM 0	PCC	PSI 0	Percent 0	Descrip					
Condition #1	KW 183	GPM 1868	PCC 532.05	PSI 0	Percent 100																																
Descrip Operating conditions percentages changed for 2000																																					
Condition #2	KW 0	GPM 0	PCC	PSI 0	Percent 0																																
Descrip																																					
Condition #3	KW 0	GPM 0	PCC	PSI 0	Percent 0																																
Descrip																																					

Date 07/06/1999	PCC: 610.5	Change Date:
------------------------	-------------------	--------------

Kilowatt-Hour Meter Utility IP Pole No 24 Meter Mfr G Meter S/N 92541338 Disk Const Multiplier	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #1</td> <td style="width: 10%;">KW 183</td> <td style="width: 10%;">GPM 1868</td> <td style="width: 10%;">PCC </td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 0</td> </tr> <tr> <td colspan="6">Descrip </td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #2</td> <td style="width: 10%;">KW 183</td> <td style="width: 10%;">GPM 1628</td> <td style="width: 10%;">PCC </td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 100</td> </tr> <tr> <td colspan="6">Descrip </td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Condition #3</td> <td style="width: 10%;">KW 0</td> <td style="width: 10%;">GPM 0</td> <td style="width: 10%;">PCC </td> <td style="width: 10%;">PSI 0</td> <td style="width: 10%;">Percent 0</td> </tr> <tr> <td colspan="6">Descrip </td> </tr> </table>	Condition #1	KW 183	GPM 1868	PCC	PSI 0	Percent 0	Descrip						Condition #2	KW 183	GPM 1628	PCC	PSI 0	Percent 100	Descrip						Condition #3	KW 0	GPM 0	PCC	PSI 0	Percent 0	Descrip					
Condition #1	KW 183	GPM 1868	PCC	PSI 0	Percent 0																																
Descrip																																					
Condition #2	KW 183	GPM 1628	PCC	PSI 0	Percent 100																																
Descrip																																					
Condition #3	KW 0	GPM 0	PCC	PSI 0	Percent 0																																
Descrip																																					

Legal Description	GPS Site ID	Diversion Name	Meas Option	POD
-------------------	-------------	----------------	----------------	-----

Site Visits

Site Visit Date	Site Examiner	Reason	Change Date:
7/16/2003	THIGGS	PCC Calibration	3/23/2004
Notes: Booster is on. Good measurement.			
6/17/2003	THIGGS	PCC Calibration	10/14/2003
Notes: Runs 2 pivots, one endgun on. Booster is off. Tied to other Hunsaker wells. Potatoes. Bars 4, power 4.			
7/6/1999	BHIGGS	PCC Calibration	
Notes: 4 bars, 1x, poor sec.,best before booster			

Crop History

Year	Crop	Acres
2003	POTATOES	261
2003 Total		261
2002	SUGAR BEETS	266
2002 Total		266
2001	POTATOES	266
2001 Total		266
2000	SUGAR BEETS	302
2000 Total		302
1996	SUGAR BEETS	302
1996 Total		302