

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09259

Priority: September 06, 2005

Maximum Diversion Rate: 0.20 CFS

This is to certify, that ROBERT MYERS
120 E LAKE ST STE 309
SANDPOINT ID 83864

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.20 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 29, Twp 57N, Rge 02W, B.M. BONNER County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
57N 02W 29		X															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **November 01, 2008**.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Domestic use is for 9 homes.
5. The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
6. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 15th day of November, 2005.


FOR KARL DREHER, Director

RECEIVED

NOV 09 2005

FORM 202
12/99Ident. No. 96-9259Department of Water Resources
STATE OF IDAHO

RECEIVED

SEP 06 2005

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

IDWR/North

1. Name of Applicant ROBERT MYERS Phone 208-255-4291
Mailing address 120 E. LAKE ST., STE. 309 SANDPOINT, IDAHO 83864
2. Source of water supply GROUNDWATER which is a tributary of N/A
3. Location of point of diversion is Township 57N Range 2W Sec. 29 in the SE $\frac{1}{4}$,
NW $\frac{1}{4}$, NE $\frac{1}{4}$, Govt. Lot , B.M., BONNER County;
additional points of diversion if any:
4. Water will be used for the following purposes: DOMESTIC per se-mail
Amount 0.20 for MUNICIPAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b)
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source
- b. Height of storage dam feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet
- c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? ; Drilling firm SWEETWATER DRILLING;
Well was drilled for (well owner) ; Drilling Permit No.
7. Time required for completion of works and application of water to proposed beneficial use is 3 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality. TIMBERLING FOREST PRODUCTS
- d. Domestic; show number of households.
- e. Other; describe fully.

3. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	2W	29		5															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? TIMBERLINE FOREST PRODUCTS
- b. Who owns the land to be irrigated or place of use? TIMBERLINE FOREST PRODUCTS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____


12. Remarks: THE PROPOSED WELL WILL SERVE UP TO 9 POSSIBLE SINGLE FAMILY HOMES.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Timberline Forest Products
Robert M. [Signature] manager
 Signature of Applicant (and title, if applicable)

Received by db Date 9/6/05 Time 1:41P Preliminary check by db Date 9/6/05
 Fee \$ 100.00 Receipted by db # N017162
 Publication prepared by db Date 9/27/05 Published in Boone Co Daily Bee 10/6 & 13/05
 Publication approved db Date 11/3/05



and published by the Geological Survey


and USC&GS

photogrammetric methods from aerial
1966. Field checked 1968

data compiled from USC&GS

USGS SANDPOINT QUAD.

⊗ APPROX. WELL
LOCATION



T572 R2W S29



T572 R2W S29

TS714.P2W SEC. 29



1" = 800'



**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 16, 2005

ROBERT MYERS
120 E LAKE ST STE 309
SANDPOINT ID 83864

RE: Permit No. 96-9259

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name being the most prominent.

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on November 16, 2005 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

96-9259

**ROBERT MYERS
120 E LAKE ST STE 309
SANDPOINT ID 83864**

A handwritten signature in black ink, reading "Kati Lynn Townsend", written over a horizontal line.

**Kati Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

Date: November 15, 2005
To: Water Right File 96-9259
From: eretelle
Re: permit review

No WD or moratorium.

No overlap or protest.

Recommend approval as suggested by IDWR Northern.

AFFIDAVIT OF PUBLICATION

RECEIVED
NOV 03 2005
IDWR/North

STATE OF IDAHO)
) ss.
County of Bonner)

Sheryl Jones, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Notice of Application.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the Bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;


3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 16 day of Oct, 2005 and ending on the 13 day of Oct, 2005.

Sheryl Jones

SUBSCRIBED AND SWORN to before me, the undersigned Notary Public, this 13 day of Oct, 2005.

Carolyn L. Inge
Notary Public
Residing at: Sandpoint
Comm. Exp.: 8/06



See reverse for proof

RECEIVED

NOV 03 2005

IDWR/North

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9256

STEVE BARNHART
485 KRIPPLE CREEK RD
ATHOL ID 83801
Point(s) of Diversion NESW S15 T54N R02W BONNER County
Source CAREYWOOD CREEK - Tributary To SINKS
Point(s) of Diversion NENESW S15 T54N R02W BONNER County
Source SPRING Tributary To CAREYWOOD CREEK
Use: STOCKWATER 01/01 To 12/31 0.02 CFS
Use: DOMESTIC 01/01 To 12/31 0.02 CFS
Total Diversion: 0.02 CFS
Date Filed: 09/12/2005
Place Of Use: DOMESTIC
T54N R02W S15 NWSW Lot 3
Place Of Use: STOCKWATER same as DOMESTIC
Remark: Domestic use is for 1 home.
Stockwater use is for 10 head of mixed stock.

96-9259

ROBERT MYERS
120 E LAKE ST STE 309
SANDPOINT ID 83864
Point(s) of Diversion SENWNE S29 T57N R02W BONNER County
Source GROUND WATER
Use: DOMESTIC 01/01 To 12/31 0.2 CFS
Total Diversion: 0.2 CFS
Date Filed: 09/06/2005
Place Of Use: DOMESTIC
T57N R02W S29 NWNE
Remark: Domestic use is for up to 9 homes.

96-9261

J RICHARD ROGERS
DOLORES J ROGERS
100 E COEUR D'ALENE AVE #1020
COEUR D'ALENE ID 83814
Point(s) of Diversion L9 (SESE) S31 T57N R01E BONNER County
Source LAKE PEND OREILLE Tributary To PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.1 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.14 CFS
Date Filed: 09/21/2005
Place Of Use: IRRIGATION
T57N R01E S31 SESE Lot 9
Number of Acres 5
Place Of Use: DOMESTIC same as IRRIGATION
Remark: Domestic use is for 1 home.
Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 10/24/2005. The protestant must also send a copy of the protest to the applicant.
KARL J DREHER, Director
Legal 7304
October 6, 13, 2005

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9256

STEVE BARNHART
485 KRIPPLE CREEK RD
ATHOL ID 83801

Point(s) of Diversion NESW S15 T54N R02W BONNER County
Source CAREYWOOD CREEK - Tributary To SINKS
Point(s) of Diversion NENESW S15 T54N R02W BONNER County
Source SPRING Tributary To CAREYWOOD CREEK
Use: STOCKWATER 01/01 To 12/31 0.02 CFS
Use: DOMESTIC 01/01 To 12/31 0.02 CFS
Total Diversion: 0.02 CFS

Date Filed: 09/12/2005

Place Of Use: DOMESTIC

T54N R02W S15 NWSW Lot 3

Place Of Use: STOCKWATER same as DOMESTIC

Remark: Domestic use is for 1 home.

Stockwater use is for 10 head of mixed stock.

96-9259

ROBERT MYERS
120 E LAKE ST STE 309
SANDPOINT ID 83864

Point(s) of Diversion SENWNE S29 T57N R02W BONNER County
Source GROUND WATER
Use: DOMESTIC 01/01 To 12/31 0.2 CFS
Total Diversion: 0.2 CFS

Date Filed: 09/06/2005

Place Of Use: DOMESTIC

T57N R02W S29 NWNE

Remark: Domestic use is for up to 9 homes.

96-9261

J RICHARD ROGERS
DOLORES J ROGERS
100 E COEUR D'ALENE AVE
COEUR D'ALENE ID 83814

Point(s) of Diversion L9 (SESE) S31 T57N R01E BONNER County
Source LAKE PEND OREILLE Tributary To PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.1 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.14 CFS

Date Filed: 09/21/2005

Place Of Use: IRRIGATION

T57N R01E S31 SESE Lot 9

Number of Acres 5

Place Of Use: DOMESTIC same as IRRIGATION

Remark: Domestic use is for 1 home.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 10/24/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published October 6 and 13, 2005



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

September 27, 2005

Please FAX proof copy before publication, to 208-769-1454
Thanks, Dianne

SHERI JONES
LEGAL NOTICE DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

e-mailed to Sheri 9/27/05

RE: Application for Permit No. 96-9256, 96-9259 and 96-9261

Dear Sheri:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated, October 6 and 13, 2005, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 10/24/2005. Your cooperation is truly greatly appreciated. It is always a pleasure to work with you.

Thank you,
Sincerely

Dianne

Dianne Ball
Administrative Assistant

Ball, Dianne

From: Ball, Dianne
Sent: Tuesday, September 27, 2005 3:36 PM
To: Legal Notices-Bonner Co Daily Bee (E-mail)
Subject: Legal notice for publication Oct.6 & 13, 2005

Good afternoon, Sheri,

Attached is our cover letter requesting publication of a al notice on October 6 and 13, 2005. The legal notice is also attached.

If you have ANY questions, please call me at 208-769-1450.

Please **FAX A PROOF COPY** prior to publication to 208-769-1454 - so I can check layout and for any last minute corrections.

Thanks for all your help - it's always a pleasure to work with you.

Dianne

*Dianne Ball
Administrative Assistant
Idaho Dept of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, ID 83814
Phone (208)769-1450 FAX (208)769-1454*



CoverLetter
3-27-05 BCDB e-ma.



LegalNotice
19-27-05 e-mail BC..



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 1910 Northwest Blvd. Suite 210, Coeur d'Alene, Idaho 83814-2615

Phone: (208) 769-1450

Fax: (208) 769-1454

Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

September 27, 2005

ROBERT MYERS
120 E LAKE ST STE 309
SANDPOINT ID 83864

RE: Application for Permit No 96-9259

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Bonner County Daily Bee on October 6 and 13, 2005. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Gregory J. Taylor
Senior Water Resource Agent

Enclosure(s) – Receipt No. N017162

Taylor, Greg

From: Robert Myers [rmyers@alpinelumber.net]
Sent: Thursday, September 15, 2005 12:29 PM
To: IDWR (Greg Taylor) (E-mail)
Cc: 'Marty Taylor'
Subject: RE: Upper Syringa Project Water Right Application

Greg,

This is to authorize Marty Taylor of Sewell Engineering to act as my representative on this project.

Robert Myers
208 255 4291
120 E Lake suite 309
Sandpoint Idaho 83864
bmyers@povn.com

-----Original Message-----

From: Marty Taylor [mailto:mtaylor@jasewell.com]
Sent: Thursday, September 15, 2005 11:16 AM
To: Robert Myers (Alpine Lumber) (E-mail); IDWR (Greg Taylor) (E-mail)
Subject: Upper Syringa Project Water Right Application

Greg:

The referenced water right application applies to one well serving 9 or fewer single family residences. According to the instructions for filing a water right application, this well is defined as "municipal" (serves more than 2500 gpd). You indicated in our discussion today, however, that because the proposed well will not serve a "public water system" (10 or more homes), the water right can be filed as "domestic." Accordingly, a public water system number issued by DEQ is not required. Please amend the water right application to indicate "domestice" versus municipal.

Robert:

Please verify via your e-mail response to Greg that I am your agent. Greg needs this confirmation.

Thanks.

Marty

Martin E. Taylor, AICP
Land Use Planning, Design and Entitlements
Member -- *American Institute of Certified Planners*

James A. Sewell & Associates
Consulting Engineers, Surveyors and Land Use Planners
1205 Highway 2, Suite 101
Sandpoint, Idaho 83864
Office: 208-263-4160
Fax: 208-263-5229

9/15/2005

Taylor, Greg

From: Marty Taylor [mtaylor@jasewell.com]
Sent: Thursday, September 15, 2005 11:16 AM
To: Robert Myers (Alpine Lumber) (E-mail); IDWR (Greg Taylor) (E-mail)
Subject: Upper Syringa Project Water Right Application

Greg:

The referenced water right application applies to one well serving 9 or fewer single family residences. According to the instructions for filing a water right application, this well is defined as "municipal" (serves more than 2500 gpd). You indicated in our discussion today, however, that because the proposed well will not serve a "public water system" (10 or more homes), the water right can be filed as "domestic." Accordingly, a public water system number issued by DEQ is not required. Please amend the water right application to indicate "domestic" versus municipal.

Robert:

Please verify via your e-mail response to Greg that I am your agent. Greg needs this confirmation.

Thanks.

Marty

Martin E. Taylor, AICP
Land Use Planning, Design and Entitlements
Member -- *American Institute of Certified Planners*

James A. Sewell & Associates
Consulting Engineers, Surveyors and Land Use Planners
1205 Highway 2, Suite 101
Sandpoint, Idaho 83864
Office: 208-263-4160
Fax: 208-263-5229
Cell: 208-610-0465

9/15/2005

JAMES A. SEWELL & ASSOCIATES

Consulting Engineers, Land Surveyors & Land Use Planners

Newport

600 4th Street West
Newport, Washington 99156
(509) 447-3626 (208)437-2641
(509) 447-2112 Fax

Sandpoint

1205 West Highway 2, Suite 101
Sandpoint, Idaho 83864
(208)263-4160
(208)263-5229 Fax

Spokane

9 South Washington, Suite 708
Spokane, Washington 99201
(509) 747-5794
Fax (509) 747-5798

*Civil Engineering *Electrical Engineering *Land Surveying *Building Inspection * Land Use Planning

September 1, 2005

Idaho Department of Water Resources - Northern Region
1910 Northwest Boulevard, Suite 210
Coeur d'Alene, Idaho 83814

SUBJECT: Timberline Forest Products (Robert Myers) Water Right Application


Dear staff:

Enclosed please find the referenced application requesting to appropriate 0.2 cfs of groundwater intended to serve a residential subdivision of not more than nine lots. As Mr. Myers' representative, please forward all correspondence to my attention at the Sandpoint office noted above.

I appreciate your assistance.

Sincerely,

JAMES A. SEWELL & ASSOCIATES



Martin E. Taylor, AICP
Certified Land Use Planner

Enclosure: Application for Permit
\$100.00 filing fee