

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 87-10040

Priority: January 24, 2005

Maximum Diversion Rate: 0.12 CFS

This is to certify, that UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.12 CFS
STOCKWATER	01/01 to 12/31	0.04 CFS
INDUSTRIAL	01/01 to 12/31	0.12 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER SW¼ SE¼ Sec. 34, Twp 38N, Rge 05W, B.M. LATAH County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
38N 05W 34															X		

PLACE OF USE: FIRE PROTECTION, STOCKWATER and INDUSTRIAL

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
37N 05W 3		X	X		X			X									
38N 05W 34													X		X		

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 87-10040

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **October 01, 2010**.
2. Subject to all prior water rights.
3. Domestic use is for restroom facilities.
4. Stockwater use is for 30 range cattle.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
7. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
8. Industrial use is for mixing chemicals for agricultural research.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 27th day of October, 2005.


FOR KARL J DREHER, Director

RECEIVED

71850

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JAN 24 2005

IDWR/North

18 2005

DEPARTMENT OF
WATER RESOURCES

1. Name of Applicant Regents of the University of Idaho Phone 208 885-6668
Mailing address c/o G. Billington PO Box 443162 Moscow ID 83844-3162
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is Township 38N Range 5W Sec. 34, in the SW 1/4,
SE 1/4, _____ Govt. Lot _____, B.M., Latah County;

additional points of diversion if any:

4. Water will be used for the following purposes:

Amount 0.12 for Research purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.12 for Fireprotection purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.12 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works: well & pump

a. Describe type and size of devices used to divert water from the source _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet

c. Proposed well diameter is 8" inches; proposed depth of well is 300-500 feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. 30 cattle

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. Restroom facilities

e. Other; describe fully. Research involves mixing chemicals with water which is applied to various plant stands

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
38W	5W	34																	
37N	5W	3		RS	RS		RS		RS								SR	DR	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? App'l

b. Who owns the land to be irrigated or place of use? App'l

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Melinda Hult Water Systems Manager
Signature of Applicant (and title, if applicable)

Received by db Date 6/9/04 Time 1:45p Preliminary check by _____
Fee \$ 100.00 Received by db # N016338 Date 6/9/04
Publication prepared by db Date 3/30/05 Published in Moscow Pullman Daily News 4/7 + 14/05
Publication approved db Date 4/19/05

28457

34

2752

27577

well location

2138

flatt
grass

2775

3

2727



SEC 34 T38N RSW - NORTH PART OF FIELD
SEC 3 T37N RSW - SOUTH PART OF FIELD

2845 T

RECEIVED
AUG 19 2004
IDWR/North

34

2752

2757

Proposed well

2738



2775

3

2727

Ident. No. 87-10040

71850
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

RECEIVED
JUN 09 2004
IDWR/North

1. Name of Applicant University of Idaho Regents Phone 208-885-6468
Mailing address % 6 Billington P.O. Box 443162 Moscow, ID 83844-3162
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is Township 38 N Range 5 W Sec. 34, in the SW $\frac{1}{4}$, SE $\frac{1}{4}$, SE $\frac{1}{4}$, Govt. Lot _____, B.M., LATAH County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 04 for Livestock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 for FIRE PROTECTION purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .12 for Research purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .12 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Submersible pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet

c. Proposed well diameter is 8" inches; proposed depth of well is 300-500 feet

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. VARIES 20-30 cattle
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. Bathrooms - 1 Home
- e. Other; describe fully. FARMING OPERATIONS

RECEIVED
AUG 19 2004
IDWR/North

RECEIVED
JAN 24 2005
IDWR/North

9. Description of place of use

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
38N	5W	34															D		
"	"	"															I	I	
"	"	"															F	F	
"	"	"															S	S	
37N	5W	3		I	I	S		S											
				S	S	I		I											
				F	F	F		F											

Total number of acres to be irrigated

= Research

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion?

University of Idaho Regents

b. Who owns the land to be irrigated or place of use?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: Well could be moved to 37N, 5W, Sec 3 if Aquifer is determined to be in that area

300 ACRES is where chemicals mixed with water will be applied this is what is marked AS INDUSTRIAL

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]

Signature of Applicant (and title, if applicable)

WATER SYSTEMS

MANAGER

Received by

[Signature]

Date

6/9/04

Time

1:45 p

Preliminary check by

Fee \$

100.00

Received by

[Signature]

NA16338

Date

6/9/04

Publication prepared by

Date

Published in

Publication approved

Date

**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

October 31, 2005

UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162

RE: Permit No. 87-10040

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley W. Keen". The signature is fluid and cursive, with the first name "Shelley" being the most prominent.

Shelley W. Keen

Water Rights Supervisor

SWK:klf

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on October 31, 2005 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

87-10040

**UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162**

A handwritten signature in black ink, appearing to read "Karl Lynn Townsend", is written over a horizontal line.

**Karl Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

Date: October 27, 2005
To: Water Right File 87-10040
From: eretelle
Re: permit review

No moratorium or WD.

No protest or overlap.

Evaluated by Palouse Basin Aquifer Committee - ok.

Purpose of use adjusted to INDUSTRIAL from SEE REMARKS. Industrial is the standard beneficial use that most closely matches the applicant's intentions.

Recommend approval as suggested by IDWR Northern.

Haynes, Bob

Subject: FW: PBAC Review of Two Water Right Applications

RECEIVED

OCT 18 2005

**DEPARTMENT OF
WATER RESOURCES**

From: Larry Kirkland [mailto:larryk@uidaho.edu]

Sent: Friday, June 17, 2005 9:34 AM

To: Bob Haynes (bhaynes@idwr.state.id.us)

Subject: PBAC Review of Two Water Right Applications

Bob,

My apology that I have been so slow getting back to you regarding the two small water right applications you sent for PBAC to review.

In accordance with the PBAC directive to review small, shallow aquifer water right applications apart from a regular committee meeting review,

I have reviewed the UI water right application for a shallow well near Genesee (State # 71850 and ID # 87-10040) and the Shumway application for a water right north of Moscow on the western extension of the Moscow Mountain granite (State # 71845 and ID # 87-10039). PBAC has no objection to approving both applications for the following reasons:

1. Neither is really in the critical area of the Palouse Basin defined by the basalt in the Moscow sub-basin.
2. Both are very small applications.
3. Neither well will be in the critical Grande Ronde aquifer system or impacting water that might contribute recharge to the Grande Ronde aquifer system.

If you have any questions, please contact me.

Larry Kirkland
Executive Secretary
Palouse Basin Aquifer Committee
310 Mines (208)885-4569 larryk@uidaho.edu
PO BOX 443011
MOSCOW, ID 83844-3011

9/9/2005

NEWS REVIEW PUBLISHING COMPANY
The Moscow-Pullman Daily News
409 S Jackston St., P.O.Box 8187
Moscow, Idaho 83843
(208) 743-9411

LEGAL ADVERTISING
INVOICE

Date 04/14/2005 INVOICE NO. 386623
Account No. 30010311
Description Permit No 87 10039 87
Times 2 Lines 1
Tab. Lines _____

SOLD TO: IDAHO DEPT/ WATER RESOURCES
1910 NORTHWEST BLVD #210
COEUR D AL ID 83814

\$ 111.54

NOTICE: This is an invoice of Purchase made by you. Statement will be rendered the first of the month.
Please Retain This Invoice as Your Statement Will Refer to Invoice by No. Only.

RECEIVED
APR 18 2005
IDWR/North

386623
PUBLIC NOTICE
The following application(s)
have been filed to appropriate
the public waters of the State of
Idaho:
87-10039
RICHARD E SHUMWAY
PO BOX 8877
MOSCOW ID 83843
Point(s) of Diversion SESENW
S17 T40N R05W LATAH County
Source GROUND WATER
Use: DOMESTIC 01/01 To 12/31
0.06 CFS

Total Diversion: 0.06 CFS
Date Filed: 02/14/2005
Place Of Use: DOMESTIC T40N
R05W S17 SENW
Remark: Domestic use is for 1
home.

87-10040
UNIVERSITY OF IDAHO
REGENTS
C/O GERARD BILLINGTON
FINANCE &
ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162
Point(s) of Diversion SWSE S34
T38N R05W LATAH County
Source GROUND WATER
Use: STOCKWATER 01/01 To
12/31 0.04 CFS
Use: DOMESTIC 01/01 To 12/31
0.04 CFS
Use: FIRE PROTECTION 01/01
To 12/31 0.12 CFS
Use: SEE REMARKS 01/01 To
12/31 0.12 CFS

Total Diversion: 0.12 CFS
Date Filed: 01/24/2005
Place Of Use: DOMESTIC T38N
R05W S34 SWSE
Place Of Use: FIRE PROTEC-
TION

T37N R05W S3 NWNE
SWNE NENW SENW
T38N R05W S34 NWSE
SWSE
Place Of Use: STOCKWATER
same as FIRE PROTECTION
Place Of Use: SEE REMARKS*
same as FIRE PROTECTION
Remark: Domestic use is for
restroom facilities.

SEE REMARKS* - This use is
for research involving mixing
chemicals with water which is
applied to various plant stands.

Permits will be subject to all
prior water rights. Protests may
be submitted based on the crite-
ria of Sec 42-203A, Idaho Code.
Any protest against the approval
of this application must be filed
with the Director, Dept. of Water
Resource, Northern Region,
1910 Northwest Blvd, Suite 210,
Coeur D' Alene ID 83814 togeth-
er with a protest fee of \$25.00 for
each application on or before
04/25/2005. The protestant
must also send a copy of the
protest to the applicant.

KARL J DREHER, Director
April 7, 14, 2005

OK to pay

AFFIDAVIT OF PUBLICATION

Lorraine Hudson, Legal Clerk
being first duly sworn, on oath deposes
and says: That she is the printer of
Moscow-Pullman Daily News, a newspaper
of general circulation, printed and published
daily except Sunday at Mosocw, Latah County,
Idaho, in compliance with Sections 60-106,
60-107, and 60-108 of the Idaho Code and the
amendments thereto: that the notice of which the
annexed is a full, true and correct printed
copy was published in the regular and entire
issues of said newspaper and not in a
supplement thereto, upon the following dates:

April 7, 14, 2005
the same being the date designated for
the publication of said notice.

Lorraine Hudson


State of Idaho

S.S.

County of Latah

On this 14 day of April
in the year of 2005, before me, a Notary Public,
personally appeared Lorraine Hudson,
known or identified to me to be the person
whose name subscribed to the within instrument,
and being by me first duly sworn, declared that
the statements therein are true, and acknowledged
to me that he executed the same.

Heather Frazier
Notary Public for Idaho,
Residing at Moscow, Idaho
My Commission Expires 10/02/06



The following application(s) have been filed to appropriate the public waters of the State of Idaho:

87-10039

RICHARD E SHUMWAY
PO BOX 8877
MOSCOW ID 83843

Point(s) of Diversion SESENW S17 T40N R05W LATAH County

Source GROUND WATER

Use: DOMESTIC 01/01 To 12/31 0.06 CFS

Total Diversion: 0.06 CFS

Date Filed: 02/14/2005

Place Of Use: DOMESTIC T40N R05W S17 SENW

Remark: Domestic use is for 1 home.

87-10040

UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162

Point(s) of Diversion SWSE S34 T38N R05W LATAH County

Source GROUND WATER

Use: STOCKWATER 01/01 To 12/31 0.04 CFS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Use: FIRE PROTECTION 01/01 To 12/31 0.12 CFS

Use: SEE REMARKS 01/01 To 12/31 0.12 CFS

Total Diversion: 0.12 CFS

Date Filed: 01/24/2005

Place Of Use: DOMESTIC T38N R05W S34 SWSE

Place Of Use: FIRE PROTECTION

T37N R05W S3 NWNE SWNE NENW SENW

T38N R05W S34 NWSE SWSE

Place Of Use: STOCKWATER same as FIRE PROTECTION

Place Of Use: SEE REMARKS* same as FIRE PROTECTION

Remark: Domestic use is for restroom facilities.

SEE REMARKS* - This use is for research involving mixing chemicals
with water which is applied to various plant stands.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 04/25/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published on April 7 and 14, 2005.

DEPARTMENT OF WATER RESOURCES

1910 NORTHWEST BLVD., SUITE 210
COEUR D'ALENE ID 83814
Phone 208-769-1450 - FAX - 208-769-1454

March 30, 2005

Please FAX a PROOF COPY prior to publication.

Thanks!! Dianne

LORRAINE HUDSON
LEGAL NOTICE DEPARTMENT
MOSCOW-PULLMAN DAILY NEWS
PO BOX 8187
MOSCOW ID 83843-8187

e-mailed to legals@dnews.com

RE: Application for Permit No. 87-10039 and 87-10040

Dear Lorraine:

Following this "cover letter", you will find a legal notice which we wish to have published in your newspaper on the dates indicated, April 7 and 14, 2005, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please try to keep it to no more than 2 columns. The last 2 paragraphs should "word-wrap" down easily enough. **Let me know if you have any problems.**

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 04/25/2005. Your cooperation is, as always, GREATLY appreciated.

Thank you,
Sincerely

Dianne

Dianne Ball
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

87-10039

RICHARD E SHUMWAY
PO BOX 8877
MOSCOW ID 83843

Point(s) of Diversion SESENW S17 T40N R05W LATAH County
Source GROUND WATER

Use: DOMESTIC 01/01 To 12/31 0.06 CFS
Total Diversion: 0.06 CFS

Date Filed: 02/25/2005

Place Of Use: DOMESTIC T40N R05W S17 SENW

Remark: Domestic use is for 1 home.

87-10040 .

UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162

Point(s) of Diversion SWSE S34 T38N R05W LATAH County
Source GROUND WATER

Use: STOCKWATER 01/01 To 12/31 0.04 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Use: FIRE PROTECTION 01/01 To 12/31 0.12 CFS
Use: SEE REMARKS 01/01 To 12/31 0.12 CFS
Total Diversion: 0.12 CFS

Date Filed: 01/24/2005

Place Of Use: DOMESTIC T38N R05W S34 SWSE

Place Of Use: FIRE PROTECTION

T37N R05W S3 NWNE SWNE NENW SENW
T38N R05W S34 NWSE SWSE

Place Of Use: STOCKWATER same as FIRE PROTECTION

Place Of Use: SEE REMARKS* same as FIRE PROTECTION

Remark: Domestic use is for restroom facilities.

SEE REMARKS* - This use is for research involving mixing chemicals
with water which is applied to various plant stands.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A,
Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource,
Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00
for each application on or before 04/25/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published on April 7 and 14, 2005.



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 30, 2005

UNIVERSITY OF IDAHO REGENTS
C/O GERARD BILLINGTON
FINANCE & ADMINISTRATION
PO BOX 443162
MOSCOW ID 83844-3162

RE: Application for Permit No 87-10040

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Moscow Pullman Daily News on April 7 and 14, 2005. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Robert G. Haynes, P.E.
Regional Manager

Enclosure(s) - Receipt No. N016338



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 23, 2005

MICHAEL HOLTHAUS
WATER SYSTEMS MANAGER
UNIVERSITY OF IDAHO
PO BOX 442281
MOSCOW ID 83844-2281

Re: Application for Permit for University of Idaho Regents

Dear Mr. Holthaus:

Enclosed is a modified Application for Permit that I have filled out on your behalf, to include the Research category use. Please sign the application and return it to me as soon as possible.

We are in the process of preparing the application for publication in the Moscow Pullman Daily News. If everything goes as planned, it should publish the 7th and 14th of April.

If you have any questions, please give me a call.

Sincerely,

A handwritten signature in black ink that reads "Robert G. Haynes".

Robert G. Haynes, P.E.
Regional Manager

Enc.

db

University of Idaho

FACILITIES

P.O. Box 442281
Moscow, Idaho 83844-2281

RECEIVED
JAN 24 2005
IDWR/North

January 21, 2005

Allen Beardslee
IDWR
Suite No. 210
1910 Northwest Blvd.
Coeur d' Alene, Id 83814-2615

RE: Application for Permit

Dear Mr. Beardslee:


The University of Idaho's long range goal for this area is to move operations from the Parker Farm to this site. The first of this is the farm operations. The first building will be a pesticide storage and mixing building. The moving of these operations may take five to ten years or longer.

Parker Farm also houses the University's tree farm. This operation may or may not move to Genesee, but on the chance that it will, we have included irrigation on the application. For the time being the water will be used for the mixing of pesticides and fertilizer.

There are no plans for a residence on this new site, but there is for restroom facilities.

If you have any questions, please feel free to call me at 208-885-6288.

Sincerely,



Michael Holthaus
Water Systems Manager
University of Idaho



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREIER
DIRECTOR

January 4, 2005

University of Idaho Regents
PO Box 443162
Moscow, ID 83844-3162

RE: Application for Permit

Gentlemen:

We are returning your Application for Permit, as it is not acceptable at this time. Please mark the map appropriately to show where the water will be used.

Please contact our office and either Bob Haynes or I will be glad to assist you with the items on your filing that are incomplete, or need clarification.

Sincerely,

Allen Beardslee
Sr. Water Resource Agent

sb/sr

RECEIVED

JAN 05 2005

Administrative Affairs

RECEIVED

JAN 24 2005

IDWR/North