

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 73-12043

Priority: March 22, 2005

Maximum Diversion Rate: 0.02 CFS

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
SALMON DISTRICT
50 HWY 93 S
SALMON ID 83467

has applied for a permit to appropriate water from:

Source: FALLS CREEK

Tributary: PAHSIMEROI RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
WILDLIFE	01/01 to 12/31	0.02 CFS

LOCATION OF POINT OF DIVERSION:

FALLS CREEK L6 (SW¼NE¼NE¼) Sec. 6, Twp 14N, Rge 23E, B.M., LEMHI County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14N 22E 1		X						X									
		L 2															
14N 22E 3									X								
14N 22E 12															X		
14N 22E 13			X														
14N 23E 6									X								
14N 23E 7								X									

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **September 01, 2008**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Use of water under this right will be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 73.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 73-12043

5. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.
6. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening requirements of the Idaho Department of Fish and Game.
7. Stockwater use is for 35 horses and 280 range cattle.
8. The use authorized under this right shall not exceed 13,000 gallons per day.
9. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
10. Project also known as Falls Creek Pipeline.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 12th day of September, 2005.


F&R KARL J DREHER, Director