

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 95-09275

Priority: May 25, 2005

Maximum Diversion Rate: 0.14 CFS

This is to certify, that GORDON SYLTE
And/Or
MICHAEL ROBERTS
And/Or
JOHN SYLTE
C/O GORDON SYLTE
8626 W SYLTE RANCH RD
RATHDRUM ID 83858

have applied for a permit to appropriate water from:

Source: SPRINGS

Tributary: SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.08 CFS
IRRIGATION	03/15 to 11/15	0.06 CFS

LOCATION OF POINTS OF DIVERSION:

SPRING	L3 (NW¼NW¼SW¼)	Sec. 30, Twp 52N, Rge 04W, B.M., KOOTENAI County
SPRING	L3 (NW¼NW¼SW¼)	Sec. 30, Twp 52N, Rge 04W, B.M., KOOTENAI County
SPRING	L3 (NW¼NW¼SW¼)	Sec. 30, Twp 52N, Rge 04W, B.M., KOOTENAI County
SPRING	L3 (NW¼NW¼SW¼)	Sec. 30, Twp 52N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N 04W 30											X						
											L 3						

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
52N 04W 30											2.0						
											L 3						

Total Acres: 2

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 01, 2010**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 95-09275

4. Domestic use is for 3 homes. Irrigation of lawns, gardens and landscaping associated with the homes is authorized under the irrigation component of this right.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 8th day of August, 2005.


FOR KARL J DREHER, Director