

RECEIVED

FEB 28 2005

DEPARTMENT OF
WATER RESOURCES

February 24, 2005

Erin Retelle, Water Resources Agent
State of Idaho
Department of Water Resources
322 E. Front St.
P.O. Box 83720
Boise, ID 83720

Subject: Water Appropriation Permit 22-7304

Dear Ms. Retelle:

It was a pleasure talking with you by phone on February 24, 2005 regarding Permit 22-7304 and its measurement device condition. Thank you for contacting me regarding this matter. In your letter of October 18, 2004 you noted that we would have 120 days to resolve the installation condition and that if we needed more time, to contact you and request an extension to complete compliance with the measurement device condition.

It is the intention of Galloway Hills Association to proceed with installation of the required measurement device when weather conditions permit such work. The site where the installation needs to be done is not accessible by road and throughout the winter months approximately 2 feet of snow covers the ground in that area. When the spring thaw and dry-out period is completed, we will be able to access the site and proceed with installation. I would estimate that at least 120 additional days of time will be needed to reach the thaw, dry-out and installation situation. Upon completion of the work, we will submit to you confirmation that the installation has been finished.

Again, thank you for your cooperation and assistance in this matter.

Sincerely,



Richard Smith, President
Galloway Hills Association
P.O. Box 38
Tetonia, ID 83452
ph. 208.456.2118
e-mail rsmith@tetontel.com