

Keen, Shelley

TO FILE 37-8821

From: Keen, Shelley
Sent: Friday, July 22, 2005 4:33 PM
To: 'Christian Petrich'
Cc: 'jimspeck@cox-internet.com'
Subject: RE: Adjudication Claim 37-21114

Christian,

The consensus at IDWR is that it would be better to amend the adjudication claim to show the mitigation use than to file an application for transfer. I have already sent notice to Doug Jones at Southern Region that he can probably expect to see an amended claim. Please call if you want to discuss the details of an amended claim.

Shelley Keen
Water Right Permits Section
Idaho Dept. of Water Resources
208-287-4947
shelley.keen@idwr.idaho.gov

-----Original Message-----

From: Christian Petrich [mailto:CPetrich@spfwater.com]
Sent: Wednesday, July 20, 2005 9:39 AM
To: shelley.keen@idwr.idaho.gov
Subject: Adjudication Claim 37-21114

Shelley,

Adjudication Claim 37-21114 is being used for mitigation at Woodside School and the Hailey High School and Woodside Elementary School. There is a note in the Conditions for Approval that states "The use remains listed as irrigation, as a transfer of nature of use has not been filed as of this date - VH." Would you recommend that we file a transfer of nature of use at this time for the acres being used for mitigation, or wait until the adjudication is complete?

Regards,
Christian

Christian R. Petrich, Ph.D., P.E.
SPF Water Engineering, LLC
600 East River Park Lane, Suite 105
Boise, ID 83706
Tel: 208-383-4140
Fax: 208-383-4156
Cell: 208-869-4569

SPF Project: 322.0010

7/22/2005