

J. R. Simplot Company
Application for Fire Protection Permit
Filed with IDWR January 22, 1998


Place of Use

Point of Diversion

**Map Coverage is Within
T.3S R.6E B.M.**

*no gov't lots
-82 1/23/98*

**MICROFILMED
MAY 15 1998**



FOR OFFICE USE ONLY
Amt. of Fee \$ 125.00
Receipt No. 068338
Receipt By: [Signature]
Date Received: 4-1-03

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APR - 1 2003

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 61-7743 Telephone No. 208-336-2110

2. Name of Permit Holder(s): J. R. Simplot Company

3. Mailing Address: PO Box 27

City Boise State ID Zip 83707

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. June / yr. 1998

Well Driller: Hiddleston & Son, Inc. Drilling Permit Number: 721856

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: Domestic Use is an office and scalehouse

6. Total rate of diversion and/or volume for which proof is submitted: 0.56 cfs 0.04 cfs Domestic cfs OR _____ acre-feet
Fire Protection

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Chuck Jones Telephone Number: 208-834-2231

Address: HC 85, Box 275, Grand View, ID 83624

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

J. R. Simplot Company

Signature of permit holder: By: [Signature] Date: March 28, 2003

(include your title, if on behalf of company or organization)

Ronald N. Graves, Senior Vice President,
Secretary and Chief Legal Officer

MICROFILMED

MAR 2 2003

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07743

Proposed Priority: January 22, 1998

Maximum Diversion Rate:

0.56 CFS

This is to certify, that J R SIMPLOT CO

PO BOX 27

BOISE ID 83707-0027

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS
FIRE PROTECTION	01/01 to 12/31	0.56 CFS
	Totals	0.56 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 16, Township 03S, Range 06E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03S 06E 16

NENE

NWNE

SWNE

SENE

NESE

NWSE

SWSE

SESE

PLACE OF USE: FIRE PROTECTION, same as DOMESTIC use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 2003.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
6. The daily diversion volume for the domestic use authorized under this right shall not exceed 0.04 cfs nor 2,500 gallons per day.
7. Domestic use is for an office and scalehouse.

NOTED

MAY 15 1998


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07743

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of March, 1998.



Karl J. Dreher, Director

for

MAY 15 1998

RECEIVED

MAR 18 1998

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JAN 22 1998

WATER RESOURCES
WESTERN REGION

1. Name of Applicant J.R. Simplot Company Phone (208) 336-2110
 Mailing address PO Box 27 Boise, ID 83707

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is Township 3S Range 6E Sec. 16 in the 1/4
SE 1/4, SE 1/4, Govt. Lot _____, B.M., Elmore County;
 additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount .56 cfs for Fire Protection purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .56 and/or (b) _____
 cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Submersible pump, pipeline,
and pressure tank

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
 reservoir capacity _____ acre-feet

c. Proposed well diameter is 14 inches; proposed depth of well is 800 feet

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? _____; Drilling firm _____
 Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. Domestic use will be for an office and scalehouse

e. Other; describe fully. Applicant is seeking permission to construct a 14 inch diameter well to
meet the water availability requirements of the Elmore County Fire Marshall.

place in "Comments"
 -gr 1/23/98

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (*example: D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? State of Idaho (See Remarks)
 b. Who owns the land to be irrigated or place of use? State of Idaho (See Remarks)
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: See Remarks (for d'entry use: Pending LEASE)

12. Remarks: The Applicant is exchanging land with the State of Idaho in accordance with
State of Idaho Miscellaneous Lease No. M-6054 and an Agreement to Initiate a Land
Exchange and Interim Lease between the Idaho Department of Lands and the J.R. Simplot
Company.

REMARKS: Use will be limited to 2,500 gallons/day except for fire emergencies.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

* per Iowa standards & telecoms with
Vic Conrad of J.A. Simplot Co. prior
to filing of this Application.
-gc 1/23/98

J.R. ~~Simplot~~ Company

By: _____
Signature of Applicant (and title, if applicable)
VICE PRESIDENT & CONTROLLER

Received by SR Date 1/22/98 Time 4:10 Preliminary check by SR
 Fee \$ 100 Received by SR # W123392 Date 1/22/98
 Publication prepared by SR Date 1-26-98 Published in Mountain Home News
 Publication approved SR Date 1-27-98 # 2-9-11-98

J. R. Simplot Company
Application for Fire Protection Permit
Filed with IDWR January 22, 1998

Place of Use
Point of Diversion

Map Coverage is Within T.3S R.6E B.M.

No gov't lots - 8/23/98

MAY 15 1998

J. R. Simplot Company
Application for Fire Protection Permit
Filed with IDWR January 22, 1998

Place of Use
Point of Diversion

Map Coverage is Within T.3S R.6E B.M.

No gov't lots - 8/23/98

MAY 15 1998

Ident. No. 61-07743

Comments: Date: 1/27/1998 User-ID: STAYLOR

Subject: Land Exchange

The applicant is exchanging land with the State of Idaho in accordance with State of Idaho Miscellaneous Lease No. M-6054 and an agreement to initiate a land exchange and interim lease between the ID Dept of Lands and the J.R. Simplot Co.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

May 1, 2003

VIC CONRAD
J R SIMPLOT CO
PO BOX 27
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-7743 & 61-7744

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use forms submitted for the above referenced permits. I am enclosing copies of the proofs you filed. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial uses.

Be advised that Section 42-248, Idaho Code, requires you or the owner of these water rights to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the Western Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Enclosures

c: IDWR - Regional Office

MICROFILMED
MAY 21 2003

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No. 61-7743

Reviewed By. dgibson

Date April 30, 2003

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No		721856
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		C068338	Well driller's report filed?		X
Additional Amount Due			Measuring device required?		X
Name and address same as permit?	X		Measuring device installed?		
Are the water uses correct?	X		Measure device waiver requested?		

Priority Calculation

Date proof received	04/01/2003
Date proof due	- 04/01/2003
Lapse notice sent	-
No of days late	= 0
Holiday allowance	+
Priority date	+ 01/22/1998
New priority date	= 01/22/1998

Deficiencies of Actions Items

Acknowledge proof.

J R SIMPLOT COMPANY ONE CAPITAL CENTER 999 MAIN STREET SUITE 1300
PO BOX 27 BOISE, IDAHO 83707-0027 (208) 336-2110 FAX (208) 389-7515

CORPORATE HEADQUARTERS

RECEIVED

APR - 1 2003

Department of Water Resources

April 1, 2003

Delivery

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau
State of Idaho
Department of Water Resources
1301 N. Orchard Street
Boise, ID 83706


Re: IDWR Permit Nos. 61-7743 and 61-7744.

Dear Ms. Gibson:

Enclosed are the signed statements of Proof of Beneficial use for the above referenced permits. I am also enclosing a \$300.00 check to cover the licensing fees relating to these permits (\$125.00 for 61-7743 and \$175.00 for 61-7744).

Please provide the person making this delivery with a copy of this cover letter containing your date stamp indicating receipt. Should you have any questions about the enclosed statements please contact me.

Sincerely,



Vic Conrad
Land and Development

MICROFILMED
MAY 2 1 2003

January 31, 2003

J R SIMPLOT CO
999 MAIN ST STE 1300
PO BOX 27
BOISE, ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 61-7743

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 01, 2003. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures



MICROFILMED

MAY 2 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 19, 1998

J R SIMPLOT CO
PO BOX 27
BOISE ID 83707-0027

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07743

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.


Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure

5 1998

to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

REC-1


MAY 15 1993

CERTIFICATE OF MAILING

I hereby certify that on the 19th day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 61-07743

J R SIMPLOT CO
PO BOX 27
BOISE ID 83707-0027


Kari Lynn Townsend
Secretary

MAY 15 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MAY 15 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

NOT RECORDED
MAY 15 1998

- Concl

CONVERSATION MEMORANDUM

File No.: 61-07743

Date: 3/18/98

Name of Caller: Gary Spackman

Employee: Cindy Zimmerman

During the review of this application, it was noted that the Range identified in the POU did not match the map or the A/D.

I called Gary @ Western for disposition of this problem. Gary was not adverse to correcting this problem without re-advertising since this is a de minimus domestic and fire protection application.

I have corrected the database to reflect the correct Range.

MAY 15 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

MAR 18 1998

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: JE DATE: 1/23/98 APPLICATION: 61-7743

REQUIRED INFORMATION

already on file w/ IDWR

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Correct fee paid

Gov't. Lots:
N P/D
P/U

ADDITIONAL INFORMATION

Yes ADVERTISE REMARK(S)
(Reviewer identify which remarks)

N/A T FLAG CHANGED TO P FLAG

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
☐ ☒ Overlapping point of diversion.
☐ ☒ Critical groundwater area:
☒ ☐ Groundwater management area: *not Home ground - 2500 g/d ?*
☐ ☒ 1992 moratorium:
☐ ☒ Bull trout impact area
☐ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
☐ ☒ Copy to Dam Safety staff: (for any storage)
☐ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____ Date Response Received _____

SD-0604-2 Township: 03S		Range: 06E		Section: 16		Tract: NE		Lot:	
S	L	STATE		O	S	Max # Records		6	
E	O	Name		W	T	Priority		Use	
L	Tract T	Water Right No.	Last, First	N	AC	G	Date	Code	Desc
-	NENE	61-04142	WELLS, PHILIP I.	C	3	S	08/10/1956	01	IRR
-	NENE	61-04143	WELLS, PHILIP I.	C	20	S	01/01/1950	01	IRR
-	NENE	61-07531	STONE, EARLE R.	C		A	06/30/1983	10	COMMER
-			STONE, MARY A.	C					
-	NENE	61-07545	WELLS, PHILIP I.	C	25	A	06/29/1983	01	IRR
-								10	COMMER
-								43	DOMEST
-	NENE	61-07564	WELLS, PHILIP I.	C		A	10/01/1984	10	COMMER
-	NWNE	61-07638	FAR WEST	C		A	12/01/1989	10	COMMER

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

NO overlap 5E 1/4 P/u.

NO p/d overlap.

All of above ARE other uses/property.

the Applications listed above : Status

- 7531 .02 cfs } ground water, protected
 - 7564 .09 cfs }

also are } - 7545 .95 cfs irrig (45 ac), comm (.10 cfs), dom (.04 cfs)
 ground } - 7638 .04 cfs comm - this one remains on hold
 water } pending SRBA recommendation - might make
 Appl. N/A, ok to wait for that

SL 1/23/98

P/u

PROCESSING

APP. NO. 61-7743

YES NO

☒ ☒ In form for advertising:
☒ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☒ Fee amount, receipt number and date recorded on application:

*Maybe Gary
has a
preference &
Adv. Comm. control?*

SEND COPIES TO:

YES ☒ NO

☒ I.D. Health & Welfare
☒ I.D. District Health
☒ I.D. Fish & Game
☒ I.D. Lands

☒ YES ☒ NO

☒ U.S. BLM
☒ U.S. Forest Service
☒ Water Dist. #
☒ Other Adv. Comm. Control

*OK to just discuss & not
meeting instead of sending copies?*

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☒ Affidavit of publication received:
☒ ☒ Application published correctly: If not, record action taken.

☒ ☒ Publication dates and paper recorded on application:
☒ ☒ Final date for protest 2-23-98
☒ ☒ Protests received.
☒ ☒ Recommendations attached:
☒ ☒ Measuring device required:
☒ ☒ Measuring port required:
☒ ☒ Water delivered by water master? District #
☒ ☒ Special conditions of approval or cover letter: 077 Diversion of water
for domestic use is limited to 0.04 cfs and 2,500 gallons per day.

See below for additional information

Recommended Date or Priority 1/22/98

Recommended by: Gary Date: 3/16/98

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

Overlap - none for proposed well & new use.

Note that domestic p/w probably will be near RR tracks

*(50' ~~well~~ &/or JENG) since office/production but ok to leave for
entire legal to allow for maximum flexibility.*

N/Z/NK

NOTICE OF APP. ON
FOR WATER RIGHT

The following applications have been
filed to appropriate the public waters of
the State of Idaho:

61-07742

TINGLE, WALTER B
TINGLE, EVANGELINE
4530 N. 10TH W. ST.
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: NWSW Sec 11 T 03S R
06E in ELMORE County.
Use: Irrigation: (0.050 CFS)
Total Diversion: (0.050 CFS)
Date Filed: 10/30/1997
In: ELMORE County
T03S R06E S11 NWSW
1.5 ACRES TOTAL

This development predated creation
of the Mountain Home Groundwater
Management Area.

61-07743

J R SIMPLOT CO
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: SESE Sec 16 T 03S R
06E in ELMORE County.
Use: DOMESTIC: (0.040 CFS)
FIRE PROTECTION: (0.500 CFS)
Total Diversion: (0.500 CFS)
Date Filed: 1/22/1998
In: ELMORE County
T03S R03E S16 NENE NWNE
SWNE SENE NESE NWSE SWSE
SESE

Use will be limited to 2,500
gallons/day except for fire emergencies.

61-07744

J R SIMPLOT CO
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: NWSW Sec 27 T 04S R
03E in ELMORE County.
Use: STOCKWATER: (3.340 CFS)
Total Diversion: (3.340 CFS)
Date Filed: 1/22/1998
In: ELMORE County
T04S R03E S27 NESW NWSW Lot
4 (SWSW) Lot 3 (SESW) NWSE Lot 2
(SWSE) S24 NENE NWNE SWNE
SENE NENW NWNW NESE SESE
S35 NWNW SWNW NESW NWSW
SWSW SESW NWSE SWSE T06S
R03E S02 Lot 3 (NENW) NWNW
SWNW SENW NESW NWSW

Permits will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code. Any protest against the
approval of this application must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 togeth-
er with a protest fee of \$25.00 on or
before FEBRUARY 23, 1998. The
protestant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director
First publication February 4, 1998.
Last publication February 11, 1998.

RECEIVED

FEB 23 1998

WATER RESOURCES
WESTERN REGION

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-

cation having been made on 4th day of

February, 1998, and the last publi-

cation having been made on the 11th day of

February, 1998, every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 11th day of

February, 1998

Cynthia A. Roberts
Notary Public

NOTARY PUBLIC

Residing in Mountain Home, Elmore County, Ida-
my commission expires 09/09/02



J R SIMPLOT COMPANY ONE CAPITAL CENTER 999 MAIN STREET SUITE 1300
P O BOX 27 BOISE, IDAHO 83707-0027 (208) 336-2110 FAX (208) 389-7515

CORPORATE HEADQUARTERS

January 22, 1998

RECEIVED

JAN 22 1998

**WATER RESOURCES
WESTERN REGION**

HAND DELIVERY

Gary Spackman, Manager
State of Idaho
Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705-5082

Re: Application for Permit - Domestic & Fire Protection.

Dear Gary:

Enclosed is a permit application requesting permission to divert up to .56 c.f.s. from a 14 inch diameter well within the Mountain Home Groundwater Management Area for domestic use and to meet the Elmore County Fire Marshall's water requirements for fire protection. Also enclosed is a \$100.00 check to cover your application fee.

Should you have any questions about the application please contact me. My phone number is 389-7359.

Sincerely,

Vic Conrad
Simplot Land and Development

Enclosures

MAY 15 1998

61-07743

J R SIMPLOT CO
PO BOX 27
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: SESE Sec 16 T 03S R 06E in ELMORE County.

Use: DOMESTIC	(	0.040 CFS)
FIRE PROTECTION	(	0.560 CFS)
Total Diversion:	(	0.560 CFS)

Date Filed: 1/22/1998

In: ELMORE County				
T03S R03E S16	NENE	NWNE	SWNE	SENE
	NESE	NWSE	SWSE	SESE

Use will be limited to 2,500 gallons/day except for fire emergencies.

MLP 3 - 1998