




Lockman Butte

Spring

To25
To35

Route 1

Canyon

Substation

47TH NORTH ST

LAMBERTON

BEAMAN

Borrow Pit

Gravel Pit

Trailer Park

MC MURTREY

Trailer Park


Water Tank

MICROFILM
JUN 26 1998

61-7742

Tingle

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

Plu is entire 210' X 290' lot

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3		Berkeley	SN# B5425-17
					model 30 B5425-17

*Code to correspond with No. on map and aerial photo

static water at 58', pump at 273'

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

MICROFILMED

JUN 09 1999



T3S
R6E
Sec. 11
NWSW

No Gov. Lots

P/u

P/D
Well

W 47 1/2 N

W 39 N

N 10 1/2 W

Canyon Creek
Road

61-07742

MICROFILMED
JUN 09 1999

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well was used for domestic and 1.5 Ac. of irrigation since it was first drilled. WR 61-07742 was filed to cover the existing irrigation use beyond the 1/2 Ac. allowed under domestic. The well is in Lot 10, Block 2, Someday Subdivision, and was located by Hiddleston as in SW NE Sec. 12 on their well Driller's Report.

Don Tomich Water Rights Examiner
Signature of Dept. Representative & Title

7-1-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

JUN 09 1999

1 of 3

P/D

well
and
hose
reel
by

driveway



P/D

well by
hose reel
by
driveway.

P/u

Front

lawn.



MICROFILMED

JUN 09 1999

61-07742

2 of 3

P/u

Front

lawn



P/u

Back

lawn



MICROFILMED

JUN 09 1999

61-07742

61-07942

MICROFILMED
JUN 9 1999

Plu
Trees
+
garden
in
back
yard.



3 of 3
Plu
Garden
in
back
yard

NOTICE OF APPLICATION
FOR WATER RIGHTS

The following applications have been
filed to appropriate the public waters of
the State of Idaho:

61-07742

TINGLE, WALTER B
TINGLE, EVANGELINE
4530 N. 10TH W. ST.
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: NWSW Sec 11 T 03S R
06E in ELMORE County.
Use: Irrigation: (0.050 CFS)
Total Diversion: (0.050 CFS)
Date Filed: 10/30/1997
In: ELMORE County
T03S R06E S11 NWSW
1.5 ACRES TOTAL

This development predated creation
of the Mountain Home Groundwater
Management Area.

61-07743

J R SIMPLOT CO
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: SESE Sec 16 T 03S R
06E in ELMORE County.
Use: DOMESTIC: (0.040 CFS)
FIRE PROTECTION: (0.560 CFS)
Total Diversion: (0.560 CFS)
Date Filed: 1/22/1998
In: ELMORE County
T03S R03E S16 NENE NWNE
SWNE SENE NESE NWSE SWSE
SESE

Use will be limited to 2,500
gallons/day except for fire emergencies.
61-07744

J R SIMPLOT CO
P.O. BOX 27
BOISE, ID 83707
Source: GROUNDWATER
Diversion Pt: NWSW Sec 27 T 04S R
03E in ELMORE County.
Use: STOCKWATER: (3.340 CFS)
Total Diversion: (3.340 CFS)
Date Filed: 1/22/1998
In: ELMORE County
T04S R03E S27 NESW NWSW Lot
4 (SWSW) Lot 3 (SESW) NWSE Lot 2
(SWSE) S34 NENE NWNE SWNE
SENE NENW NWNW NESE SESE
S35 NWNW SWNW NESW NWSW
SWSW SESW NWSE SWSE T05S
R03E S02 Lot 3 (NENW) NWNW
SWNW SENW NESW NWSW

Permits will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A,
Idaho Code. Any protest against the
approval of this application must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 togeth-
er with a protest fee of \$25.00 on or
before FEBRUARY 23, 1998. The
protestant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director
First publication February 4, 1998.
Last publication February 11, 1998.

RECEIVED

FEB 23 1998

WATER RESOURCES
WESTERN REGION

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-

cation having been made on 4th day of

February, 1998, and the last publi-

cation having been made on the 11th day of

February, 1998; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 11th day of


February, 1998

Cynthia A. Roberson
Notary Public

MICROFILMED

JUN 26 1998

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 09/09/2002



22.9

15
59.0

16
28.4

STATE
OF
IDAHO

35.0

1984

SW

EL
5

10 11
15 14

T313
227

MICROFILMED
JUN 26 1998

11.5

H
59.0

J
284.

1

1977

A
229.


10

15

14

A
8.0

MICROFILMED
JUN 26 1998



7 HEL
35.4

3-2

8
17.0 HEL

HEL

9 HEL
7.6

10
19.3 HEL

U.S.

10
11

23.5 HEL

12

9.2 HEL

13
6.6

T354
259

14

6.2 HEL

22.9

15

59.0

HEL

16

28.4

HEL

STATE
of
Idaho

56

T643

541

1987

35.0

T269
192

7.0

34.7 HEL

10
11

T313
227

15
14

MICROFILM

JUN 26 1998



1997



1978

MICROFILMED
JUN 26 1998



1982



1982



10/82



10/82

MICROFILMED
JUN 26 1998



10/82



State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 61-07742

Priority: October 30, 1997

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

6.0 AF

This is to certify, that EVANGELINE TINGLE
WALTER B TINGLE

4530 N 10TH W ST

MOUNTAIN HOME ID 83647

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 30, 1997; and has submitted Proof of Beneficial Use on April 24, 1998. An examination indicates that the works have a diversion capacity of 0.120 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	6.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 11, Township 03S, Range 06E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	06E	11	NWSW	1.5		1.5

Total number of acres irrigated: 1.5

CONDITIONS OF APPROVAL AND REMARKS

1. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.
2. This right when combined with all other rights shall provide no more than 0.05 cfs nor more than 6.0 afa at the field headgate for irrigation of the land described above.
3. Place of use is located within Lot 10, Blk. 2, Someday Subdivision.

MICROFILMED

JUN 3 4 1999


State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 61-07742

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 22nd day of

APRIL, 1997.


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 09 1993

RECEIVED

APR 24 1998

APR 24 1998

Department of Water Resources
**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

FOR OFFICE USE ONLY
Amt of Fee \$: 50.00
Receipt No 6042143
Receipt By: KS
Date Received: 4-24-98

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-07742 Telephone No. 587-3206
2. Name(s) of Permit Holder(s): Erangeline & Walter B Ingole
3. Mailing Address: 4530 N 10th W. St. Mt Home, Idaho 83647
4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. / yr. Pre 86
 - a. Well Driller: Hiddleston Drilling Drilling Permit Number: - -
 - b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock):
Irrigation (No. of acres): 1.5 Other:
6. Total rate of diversion and/or volume for which proof is submitted: .05 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>✓</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Walter B Ingole Telephone Number: 587-3206
Address: 4530 N 10th W. St. Mt Home, Idaho 83647
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Walter B Ingole Date: Apr 24 - 1998
(include your title, if on behalf of company of organization)

MICROFILMED

JUN 26 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07742

Proposed Priority: October 30, 1997 Maximum Diversion Rate: 0.05 CFS

This is to certify, that **EVANGELINE TINGLE**

WALTER B TINGLE

4530 N 10TH W ST

MOUNTAIN HOME ID 83647

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 10/31	0.05 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 11, Township 03S, Range 06E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	06E	11	NWSW	1.5		1.5

Total number of acres irrigated: 1.5

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1998**.
2. Subject to all prior water rights.
3. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. This right does not authorize the irrigation of land not previously irrigated.
7. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
8. Place of use is located within Lot 10, Blk. 2, Someday Subdivision.

MICROFILMED

JUN 26 1998


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07742

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

20 th day of March, 1998.


Karl J. Dreher, Director
for

MICROFILM

JUN 26 1998

RECEIVED

OCT 31 1997

FORM 202

1/96

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO

Ident. No. 61-07742

RECEIVED

DEPARTMENT OF WATER RESOURCES

RECEIVED

MAR 18 1998

APPLICATION FOR PERMIT

OCT 30 1997

To appropriate the public waters of the State of Idaho

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

1. Name of Applicant WALTER B Tingle OR EVANGELINE TINGLE Phone 587-3206
Post Office address 4530 N 10th W. ST. MTN Home, Ida 83647
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NW 1/4 of SW 1/4, Govt. Lot _____
Sec. 11 Township C3S Range 06E B.M. ELMORE County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
 - * Amount 0.02 for domestic purposes from 4/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
 - Amount 0.05 for irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)
 - Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 - Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.07 0.05 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. EXISTING WELL WITH PUMP TO HOME AND SPRINKLERS.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 380 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when 8-8-14 ^{Drilled} Drilling firm Hiddleston Drilling:
Well was drilled for (well owner) WALTER B Tingle
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity if KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. 1
 - e. Other; describe fully. _____

* domestic use decreed in SRBA 10/30/97 cz 11/11/98

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03 S	06 E	11.									1.5								1.5

Total number of acres to be irrigated 1.5

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? applicant

b. Who owns the land to be irrigated or place of use? applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enable the applicant to make this filing: _____

12. Remarks: PLACE OF USE is located within Lot 10, Blk. 2, Someday Sub Div
USE EXISTED PRIOR 1982 SEE ATTACHED EVIDENCE.

13. MAP OF PROPOSED PROJECT ATTACHED ☒ Show clearly the proposed point of diversion, place of use, section number, township and range number. (AERIAL PHOTOS)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walter B. Jorgle
 (Applicant)

Received by CS Date 10/30/97 Time 11:30 am. Preliminary check by CS
 Fee \$ 50.00 Receipted by CS # 2040522 Date 10/30/97
 Publication prepared by ST Date 1/28/98 Published in Min. Sun News
 Publication approved KG Date 2/27/98 2-4 #11-98

MAILED

JUN 7 6 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 23, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

EVANGELINE TINGLE
WALTER B TINGLE
4530 N 10TH W ST
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07742

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JUN 09 1999

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of April, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 61-07742

EVANGELINE TINGLE
WALTER B TINGLE
4530 N 10TH W ST
MOUNTAIN HOME ID 83647


Kari Lynn Townsend
Secretary

MICROFILMED

JUN 09 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

JUN 09 1999

B/U FIELD EXAM REVIEW

by *Cindy Lou*Permit #: 61-7742 Name: Tingle Date: 12/29/98 ✓ Lots ✓

NAME	Chng <u>✓</u> Same <u>✓</u>	Or Address Change?	
SOURCE	<u>✓</u>	Clarify source	
		Prelim. Order to Void - Source change.	
P/D	<u>✓</u>	Amendment Needed? Addn'l 1/4? <u>Legal</u>	P39
		Same 1/4? <u>W32</u>	P36
		Overlap(s) <u>none</u>	
P/U	<u>✓</u>	Amendment Needed?	P41
		Overlap(s) <u>none</u>	
		(Gov't use special ¶'s)	*P/D & P/U Amend? P37
RATE	<u>✓</u>	Permit/proof fee limits <u>0.05</u> / <u>0.20</u>	
		Measured Quantity = <u>none</u> cfs	Theoretical Quantity = <u>0.12</u> cfs
		~~all~~ <u>1.5 ac x 0.03 = 0.045 ≈ 0.05.</u>	
		(HP) <u>8.8 x 0.70 x 3</u>	
		<u>68 + (231 x 45) = 0.12</u> cfs	
	<u>✓</u>	Recommended capacity <u>0.12</u> cfs	
	<u>✓</u>	Recommended rate <u>0.05</u> cfs	
VOLUME	<u>✓</u>	Season: (<u>4.0</u>) <u>4/1-10/31</u> = <u>214</u> days	
		Calculations: <u>1.5 x 4.0 = 6.0 AF</u>	
	<u>✓</u>	Flow limit: <u>0.05</u> cfs x <u>214</u> days/yr. x 1 9835 = <u>21.2</u> AF	
		Recommended volume <u>6.0</u> AF	
USES	<u>✓</u>	Same Nature of Use?	P46
	<u>✓</u>	Amendment Needed?	
REMARKS	<u>✓</u>	Multiple p/d's in same 1/4? Use W32	
		<u>① LT 10 B2 Someday Subd. ② W31</u>	
CONDITIONS	<u>✓</u>	Measuring Device (R43) or Lockable Controlling Works (R02)	
		Watermaster Control (R04) - WD #	
	<u>✓</u>	Irrigation rate/annual volume overlap	
		GW irrigation replaces surface water (050)	
		GW irrigation supplements surface water (065)	
		Water Quality	
	<u>✓</u>	Other <u>120</u>	
PRIORITY	App Rcd <u>10/30/97</u>	Due <u>8/1/99</u>	Rcd <u>4/24/98</u>
	Receipt# <u>0042143</u>	Fee OK? <u>Yes</u> No <u>50</u>	
	Order to Reinstate Needed? <u>Yes</u> <u>No</u> Done?	Advanced to	
	Priority <u>10/30/97</u>	Examined <u>7/1/98</u>	

COMMENTS: license as permitted

USE	CFS	VOLUME
<u>Irrigation</u>	<u>0.05</u>	<u>6.0</u>
<u>/</u>	<u>/</u>	<u>/</u>
TOTAL	<u>0.05</u>	<u>6.0</u>

SRBA Overlap none
 Adjustment Memo
 LICENSE
 #1 AMEND: /P38
 #2 AMEND (R)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 25 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 61-07742

1. Owner: Walter B. & Evangeline Tingle Phone No. (208) 587-3206
Current Address: 4530 N 10th W St., Mountain Home ID 83647

2. Accompanied by: Walter Tingle EXAM DATE: 7-1-98

Address: (same) Phone No. _____

Relationship to Permit Holder: (same)

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use. None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	11	3S	6E	Elmore	Site Visit, Map


2. Place(s) of Use:

Indicate Method of Determination Site Visit, Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3S	6E	11											1.5					1.5 Ac.	

MICROFILMED
JUN 19 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = 100'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3		Berkeley	SN# BS425-17
					model 30 BS425-17

*Code to correspond with No. on map and aerial photo

static water at 58', pump at 273'

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MICROFILMED

2. Measurements: Name

1999



T3S
R6E

Sec. 11

NWSW

No Gov. Lots

P/D
Well

N 10th W

W 39 N

Canyon Creek
Road

MICROFILMED
09 1999

61-07742

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

Well drilled to 200' on 5/8/74.

Deepened to 380' on 12/1/77 to 12/2/77

1. DRILLING PERMIT NO: 7 NA OTHER APPLICABLE NO: 61-07742

2. OWNER: Walter B & Evangeline Tingle Phone: (208) 582-3206
Address: 4530 N 10th W St, Mountain Home, ID 83647

3. WELL LOCATION: Twp 3S, Rge. 6E, Sec. 11, NW 1/4 SW 1/4
County Elmore (Provide sketch map and photo on reverse.)

4. DRILLER: Hiddleston Drilling Lic. No. 35
When Drilled? to 200' on 5/8/74, deepened to 380' on 12/1/77
12/2/77

5. WELL CONSTRUCTION:

Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No

Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____

Depth of Casing 33 ft. Method Drilled Rotary

Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____

Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No

Condition of Piping and Valving Good

Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?

☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 50 ft. Water Temperature Cold °F

Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☒ Domestic ☒ Irrigation ☐ Stock MICROFILMED

☐ Test ☐ Municipal ☐ Industrial JUN 09 1999

☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used

☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well was used for domestic and 1.5 ac. of irrigation since it was first drilled. WR 61-07742 was filed to cover the existing irrigation use beyond the 1/2 ac. allowed under domestic. The well is in Lot 10, Blk 2, Someday Subdivision, and was located by Hiddleston 35 in SW NE, Sec. 12 on their well Driller's Report.

L. J. Zornich Water Rights Examiner
Signature of Dept. Representative & Title

7-1-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



UNRECORDED

JUL 14 1998

1 of 3

P/D

well

and

hose

reel

by

driveway



P/D

well by

hose reel

by

driveway.

Plu

Front

lawn.



MICROFILMED

JUN 09 1999

61-07742



2 of 3

P/u

Front

Lawn



P/u

Back

Lawn

MICROFILMED

JUN 14 1993

61-07742

3 of 3

P/n

Garden

in

back

yard



P/n

Trees

+

garden

in

back

yard.



MICROFILMED

JUN 09 1999

61-07742

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for 1.5 Ac. of irrigation on lot 10, BLK 2, Sunday Subdivision, 4530 N 10th W St., Mountain Home.

2. The well on this lot was drilled to 200' on 5/8/74, and deepened to 380' during 12/1/79 to 12/2/77. The irrigation system was installed in 1977-78, and was used since that time. The well is also used for domestic, and this permit is for the additional 1.5 Ac. not included in the 1/2 Ac. for domestic. The irrigation use existed prior to establishment of the Mountain Home GWMA.

3. The well irrigation system consists of mainlines and 13 sprinkler laterals operating at 35-45 psi. The system is controlled by a timer and irrigates the lawn and garden of the entire lot. The mainlines are 1 1/2" PVC, and the laterals are 1" PVC pipe. In addition, a hose reel is used along the driveway to the garage, for this portion of the lawn/yard. & the Shop Area.

4. No surface water is used on this lot.

5. The same well also supplies domestic water for the house.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

JUN 09 1999

Additional Computation Sheets Attached

$$C_{\text{allowed}} = (0.03 \frac{\text{cts}}{\text{Ar.}}) (1.5 \text{ Ar.})$$
$$= 0.05 \text{ cts}$$

$$Q = \frac{(8.8)(314)(902)}{58' + \left(\frac{350 \text{ psi}}{1} \right) \left(\frac{34'}{14.7 \text{ psi}} \right)}$$

$$= \underline{0.13 \text{ cfs}} > (0.05 + 0.04 \text{ cfs domestic})$$

$$= \underline{0.09 \text{ cfs total}}$$

VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{(1.5 \text{ Ac.}) (3.0 \frac{\text{AFI}}{\text{Ac.}})}{1} = 4.5 \text{ AFI}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{(0.05) (214) (1.9835)}{1} = 21.2 \text{ AFI}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.5 \text{ AFI}$$

$$\text{Irrigated AC.} = \left[(210')(290') - \frac{3200 \text{ ft}^2}{\text{House, etc.}} \right] \frac{AF}{(66)(66)(10) \text{ ft}^2}$$

$$= 1.32 \text{ AC.}$$

Allow the 1.5 AC. in permit

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	04/01	10/31	0.05	4.50
		Totals:	0.05	4.50

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Field Examiner's Name Don Tomick Date 11-16-98

Reviewer _____ Date _____

MICROFILMED
JUN 04 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

June 16, 1998

**KARL J. DREHER
DIRECTOR**

Evangeline Tingle
Walter Tingle
4530 N 10th W St
Mountain Home ID 83647

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07742

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
JUN 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 20, 1998

EVANGELINE TINGLE
WALTER B TINGLE
4530 N 10TH W ST
MOUNTAIN HOME ID 83647

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07742

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

RECORDED
JUN 26 1998

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in black ink that reads "Shelley W. Keen". The signature is fluid and cursive, with the first letters of each word being capitalized and prominent.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


RECEIVED
JUN 26 1998

CERTIFICATE OF MAILING

I hereby certify that on the 20th day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 61-07742

EVANGELINE TINGLE
WALTER B TINGLE
4530 N 10TH W ST
MOUNTAIN HOME ID 83647


Kari Lynn Townsend
Secretary

MAILED
MAR 26 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. **A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

WICHO LAMEL
JUN 26 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RECORDED
JUN 26 1998

NOT RECORDED
JUN 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JANUARY 28, 1998

Legal Notices Department
Mountain Home News
PO Box 1330
Mountain Home, ID 83647

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 23, 1998.

Yours truly,

A handwritten signature in cursive script, appearing to read 'Sue', is written over a horizontal line.

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MEMO-FILE

JUN 26 1998

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

JUN 21 1988

61-07742

TINGLE, WALTER B
TINGLE, EVANGELINE
4530 N 10TH W ST
MOUNTAIN HOME, ID 83647

Source: GROUNDWATER

Diversion Pt: NWSW Sec 11 T 03S R 06E in ELMORE County.

Use: IRRIGATION (0.050 CFS)
Total Diversion: (0.050 CFS)

Date Filed: 10/30/1997

In: ELMORE County
T03S R06E S11 NWSW

1.5 ACRES TOTAL

This development predated creation of the Mountain Home Ground-
water Management Area.

61-07742-ELMORE

1998 2 8 1938

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before FEBRUARY 23, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 2/ 4/1998 & 2/11/1998

1000-111
JUN 2 8 1998

MEMORANDUM

TO: File # 61-07742
FROM: Cindy Zimmerman
SUBJECT: Additional Evidence
DATE: October 30, 1997

Mr. & Mrs. Walter Tingle visited my office today at 11:30 am. They brought with them photographic evidence that irrigation occurred on their property prior to October 1982. The backs of the photos were stamped at processing with "OCT 82". One photo taken in the winter of 1978 shows newly planted trees and lawn. Another photo taken in May or June 1997 evidences the growth of the same trees and lawn.

The Tingle's also brought with them statements from Ron Hiddleston of Hiddleston Drilling and Tom Futch of Summer Rain Sprinkler. The statements affirm development of a well and sprinkler system from 1977 to 1978. They also brought with them copies of aerial photos taken in 1977, 1984, and 1987 from NRCS

I have attached color copies of the photographs and copies of the statements and aerial photos to the application

MICROFILMED
JUN 26 1998

527

15

59.0

284

8

SW

1001

15

MICROFILMED

JUN 26 1998

J
284.

A
029

25
13

15

A
870

MICROFILMED
JUN 28 1981

7 HEL
35.4

3.7

HEL 10

193 HEL

12

13

6.6

23.8

4.2


14

HEL



T643

192



State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.


6. WELL OWNER Name <u>Walt Tingle</u> Address _____ Driller's Permit No. _____		7. WATER LEVEL Static water level <u>15'</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																															
8. NATURE OF WORK New well ☐ Deepened ☐ Replacement _____ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Draw Down</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>30</u></td><td><u>0</u></td><td><u>1</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Draw Down	Hours Pumped	<u>30</u>	<u>0</u>	<u>1</u>																																																																																																																																								
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																															
<u>30</u>	<u>0</u>	<u>1</u>																																																																																																																																															
9. PROPOSED USE Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection _____		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>8</u></td><td><u>0</u></td><td><u>32</u></td><td><u>Sand + GRAVEL</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>32</u></td><td><u>50</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>50</u></td><td><u>55</u></td><td><u>RED LAUA + CINDERS</u></td><td><u>X</u></td><td> </td></tr><tr><td><u>6</u></td><td><u>55</u></td><td><u>58</u></td><td><u>BROWN LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>58</u></td><td><u>64</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>64</u></td><td><u>69</u></td><td><u>RED LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>69</u></td><td><u>99</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>99</u></td><td><u>102</u></td><td><u>BROWN CLAY</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>102</u></td><td><u>104</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>104</u></td><td><u>122</u></td><td><u>BROWN LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>122</u></td><td><u>133</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>133</u></td><td><u>135</u></td><td><u>RED LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>135</u></td><td><u>146</u></td><td><u>BROWN LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>146</u></td><td><u>149</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>149</u></td><td><u>150</u></td><td><u>RED LAUA + CINDERS</u></td><td><u>X</u></td><td> </td></tr><tr><td><u>6</u></td><td><u>150</u></td><td><u>156</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>156</u></td><td><u>159</u></td><td><u>BROWN LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>159</u></td><td><u>165</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>165</u></td><td><u>169</u></td><td><u>RED LAUA + CINDERS</u></td><td><u>X</u></td><td> </td></tr><tr><td><u>6</u></td><td><u>169</u></td><td><u>172</u></td><td><u>BROWN LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>172</u></td><td><u>189</u></td><td><u>GRAY LAUA</u></td><td> </td><td> </td></tr><tr><td><u>6</u></td><td><u>189</u></td><td><u>200</u></td><td><u>CINDERS</u></td><td> </td><td><u>X</u></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	<u>8</u>	<u>0</u>	<u>32</u>	<u>Sand + GRAVEL</u>			<u>6</u>	<u>32</u>	<u>50</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>50</u>	<u>55</u>	<u>RED LAUA + CINDERS</u>	<u>X</u>		<u>6</u>	<u>55</u>	<u>58</u>	<u>BROWN LAUA</u>			<u>6</u>	<u>58</u>	<u>64</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>64</u>	<u>69</u>	<u>RED LAUA</u>			<u>6</u>	<u>69</u>	<u>99</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>99</u>	<u>102</u>	<u>BROWN CLAY</u>			<u>6</u>	<u>102</u>	<u>104</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>104</u>	<u>122</u>	<u>BROWN LAUA</u>			<u>6</u>	<u>122</u>	<u>133</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>133</u>	<u>135</u>	<u>RED LAUA</u>			<u>6</u>	<u>135</u>	<u>146</u>	<u>BROWN LAUA</u>			<u>6</u>	<u>146</u>	<u>149</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>149</u>	<u>150</u>	<u>RED LAUA + CINDERS</u>	<u>X</u>		<u>6</u>	<u>150</u>	<u>156</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>156</u>	<u>159</u>	<u>BROWN LAUA</u>			<u>6</u>	<u>159</u>	<u>165</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>165</u>	<u>169</u>	<u>RED LAUA + CINDERS</u>	<u>X</u>		<u>6</u>	<u>169</u>	<u>172</u>	<u>BROWN LAUA</u>			<u>6</u>	<u>172</u>	<u>189</u>	<u>GRAY LAUA</u>			<u>6</u>	<u>189</u>	<u>200</u>	<u>CINDERS</u>		<u>X</u>
Hole Diam.	Depth		Material		Water																																																																																																																																												
	From	To		Yes	No																																																																																																																																												
<u>8</u>	<u>0</u>	<u>32</u>	<u>Sand + GRAVEL</u>																																																																																																																																														
<u>6</u>	<u>32</u>	<u>50</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>50</u>	<u>55</u>	<u>RED LAUA + CINDERS</u>	<u>X</u>																																																																																																																																													
<u>6</u>	<u>55</u>	<u>58</u>	<u>BROWN LAUA</u>																																																																																																																																														
<u>6</u>	<u>58</u>	<u>64</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>64</u>	<u>69</u>	<u>RED LAUA</u>																																																																																																																																														
<u>6</u>	<u>69</u>	<u>99</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>99</u>	<u>102</u>	<u>BROWN CLAY</u>																																																																																																																																														
<u>6</u>	<u>102</u>	<u>104</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>104</u>	<u>122</u>	<u>BROWN LAUA</u>																																																																																																																																														
<u>6</u>	<u>122</u>	<u>133</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>133</u>	<u>135</u>	<u>RED LAUA</u>																																																																																																																																														
<u>6</u>	<u>135</u>	<u>146</u>	<u>BROWN LAUA</u>																																																																																																																																														
<u>6</u>	<u>146</u>	<u>149</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>149</u>	<u>150</u>	<u>RED LAUA + CINDERS</u>	<u>X</u>																																																																																																																																													
<u>6</u>	<u>150</u>	<u>156</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>156</u>	<u>159</u>	<u>BROWN LAUA</u>																																																																																																																																														
<u>6</u>	<u>159</u>	<u>165</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>165</u>	<u>169</u>	<u>RED LAUA + CINDERS</u>	<u>X</u>																																																																																																																																													
<u>6</u>	<u>169</u>	<u>172</u>	<u>BROWN LAUA</u>																																																																																																																																														
<u>6</u>	<u>172</u>	<u>189</u>	<u>GRAY LAUA</u>																																																																																																																																														
<u>6</u>	<u>189</u>	<u>200</u>	<u>CINDERS</u>		<u>X</u>																																																																																																																																												
10. METHOD DRILLED Type ☒ Rotary ☐ Dug ☐ Other _____		10. CONSTRUCTION Type of hole <u>6</u> inches Total depth <u>200'</u> feet Schedule ☒ Steel ☐ Concrete Thickness _____ Diameter _____ From _____ To _____ <u>2</u> inches <u>6</u> inches + <u>12</u> feet <u>33</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Casing or seal used? ☐ Yes ☒ No Sealed? ☐ Yes ☒ No Perforated? ☐ Factory ☐ Knife ☐ Torch Perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Screen installed? ☐ Yes ☒ No Screen name _____ Model No. _____ _____ Slot size _____ Set from _____ feet to _____ feet _____ Slot size _____ Set from _____ feet to _____ feet Checked? ☐ Yes ☒ No Size of gravel _____ _____ feet to _____ feet Total depth <u>32'</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☒ Well cuttings Casing used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth																																																																																																																																															
11. LOCATION OF WELL Location must agree with written location. N Subdivision Name _____ E Lot No. _____ Block No. _____ <u>E. Larson</u> NE 1/4 Sec. <u>12</u> , T. <u>3</u> N. S. <u>6</u> E. M.		11. DRILLERS CERTIFICATION Firm Name <u>Hiddleston Drilling</u> Firm No. <u>35</u> Address <u>MT HOME</u> Date <u>5-8-74</u> Signed by (Firm Official) _____ and _____ (Operator) _____																																																																																																																																															

RECEIVED


OCT 31 1997

WATER RESOURCES
WESTERN REGION

JUN 26 1998




19/82



10/82



1997



1978

NOV 26 1997



10/82


10/82

REC'D
JUL 26 1998



10/82

Mountain Home Office
Rt 3 Box 610-D
Mountain Home, Idaho 83647
(208) 587-9055



Boise Office
2769 S Cole Road
Boise, Idaho 83709
(208) 362-2900

RECEIVED

OCT 31 1997

WATER RESOURCES
WESTERN REGION

October 20, 1997

To whom it may concern,

Mr. Tingles well was drilled in 1974 and deepened in 1977. At that time a sprinkler system was put in to water the one and one half acres he has, and is still being used to water the acre and one half today.


Ron Hiddleston

RECEIVED
JUN 26 1998

Summer Rain Sprinkler

RECEIVED

OCT 31 1997

WATER RESOURCES
WESTERN REGION

A Division of Pleasure Time Inc.

2610 Sunset Strip Mountain Home Idaho 587-Rain or 587-7246

Oct. 20, 1997

To whom it may concern:

I, Thomas Futch was employed by Claiborne Sprinkler Co. of Mtn. Home from 1976-1983. During the Summer of 1978, we installed a sprinkler system for Walter B. Tingle of 4530 N. 10 W. The system was covered all of the yard, landscape and garden as it is presently today.

In 1984 I started, own and currently operate Summer Rain Sprinkler of 2610 Sunset Strip Mtn. Home ID, 83647.

Since then I have worked with Walt to maintain the system and to operate at maximum efficiency and to be water efficient.

If I may be of any further assistance, please call me at 208-587-7246.

Attn. Tom Futch
Summer Rain Sprinkler

Tom Futch

NOT RECORDED

JUN 26 1998