




T4S
R6E
Sec 7
Gault 3
NWSW

MICROFILMED

OCT 1 0 1996

VABM 3109
Extra

(67)



NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application has been
filed to appropriate the public waters of
the State of Idaho:

61-07723 ✓

HINKLER, AMY

7475 W. 36TH S.

MOUNTAIN HOME, ID 83647

Source: GROUNDWATER.

Diversion Pt: LOT 3 (NENWSW)
Sec. 7, T 04S, R 06E in ELMORE
County.

Use: DOMESTIC (0.040 CFS); Total
Diversion: (0.040 CFS).

Date Filed: 8/9/1996.

In: ELMORE County, T04S R06E
S07 Lot 3 (NWSW).

Permits will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
203A, Idaho Code. Any protest against
the approval of this application must
be filed with the Director, Dept. of Wa-
ter Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 to-
gether with a protest fee of \$25.00 on
or before SEPTEMBER 23, 1996. The
protestant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director

Published: 9/4/1996 & 9/11/1996.

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 4th day of

September, 19 96 and the last publi-

cation having been made on the 11th day of

September 19 96; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 16th day of

September, 19 96

Brenna M. Gach
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

RECEIVED

SEP 19 1996

WATER RESOURCES
WESTERN REGION

OCT 10 1996

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 61-07723

Priority: August 9, 1996

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that AMY HINKLER
7475 W 36TH S

MOUNTAIN HOME ID 83647 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1996; and has submitted Proof of Beneficial Use on August 4, 1997. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 7, Township 04S, Range 06E
ELMORE County

PLACE OF USE: DOMESTIC


TWN RGE SEC

04S 06E 7 Lot 3(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of JULY, 1998.

Acting for  KARL J. DREHER, Director

MICROFILMED

JUL 21 1998

NO ✓

FOR OFFICE USE ONLY
Amt. of Fee \$: N/A :01
Receipt No. _____
Receipt By: _____
Date Received: _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

RECEIVED

AUG 04 1997

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-07723 Telephone No. 208-832-9778
2. Name(s) of Permit Holder(s): Amy Hinkler or Thomas S. Hinkler
3. Mailing Address: 7475 West 36th South, Mountain Home ID 83647
4. Source of Water: Ground If **GROUNDWATER** (well), Date Drilled: mo. 03 / yr. 96
- a. Well Driller: Hugh Harden Artesian Well Co. Drilling Permit Number: 61-96-W-0008-000
- b. **OPTIONAL:**
Pump Horsepower: 3.5 Pressure (psi): 45 Dynamic pumping level (ft): N/A

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): —

Irrigation (No. of acres): — Other: —

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR — acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes — or No X

Has the measuring device been installed? Yes — or No X

Flow Measurement Port: Is a flow measurement port required? Yes — or No X

Has the measurement port been installed? Yes — or No X

8. Fee Enclosed: \$ 0 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Amy Hinkler Telephone Number: 208-832-9778

Address: 7475 West 36th South, Mountain Home, ID 83647

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Amy S. Hinkler MIC Date: Aug 1, 97
(include your title, if on behalf of company or organization)

AUG 19 1997

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 61-07723

Proposed Priority: August 9, 1996

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **AMY HINKLER**

7475 W 36TH S

MOUNTAIN HOME ID 83647

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWSW), Sec. 7, Township 04S, Range 06E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC


04S 06E 7 Lot 3(NWSW)

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **October 1, 1997.**
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

7th day of October, 1996


for Karl J. Dreher, Director

RECEIVED
OCT 10 1996

RECEIVED

SEP 30 1996

Department of Water Resources

Ident. No. 61-07723

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: AMY HINKLER 208-587-7965
Address: 7475 W 36TH S
MOUNTAIN HOME ID 83647
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: Lot 3 (N1/4SW), Sec. 7, Township 04S, Range 06E
ELMORE County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|----------|-------|-------|-------|------|----|
| DOMESTIC | 01/01 | 12/31 | 0.040 | | |
5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 85F being sought? NO
 - If well is already drilled, when? 03/15/1996
Drilling Firm ARTESIAN CO
Well was drilled for APPLICANT
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: DOMESTIC
- TWN RGE SEC
04S 06E 7 Lot 3 (NWSW)

OCT 10 1996

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Army R. Hinkle
Applicant

Received by Ly Date 8/9/96 Time 12 Preliminary check by cyl

Fee \$ 50.00 Receipted by Ly #W021331 Date 8/ 9/1996

Publication prepared by St Date 8-28-96 Published in Mountain Home News

Publication approved St Date 9-23-96

RECORDED

OCT 10 1996

Ident. No. 61-07723

Comments: Date: 8/ 9/1996 User-ID: LGRAVES


Subject: MISC INFO

Domestic use is for 1 home.

Well was drilled in March of 1996, 61-96-W-0008-000

Applicant filing to satisfy VA.

OCT 1 0 1996



12

3133

7

3149

3136

3129

745

K12

6127

6128

3119

13

3109

Extra

001-01336



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 10, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

AMY HINKLER
7475 W 36TH S
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07723

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JUL 21 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 61-07723

AMY HINKLER
7475 W 36TH S
MOUNTAIN HOME ID 83647


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 21 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 61-07723 DATE 7/6/98 REVIEWER. SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc) Lot 3

Overlaps Right(s): _____
 File reviewed _____ Profile reports printed _____
 PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____
 PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .04 cfs NO FEE PD.
 Measured OK cfs
 Theoretical .04 cfs 45 psi and 450' lift (static wtr level in WD database)
 Recommended Total Div Rate _____ cfs total depth of well 608'

WATER USES	Change (P46)		
<u>Dom</u>	<u>.04</u> cfs	<u>1.2</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
	cfs	af	supp gw (WB7/065/079)
	cfs	af	overlap spec combined rts (W35)
	cfs	af	<1 acre (W31) -1
	cfs	af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.04</u> cfs	<u>1.2</u> af	Power (W42 or W43/025/027/R22 or R23)
			Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .04 cfs X 365 days X 1.98 = 29.0 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no SRBA Claim N/A Adjust Memo _____
 Amend letters _____

AUG 21 1998

Form 2-8
3-95

RECEIVED

JUN 14 1996

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT --PAGE 2

Use Typewriter or Ballpoint Pen

Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
1/4 1/4 1/4
Lat _____ Long _____
Pump Bailer Air Flowing Artesian

1. DRILLING PERMIT NO. 61 - 96 - W- 0009 - 000
Other IDWR No _____

2 OWNER:
Name Thomas or Amy Hinkler
Address 7475 W. 36th South St.
City Mountain Home State ID Zip 83647

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location

Twsp 4 North or South X
Rge 6 East or West X
Sec 7 1/4 NW 1/4 SW 1/4
Gov't Lot 3 County Elmore
Lat _____ Long _____

Address of Well Site _____

1/4 sec was part of road - 1/4 sec to Road or Landmark

Li _____ Blk _____ Sub Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc)

☐ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☐ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or	Pounds	

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

Perforations Method _____
Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

_____ ft below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft Describe access port or control devices _____

11. WELL TESTS:

Yield gal/min	Drawdown	Pumping Level	Time

Water Temp _____ Bottom hole temp _____
Water Quality test or comments _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
	340	348	Basalt, Grey, Med-Very Hard		X
	348	349	Cinders, Rubble		X
	349	364	Basalt, Fractured, Hard		X
	364	395	Basalt, Grey, Hard		X
	395	399	Clay, Red Burnt		X
	399	408	Basalt, Med Hd, Brown		X
	408	419	Clayey-Sand: Sandy-Clay Layers		X
	419	422	Basalt, Medium Hard, Brown		X
	422	446	Basalt, Brown		X
	446	448	Boulders, Cinders		X
	448	451	Basalt, Hard, Brown		X
	451	456	Clay, Brown		X
	456	457	Basalt, Hard, Brown		X
	457	457	2 Streak Cinders	X	
	457	458	Basalt, Brown	X	X
	458	478	Basalt, fractured, Red Cinders	X	
	478	489	Basalt, Grey	?	
	489	490	Boulders, Clay	?	
	490	495	5 Boulders, Cinders	X	
	495	501.5	~~Cinders~~ Bentonite in a Crevice		X
	501	508	Basalt, Bentonite in Seams		X
	508	511	Boulders, Cinders	X	
	511	523	Basalt, Hard to Very Hard	?	
	523	526	5 Cinders, Boulders	X	
	526	536	Basalt, Grey	?	
	536	539	Cinders, Rubble	X	
	539	543	Basalt, Grey	?	
	543	546	Cinders	X	
	546	552	Basalt, very hard	?	
	552	562	Soft	?	
	562	563	Basalt, Grey	?	
	560	564	~~Basalt~~ Rubble and Cinders	X	
	564	570	Basalt, Hard & Boulders		X
	570	573	Sandstone		?

573-596.5 Basalt, Pinhole X

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed

596.5 608.3 Basalt, hard, Boulders,
Firm Name Grey Clay Seams Firm No 7

Firm Official _____ Date _____

and
Supervisor or Operator Hugh Haddon Date 14 June 1996

(Signature of Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

MICROFILMED

AUG 21 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 16 1998
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 61-07723

1. Owner: Amy Hinkler Phone No. (208) 832-9778

Current Address: 7475 W 36th S, Mountain Home, ID 83647

2. Accompanied by: (office exam) EXAM DATE: 5-3-98

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>3</u>		<u>NW</u>	<u>SW</u>	<u>7</u>	<u>45</u>	<u>6E</u>	<u>Elmore</u>	<u>County Assessor</u>

2. Place(s) of Use:

Indicate Method of Determination County Assessor

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>45</u>	<u>6E</u>	<u>7</u>									<u>D</u>	<u>6.3</u>							

MICROFILMED

AUG 21 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4. Well Drilling Permit 61-96-W-0008-000

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

MICROFILMED
AUG 21 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This was done as an office exam.
2. Called Jo, Elmer County Assessor's office and verified:
 - a. Name and address correct on permit.
 - b. 1 manufactured home on site.
 - c. on tax rolls.
 - d. Location in T45, R6E, Sec. 7, Lot 3, NWSEW (NE corner of Lot 3)

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 21 1998

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method: NoneDomestic: Allow 0.04 cfs**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic: Allow 1.2 AFA**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>1.2</u>


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name Don Tomich Date 6-12-98

Reviewer _____ Date _____

SEAL
MICROFILMED
AUG 21 1998



67





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 12, 1997

Amy Hinkler
7475 West 36th South
Mountain Home, ID 83647

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07723

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208) 334-2190.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - W. Region.

MICROFILMED
AUG 19 1997

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 61-07723 Reviewed by VZ Date 8-12-97

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

Dom.
yes Correct Uses?

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

 Copy in the file? Drilling Permit No. 61-96-W-0008

35 Amount paid for permit

no Well log in the file?

yes Correct?

LICENSE EXAMINATION FEE

NO Required?

 Amount Submitted

 Correct?

MEASURING DEVICE

NO Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

none
acknow rec't of proof

DATA ENTRY

New Address

Proof Made 8-04-97

July 31, 1997

AMY HINKLER
7475 W 36TH S
MOUNTAIN HOME ID 83647

PS 900 62106

PROOF DUE NOTICE

RE: PERMIT NO. 61-07723

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1997.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

AUG 19 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 8, 1996

AMY HINKLER
7475 W 36TH S
MOUNTAIN HOME ID 83647

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07723

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

RECEIVED

OCT 10 1996

SK:ph

Enclosures

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 61-7723 Name: Hinkler Date: 10/4/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: W02331 Priority: 8/9/96 ✓ Gvmt Lts:

AREA OF CONCERN? - No/Yes Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(dem) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-P08
=/- 0.2 cfs - 01H(lock dev)-P01 or No MD
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - *WB5(Boise R † Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-028-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), *W07
LOCATION:
42-248 area - In 20/30/40/50/60/70/80 (87) basin? P84
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - C <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
OWNERSHIP: Non-land owner - 004 (PD/PU)
OTHER CONDITIONS:
STANDARD REMARKS: - * W01/1
BENEFICIAL USE DUE: - 10-1-1997
COMMENTS:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: cyf DATE: 8/23/96 APPLICATION: 61-7723

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

RECEIVED
SEP 30 1996
Department of Water Resources

Gov't. Lots:
☒ P/D
☐ P/U

ADDITIONAL INFORMATION

YES NO

☒ N/A ☐ D/I Overlapping place of use: (Describe source & relationship to present application on next page.)
☐ ☐ Overlapping point of diversion.
☐ ☐ Field check required: Field check by: _____
☐ ☒ Field report attached:
☒ ☐ Critical groundwater area:
☐ ☐ Groundwater management area: D/I exempt MHGWMA
☐ ☐ 1992 moratorium:
☐ ☐ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
☐ ☐ Copy to Dam Safety staff: (for any storage)
☐ ☐ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED

ADDITIONAL INFORMATION ON REVERSE SIDE:

PROCESSING

APP. NO.

61-7723

YES NO

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

YES NO

I.D. Health & Welfare

I.D. District Health

I.D. Fish & Game

I.D. Lands

Adjudication Bureau

U.S. BLM

U.S. Forest Service

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW:

YES NO

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest

9-23-96

Protest dates, resolution of protest recorded on application:

Recommendations attached:

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

0/1 limited to 1/2 ac. rivir. (yards etc.)

See below for additional information

Recommended Date or Priority

8-9-1996

Recommended by:

Appman

82

Date:

9/24/96

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION:

overlap analysis N/A

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publication having been made on 4th day of

September, 1996 and the last publication having been made on the 11th day of

September 1996; every Wednesday

issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 16th day of
September, 1996

Brenda M. Jacob
Notary Public

Residing in Mountain Home, Elmore County, Idaho. My commission expires 11-16-98.

RECEIVED

OCT 10 1996

SEP 19 1996

WATER RESOURCES
WESTERN REGION

61-07723

HINKLER, AMY
7475 W 36TH S
MOUNTAIN HOME, ID 83647

Source: GROUNDWATER

Diversion Pt: LOT 3 (NENSW) Sec 7 T 04S R 06E in ELMORE County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 8/ 9/1996

In: ELMORE County
T04S R06E S07 Lot 3(NWSW)

RECEIVED
OCT 10 1996