



No gov't lots
- JL 9/26/95

MILITARY


DEC 20 1995

percy

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Rec	61 11037	UNITED STATES OF AMERICA ACTING THROUGH,	LONG TOM CREEK	01S07E24				0													0
Right	61 7708	HELEN PERCY, STEPHEN PERCY,	LONG TOM CREEK	01S07E24																0	0
Permit	61 7709	HELEN S PERCY, STEPHEN H PERCY,	MONTROSE SPRING	01S07E24						0											0
Right	61 4095	CLUSTER V LIVESTOCK,	MONTROSE SPRING	01S07E24					>0												0
Right	61 7709	STEPHEN H PERCY, HELEN S PERCY,	SPRING	01S07E24					X	X											0
Rec	61 11038	UNITED STATES OF AMERICA ACTING THROUGH,	UNNAMED STREAM	01S07E24				0													0

↑ ↑
no overlaps



NATIONAL FOREST

Berneathy Spring

Long Tom Ranch

West

P/D

Storage Tank

P/u Corral with Troughs

P/u Trough

Spr

Montrose Spring


Fork

MICROFILMED
JUN 01 2001

T 01S
R 07E
Sec. 24

61-07709

System Diagram



61-07709

MICROFILMED
JUN 01 2001

Point of Diversion



P/D

5,000 gallon Storage Tank



MICROFILMED

JUN 01 2001

61-07709

Trough in the ~~NENE~~ NWNW



P/u

Trough in the NENW.



P/u

MICROFILMED
JUN 01 2001

61-07709

FIELD NOTES

61-07709

7-31-00

Aeromotor

Pumps & Water Systems

200 GPM

2" pump

5-hp

Model - 2G5



$1\frac{1}{2}$ " line

$1\frac{1}{4}$ " line

5000 gallon tank

~ 2 hours to fill

100 cattle



700 gallons

MICROFILMED

JUN 01 2001

61-07709

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 61-07709

Priority: September 19, 1995

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.7 AF

It is hereby certified that STEPHEN H PERCY And/Or HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 83647-0248 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated September 19, 1995, and have
submitted Proof of Beneficial Use on September 09, 1999. An examination indicates that the works
have a diversion capacity of 0.09 cfs of water from:

SOURCE

SPRING

Tributary: WEST FORK LONG TOM CREEK

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	05/01 to 10/31	0.02 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SPRING NE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 24, Twp 01S, Rge 07E, B.M., ELMORE County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
01S	07E	24					X	X											

CONDITIONS OF APPROVAL

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 61A

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 23RD day of MAY, 2001

Acting for


KARL J DREHER
Director

MICROFILMED

2003 01 10001

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 61-07709

Date of Priority: September 19, 1995

Maximum Diversion Rate: 0.02 CFS

Maximum Diversion Volume: 0.7 AF

Comes now STEPHEN H PERCY And/Or HELEN S PERCY
PO BOX 248

MOUNTAIN HOME ID 83647-0248 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No 61-07709, and requests that the permit be changed as follows:

Source: SPRING

Tributary: WEST FORK LONG TOM CREEK

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	05/01 to 10/31	0.02 CFS	0.7 AF


LOCATION OF POINT(S) OF DIVERSION:

SPRING NE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 24, Twp 01S, Rge 07E, B M., ELMORE County

PLACE OF USE: STOCKWATER

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S 07E 24					X	X											

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 17 day of May, 2001.


(Signature)

MICROFILMED

APR 11 2001

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 61-07709

FOR DEPARTMENT USE ONLY
Preliminary check by [Signature] Fee = \$50.00 Received by [Signature] # C053884 Date 5/22/01

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 61-07709 with the following:

CONDITIONS OF APPROVAL

- 1 Use of water under this water right will be regulated by the watermaster of State Water District No 61A

Witness my hand this 23RD day of MAY, 2001.

Acting for

[Signature]
KARL J. DREHER
Director

MICROFILMED

JUN 8 2001

Amt. of Fee \$: 50
 Receipt No: 604401526
 Receipt By: HW
 Date Received: 9/19/99

RECEIVED

SEP 09 1999

Department of Water Resources

 STATE OF IDAHO
 DEPARTMENT OF WATER RESOURCES


PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-07709 Telephone No. 587-4699
2. Name(s) of Permit Holder(s): STEPHEN H. & HELEN S. PERCY
3. Mailing Address: P.O. Box 248 Mtn Home, ID, 83647
4. Source of Water: Spring If GROUNDWATER (well), Date Drilled: mo. / yr.
- a. Well Driller: Drilling Permit Number: - -
- b. OPTIONAL:
 Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
 Domestic (No. of households): Stockwater (No. and type of stock): 100 HD CATTLE
 Irrigation (No. of acres): Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.2 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
 (This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|------------------------|--|-----------------|----|-------------|
| Measuring Device: | Is a measuring device required? | Yes <u> </u> | or | No <u>✓</u> |
| | Has the measuring device been installed? | Yes <u> </u> | or | No <u>✓</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes <u> </u> | or | No <u>✓</u> |
| | Has the measurement port been installed? | Yes <u> </u> | or | No <u>✓</u> |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
 Name: STEVE PERCY Telephone Number: 587-4699
CHARLES LYONS Telephone Number: 587-8755
 Address: Hwy 20 Milepost 102. Mtn Home

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:



(include your title, if on behalf of company or organization)

MICROFILMED

Date: 9/3/99

123 2 2 1000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 08 1997

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 61-07709

Name(s) of Permit Holder: STEPHEN H. & HELEN S. PERCY

Mailing Address: P.O. Box 248, MIN HOME Id. 83647

Date Proof is Due: Nov 1, 1997 Telephone No. 587-4699

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Truck has been hauled in. Lines have been surveyed & measured.

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Tractor broke down. Other work has interfered.
Funds have been applied for through NRS

Permit holder(s) request an extension to Sept 1, 19 98.

FEE: \$50.00
Stephen Percy
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 1999.

Signed this 16TH day of October, 19 97.

J. Blund Sactor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 61-07709

Proposed Priority: September 19, 1995 Maximum Diversion Rate: 0.02 CFS

This is to certify, that **STEPHEN H PERCY**

HELEN S PERCY

PO BOX 248

MOUNTAIN HOME ID 83647-0248

has applied for a permit to appropriate water from:

MONTROSE SPRING

tributary of **LONG TOM CREEK, WEST FORK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	05/01 to 10/31	0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNENW , Sec. 24, Township 01S, Range 07E
ELMORE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01S 07E 24


NWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **November 1, 1997.**
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Use of water under this right is subject to control by the watermaster of State Water District No. 61A.
5. Stockwater use is for 100 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

14th day of November, 19 95.


Karl J. Dreher, Director

DEC 20 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

SEP 19 1995

WATER RESOURCES
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name of applicant Nelen S. +/or STEPHEN H. PERCY Phone 587-4699

Post office address PO Box 248, MTN HOME, ID 83647

* 2. Source of water supply Montrose SPRING which is a tributary of Long Tom Creek

* 3. Location of point of diversion is NE SW 1/4 of NE SW 1/4 of NW 1/4, Govt. Lot —
Sec 24 Township 1 S Range 7 E B.M. ELMORE County; additional
points of diversion if any. NONE

4. Water will be used for the following purposes:

Amount 0.02 for LIVESTOCK purposes from MAY 1 to OCT 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .02 and/or (b) —
cubic feet per second acre feet per annum

6. Proposed diverting works:

a Description of ditches, flumes, pumps, headgates, etc. use low volume pump to pump water to troughs on hill

b Height of storage dam — feet; active reservoir capacity — acre-feet; total
reservoir capacity — acre-feet, period of year when water will be diverted to storage:
— to — inclusive.

c. Proposed well diameter is — inches, proposed depth of well is — feet.

d. Is ground water with a temperature of greater than 85°F being sought? —

e. If well is already drilled, when? —; Drilling firm —;

Well was drilled for (well owner) —

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

5 years (minimum 1 year).

* per topo - SL 9/26/95

DEC 20 1995

8 Description of proposed uses (if irrigation only, go to item 9)

- a. Hydropower, show total feet of head and proposed capacity in KW. _____
- b. Stockwatering, list number and kind of livestock. Cattle 100 hd
- c. Municipal, show name of municipality _____
- d. Domestic, show number of households _____
- e. Other, describe fully _____

9 Description of place of use.

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example. D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1 S	7 E	24					5/16												

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above. _____

- 11 a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks: _____

REC-24-25



No govt lots
- PL 9/26/95

DEC 30 1995

percy

[illegible]

Stephen H. Hines
(Applicant)

Received by AW Date 9-19-95 Time 9:00 A Preliminary check by SR
Fee \$ 50⁰⁰ Receipted by RW # WO19884 Date 9-19-95
Publication prepared by AT Date 9-27-95 Published in Mtn Home News
Publication approved AT Date 10-25-95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other:

RECEIVED
NOV 7 1995

Department of Water Resources

Ident. No. 61-07709

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: STEPHEN H PERCY 208-587-4699
Address: PO BOX 248
MOUNTAIN HOME ID 83647
AND/OR
Name: HELEN S PERCY 208-587-4699
Address: PO BOX 248
MOUNTAIN HOME ID 83647
2. Source: MONTROSE SPRING Trib. to: LONG TOM CREEK, WEST FORK
3. Location of Point of Diversion: SWNENW Sec. 24, Township 01S, Range 07E
ELMORE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	05/01	10/31	0.020		
5. Total quantity to be appropriated is:
0.020 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
PUMP AND TROUGH.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 5 year(s).

DEC 20 1995

8. Place of Use: STOCKWATER

TWN RGE SEC
01S 07E 24 NWNW

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 100.00 Receipted by _____ #W019884 Date 9/19/1995

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

9-19-95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 24, 2001

STEPHEN H PERCY
HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 83647-0248

RE License No 61-7709 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

Also enclosed is a copy of the approved Application for Amendment.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W Keen
Water Rights Supervisor

SWK.klt

Enclosure(s)

MICROFILMED

3 1 2001

CERTIFICATE OF MAILING

I hereby certify that on May 24, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 61-7709

**STEPHEN H PERCY
HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 83647-0248**


**Kari Lynn Townsend
Secretary**

MICROFILMED

2001 05 24

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

MAY 5 1991

Job	Start Time	Usage	Phone Number or ID	Type	Pages	Mode	Status
554	5/17 10:12AM	2'15"	208 587 9553	Send..	3/ 3	EC 96	Completed.

Total 2'15" Pages Sent: 3 Pages Printed: 0



State of Idaho
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

DIANA KEMPTHORNE
GOVERNOR
KARL J. DREHER
DIRECTOR

FAX

To: Steve Percy From: Kay Walker
Fax: 208-587-9553 Pages: 2 + cover sheet
Phone: _____ Date: 5-17-2001
Re: Permit 61-07709 CC: _____
☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

COMMENTS:

copies of maps⁽²⁾ attached to
Richard's field exam -

* Mr. Percy called & said Richard
was confused & had not identified
the right spring - will get back
to me after he reviews the maps
I faxed - kw
3/17/01

5/17 - after looking at maps Mr. Percy
agrees with examiner - will submit
amendment. kw

MAY 17 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 15, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

STEPHEN H and/or HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 83647-0248

RE. Water Right Permit No. 61-07709

Dear Permit Holder(s)

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit. The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Section 42-211, Idaho Code. Before a license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

- ☒ Point(s) of Diversion
- ☒ Place(s) of Use

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

If you have any questions, please call me at 208-327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

MICROFILMED

MAY 16, 2001

LICENSE REVIEW CHECKLIST

Permit No 61-07709 Date 5-14-01 Reviewer Kay Walker

topo 1/64

Change/OK

Name/Address

Source

Point of Diversion

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps Right(s)

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion

Permitted rate 0.02 cfs

Fee Limit 0.20 cfs

Measured 0.09 cfs

Theoretical 0.09 cfs

Recommended Total Diversion Rate 0.02

Water Uses

OK Change (P46)

Season of Use per new Standards

Irrigation 0.02 cfs 0.7 af

Stockwater 0.02 cfs 0.7 af

Domestic 0.02 cfs 0.7 af

0.02 cfs 0.7 af

0.02 cfs 0.7 af

Total 0.02 cfs 0.7 af

Irrigation - overlap(R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.02 cfs x 1 9835 x 0.7 days = 136.6 af (vs) 0.7 acres x 0.7 (FHR) = 136.6 af

Remarks

R04 (61-A)

Additional Conditions YES Watermaster Control

 GW Measurement/Measuring Device

 Other

 Trust R55 - remove 051)

 Non-trust (048/049)

GW Dist?

Water Msmt Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority? yes

no

If yes, explain why below

SRBA Claim?

not req'd

Adjust memo

Amend Letters

 P87, S06

Second Amendment Notice

 S06

** added 10ac tract description per GIS shapefile Richard's map*

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Right	01 7708	HELEN PERCY, STEPHEN PERCY,	LONG TOM CREEK	01S07E24																	0
Right	01 4095	CLUSTER V LIVESTOCK,	MONTROSE SPRING	01S07E24					>4												2
Right	01 7708	STEPHEN H PERCY, HELEN S PERCY,	SPRING	01S07E24					X	X											0

↑ ↑
no overlaps

Permit No. 61-07709

1. Owner: Stephen & Helen Percy Phone No. (208) 587-4699

Current Address: P.O. Box 248, Mountain Home, ID 83647

2. Accompanied by: Stephen Percy Exam Date: 07/31/2000

Address: P.O. Box 248, Mountain Home, ID 83647 Phone No. (208) 587-4699

Relationship to Permit Holder: Owner

3. Source: Spring tributary to Long Tom Creek, West Fork

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 61-04095

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use: Indicate Method of Determination: USGS Topographic Map

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

 X Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

 Aerial Photo Attached (required for irrigation of 10+ acres).

 X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Briggs & Stratton gasoline engine	5	Unknown	Aeromotor	2" discharge

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calibration Date
N/A						

2. Measurements: None. It was not possible to make a measurement.

MICROFILMED

11 2 1989

E. NARRATIVE/REMARKS/COMMENTS

The point of diversion is located in the NWNW of Section 24, Township 01S, Range 07E. Water is being appropriated from a Spring. On the permit, the source and location of the point of diversion are incorrectly identified as Montrose Spring located in the NENE of Section 24. The place of use is located in the NWNW and NWNE of Section 24, Township 01S, Range 07E.

The water is used for 100 range cattle. I recommend that after the necessary amendments have been made that this permit be licensed for 0.02 cfs and 0.7 AFA.

The only other water right with the same place of use is statutory claim 61-04095. Mr. Percy purchased the land from Cluster V Livestock, the owner of record. Mr. Percy indicated that 61-04095 was never developed. I recommend that statutory claim 61-04095 be forfeited based Mr. Percy's statement of nonuse.

Water is diverted by a portable self-priming gasoline-powered centrifugal Aeromotor pump. The following information was obtained from the Aeromotor homepage.
<http://www.aermotor.com/gas.html>

MODEL – 2G5 – General Purpose

Features....

(varies with model)

- Capacities up to 300 G.P.M.
- Can handle solids up to 1.25"
- Pumping heads to 203 feet
- 3 and 5 H.P. models available
- Contractor's choice Briggs & Stratton Engines standard on all models
- Optional roll cages available
- Rubber feet for vibration damping and to guard against slipping
- Available in your choice of aluminum or high strength polypropylene pump casing



Water is pumped to a 700-gallon trough and to a 5,000-gallon storage tank. It takes approximately 2 hours two fill the 5,000-gallon storage tank. The diversion rate required to fill the 5,000-gallon storage tank in 2 hours is 0.9 cfs.

See the attached system diagram for more information.

MICROFILMED
JUN 11 2001

Have the conditions of permit approval been met? X YES NO

F. FLOW CALCULATIONS

Measurement Method: Data from Mr. Percy

Additional Computation Sheets Attached

Flow calculation based the time required to fill the storage tank.

5,000 gallons / 120 minutes = 42 gpm = 0.09 cfs

Allow 0.02 cfs.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: Stockwater

Required

100 cattle x 12 gpd x 184 days = 220,800 gallons per year

(220,800gallons per year) x (1 AF per 325,850 gallons) = 0.7 AFA

Diverted

0.02 cfs x 184 days x 1.9835 = 7.3 AFA

Allow 0.7 AFA.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (AFA)
	From	To		
Stockwater	05/01	10/31	0.02	0.7
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			0.02 cfs	0.7 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Richard D. Hansen – Field Examiner


Field Examiner's Name Richard D. Hansen Date: 8/15/2000

Reviewer _____ Date: _____

seal

MICROFILMED

1998



NATIONAL FOREST

Berneathy Spring

Long Tom Ranch

West P/u Trough

P/D

Storage Tank

P/u Corral with Troughs

Montrose Spring


Willowdale Spring

MICROFILMED

T O I S
R O T E
Sec. 24

61-07760

System Diagram



61-07709

MICROFILMED

1971 12 20

Point of Diversion



P/D

5,000 gallon Storage Tank




MICROFILMED

NOV 11 1961


61-07709

Trough in the ~~NENE~~ NWNW



P/u

Trough in the NENW.



P/u

MICROFILMED

NOV 10 1980

61-07709

FIELD NOTES

61-07709

7-31-00

Aeromotor

Pumps & Water Systems

200 GPM

2" pump

5-hp

Model - 2G5



$1\frac{1}{2}$ " line

$1\frac{1}{4}$ " line

5000 gallon tank

~ 2 hours to fill

100 cattle



700 gallons

MICROFILMED

JUN 17 2001

61-07709



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 5, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

STEPHEN H PERCY
PO BOX 248
MOUNTAIN HOME, ID 83647

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07709

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **WESTERN** Regional Office of the department in Coeur d'Alene at (208) 334-2190

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JAN 23 2000

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 61-07709 Reviewed by VJS Date 01-05-00

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

sub
yes Correct Uses?

SOURCE OF WATER

Y Surface water source

 Ground water source

 Drilling permit required?

 Copy in the file?

 Amount paid for permit

 Well log in the file?

Drilling Permit No.

 Correct?

LICENSE EXAMINATION FEE

yes Required?

50 Amount Submitted

yes Correct?

MEASURING DEVICE

 Required?

 Installed?

 Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

 -
 =
 +

DEFICIENCIES OR ACTION ITEMS

none
acknowledge proof

DATA ENTRY

New Address

Proof Made 9-9-99

August 31, 1999

STEPHEN H PERCY
HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 836470248

PROOF DUE NOTICE

RE: PERMIT NO. 61-07709

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1999. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED
JAN 28 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 16, 1997

Stephen and Helen Percy
PO Box 248
Mountain Home ID 83647

RE: Permit No. 61-07709

Dear Permit Holder:

I have enclosed a copy of the approved request for extension of time submitted in connection with the above referenced permit which extends the time within which to submit proof of beneficial use to **November 1, 1999**. Please note that the department granted the extension based on **due diligence**. It is important that you work diligently toward the completion of the development during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Section 42-248, Idaho Code, which became effective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact this office or any regional office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please contact me at (208)327-7953, if you have any questions regarding this matter.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

Enclosure

C: IDWR - Regional Office

10-16-97
10:15 AM

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 61-01709 Reviewed by AW Date 10-16-97

BASIC INFORMATION

10-8-97 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?

_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____

_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN Recommend extend to Nov. 1, 1999, on basis of due diligence.

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X _____
Change Proof Due Date 11-1-99 _____
Change Priority Date X _____

August 31, 1997

STEPHEN H PERCY
HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 836470248

PROOF DUE NOTICE

RE: PERMIT NO. 61-07709

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 14, 1995

STEPHEN H PERCY
HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 83647-0248

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07709

Dear Permit Holder:

Enclosed is a copy of your approved application for permit.
Please be sure to thoroughly review the "CONDITIONS/REMARKS:"
listing on the permit.

As a permit owner you must commence the excavation or
construction of the diverting works within one year of the date
the permit was issued, and you must proceed diligently until the
project is completed. The date shown under condition no. 1
is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately
60 days prior to the above referenced date requesting you to file
either a Proof of Beneficial Use form or a Request for Extension
of Time form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

DEC 20 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 14, 1995

STEPHEN H PERCY
HELEN S PERCY
PO BOX 248
MOUNTAIN HOME ID 83647-0248

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07709

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 61-7709 Name: Percy Date: 11/8/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: WB19884 Priority: 9/19/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? Surface water - No/Yes Mor MTM GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. , P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):

Water District(~~dem~~) - 005 (req) WD # 61A <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
~~In-WD~~ + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R † L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - S <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

0.002/100 RC

BENEFICIAL USE DUE:

11-1-1997

COMMENTS:

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 9/26/95 APPLICATION: 61-7709

REQUIRED INFORMATION

Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
Address:
Source: (See USGS Quad for names of water sources)
Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
County:
Quantity: (flow and/or volume)
Period of use:
Nature of proposed use: (Include description of use)
Description of diverting works:
Time required for beneficial use of water:
Place of use or acres irrigated:
Map: (show T, R, S, QQ &/or QQQ)
Subdivision plat: (for > 1 home in restricted area. ≥ 5 homes in non-restricted area)
Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
Fee:
Yes ☐ No ☐ In form to receipt:

Gov't. Lots:

☒ P/D

☐ P/U

ADDITIONAL INFORMATION

YES NO

N/A

Stork
Overlapping place of use: (Describe source & relationship to resources application on the back.)
Overlapping point of diversion:
Field check required: Field check by: _____
Field report attached:
Critical groundwater area:
Groundwater management area:
1992 moratorium:
Copy to SCA staff: (perennial stream, non-pump diversion)
Copy to Dam Safety staff: (for any storage)
Basin 63 mitigation plan: (where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge)
Send power requirement letter:
Send fish farm requirement letter:
Power residency affidavit:
Power efficiency form:
Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side:

RECEIVED
NOV 7 1995
Department of Water Resources

PROCESSING

APPLICATION

61-7709

YES / NO

☒ ☒

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒

I.D. Health and Welfare

I.D. District Health

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 10-23-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, OK

Measuring device required:

Measuring port required:

Water delivered by water master? District # 61-A Watermaster not active in this area,

Special conditions of approval or cover letter: but could be

26A (Allow 2 yrs), - 05/Canyon Creek, 61-A

See below for additional information

Recommended Date or Priority 9/19/1995

Recommended by: Dm Date 11/7/95

STATE OFFICE REVIEW

See below for additional information. By Date

ADDITIONAL INFORMATION

2 Appls. Filed

1 for spring, 2 both for 100 cattle
1 for creek

**NOTICE OF APPLICATIONS
FOR WATER RIGHTS**

The Following applications have
been filed to appropriate the public wa-
ters of the State of Idaho:

61-07708

PERCY, STEPHEN
PERCY, HELEN
P.O. BOX 248
MOUNTAIN HOME, ID 83647
Source: LONG TOM CREEK, WEST
FORK; Tributary: CANYON CREEK
Diversion Pt: NESE Sec. 24 T 01S R
07E in ELMORE County.
Use: STOCKWATER (0.020 CFS);
Total Diversion (0.020 CFS).
Date Filed: 9/19/1995.
In: ELMORE County, T01S R07E
S24 SESE.

61-07709

PERCY, STEPHEN H.
PERCY, HELEN S.
P.O. BOX 248
MOUNTAIN HOME, ID 83647.
Source: MONTROSE SPRING; Trib-
utary: LONG TOM CREEK, WEST
FORK.
Diversion Pt: SWNENW Sec. 24 T
01S R 07E in ELMORE County.
Use: STOCKWATER (0.020 CFS);
Total Diversion: (0.020 CFS).
Date Filed: 9/19/1995.
In: ELMORE County, T01S R07E
S24 NWNW.

Permits will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
203A, Idaho Code. Any protest against
the approval of this application must
be filed with the Director, Dept. of Wa-
ter Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 to-
gether with a protest fee of \$25.00 on
or before OCTOBER 23, 1995. The
protestant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director

Published: 10/4/1995 & 10/11/1995.

RECEIVED

OCT 16 1995

WATER RESOURCES
WESTERN REGION

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 4th day of
October, 1995, and the last publi-
cation having been made on the 11th day of
October, 1995; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninterr-
uptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Subscribed and sworn to me this 12th day of
October, 1995

Kendall H. Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

DEC 20 1995

61-07709

PERCY, STEPHEN H
PERCY, HELEN S
PO BOX 248
MOUNTAIN HOME, ID 83647

Source: MONTROSE SPRING

Tributary: LONG TOM CREEK, WEST FORK

Diversion Pt: SWNENW Sec 24 T 01S R 07E in ELMORE County.

Use: STOCKWATER	(	0.020 CFS)
Total Diversion:	(	0.020 CFS)

Date Filed: 9/19/1995

In: ELMORE County	
T01S R07E S24	NWNW

9/19/1995