


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X ly-e. om
(Applicant)

FEB 16 1995




T55
R10E
S19
S30

Declination

E.

RECORDED
FEB 1 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N/A

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	5	Not Accessible	(Unknown)	2 1/2" to 4"
				Horz. - Centrifugal	

*Code to correspond with No. on map and aerial photo

MICROFILMED


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No measurements taken for this exam. In a phone conversation, Skip Owen stated he can pump 5000 Gal. in 18 min. into his truck tank; 278 GPM, 0.62 cfs. However, for the 61-02666 Permit a flow measurement indicated 1900 Gal in 8 min; 238 GPM, 0.53 cfs.

- 13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

61-07700

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Ly-C. O.

(Applicant)

MICROFILMED
JUN 09 1998



P/D

5 HP motor,
pump & drain
water collection
system.

Direction
of 4"
discharge
line is to
the NW.



P/D & P/U

48" x 11' CMP
drain water
collection
point & power
supply in
foreground.

Three earth
mover tire
stockwater
troughs in
background.

View looking
NE.

MICROFILMED
JUN 09 1998

61-07700

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Coleen W. Swenson, do solemnly swear that I am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publication having been made on 21st day of

December, 1994, and the last publication having been made on the 28th day of

December, 1994; every Wednesday

issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 29th day of

December, 1994

Bernadette Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Idaho. My commission expires 11-16-98.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application has been filed to appropriate the public waters of the State of Idaho:

61-07700

OWEN, SKIP E.

P.O. BOX 864

GLENNS FERRY, ID 83623

Source: WASTEWATER; Tributary:
LITTLE CANYON CREEK.

Diversion Pt: NWNE Sec. 30 T 05S R
10E in ELMORE County.

Use: STOCKWATER (.230 CFS); Total
Diversion: (.230 CFS).

Date Filed: 12/8/1994.

In: ELMORE County, T05S R10E,
S19, NESW NWSW SWSW SESW
NWSE SWSE; S30, NWNE NENW
NWNW.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JANUARY 9, 1995. The protestant must also send a copy of the protest to the applicant.

R. KEITH HIGGINSON, Director
Published: 12/21/1994 & 12/28/1994.

Microfilm
FEB 16 1995

RECEIVED

DEC 30 1994

WATER RESOURCES
WESTERN REGION

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 61-07700

Priority: December 8, 1994

Maximum Diversion Rate:

0.23 CFS

Maximum Diversion Volume:

5.6 AF

This is to certify, that SKIP E OWEN
PO BOX 864

GLENN'S FERRY ID 83623-0864 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 8, 1994; and has submitted Proof of Beneficial Use on January 17, 1996. An examination indicates that the works have a diversion capacity of 0.540 cfs of water from:

WASTE WATER tributary to LITTLE CANYON CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	11/01 to 03/31	0.23 CFS	5.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 30, Township 05S, Range 10E
ELMORE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

05S 10E 19	NESW	Lot 3(NWSW)	Lot 4(SWSW)
	SESW	NWSE	SWSE
30	NWNE	NENW	Lot 1(NWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 61D.
6. Right 61-07666 is also diverted through the point(s) of diversion described above.

RECORDED

JUL 09 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 61-07700

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of June, 1998


Acting for KARL J. DREHER, Director

MICROFILMED

JUN 09 1998

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 61-07700 IN THE NAME OF
SKIP E. OWEN

)
)
)
)
ORDER REMOVING
CONDITION OF APPROVAL

WHEREAS, on December 8, 1994, Skip E Owen applied to the Department of Water Resources (Department) for a permit to appropriate waste water for stockwater use for an annual season beginning November 1 and ending April 1; and,

WHEREAS, the Department approved Permit No. 61-07700 with the following condition:

A measuring device and lockable controlling works of a type acceptable to the department shall be permanently installed and maintained as part of the diverting works.

and,

WHEREAS, the watermaster of Water District No 61D has informed the department that a measuring device is not necessary for regulation of this water right; and,

WHEREAS, there appears to be reasonable cause to remove the condition,

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval requiring the installation of a measuring device and lockable controlling works for Permit No 61-07700 is REMOVED provided that the Director retains jurisdiction to reinstate the condition in the future if determined by the Director to be necessary.

Dated this 1st day of June, 1998


L GLEN SAXTON

Chief, Water Allocation Bureau

MICRO. FILMED

JUN 09 1998

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No. C034532
Receipt By: GW
Date Received: 1-17-96

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JAN 17 1996

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-7700 Telephone No. 208/366-2642
2. Name(s) of Permit Holder(s): SKIP E OWEN
3. Mailing Address: PO Box 864 Glenns Ferry ID 83623-0864
4. Source of Water: WASTEWATER If GROUNDWATER (well), Date Drilled: mo. / yr.
 - a. Well Driller: Drilling Permit Number: - - -
 - b. **OPTIONAL:**
Pump Horsepower: 5 Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock): 1000 range cattle
Irrigation (No. of acres): Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.23 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ☒	or	No ☐
	Has the measuring device been installed?	Yes ☐	or	No ☒
Flow Measurement Port:	Is a flow measurement port required?	Yes ☐	or	No ☐
	Has the measurement port been installed?	Yes ☐	or	No ☐
8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Skip Owen Telephone Number: 366-2642
Address: Box 864 Glenns Ferry Id. 83623
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: SB Owen Date: 1-15-96
(include your title, if on behalf of company or organization)

MAR 28 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 61-07700

Proposed Priority: December 8, 1994 Maximum Diversion Rate: 0.23 CFS

This is to certify, that **SKIP E OWEN**
PO BOX 864
GLENN'S FERRY ID 83623-0864
has applied for a permit to appropriate water from:
WASTE WATER tributary of **LITTLE CANYON CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	11/01 to 04/01	0.23 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 30, Township 05S, Range 10E
ELMORE County

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
05S	10E	19	NESW	Lot 3 (NWSW)	Lot 4 (SWSW)
			SESW	NWSE	SWSE
	30		NWNE	NENW	Lot 1 (NWNW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1996**.
2. Subject to all prior water rights.
3. Use of water under this right is subject to control by the watermaster of State Water District No. 61D.
4. A measuring device and lockable controlling works of a type acceptable to the Department shall be permanently installed and maintained as part of the diverting works.
5. Stockwater use is for 1,000 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of February, 1995

[Signature]
R. Keith Higginson, Director

for

[Stamp]

FEB 16 1995

RECEIVED
JAN 18 1995
Department of Water Resources

Ident. No. 61-07700

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: SKIP E OWEN
Address: PO BOX 864
GLENNS FERRY ID 83623
208-366-2542
2. Source: WASTEWATER
Trib. to: LITTLE CANYON CREEK
3. Location of Point of Diversion: NWNE Sec. 30, Township 05S, Range 10E
ELMORE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	11/01	04/01	0.230		
5. Total quantity to be appropriated is:
0.230 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
Pump to distribution lines.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is inches; proposed depth of well is
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: STOCKWATER

TWN RGE SEC
05S 10E 19
20

NESW
SESW
NWNE

Lt. 3 (NWSW)
NWSE
NENW

Lt. 4 (SWSW)
SESW
LT. 1 (NWNE)

RECORDED
FEB 16 1995

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
Stockwater use is for 1,000 head range cattle.

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

See original
Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ 50.00 Receipted by _____ #W018418 Date 12/ 8/1994

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

APPROVED
12/16/1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident No 61-07700

RECEIVED

DEC 08 1994

WATER RESOURCES
WESTERN REGION

To appropriate the public waters of the State of Idaho

1. Name of applicant SKIP E OWEN Phone 344 2642
Post office address PO BOX 864 GLENNS FERRY ID 83623
2. Source of water supply Waste water which is a tributary of Little Canyon CK
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt Lot _____
Sec 30 Township 5S Range 10E B.M. Elmore County; additional
points of diversion if any _____
4. Water will be used for the following purposes
Amount .23 for Stock water purposes from 11/1 to 4/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .23 for Stock water purposes from 11/1 to 4/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .23 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc Sump in tiled drain; SHP pump to distribution lines
 - b. Height of storage dam N/A feet, active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive
 - c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? No
 - e. If well is already drilled, when? _____, Drilling firm _____;
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
1 years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b. Stockwatering; list number and kind of livestock 1000 range
- c Municipal, show name of municipality _____
- d Domestic, show number of households _____
- e Other, describe fully _____

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example. D for Domestic) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
SS	10E	30		S			S	S											
								L.1											
		19									S	S	S	S		S	S		
												L.3	L.4						

Total number of acres to be irrigated _____


10. Describe any other water rights used for the same purposes as described above. 61-7666

- 11 a Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? "
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

- 12 Remarks 61-7666 provides stockwater from same source, same flk, during balance of year. system is existing.
stockwater for 1000 range in the flk.

FEB 16 1906

13 Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

X *[Signature]*
(Applicant)

FEB 16 1995

Received by VR Date 12-8-94 Time 11:20 am Preliminary check by g

Fee \$ 50- Received by VR # W018418 Date 12-8-94

Publication prepared by st Date 12-14-94 Published in Mtn Home News

Publication approved st Date 1-10-95

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1 Approval of said application is subject to the following limitations and conditions

a SUBJECT TO ALL PRIOR WATER RIGHTS

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____


c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land

d The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e Other

RECEIVED

FEB 16 1995



Declination
E.

FEB 1 1955



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 8, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SKIP E OWEN
PO BOX 864
GLENN'S FERRY ID 83623-0864

RE: WATER RIGHT NO. 61-07700

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

JUN 09 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


RECEIVED
3 JUN 09 1998

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of June, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 61-07700

SKIP E OWEN
PO BOX 864
GLENN FERRY ID 83623-0864


Kari Lynn Townsend
Secretary

RECEIVED

JUN 09 1998

MEMORANDUM

TO: File 61-07700

FROM: Sharla

DATE: May 15, 1998

RE: Telecon

On this date I spoke with Jim Allen (watermaster of WD61D) concerning the necessity of a measuring device and lockable controlling works on this right. He stated that this right is for stockwater during the non-irrigation season when the watermaster would not be regulating water anyway. I asked him about what happens during the irrigation season and he said that he has never had to make a measurement or curtail delivery of Mr. Owen's water use. Because of this he felt that it is unnecessary to require such a device on this water system.

MICROFILMED

JUN 09 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 61-07700 DATE 4/16/98 REVIEWER: S H A R L A

NAME Change/OK
 Address OK
 SOURCE OK Waste water Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK _ Change (Para P39 - gov P40/P47) _ Add (P45/P42)

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK _ Change (P41 - gov P43/P47) _ Add (P42)

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV

Permitted Rate .23 cfs
 Fee limit 1.0 cfs \$100⁰⁰
 Measured 54 cfs
 Theoretical _____ cfs

to complete
 the rest of the year

Recommended Total Div Rate .23 cfs OK

WATER USES

Stock .23 cfs 5.6 af Irrig - overlap (R58-R61, R62-R65, R66-R69)
 _____ cfs _____ af supp gw (WB7/065/079)
 _____ cfs _____ af overlap spec. combined rts (W35)
 _____ cfs _____ af <1acre (W31)
 _____ cfs _____ af Domestic (W01/WB5/070/071/075)
 TOTALS _____ cfs _____ af Power (W42 or W43/025/027/R22 or R23)
 Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .23 cfs X 151 days X 1.98 = 68.8 af

REMARKS W36 (61-07666) W35 (.54 cfs)

ADD'L CONDITIONS

WA Watermaster Control WD# 61D
GW GW Measurement/Measuring Device

_____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ✓ no

SRBA Claim N/A

Adjust Memo Wtrmaster

response



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 21, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Jim Allen
Rt. 1, Box 14C
King Hill, ID 83633

RE: Permit No. 61-07700

Dear Mr. Allen:

We are currently reviewing the above referenced permit for licensing. One of the conditions of the permit required installation and maintenance of a measuring device and lockable controlling works. The department's field examiner reported that a measuring device and lockable controlling works have not been installed.

I am enclosing a profile report detailing this permit and am asking for your comments as to whether such a device and lockable works are necessary. I look forward to hearing from you and thank you for your assistance with this matter.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent

Enclosure

MICROFILMED

JUN 09 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 12 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 61-07700

1. Owner: SKip E. Owen Phone No. (208) 366-2642

Current Address: PO Box 864 Glenns Ferry, ID 83623-0864

2. Accompanied by: (SKip Owen was not on exam) EXAM DATE: 6-27-96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Constructed Tile Drain tributary to Little Canyon Creek

B. OVERLAP REVIEW (sub-surface) system - wastewater
61-07666

1. Other water rights with the same place of use: 61-00305, 366A02-214, 215, 216, 217, 37-4112

2. Other water rights with the same point of diversion: 61-07666 (4/1 to 10/31)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

This is the same stockwater system for 61-07666 (4/1 to 10/31). This permit extends the Period of Use; 11/1 to 4/1, for a 12 month total period.

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	30	5S	10E	Elmore	Site Visit, Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5S	10E	19									S	S	S	S		S	S		
		30		S			S	S				L.3	L.4						
								L.1											

MICROFILMED

JUN 09 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

N/A

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	5	Not Accessible	(Unknown)	2 1/2" to 4"
				Horz. - Centrifugal	

*Code to correspond with No. on map and aerial photo

MICROFILMED

D. FLOW MEASUREMENTS

1.

JUN 09 1998

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: No measurements taken for this exam. In a phone conversation, Skip Owen stated he can pump 5000 Gal. in 18 min. into his truck tanks; 278 GPM, 0.62 cfs. However, for the 61-07666 Permit a flow measurement indicated 1900 Gal in 8 min; 238 GPM, 0.53 cfs.

E. NARRATIVE/REMARKS/COMMENTS

1. This system is the same Stockwater System in water Right 67-07666 with a period of use from 4/1 to 10/31. This permit is for extension of the period of use; 11/1 to 4/1, for a total of 12 months. This system has not been changed since from the last exam, and serves the same number of livestock - 6000 range cows.
2. Drain water (sub-surface) is collected by a tile drain system from irrigated lands, and conveyed to a 48" x 11' cmp Sump. A 5HP motor and Horizontal Centrifugal pump; pumps the drain water to a buried pipe distribution system and earth mover tire stockwatering troughs. The pipe system also has a valved outlet w/hose to fill a water tank mounted on a truck. The truck is used to haul water beyond the Service area of the pipeline. The exposed discharge pipe on the pump outlet was 4".
3. This water + system is not used for irrigation; and is used on a 12 month basis.
4. Other water rights shown on the overlap are for irrigation from Little Canyon Creek and King Hill ID.

Have conditions of permit approval been met? yes ☒ no A measuring device and lock has not been installed. However, the power control panel can be locked if necessary.

JUN 09 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

A flow measurement was made during the last exam for 61-07666. 1943 gal. was pumped into the truck tank in 8 min. - 243 GPM, 0.54 cfs.

$$\text{Pump HP CK: } Q = \frac{(8.8)(5)(0.7)}{12' + (20)\frac{34'}{14.7 \text{ PSI}}} = 0.53 \text{ cfs}$$

For 1000 range cattle, allow 0.23 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses: 1000 range cattle

$$\text{Vol} = (1000) \left(12 \frac{\text{GPD}}{\text{Head}} \right) \left(151 \frac{\text{days}}{\text{yr.}} \right) \left(\frac{\text{AF}}{325,850 \text{ Gal.}} \right) = 5.56 \text{ AF/yr.} \\ = 5.6 \text{ AF}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater	11/1	4/1	0.23	5.6
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Don Tomich Date 7-12-96

Reviewer _____ Date _____

SEAL

NOTED
JUL 13 1996

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

61-07700

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X 19-4.02

(Application)

09 1998



P/D

5 HP motor,
pump & drain
water collection
system.

Direction
of 4"
discharge
line is to
the NW.



P/D & P/W

48" x 11' CMP
drain water
collection
Point & power
supply in
foreground.

Three earth
mover tire
stockwater
troughs in
background.

View looking
NE.

JUN 09 1998

61-07700

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 61-07700 Reviewed by [Signature] Date 2-2-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? stock
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required? yes Required?
100.00 Amount Submitted no Installed?
yes Correct? no Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

*Inform of need to install measuring device
Proof acceptable*

DATA ENTRY

New Address _____ Proof Made 1-17-96



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 13, 1996

SKIP OWEN
PO BOX 864
GLENN'S FERRY ID 83623-0864

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 61-07700

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install and maintain a lockable controlling device (refer to condition # 4 of your permit.) This condition must be complied with before the license examination, or you can request in writing, a waiver of the condition.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise, at (208) 334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

MAR 28 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

January 10, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

Skip Owen
PO Box 864
Glenns Ferry ID 83623-0864

RE: Application and Proof of Beneficial Use Forms

Dear Skip:

I have enclosed a partially completed 'Proof of Beneficial Use' form for the stockwater Permit No. 61-07700. Please complete the highlighted items and return the form along with the filing fee to Julie Yarbrough by February 1, 1996.

I have also enclosed a partially completed 'Application for Permit' form with map and instructions. Please mark on the map where you are pumping out of the ditch and the boundaries of the fields to be irrigated. Please proofread the application to make sure you're applying for what you want. If you do not intend to enlarge the existing system, you can file 'Proof of Beneficial Use' on the new irrigation application at the same time you file the application. I have enclosed a partially completed proof form for the 175 acres of irrigation for your use.

Please return the completed forms (application for irrigation and the proof on the irrigation application) along with the filing fees to me in the envelope provided.

If you have any questions, you may contact me directly at (208) 327-7944.

Respectfully,

Cindy Zimmerman
Water Resource Agent

Enclosures

MAR 28 1996

November 30, 1995

SKIP E OWEN
PO BOX 864
GLENNS FERRY ID 836230864

PROOF DUE NOTICE

RE: PERMIT NO. 61-07700

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

1336





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 6, 1995

SKIP E OWEN
PO BOX 864
GLENN'S FERRY ID 83623-0864

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07700

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

FEB 16 1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman**

No.: 61-7700 Name: Skip Owen Date: 1/27/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: W018418 Priority: 12/8/94

AREA OF CONCERN? ^{- stockwater -} No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: ^{empt} - 020 (Prehearing agreement) or W19 (See Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 5 acres irr.	- 01M
+ 0.2 cfs	- 01M or No MD
- 0.2 cfs	- No MD

Drilling Permit:

Included w/permit - Permit No. _____, P99
Existing well - NA (pre 7/1/87)
No WD permit? - 046-46A(Irr)-46B-P23 (post 7/1/87)

SURFACE WATER <V FLO-CH> (Surface water that doesn't sink):

Water District (dem) - P05 (req) WD # 61D <SEE MAP & LISTING>
+ 5 a. irr. - 01M
+ 0.2 cfs - ~~P06~~ or No MD 01M
- 0.2 cfs - 01H-P01 or No MD
GW irr. in WD - P05 (new well)
~~In WD~~ + 5 a. irr. - 01M
+.2 w/pump - 01M or No MD

RIVER BASINS (*Surface water):

Snake R(01/02/03) - 11A-P04 (01), 061-P07 (02/03 No WD Cond.), NA
Boise R(63) - 05A (if WD), 11E (non-domestic use), NA
Payette R(65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 064(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr -5 acres - 057
+5 a (POU cmp) - 01M-03A; 803(if GW use SW 1st)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo	-	058 (-85° GW temp only)
In-stream dev.	-	030 (stream channel alteration)
Irr Dist/Canal Co.	-	023 (Twin Falls area)
Swan Falls Flag	-	<u>S</u> <SEE CONDITION CODE CHART>
Trust	-	051-052-053-P74 (Consumptive Uses), NA
Non Trust <1>	-	048-049 (Consumptive Uses), NA

OWNERSHIP:

Non land owner - 004 (PD/PU)

OTHER CONDITIONS:

REMARKS:

① W02/1000 PC

BENEFICIAL USE DUE:

2-1-199 6

COMMENTS:

v govt lots of data enter all applicable

RECEIVED
JAN 18 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

Send copy to
King Hill Irrig Dist

INITIAL REVIEW BY: ly DATE: 12/13/94 APPLICATION: 61-07700

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: see remarks Gov't. Lots: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☐ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ 1992 moratorium
☐ ☒ Copy to SCA staff (perennial stream, non-pump diversion):
☐ ☒ Copy to Dam Safety staff (for any storage)
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

PROCESSING

APPLICATION NO.

61-07700

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☒ ☐

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other King Hill

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

Publication dates and paper recorded on application:

Protests received. Final date for protest 1-9-95

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # 61-D

Special conditions of approval or cover letter:

05(61D, Little Canyon Cr), DIE

See below for additional information

Recommended Date or Priority 12/8/1994

Recommended by: Dnr

Date 1/13/1995

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

P/D

overlaps: 61-07666 Little Canyon Cr

P/U

several - all for irrigation
except:

37-04112 for King Hill Irrig
listing Irrig, dam, & stock
uses

61-07666 - see appl remarks

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 21st day of

December, 1994, and the last publi-
cation having been made on the 28th day of

December, 1994; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson
Subscribed and sworn to me this 29th day of
December, 1994

Brenda M. Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application has been
filed to appropriate the public waters of
the State of Idaho:

61-07700

OWEN, SKIP E.

P.O. BOX 864

GLENNS FERRY, ID 83623

Source: WASTEWATER, Tributary:
LITTLE CANYON CREEK.

Diversion Pt: NWNE Sec. 30 T06S R

10E in ELMORE County.

Use: STOCKWATER (.230 CFS); To-

tal Diversion: (.230 CFS).

Date Filed: 12/8/1994.

In: ELMORE County, T06S R10E,

S19, N6SW N7SW S7SW S8SW

NWSE SWSE; S30, NWNE NENW

NWNW.

Permits will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
202, Idaho Code. Any protest against
the approval of this application must
be filed with the Director, Dept. of Wa-
ter Resources, Western Region, 2735
Airport Way, Boise, Idaho 83705 to-
gether with a protest fee of \$25.00 on
or before JANUARY 9, 1995. The prot-
estant must also send a copy of the
protest to the applicant.

R. KEITH HIGGINSON, Director

Published: 12/21/1994 & 12/28/1994.

RECEIVED
FEB 16 1995

RECEIVED

DEC 30 1994

WATER RESOURCES
WESTERN REGION



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 14, 1994

KING HILL IRRIGATION
PO BOX 428
KING HILL ID 83633

Re: Application for of Water Right No. 61-7700 in the Name of Skip
E. Owen

Dear Sir:

Enclosed is a copy of the above referenced application for
water right.

Please review the application and return any comments you might
have within two weeks. If you have questions or need
information, feel free to contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to read 'David R. Tuthill, Jr.'.

DAVID R. TUTHILL, JR., P.E.
Manager, Western Regional Office

DRT:st

Enclosure: Copy of Application

FEB 16 1995

61-07700

OWEN, SKIP E
PO BOX 864
GLENN'S FERRY, ID 83623

Source: WASTEWATER

Tributary: LITTLE CANYON CREEK

Diversion Pt: NWNE Sec 30 T 05S R 10E in ELMORE County.

Use: STOCKWATER (.230 CFS)

Total Diversion: (.230 CFS)

Date Filed: 12/ 8/1994

In: ELMORE County
T05S R10E S19

NESW
NWSE
NWNE

NWSW
SWSE
NENW

SWSW

NWNW

SESW

S30

20151007