





3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6" well	Franklin	1 1/2		Jacuzzi	13541814
8" well	Franklin	10		Jacuzzi	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System was off.

Operating Pressures: 6" well - 30-50 psi.

8" well - 45-50 psi.





8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This well is only piped and used for irrigation at this time for WR 61-07681. It is also included as a P/D in WR 61-07665, Commercial, as a backup well. This well is not piped into the commercial system at this time. The commercial source of water, P/D, is a 6" well located in the Northwest corner of the property, for WR 61-07665.

Dan Tomach Water Rights Examiner
Signature of Dept. Representative & Title

10-2-96
Inspection Date

The 6" well also has a separate water system for irrigation under WR 61-07681. The two systems are not piped together.

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: This well is used for Commercial under
WR 61-07665 and for irrigation under
WR 61-07681. WR 61-07681 also has a 8"
well used for irrigation located in the Southwest
Corner of the property. The two irrigation
systems are not piped together.

Dan Tomich Water Rights Examiner
Signature of Dept. Representative & Title

10-2-96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 3



View Looking
West

P/D
6" well &
Well House.

Also P/D
for
61-07665.

P/u
Trees
along
West
Boundary.



P/D

8" well.

View
Looking
Southwest

61-07681

2 of 3

P/O

8" well.

P/u

irrigated
land.

View

Looking

Northeast



P/u

irrigated
land -
field and
tree rows
in
background.

View

Looking

Northwest



61-07681

3 of 3

P/u

on

6-4-97

View

Looking

Northwest



P/u

on

6-4-97

View

Looking

North.



61-07681

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publication having been made on 2nd day of June, 1993, and the last publication having been made on the 9th day of June, 1993; every Wednesday

issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 10th day of

June, 1993

Brenas M Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Idaho. My commission expires 11-16-98.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application has been filed to appropriate the public waters of the State of Idaho: ✓

61-07681

ELLIOT, THOMAS A.
FARRIS, WESTON D.

P.O. BOX 9

GLENNS FERRY, ID 83623-0009

Source: GROUNDWATER

Diversion Pt: SWNE Sec. 26 T 05S
R08E in ELMORE County; NWSE Sec.
26 T05S R08E in ELMORE County.

Use: IRRIGATION (.880 CFS); Total
Diversion: (.880 CFS)

Date Filed: 5/13/1993

In: ELMORE County, T05S R08E
S26 SWNE SENE NESE NWSE.

44.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JUNE 21, 1993.

R. KEITH HIGGINSON, Director
Published: 6/2/1993 & 6/9/1993.

RECEIVED

JUN 14 1993

RECEIVED

Department of Water Resources
Western Regional Office

AUG 31 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 13 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-07681 Telephone No. 208-366-7712
2. Name(s) of Permit Holder(s): Weston Farris + Thomas Elliott
3. Mailing Address: P.O. Box 9 Glenus Ferry Idaho 83623
4. Source of Water: _____ If GROUNDWATER (well), Date Drilled: mo. March / yr. 93
- a. Well Driller: Hiddleston Drilling Drilling Permit Number: _____
- b. OPTIONAL:
Pump Horsepower: 10 Pressure (psi): 50 Dynamic pumping level (ft): 250

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 44 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .88 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>X</u>
	Has the measuring device been installed?	Yes _____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Wes Farris or Tom Elliott Telephone Number: 208-366-7712

Address: P.O. Box 9 Glenus Ferry Id 83623

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Weston D Farris Date: May 9, 1996
(include your title, if on behalf of company or organization)

OCT 1 0 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 61-07681

Proposed Priority: May 13, 1993 Maximum Diversion Rate: 0.88 CFS
This is to certify, that **WESTON D FARRIS**

THOMAS A ELLIOT

PO BOX 9

GLENNS FERRY ID 836230009

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 10/31	0.88 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 26, Township 05S, Range 08E
NWSE , Sec. 26, Township 05S, Range 08E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S 08E 26	SWNE 3	SENE 38	NESE 2	
	NWSE 1			44

Total number of acres irrigated: 44

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.

RECEIVED

AUG 31 1993

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 61-07681

CONDITIONS/REMARKS:

8. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
9. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
10. The permit holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this permit.
11. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of July, 1993

R. Keith Higginson
for R. Keith Higginson, Director

APR 31 1993

RECEIVED

MAY 14 1993

RECEIVED

JUL 09 1993

Department of Water Resources

Ident. No. 61-07681

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: WESTON D FARRIS 208-587-7173
Address: PO BOX 9
GLENN FERRY ID 836230009
AND/OR
Name: THOMAS A ELLIOT 208-587-7173
Address: PO BOX 9
GLENN FERRY ID 836230009

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNE Sec. 26, Township 05S, Range 08E
NWSE Sec. 26, Township 05S, Range 08E
ELMORE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	10/31	0.880		

5. Total quantity to be appropriated is:
0.880 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
2 wells; 8" well and 10" well, pipelines, drip or sprinkle system
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is inches; proposed depth of well is
feet.
d. Is groundwater with a temperature greater than 85F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 3 year(s).

8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
05S	08E	26	SWNE 3	SENE 38	NESE 2	44
			NWSE 1			

Total number of acres irrigated: 44

AUG 31 1993

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:


11. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Weston E. Farro
Applicant

Received by CZ Date 5-13-93 Time 10:04am Preliminary check by ly
Fee \$ 45.00 Receipted by CA # C027503 Date 5/13/93
Publication prepared by At Date 5-27-93 Published in Mtn Home News
Publication approved At Date 6-25-93 6-2-93, 1993

AUG 31 1993



61-07681
~~61-07665~~

5S 8E

AUG 31 1991

P/U


P/D

AUG 31 1993

NOT FILLED

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: No Scale

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
6" well	Franklin	1 1/2		Jacuzzi	13541814
8" well	Franklin	10		Jacuzzi	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System was off.

Operating Pressures: 6" well - 30-50 Psi.

8" well - 45-50 Psi.

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is for irrigation from two different wells. At the present time, the two wells are not piped together, and have a separate system for their service areas.
2. 6" Well - This well was developed for WR 61-07665 (Commercial), and provides water for the two potato sheds, and scale house. It also serves two 1 1/2" PE pipes for trickle irrigation of trees along the West and North boundaries of the property. The well has a well house with Air tank, pressure gauge, pressure switch, and valves, etc. There is also a hose bib at the well house.
3. 8" Well - This well has a separate water system and serves a 4" PVC mainline for irrigation only. The 4" mainline has turnouts for sprinkler handlines. The well has a pressure switch, 2 pressure gauges, Air valve, and a butterfly valve in the piping. This well was included as a backup well for WR 61-07665, but is not piped into the Commercial system at this time.
4. There is no surface water provided to this property; Condition 10. There is no flow measuring device for either well; Condition 4.

Have conditions of permit approval been met? ☐ yes

☒ NO 1) No flow measuring device in either system.

2) No surface water being used.

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: None - Theoretical Cal.

Allowed:

Max. Div. Rate:

$$6'' \text{ well, } Q = \frac{(8.8)(1\frac{1}{2} \text{ H.P.})(70\%)}{138' + (30 \text{ PSI}) \left(\frac{34'}{14.7 \text{ PSI}} \right)} = 0.04 \text{ cfs}$$

$$Q = (44 \text{ Ac.}) \left(0.02 \frac{\text{cfs}}{\text{Ac.}} \right) = 0.88 \text{ cfs}$$

$$8'' \text{ well, } Q = \frac{(8.8)(10 \text{ H.P.})(70\%)}{125' + (45 \text{ PSI}) \left(\frac{34'}{14.7 \text{ PSI}} \right)} = 0.27 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (44.0) \left(3.0 \frac{\text{AFH}}{\text{Ac.}} \right) = 132.0 \text{ AFH}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.31)(214)(1.9835) = 131.6$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 132.0 \text{ (Rounded)}$$

2. Volume Calculations for Other Uses:

$$\text{Irrigated Acres} = \left[(1650')(750') + \left(\frac{1}{2} \right) (1650' + 1100')(700') - (300')(500') - (100')(50') - (12')(1000') \right] \div (66)(66)(10)$$

(Sheds) (Scales) Road

$$= 46.67 \text{ Ac.}, \text{ Allow } \underline{44.0 \text{ Ac.}} \text{ in Permit.}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>04/01</u>	<u>10/31</u>	<u>0.31</u>	<u>132.0</u>
Totals:			<u>0.31</u>	<u>132.0</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other

1) Div. Rate is 0.31 cfs max.


2) 44 Acres in 1415 as shown.


I. AUTHENTICATION

Field Examiner's Name Jan Tomich Date 2-6-98

Reviewer _____ Date _____

SEAL





P/D
8" well

2 miles
93.4

Plu

OUT

TSS
R8E
Sec. 26

5 miles
40.2

1633
548
61-07681

1926
26
25
44.4
1553

1204
516

1987 Photo

IDAHO DEPARTMENT OF WATER RESOURCES

FEB 10 1998

Department of Water Resources

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 61-91-W-001 OTHER APPLICABLE NO: 61-07681 (Irrig.)
61-07665 (Comm.)
2. OWNER: Weston D. Farvis & Thomas A. Elliot Phone: (208) 587-7173
Address: P.O. Box 9, Glenns Ferry, ID 83623-0009
3. WELL LOCATION: Twp 55, Rge. 8E, Sec. 26, NW 1/4 SE 1/4
County Elmore (Provide sketch map and photo on reverse.)
4. DRILLER: Hiddleston & Son, Inc. Lic. No. 35
When Drilled? 6/5/91 to 6/7/91
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☐ Yes ☒ No Access Port: ☐ Yes ☒ No
Casing > 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 159 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 125 ft. Water Temperature ? °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation only, at present ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: Also a backup for Commercial, WR 61-07665;
but is not piped into commercial system
at this time.

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chernigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS: This well is only piped and used for
irrigation at this time for WR 61-07681.
It is also included as a P/D in WR 61-07665,
Commercial, as a backup well. This well is
not piped into the commercial system at this
time. The commercial source of water, P/D, is
a 6" well located in the Northwest corner of
the property, for WR 61-07665.

Dan Zeman Water Rights Examiner
Signature of Dept. Representative & Title

10-2-96
Inspection Date

→ The 6" well also has a separate water system for irrigation
under WR 61-07681. The two systems
are not piped together. irrigation

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



FEB 10 1998

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 61-91-Z-014 OTHER APPLICABLE NO: 61-07681 (Irrig.)
61-07665 (Comm.)
2. OWNER: Weston D. Farrie & Thomas A. Elliot Phone: (208) 587-7173
Address: P.O. Box 9, Glenns Ferry, ID 83622-0009
3. WELL LOCATION: Twp 5 S, Rge. 8 E, Sec. 26, SW 1/4 NE 1/4
County Elmore (Provide sketch map and photo on reverse.)
4. DRILLER: Hiddleston & Son, Inc. Lic. No. 35
When Drilled? 5/8/91 to 5/19/91
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☐ Yes ☒ No
Casing $\geq$ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 82 ft. Method Drilled Air Rotary
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No
Condition of Piping and Valving Good
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 138 ft. Water Temperature ? °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☒ Irrigation 61-07681 ☐ Stock
☐ Test ☐ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☒ Other: Commercial 61-07665

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____


How far away from the well is this source? _____

9. REMARKS: This well is used for Commercial under
WR 61-07665, and for irrigation or under
WR 61-07681. WR 61-07681 also has a 8"
well used for irrigation located in the Southwest
Corner of the property. The two irrigation
systems are not piped together.

Dan Tomack Water Rights Examiner
Signature of Dept. Representative & Title

10-2-96
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



1 of 3

P/D


6" well &
Well House.

Also P/D

for
61-07665.

P/u

Trees
along
West
Boundary.



View Looking
West

P/D

8" well.

View
Looking
Southwest



61-07681

2 of 3

P/D

8" well.

P/u

irrigated
land.

View

Looking

Northeast



P/u

irrigated
land -

field and
tree rows
in

background.

View

Looking

Northwest



61-07681

3 of 3

P/u


on

6-4-97

View

Looking

Northwest



P/u

on

6-4-97

View

Looking

North.



61-07681

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 61-07681 Reviewed by [Signature] Date 5-31-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

_____ Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. _____
_____ Amount paid for permit _____ Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
100 Amount Submitted
yes Correct?
yes Required?
no Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

*Request info on drilling permits
Info Received - Proof acceptable*

DATA ENTRY

New Address _____ Proof Made 5-13-96

September 4, 1996

THOMAS A ELLIOT
WESTON D FARRIS
PO BOX 9
GLENN'S FERRY ID 836230009

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07681

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,


JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

OCT 10 1996

Mountain Home Office
Rt 3 Box 610-D
Mountain Home, Idaho 83647
(208) 687-9055



Boise Office
2769 S. Cole Road
Boise, Idaho 83709
(208) 362-2900

DATE 6-27-96

TO Julie. Yarbough

FAX 327-7866

FROM Mark

NO. OF PAGES INCLUDING COVER SHEET 2

REGARDING _____

REMARKS

This is Weston Farris's well
WR # 61-07681

OCT 1 0 1996

Form 238-7
8/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Weston Corp. c/o Weston Farris
Address Box 9, Glenns Ferry, ID 83623
Drilling Permit No. 61-91-W-001
Water Right Permit No. 61-07665

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Commercial (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8.625</u> inches +	<u>1</u> feet	<u>159</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Aardvark

Type slotted Model No. _____

Diameter 6.625 in size .015 set from 210 feet to 310 feet

Diameter 6.625 in size .000 set from 10 feet to 210 feet

Gravel packed? ☒ Yes ☐ No ☐ Size of gravel 20/40 sand

Placed from 10 feet to 310 feet

Surface seal depth 110 Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Static water level 125 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ of. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Baller ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
125		1

9. LITHOLOGIC LOG

Bore Diam.	Depth From	To	Material	Water Yes No
10"	0	95	Sand with very little gravel	
10"	95	99	Sand and gravel	
10-8"	99	110	Brown sandy clay	
8"	110	115	Blue sand	
"	115	116	Blue sand and gravel	
"	116	120	Sand with big gravel	
"	120	149	Sand with some gravel	
"	149	150	Brown sand	
"	150	160	Blue sandy clay	
"	160	200	Blue sandy clay w/sandstone	X
"	200	205	Sandy blue clay	
"	205	240	Gray sandy clay	X
"	240	249	Blue sand w/ clay and shells	X
"	249	307	Blue clay w/sandstone streaks	X
"	307	310	Blue clay	
"	310	329	sandy clay	X
"	329	331	Blue clay	
"	331	336	Sandstone	X
8"	336	350	Blue clay	

Hole filled into 310


OCT 10 1996

10.

Work started 6/5/91 finished 6/7/91

8. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Elmore

NW/NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 26 T. 5 N ☐ S ☒ R. 8 E ☒ W ☐

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Hiddleston & Son, Inc Firm No. 35

Rt. 3, Box 610-D

Address Mtn Home, ID 83647 Date 6/25/91

Signed by (Firm Official) Mark S. Hiddleston

and

(Operator) Mark S. Hiddleston



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

June 25, 1996

Weston Farris
Thomas Elliott
P.O. Box 9
Glenns Ferry, ID 83623

RE: Water Right No. 61-07681

Dear Water Right Holders:

I am in receipt of the Proof of Beneficial Use form submitted in connection with the above referenced water right permit. Before I can process of the proof, I need some additional information.

A drilling permit is required for all wells drilled, deepened or enlarged after July 1, 1987, (Section 42-235, Idaho Code). I have been unable to locate a drilling permit or a well log for the wells drilled in connection with this permit. I did locate a well drilled by Hiddleston Drilling in 1992 in TWN. 5S, Rge. 8E, Sec. 26, NWSE under the name of Jim Watkins, however, the well was only for domestic use.

You will need to submit a copies of the drilling permits to the department. The well log should have been submitted by the driller within 30 days of the completion of the well. If you have a copy of the well log, please submit that as well. If you do not, please contact your driller and ask that he submit a copy.

Please return the requested information within **30 days** of receipt of this mailing. **Please address your correspondence to my attention.**

If you have any questions concerning this matter, please contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

RECEIVED

OCT 10 1996

April 30, 1996

THOMAS A ELLIOT
WESTON D FARRIS
PO BOX 9
GLENN'S FERRY ID 836230009

PROOF DUE NOTICE

RE: PERMIT NO. 61-07681

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

24 JUN 1996
OCT 1 0 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 30, 1993

THOMAS A ELLIOT
WESTON D FARRIS
PO BOX 9
GLENN'S FERRY ID 836230009

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07681

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.


You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Such reduction may

AUG 31 1993

far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED
AUG 31 1993

APPLICATION FOR PERMIT STATE OFFICE REVIEW

Application #: 61-7681 Date: 7/13/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____

SYSTEM COMPLETED:

- No - 26A-~~P17~~
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

GROUNDWATER:

- + 0.2 cfs <flo-ch> - 01G-~~P03~~, 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>

Drilling Permit:

- Included w/permit - P99 Permit No. _____
- Existing well - N/A (if drilled before 7/1/87)
- No WD permit? - 046-46B-~~P23~~ (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

- Water District - WD No. 61-C
- Surface water - 005 or 005-01J-P08(+.2)
or 005-01H-P01(-.2 w/pump); NMR
- Groundwater - ~~P05~~ (if well has not been drilled)
- Irrigation Dist. - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Flood Control Dist. - 063
- Boise Front (63) - 058 (Groundwater temperature)
- Swan Falls Flag - (1, Blank or Other)
- Trust - 051-052-053-~~P74~~ (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

- Boise (63) - 05A (req), 11E (non-domestic use)
- Payette (65) - 047-P04, -P
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 (WQ/Choose One) & 010
042 (req), 002-P06(MD), 07A(Special),
044(Policy 5G)
- Power - 08A, 17K, 025, 027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G or 17M; 18B-P09
- Mining - 06A, 010, or 09E-P10 & 054 (req)
- Storage(✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10'Size)
- Rec/Wildlf/Aes - 027-if + $\frac{1}{2}$ A. pond (Non-Consumptive)
- Domestic (surface restricted areas) - 021 - Boise River upstream from L Peak
27A - Payette River & main tributaries

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Hearing agreement - 020

REMARKS:

OTHER CONDITIONS:

BENEFICIAL USE DUE:

COMMENTS:

- 803
- 7-1-1996
- D.D.W. Desc.

WR0749NP
No. P61-07681

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/13/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WESTON D FARRIS	05/13/1993	IRRIGATION	04-01 10-31	0.88 CFS	
C	THOMAS A ELLIOT					
	PO BOX 9					
	GLENNS FERRY ID 836230009					
	(208) 587-7173					
				TOTAL DIVERSION:	0.88 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T05S R08E S26 SW NE NW SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
05S	08E	26	:			03	38	:						02	01	44.0
															TOTAL ACRES	44.0

Pou County: ELMORE

Other Water Rights with Same Point(s) of Diversion and Source:
61-07681

Other Water Rights Listing Overlapping Place(s) of use:
37-04112 61-07681 A02-00214 A02-00215 A02-00216 A02-00217

Conditions of Approval:

- 26A - Project construction shall commence within one year from the
 - date of permit issuance and shall proceed diligently to
 - completion unless it can be shown to the satisfaction of the
 - Director of the Department of Water Resources that delays were
 - due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow
 - measurement port or other device as specified by the Department
 - shall be installed to provide for the installation of measuring
 - equipment and the determination of the rate of diversion by the
 - Department.
- 046 - Right holder shall comply with the drilling permit
 - requirements of Section 42-235, Idaho Code.
- 468 - Construction of the well must comply with Idaho well
 - construction standards.
- 051 - Any license issued by IDWR pursuant to the right or portion
 - thereof for the use of trust water is subject to a term review
 - of 20 years after the date of this approval to determine
 - availability of water for the use and to re-evaluate the public
 - interest at the end of the term.
- 052 - Diversion and use of water under this right is subject to an
 - annual use fee if rules are subsequently promulgated which
 - provide for the submittal of the fee.
- 053 - The Director retains jurisdiction of this right and/or

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

Conditions of Approval:

- subsequent license issued to change, add or remove any requirement as determined to be appropriate.
- 803 - The permit holder shall use the full allotment of his surface water right, to the extent it is available, in conjunction with groundwater diverted pursuant to this permit.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Dates: App. Received: 05/13/1993 Priority Date: 05/13/1993
Proof Due Date: 07/01/1996 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 61C Field Exam Fee:

Comments: Date: 07/13/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
Proposes 2 wells; 8" & 10" in diameter with pipelines and drip or sprinkler system.

Audit: 07/13/93 ZIMMERMA

MEMORANDUM

DATE: July 13, 1993

TO: File No. 61-07681

FROM: Cindy Zimmerman

SUBJECT: Trustwater Review

=====

This application proposes to divert trustwater 0.88 cfs from a groundwater source to irrigate 44 acres in S26, T05S, R08E. This application satisfies 42-203A & C.

RECEIVED
AUG 31 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

TRUST WATER AD -
SEND COPIES

INITIAL REVIEW BY: 6 DATE: 5/23/93 APPLICATION: 61-07681

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume) Gov't. Lots:
☒ Period of use: ☒ P/D
☒ Nature of proposed use: (Include description of use) ☒ P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion:
☐ Field check required: Field check by: _____
☐ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ 1992 moratorium
☒ Copy to SCA staff (perennial stream, non-pump diversion):
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
JUL 09 1993

Department of Water Resources

PROCESSING

APPLICATION NO. 61-07681

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

TEN LUKE
JAMES TUCKER

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☒ ☒
☐ ☐

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DW

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

26A (Allowed 3 yrs)

See below for additional information

Recommended Date or Priority

5/13/93

Recommended by:

DW

Date

7/7/93

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION

P/DP/Loverlap61-07665 GW←37-04112 Malad R

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publication having been made on 2nd day of June, 1993, and the last publication having been made on the 9th day of June, 1993; every Wednesday

Issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 10th day of June, 1993

Brenas M. Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Idaho. My commission expires 11-16-98.

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application has been
filed to appropriate the public waters of
the State of Idaho:

✓

P.O. BOX 1
CLARK'S FERRY, IDAHO
Subject: GROUNDWATER
Diversion to: CHUCK BASS, JR. T-000
600E in: ELMORE County; NWSE Sec.
26 T00S R000 in: ELMORE County.
Use: IRRIGATION (800 CFS); Total
Diversion: 800 CFS
Date Filed: 6/10/93
In: ELMORE County, T00S R00E
S26 SW1E SENE SESE NWSE
44.0 ACRES TOTAL

Potential will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 22-
203A, Idaho Code. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore JUNE 18, 1993.

J. KEITH HIGGINS, Director
Published: 6/10/93

RECEIVED

JUN 14 1993

RECEIVED
Department of Water Resources
Western Regional Office
AUG 31 1993

61-07681

ELLIOT, THOMAS A
FARRIS, WESTON D
PO BOX 9
GLENN FERRY, ID 836230009

Source: GROUNDWATER

Diversion Pt: SWNE Sec 26 T 05S R 08E in ELMORE County.
 NWSE Sec 26 T 05S R 08E in ELMORE County.

Use: IRRIGATION (.880 CFS)
 Total Diversion: (.880 CFS)

Date Filed: 5/13/1993

In: ELMORE County
T05S R08E S26 SWNE SENE NESE NWSE

44.0 ACRES TOTAL

AUG 31 1993