

This system is an expansion of ~~the~~ 61-04141.

61-7679

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. Section 32, T.5S., R.10E., Boise-Meridian

NW 1/4

SW NW

CS

RECEIVED
FEB 17 1993

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

RECEIVED
DEC 28 1992

Department of Water Resources
Western Regional Office

NOTICE OF APPLICATION
FOR TRUST WATER RIGHT

61-07679

CITY OF GLENNS FERRY
P.O. BOX 910
GLENNS FERRY, ID 83623
Source: GROUNDWATER
Diversion Pt: LOT 4 (SESWNW) Sec
32 T 05S R 10E in ELMORE County.
Use: MUNICIPAL (2.680 CFS); Total
Diversion: (2.680 CFS)
Date Filed: 11/16/1992
Place of use within city limits of
Glenns Ferry.

The permit will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
203A, Idaho Code and/or the new pub-
lic interest criteria of Sec. 42-203C, Ida-
ho Code. Protests must be filed with
the Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before JANUARY 4, 1993.

R. Keith Higginson, Director
Published: 12/16/1992 & 12/23/1993.

NOT RECORDED
FEB 17 1993

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 16th day of

December, 1992, and the last publi-

cation having been made on the 23rd day of

December, 1992; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.


Coleen W. Swenson

Subscribed and sworn to me this 23rd day of
December, 1992

Brenda M Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

(8) Remarks



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho

County of

Elmore

ss.

MICROFILMED

FEB 17 1993

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

[Signature]
(Claimant)

Sworn to before me this 14 day of February, 1984.

[Signature]
Notary Public
Residing at *[Address]*

My commission expires Mar 15, 1987

FOR DEPARTMENT USE ONLY

Received by *[Signature]* Date *6/10/84* Exception filed by: Forwarded to
Prelim. check by *ALS* Date *7/10/84* claimant by: Date
\$30.00 fee received by *JS* Date *10/26/84*
Published in *Mountain Home News* *7/26/84*
Dates





Diagram of System

MICROFILMED

FEB 17 1993



51-40-610
RECEIVED

FEB 20 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 61-7679 Telephone No. 208-366-7418

2. Name of Permit Holder(s)
City of Glenns Ferry

3. Mailing Address: P.O. Box 910

City Glenns Ferry State Id Zip 83623

4. Source of Water: Spring Source If **GROUNDWATER** (well), Date Drilled mo. _____ / yr. _____

Well Driller _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households). 736 Stockwater (No. and type of stock) _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted 2.68 cfs OR _____ acre-feet

7. Measuring Device Requirement (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?
Has the measuring device been installed?

Yes ☒ or No _____
Yes ☒ or No _____

8. Fee Enclosed \$ 150.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Jeff Cook Telephone Number 208-366-7581 590-1072 cell

Address: P.O. Box 910 Glenns Ferry Id 83623

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder David Don Hahn
(include your title, if on behalf of company or organization)

Date 2/9/01

MICROFILMED

MAR 9 2001

RECEIVED

FEB 14 2000

For Office Use Only
\$50 Fee Received by JSM
Date 3-1-00
Receipt No. 0048236

Department of Water Resources
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 61-07679

Name(s) of Permit Holder: City of Glenns Ferry

Mailing Address: P.O. Box 910, Glenns Ferry, Idaho 83623

Date Proof is Due: March 1, 2000 Telephone No. (208) 366-7418

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Completed intake structure, acquired pump and ancillary equipment
and installed approximately six-hundred (600) feet of pipe.

Costing \$ 2000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Delay caused by upgrade of municipal water system. This source
is an integral part of the overall system and until delays with the potable
water system were resolved, City could not complete the project. please see
attached letter.

Permit holder(s) request an extension to March 1, 19 2001.

FEE: \$50.00

John J McFadden, City Attorney
(Signature)*
*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be
APPROVED and the time within which to submit proof of beneficial use is extended
to March 1, 2001.

Signed this 14 day of March, 19 2000.

MICROFILMED

MAR 28 2000

L. Glen Saxton

L. Glen Saxton, Chief
Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME RECEIVED
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF **APR 04 1996**
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 61-07679

Name(s) of Permit Holder: City of Glens Ferry

Mailing Address: P.O. Box 910, Glens Ferry, ID. 83623

Date Proof is Due: March 1, 1996 Telephone No. (208) 366-7418

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Preliminary Engineering on Water Supply Sources.

To Date: Costing \$ 8,300

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The City is still investigating the optimal usage of this source.

The City is performing a pilot filtration study on the source to determine the
adquacy for domestic drinking water. (Please see cover letter dated 03/22/96.)

Permit holder(s) request an extension to December 31, 19 2001.

FEE: \$50.00
paid

Leo E. McArthur
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be **APPROVED** and the time within which to submit proof of beneficial use is extended to **March 1, 2000**.

IT IS FURTHER ORDERED that the permit is **REINSTATED** and the priority date is advanced to **December 10, 1992**.

Signed this day of April 19 1996

J. Glen Saylor
Chief, Water Allocation Bureau

APR 29 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

AMENDED

NO. 61-07679

AMENDED

Proposed Priority: November 16, 1992 Maximum Diversion Rate: 2.68 CFS

This is to certify, that CITY OF GLENNS FERRY
PO BOX 910
GLENNS FERRY ID 83623

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	2.68 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (SESWNW), Sec. 32, Township 05S, Range 10E
ELMORE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The issuance of this right in no way grants any right-of-way or easement across the land of another.
8. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
9. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
10. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.

APR 13 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 61-07679

CONDITIONS/REMARKS:

11. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.
12. Diversion volume of water under this right shall not exceed 2.0 acre feet per day.
13. Place of use is within the city limits of Glens Ferry.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

22 day of March, 1994.

for 
R. Keith Higginson, Director

APR 13 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07679

Proposed Priority: November 16, 1992 Maximum Diversion Rate: 2.68 CFS

This is to certify, that CITY OF GLENN'S FERRY

PO BOX 910

GLENN'S FERRY ID 83623

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	2.68 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 4 (SESWNW), Sec. 32, Township 05S, Range 10E
ELMORE County


PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Construction of the well must comply with Idaho well construction standards.
7. The issuance of this right in no way grants any right-of-way or easement across the land of another.
8. Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit.
9. Place of use is within the city limits of Glenn's Ferry.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of February, 1993



FEB 17 1993

for

R. Keith Higginson, Director

RECEIVED

Form 202
6/85

NOV 16 1992

Ident No 61-07679

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- 1 Name of applicant City of Glenns Ferry Phone (208) 336-7418
Post office address P.O. Box 910, Glenns Ferry, Idaho 83623
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt Lot 4
Sec 32 Township 5.S. Range 10.E. B M Elmore County; additional
points of diversion if any. _____
4. Water will be used for the following purposes.
Amount 2.68 for Municipal purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.68 and/or (b) _____
cubic feet per second acre feet per annum
- 6 Proposed diverting works:
 - a Description of ditches, flumes, pumps, headgates, etc. The facility will consist of a
municipal potable water infiltration gallery with vertical turbine pumps plus piping
and valves required to connect to the City of Glenns Ferry's municipal water system.
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
 - c Proposed well diameter is 20 inches; proposed depth of well is 150 feet.
 - d Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
three (3) years (minimum 1 year).

* See "Comments"

- Jc 12/4/94

FFP 17 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering; list number and kind of livestock. _____
- c Municipal, show name of municipality. City of Glenns Ferry, Elmore County, Idaho
- d Domestic; show number of households _____
- e Other, describe fully. _____

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example *D* for Domestic) in the corresponding place of use below See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5.S.	10.E.	29									M	M	M	M	M	M	M	M	
5.S.	10.E.	30													M	M	M	M	
5.S.	10.E.	31	M	M	M	M													
5.S.	10.E.	32	M	M	M	M	M	M	M	M									
* <u>DELETE THIS LAND LIST - P/L is within City Limits of Glenns Ferry (Standard Remarks)</u>																			

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above 02-04006, 37,04112

37-04112 Malad River, King Hill Irr. Dist.; 61-04141 & 61-04228 City's Municipal Right

11 a Who owns the property at the point of diversion? City of Glenns Ferry, Elmore County, Idaho

b Who owns the land to be irrigated or place of use? City of Glenns Ferry, Elmore County, Idaho

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

FEB 17 1993

12 Remarks Permit is to secure additional domestic water right in water bearing strata where the City's existing infiltration gallery is located.


* COMMENTS - Intent is to excavate vertically about 20' or less and then to drill more or less horizontally approx. 150' to develop shallow ground water close to Snake River. This will be similar to a Rensselaer-type collection; the ground water can be assumed to be flowing to the River. It appears that this will require a drilling permit. cont.

* File DATA (1/17/93)
Permit is with City Engineer
#86,214/92

This system is an extension of 61-04141.


61-7679

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number. Section 32, T.5S., R.10E., Boise-Meridian



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by MM Date 11-16-92 Time 1:41 p.m. Preliminary check by JE
Fee \$ 85⁰⁰ Received by JDL # 2015058 Date 11-17-92
Publication prepared by GG Date 12/9/92 Published in Mountain Home News
12/16 & 12/23/92
Publication approved st Date 1-11-93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1 Approval of said application is subject to the following limitations and conditions

a SUBJECT TO ALL PRIOR WATER RIGHTS

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other.

FEB 17 1993

DEC 23 1992

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATION
FOR TRUST WATER RIGHT**

61-07679

CITY OF GLENNS FERRY
P.O. BOX 910
GLENNS FERRY, ID 83623
Source: GROUNDWATER
Diversion Pt: LOT 4 (SESWNW) Sec
32 T 05S R 10E in ELMORE County.
Use: MUNICIPAL (2.680 CFS); Total
Diversion: (2.680 CFS)
Date Filed: 11/16/1992
Place of use within city limits of
Glenns Ferry.

The permit will be subject to all prior
water rights. Protests may be submit-
ted based on the criteria of Sec. 42-
203A, Idaho Code and/or the new pub-
lic interest criteria of Sec. 42-203C, Ida-
ho Code. Protests must be filed with
the Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before JANUARY 4, 1993.

R. Keith Higginson, Director
Published: 12/16/1992 & 12/23/1993.

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 16th day of


December, 1992, and the last publi-

cation having been made on the 23rd day of


December, 1992; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.



Subscribed and sworn to me this 23rd day of
December, 1992


Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

March 1, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CITY OF GLENN'S FERRY
PO BOX 910
GLENN'S FERRY ID 83623

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07679

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to contact you to schedule a field examination to determine and confirm the use being made of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the Western Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah J. Gibson
Administrative Assistant
Water Allocation Bureau

Encl.

c: IDWR - Regional Office

MICROFILMED

APR 05 2001

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.. 61-7679

Reviewed By dgibson

Date: March 1, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No..		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No :		C052339	Well driller's report filed?		X
Additional Amount Due			Measuring device required?	X	
Name and address same as permit?	X		Measuring device installed?	X	
Are the water uses correct?			Measure device waiver requested?		

Priority Calculation

Date proof received		02/20/2001
Date proof due	-	03/01/2001
Lapse notice sent	-	
No of days late	=	0
Holiday allowance	+	
Priority date	+	12/10/1992
New priority date	=	12/10/1992

Deficiencies of Actions Items

Acknowledge proof

December 31, 2000

CITY OF GLENNS FERRY
ATTN CITY CLERK
PO BOX 910
GLENNS FERRY, ID 836230910

PROOF DUE NOTICE

RE: PERMIT NO. 61-7679

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 01, 2001. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures

MICROFILMED

DEC 15 2000





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 14, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF GLENNS FERRY
PO BOX 910
GLENNS FERRY ID 83623

RE: Permit No. 61-07679

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time submitted in connection with the above referenced permit which extends the time within which to submit proof of beneficial use to **March 1, 2001**. The department has granted this extension based on governmental agency delay. It is important that you work diligently toward the completion of the development during the construction period allowed since the department may not be able to grant additional extensions in connection with this permit.

Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner.

Please contact me directly at (208)327-7953, if you have any questions regarding this matter.

Sincerely,

Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

Enclosure

c: IDWR - Regional Office

RECEIVED
MAR 20 2000

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 61-07679 Reviewed by dale Date 3/14/2000

BASIC INFORMATION

2/14 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
no Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
yes Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
no Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Approved, Proof Due date move to 3/1/2001.
... agencies have caused delay.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address 760
Change Proof Due Date 3/1/2001
Change Priority Date 760

3/14



Date: _____
Time: _____

Received
From: MURPHY BETH BETH BETH BETH

Type of Payment	Program A cct	Amount
EXPENSES, #61-17875	61-17875	100.00

CHFC 5:04

Total -

Region: SLA/E

Leah Mason

MICROFILMED:

SEP 26 2006

MOORE SMITH BUXTON & TURCKE, CHARTERED

ATTORNEYS AT LAW

225 NORTH 9TH STREET, SUITE 420
BOISE, ID 83702
TELEPHONE: (208) 331-1800 FAX: (208) 331-1202

DAVID H. BIETER
SUSAN E. BUXTON*
JOSEPH D. MALLET
JOHN J. MCFADDEN*‡
MICHAEL C. MOORE‡
BRUCE M. SMITH
PAULA A. TURCKE

*Also Admitted in Oregon

March 1, 2000

RECEIVED

FEB 14 2000

Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard
Boise, Idaho 83706

RE: Request for Extension of Time- Permit No. 61-07679

Dear Sirs:

The City of Glens Ferry ("City") is requesting this extension of time due to the delay in completion of its ongoing municipal water system improvements. The permit at issue here is an integral part of the over all water supply for the City. This permit is for a pressurized residential irrigation system that when completed will significantly reduce the load on the City's drinking water system. Unfortunately, the completion of the drinking water system has been delayed several times due to water quality issues, funding and State and Federal Agencies' involvement in ensuring the success of this project. Because of the delays in completing the municipal water project, the City has not been able to continue to develop the water source associated with permit number 61-07679.

The City is now in a position to complete the municipal water supply project, having recently pass a second bond election and anticipates the completion of the project by late Fall 2000. Concurrently, the City will continue the development of the pressurized irrigation project for which this permit is necessary. The City has already committed significant resources to developing this project. The intake structure, which had formerly been a cistern used by the railroad, was excavated and refurbished. The City also installed approximately 600 feet of piping to the intake structure, acquired a pump and prepared plans for installing the final 300 feet of pipe to connect this source to the municipal, residential pressurized irrigation system. The remaining tasks are to complete installation of the pipe and connect power to the pump. Because of the delays and unknown variables associated with the drinking water project, the City has been forced to delay completion of the irrigation project. At this point however, the City fully

RECORDED

MAR 14 2000


expects to continue work on the irrigation project and complete construction this summer or in 2001 at the latest.

This Request for Extension of Time is specifically based upon the delays in development of the potable water project. These delays occurred in 1999, shortly after the City determined that the proposed water supply for the potable water project had unacceptable levels of nitrate and that a more complex and expensive treatment system would be necessary. The State of Idaho, Department of Water Resources, Division of Environmental Quality and U.S. Department of Agriculture, Rural Development became involved at that time, and cooperatively with the City, an independent consultant was retained to review the City's proposed plan and to make additional recommendations. This caused the City to reprioritize its water development projects, thus delaying development of Permit No. 61-07679. Subsequently, a revised project plan was agreed to, the City held and passed an additional bond election and both projects are on track.

The City of Glenns Ferry respectfully requests an extension of time until March 1, 2001 to complete the project associated with this permit.

Sincerely,

MOORE SMITH BUXTON & TURCKE,
CHARTERED

A handwritten signature in black ink, appearing to read "John J. McFadden".

John J. McFadden

JJM:ck

FROM

Mlm

TO

File

DATE

2-25-00

SUBJECT

- On this date I talked w/atty John m^cFadden, atty for City to Glenn's Ferry about submitting a 2nd Ext request. I advised that we need supporting info related to delays in order to consider a 2nd ext request.

MICROFILMED

MAR 20 2000

SIGNATURE

Mlm

December 31, 1999

CITY OF GLENNS FERRY
ATTN CITY CLERK
PO BOX 910
GLENNS FERRY ID 836230910

PROOF DUE NOTICE

RE: PERMIT NO. 61-07679

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 2000.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

APR 21 1999



WR5809NP
No. 61-07679

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/12/99
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF GLENNS FERRY	12/10/1992	MUNICIPAL	01/01 12/31	2.680 CFS	
TOTAL DIVERSION:					2.680 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T05S R10E S32 Lot 04(SESNNW)

ELMORE County

Pou County:

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46B - The right holder shall comply with Idaho well construction standards when constructing a well pursuant to this right.
- 004 - The issuance of this right does not grant any right-of-way or easement across the land of another.
- 051 - Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
- 052 - Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
- 053 - The Director retains jurisdiction over this right and may change, add, or remove any requirement as determined to be appropriate.

Remarks: GEN Irrigation of large projects such as parks, golf courses, or sports activities fields is not authorized under this permit. Diversion volume of water under this right shall not exceed 2.0 acre feet per day. Place of use is within the city limits of Glenns Ferry.

Dates: App. Received: 11/16/1992 Priority Date: 12/10/1992
Proof Due Date: 03/01/2000 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

app
approved
2-10-93

RECORDED

1999 2 12

WR5809NP
No. 61-07679

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 02/12/99
PAGE: 2

Misc: Water District Number: Field Exam Fee:

Comments: Date: 12/08/1992 User-ID: GARRETT Subject: MISC INFORMATION
Intent is to excavate veritically about 30' or less and then to
drill more or less horizontally approximately 150' to develop
shallow g/w close to Snake River. This will be similar to a
ranny type collector; the g/w can be assumed to be tributary
to the river. It appears a drilling permit will be required.
This system is an expansion of 61-04141.

Date: 12/08/1992 User-ID: GARRETT Subject: OTHER RIGHTS
King Hill Irrigation District; 61-07228 and 61-07228 city are
municipal rights; 02-04006, 37-04112, 37-04112 Malad River.

Date: 02/09/1993 User-ID: MILLER Subject: MORATORIUM EXEMPTION
This permit falls within the acceptable parameters of the Snake
River Moratorium.

Date: 03/08/1996 User-ID: VAULT Subject: Lapse Notice Sent
Lapse Notice Sent

Date: 03/27/1996 User-ID: JYARBROU Subject: Extension of Time Received
Extension of Time Received

Audit: 12/09/92 GARRETT 02/09/93 MILLER 07/15/93 ZIMMERMA 03/21/94 CURTIS
03/08/96 COMMENTS 03/27/96 COMMENTS 04/22/96 JYARBROU 02/06/98 KTOWNSEN

RECEIVED
FEB 12 1999

CHANGE IN ADDRESS OF NOTICE OF CLAIM ^{for WATER Right}

[X] Water Right Number (s): 61-07715 61-04141 - CLAIMS: A61-04141
61-07228 - 61-07679 - A61-07228
02-07470 - 02-07471 - WOLLEK

[X] ^{OK} Old Mailing Address: SEE RECORDS on file at IDWR

[X] New Mailing Address: CITY OF GLENNS FERRY, ATTN CITY CLERK
PO Box 910
GLENNS FERRY, ID 83623

New Telephone Number: (208) 366-7418

[X] Signature of Claimant: David M. Hahn, City Clerk
^{Water Right} _{OWNER} Date: 2/3/98

FOR IDWR USE ONLY:

Initial Review and Data-Entry

Date: By:

Further Action Needed:

Further Action Taken

Date: By:

Final Review and Data-Entry

Date: By:

RECEIVED

FEB 04 1998

WATER RESOURCES
WESTERN REGION

NOTE: 02-07471 d'base already updated.
ORIGINAL forwarded to S.O. WR Permit Section.
cc provided to Western SEBA STATE.

-SL 2/4/98

2-6-98 - Database updated for address & phone.
Tari Lipson

APR 10 1998

The City of Glenns Ferry

RECEIVED

APR 04 1996

MAYOR
Leo E McGhee

CLERK
Eddie H Bostic

P O Box 910
204 East 2nd

Glenns Ferry, Idaho 83623

Department of Water Resources COUNCIL
John L. Morris
Larry A. Stevenson
Dewey C. Crane
Joanne F. Lanham

Phone (208) 366-7418
FAX (208) 366-2238

14

April 3, 1996


Julie Yarbrough
Department of Water Resources
1301 North Orchard
Statehouse Mail
Boise, Idaho 83720-9000

Dear Ms. Yarbrough:

Enclosed is a completed Request for Extension of Time form for permit number 61-07679.

If you have any questions, please do not hesitate to call me.

Sincerely,


Eddie H. Bostic, City Clerk

EHB/cdp

Enc.

RECEIVED

APR 29 1996

ANALYSIS SHEET FOR EXTENSION OF TIME

Permit No. 61-07679 Reviewed by JM Date 4-19-96

BASIC INFORMATION

3-25-96 Date stamp received
NO Extension received timely
YES Fee received and receipted
YES Name and signature same as permit
NO Address Change

BASIS FOR EXTENSION REQUEST

YES Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend extend to March 1, 2000.
on basis of due diligence

PRIORITY CALCULATION

Date extension received	<u>3-25-96</u>	=	<u>84</u>
Proof due date	<u>3-1-96</u>	=	<u>60</u>
Number of days late		=	<u>24</u>
Priority date	<u>11-16-92</u>	=	<u>320</u>
New Priority Date	<u>12-10-92</u>	=	<u>344</u>

DATA ENTRY

New Address X
Change Proof Due Date 3-1-2000
Change Priority Date 12-10-92



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 19, 1996

City of Glenns Ferry
P.O. Box 910
Glenns Ferry, ID 83623

RE: Permit No. 61-07679

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to **March 1, 2000**. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

Please be advised that since the extension was received after the proof due date of March 1, 1996, it was necessary for the department to reinstate your permit and advance your priority date to December 10, 1992.

Please contact me at (208)327-7953 if you have any questions regarding this matter

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

APR 19 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 28, 1996

City of Glenns Ferry
Attn: Roland F. Anderson
P.O. Box 910
Glenns Ferry, ID 83623

RE: Water Right No. 61-07679

Dear Mr. Anderson:

I have returned the Proof of Beneficial Use statement which was submitted to the department in connection with above referenced water right permit. In the letter submitted with the proof (copy enclosed) the City of Glenns Ferry requests to extend the proof due date of the permit. Before the department can consider the request, you must first file an Extension of Time Request form. The Proof of Beneficial Use should not be submitted until all development of the water right is complete.

Please complete the enclosed Extension of Time Request form and return it to the department within **fifteen (15) days** of receipt of this mailing. I will apply the \$50.00 submitted with the proof to the filling fee for the extension. Since no physical work has been done, it is important that you estimate and list all costs for consulting and planning.

Please contact me at (208)327-7953 if you have any questions concerning this matter.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

C: IDWR - Western, Steve Lester

APR 29 1996

RECEIVED
INTER-DEPARTMENT MEMO

61-07679

TO: GLEN SAKTUN

MAR 27 1996

SUBJECT: EXT. OF TIME

FROM: STEVE LESTER

Department of Water Resources

DATE: 3/26/96

GLEN - Regina REC'd this ext. of time request re 3/1/96 proof due date as result of 3/13/96 protest conference on a new well appl. (61-07715). See my notes, attached... working on a solution with proposed test well plus pump test for -7715.

Appears that mayor used wrong form - should be ext. form instead of proof form. Also, as I recall our conversation at 3/13 meeting, no development has occurred under 61-07679 but city still seeks ext. of time ~~has~~ based on intent plus budgeting/planning difficulties. DRt: I said at meeting that unlikely to get ext. on that basis.

() For your information

() Response required

but that city could try. He suggested instead that just file for new right to require leased right.

signature

The City of Glenns Ferry

MAYOR
Leo E McGhee

CLERK
Eddie H Bostic

P O Box 910
204 East 2nd

Glenns Ferry, Idaho 83623

COUNCIL
John L. Morris
Larry A. Stevenson
Dewey C. Crane
Joanne F. Lanham

Phone (208) 366-7418
FAX (208) 366-2238

RECEIVED

MAR 25 1996

WATER RESOURCES
WESTERN REGION

March 22, 1996


Mr. Steve Lester/Glen Saxton
Idaho Department of Water Resources
2395 Airport Way
Boise, ID 83705

Dear Mr. Lester and Mr. Saxton:

RE: City of Glenns Ferry - Water Right 61-07679

We are requesting an extension of time be reinstated on the above referenced water right for the City of Glenns Ferry. We do realize that this request is being submitted beyond the time limits allowed, however, we respectfully request your consideration of extension of the beneficial proof period. Enclosed is a completed proof of beneficial use and request for extension of time forms and fee remittance of fifty dollars (\$50.00) for processing fees.


The City is currently experiencing a severe deficiency in water supply. Reductions in the current supply source and increased consumption are the primary causes for the shortage. The City has increased regulation of irrigation use of domestic water during the peak months and has significantly raised water user rates. Despite these measures, supply and storage cannot meet the system demands.

The City is currently investigating additional water supply sources. * J-U-B Engineering of Boise has been retained to perform a feasibility study of potential water supply sources. In addition, a Citizens Advisory Committee has been formed to address water supply issues. The Committee meets twice a month and reports directly to the City Council. Presently, the City is planning to perform a test well study this spring, to determine groundwater potential. The City is also investigating a separate pressure irrigation pumping and distribution system.

We need additional time on this water right to optimize the usage of this water. We are submitting this extension of time based on the significant past and present planning efforts undertaken by the City. Please be aware that any project, undertaken by the City to remedy the supply problem, will take funding or bonding measures to finance. The work required to assemble the financial package is time consuming.

We hope this letter and the enclosed completed forms will allow your consideration for an extension of contract time.

Sincerely,


Leo E. McGhee, Mayor

Encs.

* protested app 61-07715 for another well, see
3/24/96 notes -JL

S E L	First Name	O W N	Water Right No.	Priority Date	Source	Total Diversion	Use Code Desc
CITY OF GLENN'S FERRY							
		* C	61-07715	01/16/1996	GROUNDWATER	1.780	40 MUNI
		C	61-04141	01/01/1930	SPRINGS	2.890	40 MUNI
		C	61-07228	05/21/1975	GROUNDWATER	0.450	40 MUNI
		C	61-07266	00/00/0000		0.00	
		C	61-07344	00/00/0000		0.00	
		C	61-07679	11/16/1992	GROUNDWATER	2.680	40 MUNI
		C	61-07682	00/00/0000		0.00	

A different well project than one in 61-07679

(Enter=Continue)

(GOLD 7=This Query)

(Menu _____)

* Potential supply, DWR = 82. project conf. re Glenn Ferry

3/15/96

Re: it. city will seek test well drilling permit, JWB
Eng. will design construct well test, monitor
wells. review for use Report.

We will Reconcile at that point to see what
data shows, possibly work at a station -
and a hearing.

Appears to be some long-term gr. H2O supply problems
in Glenn Ferry Area. DWR will conduct a limited
study next winter at earliest as depth Resources
(# is time) allow.

-JL

APR 28 1996

3/26/96 NOTES

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

March 8, 1996

CITY OF GLENN'S FERRY
PO BOX 910
GLENN'S FERRY ID 83623

LAPSE NOTICE

RE: PERMIT NO. 61-07679

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated December 31, 1995. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

APR 29 1996

CERTIFICATION OF MAILING

I hereby certify that on 3-8-96
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]

December 31, 1995

CITY OF GLENNS FERRY
PO BOX 910
GLENNS FERRY ID 83623

PROOF DUE NOTICE

RE: PERMIT NO. 61-07679

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1996.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

APR 2 9 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 23, 1994

CITY OF GLENNS FERRY
PO BOX 910
GLENNS FERRY ID 83623

RE: PERMIT NO. 61-07679

Dear Permit Holder(s):

During a routine review process we found errors in the original permit, dated February 10, 1993. The errors have been corrected and an amended permit has been issued which replaces and supercedes the original permit.

Enclosed you will find the amended permit, dated March 22, 1994. Please disregard the original permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED

APR 13 1994

MEMORANDUM


TO: File 61-07679
FROM: Sharla
DATE: March 21, 1994
RE: Amended Permit



An amended permit is being prepared for this right in light of the fact that trust water conditions should have been placed on the original permit.

In a memo dated 6/2/93, Tim Luke identified this right as one to be considered as a trust water appropriation. There was no information available as to whether or not the use would result in a depletion of more than 2.0 acre feet/day. Tim suggested that the standard trust water conditions be added. They have been added along with a condition limiting the diversion volume to 2.0 acre feet/day and an amended permit will be sent out.

In order to obtain information about the daily volume, correspondence was sent to the municipality. The response from JUB Engineers indicates that diversion from this well will only be about 0.98 cfs, however, the only other groundwater filing the city has with the department is a right for 0.45 cfs. Therefore, the majority of the 2.68 is probably coming from this well.



APR 13 1994



J-U-B ENGINEERS, Inc.
ENGINEERS • SURVEYORS • PLANNERS

250 S. Beechwood Avenue, Suite 201
Boise, ID 83709-0944

208/376-7330
FAX: 208/323-9336

July 14, 1993

RECEIVED

JUL 15 1993

Department of Water Resources

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

RE: City of Glenns Ferry Permit No. 61-07679

Dear Mr. Johnson:

In response to your letter of July 13, 1993 to the City of Glenns Ferry, on their behalf we offer the following:

The referenced permit allows for water right diversion of 2.68 cfs. The city's existing pumping capacity is approximately 1.7 cfs, therefore, the additional diversion at this location will be approximately 0.98 cfs.

If you have any questions, concerns, or comments, please do not hesitate to contact myself or the City of Glenns Ferry.

Regards,

J-U-B ENGINEERS, Inc.

Bryan D. Donaldson, P.E.

BDD/lw

cc: City of Glenns Ferry

lw/bdd/gfrywtr.dvm

EX-10773429

APR 13 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

July 13, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

City of Glenns Ferry
PO Box 910
Glenns Ferry Idaho
83623

RE: Permit No.61-07679

Dear Permit Holder;

On February 11, 1993 we sent you a copy of a permit authorizing use of groundwater for the City of Glenns Ferry. It now has come to our attention that prior to issuing this permit we should have requested information on expected daily diversion volume.

Please submit to me a letter stating what the daily diversion volume of this well will be. I am not interested in the daily volume of other wells the city may be using, just the well that will be used under the permit number identified above.

If you have any questions please call me at 327-7947.

Please send this information as soon as possible.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

Jim Johnson
Water Rights Supervisor

SEP 13 1994

MEMORANDUM

TO: Jim Johnson
File No. 61-7679

FROM: TIM LUKE

DATE: June 22, 1993

RE: Trust Water Review

=====

While generating a routine report for trust water rights I have noticed that this filing was approved to permit without trust water conditions. While this right is for municipal use, the rate of flow does not qualify the use as a 'DCMI' use which is normally exempt from trust water review. Exempt DCMI uses are any commercial, municipal and industrial uses which do not deplete trust water by more than two acre-feet per day. For purposes of processing, DCMI uses which have a diversion rate greater than 1 cfs are usually placed under trust water review and are subject to trust conditions.

In this particular case, there is a lack of information concerning whether the use results in a depletion greater than two acre-feet per day. Additional information concerning the amount of use under the permit should be available at the time of licensing. At such time, IDWR can decide whether the use is exempt from further trust conditions and remove it from the trust water list. Until that time however, IDWR should consider this permitted use as a trust water appropriation and amend the permit by adding the standard trust water permit conditions.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 11, 1993

CITY OF GLENN'S FERRY
PO BOX 910
GLENN'S FERRY ID 83623-0910

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07679

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under Condition No. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

RECEIVED

FEB 17 1993

BLM:cz

Enclosure

APPLICATION FOR PERMIT REVIEW

BLM

Application #: 61-7679 Date: 2-9-93 Reviewer: Brenda Miller

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

AREA OF CONCERN?

YES
SNAKE RIVER BASIN
Municipal Exempt

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>
- Drilling Permit:
- Approved w/permit - P99 Permit No.
- Not included - 046-46A-46B-P23 (after 7/1/87), N/A
- SURFACE WATER: not in w/d - 01C-P03 (=GT. 2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. _____
- Surface water - R04, R04-01H-P01(LT.2 w/pump)
- R04-01J-P08(GT.2), NMR <flow chart>
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - _____ (1, Blank or Other)
- Trust - 051-052-053-P74(Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021 (Boise River - upstream from L Peak)
- (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020
- Beneficial Use Due Date - 03-01-1996
- Other Conditions/Remarks: - W21

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

TRUST WATER.
AD - SEND COPIES,
ADV. with T.W.
heading

INITIAL REVIEW BY: SR DATE: 12/4/92 APPLICATION: 61-07679

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: Y P/D
☒ Nature of proposed use: (Include description of use) N/A P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☒ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ 1992 moratorium * OK
☐ ☒ Diversion within interim protected river area
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☐ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☒ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____
Additional information on reverse side:

* Municipal Exclusion from moratorium as long as conditions added.

RECEIVED
FEB 9 1993

Department of Water Resources

PROCESSING

APPLICATION NO.

61-07679

YES NO

☒ ☐
☐ ☒
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☒ ☐

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

SEND COPY of Legal Notice to:

Tim Luke

&

JAMES TUCKER

Rosholt, Liberton & Tucker

PO Box 1906

Twin Falls

83701-2139

Publication dates and paper recorded on application:

Protests received. Final date for protest

January 4, 1992

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, DRR

Measuring device required:

Measuring port required: (Municipal)

Water delivered by water master? District #

Special conditions of approval or cover letter:

D16, 26A (Allow 3 years)

See below for additional information

Recommended Date or Priority 11/16/1992

Recommended by: DRR

Date 2/3/1993

STATE OFFICE REVIEW

See below for additional information. By

Date

ADDITIONAL INFORMATION

Shallow groundwater trib. to Snake River - 1 Runway - type collector -
 SEE "COMMENTS" App 12/4/92 CONV. Memo with City Engineer.

Overlap

P10 61-04141 City of 91 Ferry - Springs - SEE City of claim in "Muni-
 Overlap Info". Appears that are expanding this infiltration gallery
 system by tapping more shallow groundwater through excavation.
 STAT. claim may need to be revised in SRBA to clarify that source
 is a shallow groundwater system (Note filed in 61-04141 to this
 effect).

OTHER Municipal Rights 61-04141 & 61-07228 (well). Also use 37-04112 within
 city's area (Morial River, King Hill Irr. Dist.).

CONVERSATION MEMORANDUM

City Engineer

DATE 12/4/92

FILE City of Glenwood

NAME OF PARTY Bryan Donaldson P.E. 467-5252 Ferry - 2 Appl.

EMPLOYEE Steve Loster

RE:

1) Ground water appl:

more as ~~less~~ a horizontal geometry:

excavate down $\approx 30'$ feet, then drill $150' \pm$ to establish a runway-type collector near the Snake River (so can assume g.w. trib. to Snake River). This will be shallow g.w. source.

2) Surface water appl:

Below waste treatment lagoons is an infiltration bed, & a ground water drain is below this $\approx 8'$. Water is input into treatment system.

Intent is to pump from city lagoons & use this waste water to irrigate a crop. Not for use in municipal system for gas yard irrig. etc.

Need - Acres, $1/4-1/2$ located in, adjust cfs based on this.

Prepare map & write letter to send to him.

3) Based on his response, can send 2nd letter to let know how processing will occur (transformation, etc.).

Look into refrain possibility then

FEB 17 1993

since prepared originally.



J-U-B ENGINEERS, Inc.
ENGINEERS • SURVEYORS • PLANNERS

212 Tenth Avenue South
Nampa, ID 83651

208/467-5252
FAX: 208/467-6631

November 11, 1992

Project No. 10459

Mr. Steve Lester
Senior Water Right Agent
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

RECEIVED
NOV 16 1992

Re: Water Rights for the City of Glenns Ferry
Water Right Application Permit

Department of Water Resources
Western Regional Office

Dear Mr. Lester:

On behalf of the City of Glenns Ferry, acting as their City Engineer, we have enclosed two applications for permits for appropriation of public water of the state of Idaho. Enclosed is check number 11837 from the City of Glenns Ferry for \$170.00 to cover the fee for both permits.

The first permit involves an application for an increase in the current water right at the City's existing portable water infiltration gallery. It is anticipated that during the upcoming year the City will need to expand the infiltration gallery to allow for a higher water consumption within the community. The existing infiltration gallery may be enlarged to allow for more water to be supplied to the community.

Ground Water filing

The second permit involves application for a water right on the discharge from the underdrain system of their wastewater treatment facility. Wastewater treatment facility involves an aerated lagoon system followed by rapid infiltration basins. The water right is for the water that is collected in the underdrain system beneath the infiltration galleries. It is anticipated that at sometime in the future this water will be used for irrigation purposes.

Although the timing on the approval of these permits is not critical. It is hopeful that an early review and approval of these applications will be possible. If there are problems with either of these permits, or you need additional information, please contact myself at 376-7330.

Regards,

J-U-B ENGINEERS, Inc.

Bryan D. Donaldson
Bryan D. Donaldson, P.E.

Call Nampa office

BDD/lf

cc: File
City Of Glenns Ferry

RECORDED

FEB 17 1993



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

CLAIM TO A WATER RIGHT



Under the provisions of Section 42-243, Idaho Code, any person using or claiming rights to the public waters of Idaho established by diversion and application to a beneficial use must file a claim with the Department of Water Resources on or before June 30, 1983. Exempted from this filing are single family domestic uses as defined in Section 42-230(d), Idaho Code. Also exempted are rights represented by a permit, license, decree, adjudicated right, or a previously filed claim.

The filing of this claim does not confirm the water right claimed but failure to file may result in forfeiture of a water right.

Notice is hereby given that

CITY OF GLENN FERRY
(Name of Claimant)
P.O. Box 910 GLENN FERRY, IDA. 83623 Telephone No 366-7418
(Mailing Address) (Zip Code)

claims a right to the diversion and beneficial use of the surface or ground water. The extent and nature of said claim is as follows

(1) Date of priority: (When was the water first applied to a beneficial use) 1930

A claim is not acceptable on a ground water source with a priority later than March 25, 1963 or on a surface water source with a priority later than May 20, 1971. An exception is that a claim may be filed on single family domestic use from a ground water source.

(2) Describe the source of water: (Name of stream, lake, spring, etc., or ground water) SERIES OF SPRINGS LOCATED ON NORTH BANK OF THE SNAKE RIVER tributary to SNAKE RIVER

(3) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:

Quantity	(cfs, af)	Use	(Domestic, Irrigation, Stock, Etc)	(Both dates inclusive)	
				(Mo., Day)	(Mo., Day)
Quantity <u>2.89 cfs</u>		Use <u>Municipal</u>		Period of Use From <u>1-1</u>	To <u>12-31</u>
Quantity		Use		Period of Use From	To
Quantity		Use		Period of Use From	To
Quantity		Use		Period of Use From	To
Quantity		Use		Period of Use From	To

(4) TOTAL QUANTITY USED:

(5) A) Point of diversion (Location of point where water is diverted from its source):
 % 2 % 58 % 10E B.M., County of Elmore
 Additional points of diversion: Portions of South East 1/4 of Lot #4
Portions of South West 1/4 of Lot #5

B) Describe means of diversion of water: (Pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.) Give sizes and capacities as specific as possible. Describe any changes in the system and give the date of the change. The springs is collected in a infiltration gallery which is 10ft wide & 40ft in length. The pump is a two pump with combined capacity of approximately 125 gpm into pipe to two storage tank with combined capacity of 500,000 gallons. Pumps are 7500 HP.

(6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE%				NW%				SW%				SE%				TOTAL
			NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	
			Within City Limits of Glenn Ferry																110
			All water allocated																


No. of acres

B) If water is used for other than irrigation, fully describe that use, being as specific as possible:

NOTE: Include here the type and number of stock watered:

(7) If you are claiming water as a member of an organization, list name of organization:

(8) Remarks



Scale 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system

State of Idaho)

County of Elmore) ss.

FEB 17 1993

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

Sworn to before me this

day of

February

1984.

Notary Public

Residing at

Mountain Home, Idaho

My commission expires

Mar. 15, 1987

FOR DEPARTMENT USE ONLY

Received by

MM

Date

6/1/84

Exception filed by

Forwarded to

Date

Prelim. check by

615

Date

7/10/84

claimant by:

\$30.00 fee received by

3

Date

10/1/84

Published in

Mountain Home News

7/30/84

Dates

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 61-7228 (late proof) Priority May 21, 1975 Amount 0.45 cfs

THIS IS TO CERTIFY, that CITY OF GLENN'S FERRY
of Glenn's Ferry, Idaho, has complied with the terms and conditions of Permit
No. 61-7228 issued pursuant to Application for Permit dated May 8, 1975
and has submitted proof to the Department of Water Resources on July 14, 1976
that he has applied water to a beneficial use in exhibition by the Department indicates that the works have a
capacity for the diversion of 0.45 cfs of water from a groundwater source
tributary to and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Municipal	from January 1 to December 31	at 0.45 cfs and	N/A
	from to	at cfs and	
	from to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.45 cfs of water be diverted at any one time and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
as mentioned and is limited to the amount which can actually be beneficially used and shall not exceed
N/A acre feet per year, said waters to be diverted within the NW¹/4 NW¹/4, Sec. 32, Twp. 35,
Rge. 10E, B. M. in the County of Blaine

Description and location of place of use

Twp	Range	Sec	NE ¹ /4				NW ¹ /4				SW ¹ /4				SE ¹ /4				Totals
			NE ¹ /4	NW ¹ /4	SW ¹ /4	SE ¹ /4	NE ¹ /4	NW ¹ /4	SW ¹ /4	SE ¹ /4	NE ¹ /4	NW ¹ /4	SW ¹ /4	SE ¹ /4	NE ¹ /4	NW ¹ /4	SW ¹ /4	SE ¹ /4	
SS	10E	29									X	X	X	X	X	X	X	X	
		30													X	X	X	X	
		31	X	X	X	X													
		32	X	X	X	X	X	X	X	X									

Total number of acres irrigated 2 2/3

12" casing,
well

FEB 17 1993

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222 Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described as provided by the laws of Idaho.

Witness the seal and signature of the Director affixed at Boise, Idaho, this 26 day of February 19 79

[Signature]
Director

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

AL

- 1 Name of permit holder **City of Glens Ferry**
 Postoffice address **204 East Second, Glens Ferry, ID** Phone
 Person to contact **The Mayor** Phone
 2 Source of water supply Groundwater ☒ Surface water
 (name spring, stream, etc.)

- 3 Water will be used for the following purpose:
 Amount **1.67** cfs for **~~irrigation~~ Municipal**
 AF/Annum (nature of use)
 Period of Use from **July 1** to **July 1**
 (mo. day) inclusive (mo. day)
 Amount cfs for
 AF/Annum (nature of use)
 Period of Use from to
 (mo. day) inclusive (mo. day)
 Amount cfs for
 AF/Annum (nature of use)
 Period of Use from to
 (mo. day) inclusive (mo. day)

Permit No
 Examination for
 b/u
 61-7228

- Other uses
 4 Total amount to be appropriated
 Max Rate of Diversion **1.67** cubic feet per second and annual volume AF/Annum
 5 Location of Point(s) of Diversion (Proof affidavit lists the NE1/4, Sec 32)
 Township **SS** N/S Range **10E** E/W B M Section **32** Subdivision **NW** **14** **NW** **14** **Elmore**
 County
 Township N/S Range E/W B M Section Subdivision County
 Township N/S Range E/W B M Section Subdivision County

Description of diverting works **multi-stage centrifugal type submersible pump 200 gpm @ 755 TDH motor is 20 hp, 460 volts, 60 cycle, 3 phase, AC., 12" and 10" casing, approx. 100' deep**

Metering device required yes ☒ no

- 6 Lands to be irrigated or place of use

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
SS	10E	29									X	X	X	X	X	X	X	X	
		30													X	X	X	X	
		31	X	X	X	X													
		32	X	X		X	X	X	X	X									

FEB 17 1993

TOTAL ACREAGE




Diagram of System

FEB 17 1993

DATE OF EXAM

2-25-77

ACREAGE

Found

Recommended

Irrigation Requirement

Ac Ft/Ac

USE

Irrigation Q =

cfs

V =

AF/Ann from

to

Domestic Q =

cfs

V =

AF/Ann from

to

Livestock Q =

cfs

V =

AF/Ann from

to

Municipal Q = 200 gpm from Jan 1 to Dec 31

Is water mingled? yes

no ☒

Name source

twp

N/S Rge

E/W, B M, Sec

Sub

T₁T₂

County

Exchange? yes

no ☒

Name source exchanged with

twp

N/S Rge

E/W, B M, Sec

Sub

T₁T₂

County

Point of injection

twp

N/S Rge

E/W B M Sec

Sub

T₁T₂

County

Point of exchange

twp

N/S Rge

E/W, B M, Sec

Sub

T₁T₂

County

Total Q measured

200 gpm

Method of measurement

meter

Total Q recommended

0.45 cfs. Meter Nr.

Type impeller

Condition good

Total V recommended

N/A

McCrometer

Recommended Amendments

P D

~~NEW NW 1/4 Sec. 32 S 8 T 10 E~~

Place of Use

~~Entire City of Steam's Ferry~~

Other

None ☒

MEASUREMENT CALCULATION

$$200 \text{ gpm} \times \frac{1 \text{ cfs}}{448.8 \text{ gpm}} = 0.45 \text{ cfs}$$

SYSTEM DESCRIPTION

20 hp Jacuzzi pump, in 12" casing. Feeds ~~and~~ directly into the city system. Pump is set at 85' in 100' well. The pump is manually controlled.

REMARKS

This well is supplemental and is used only during peak water use periods.

Examiner's Signature

William H. Mac Allister III

Checked by

TJL

Approved by

Date


2-25-77

Date

3-1-77

Date

FEB 17 1993



T55 R10E S.32
SESWNW LOT 4

1963
Survey



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 16, 1992

Mr. James Tucker
Rosholt, Robertson & Tucker
P.O. Box 2139
Boise, ID 83701

Re: 61-07679, City of Glenns Ferry

Dear Mr. James Tucker

We are now processing and advertising the trust water rights from our regional offices. I will be mailing copies to you directly. Our office is located in Boise and we are the Western Region.

Enclosed is a trust water right application. Please review and if you have any comments or protests please reply before or on January 4, 1993.

Sincerely,

Gail Garrett
Clerical Specialist

Enc. 1

cc Tim Luke, IDWR

RECEIVED

7 1993

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

RECEIVED

FEB 17 1993

61-07679

CITY OF GLENNS FERRY
PO BOX 910
GLENNS FERRY, ID 83623

Source: GROUNDWATER

Diversion Pt: LOT 4 (SESWNW) Sec 32 T 05S R 10E in ELMORE County.

Use: MUNICIPAL (2.680 CFS)
Total Diversion: (2.680 CFS)

Date Filed: 11/16/1992

Place of use within city limits of Glenns Ferry.

RECEIVED
FEB 17 1993

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before JANUARY 4, 1993.

R. KEITH HIGGINSON, Director

Published: 12/16/1992 & 12/23/1992

FEB 17 1993