

MENDI BISTIE SUBDIVISION No. 1


PORTIONS OF THE NE 1/4 AND THE SE 1/4 OF SECTION 3,
T. 4 S, R. 6 E, B. 1 W, ELMORE COUNTY,
IDAHO 1980



SCALE: 1" = 200'

- LEGEND
- 1/2 REBAR
 - 3/8 REBAR
 - ⊕ BRASS CAP
 - ⊙ SPOT BRASS CAP IN 6"x6"x24" CONC.

UNPLATTED



NO ACCESS ALLOWED TO LOTS DIRECTLY FROM BRUNEAU HIGHWAY

NOTE: 5' EASEMENT FOR IRRIGATION, DRAINAGE & UTILITIES ALONG ALL LOT LINES.

CURVE	R	Δ	T	L	CH	BEARING
C-1	20	89°19'03"	19.76	311.6	20.12	N 44°39'30" W
C-2	20	90°41'00"	30.24	31.65	20.45	N 45°20'30" E
C-3	20	54°55'14"	10.34	19.17	18.45	N 27°21'37" W
C-4	67	118°19'14"	112.22	138.36	115.05	N 04°14'23" E
C-5	67	118°19'14"	112.22	138.36	115.05	N 04°14'23" W
C-6	20	54°55'14"	10.34	19.17	18.45	N 27°21'37" W
C-7	20	94°11'58"	19.72	31.14	20.45	N 44°42'01" W
C-8	20	90°41'00"	30.24	31.70	20.45	N 45°16'54" E

MICROFILMED

JUL 19 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07678

Priority: November 30, 1992

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that PAUL DYSSEGARD

2485 S 18 W

MOUNTAIN HOME ID 83647

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 30, 1992; and has submitted Proof of Beneficial Use on January 12, 1994. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE, Sec. 3, Township 04S, Range 06E
ELMORE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04S 06E 3

NESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right authorizes irrigation of up to 1/2 acre in association with the domestic use.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 7TH day of June, 1995.

Acting for

KARL J. DREHER, Director

JUL 19 1995

RECEIVED
JAN 12 1994
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 1-12-94
Receipt No. 0029420
Receipt by g

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-07678 Telephone No. 587-3225

2. Name(s) of Permit Holder(s): PAUL E. DYSEGAARD

3. Mailing Address: 2485 S. 18th W. MTN. HOME ID. 83647

4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: HIDDLESTON Date Drilled: 8/92

OPTIONAL:

Pump horsepower: 5 Pressure (psi): 50 Dynamic pumping level (ft.): 400

5. Extent of Use (as authorized by the permit):

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation — (No. of acres) Other

6. Total rate and/or volume for which proof is submitted 13,000 GAL A DAY
04 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No X Installed? Yes ☒ No X

OR
Flow Measurement Port: Required? ☒ Yes X No ☒ Installed? ☒ Yes X No X

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Paul Hiddleston 587-9055
Name Telephone No.

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

FEB 23 1994

1-10-94
Date

Paul Hiddleston
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07678

Proposed Priority: November 30, 1992 Maximum Diversion Rate: 0.04 CFS

This is to certify, that PAUL DYSSEGARD
2485 S 18 W

MOUNTAIN HOME ID 83647

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NENESE, Sec. 3, Township 04S, Range 06E
ELMORE County

PLACE OF USE: DOMESTIC
TWN RGE SEC


04S 06E 3 NESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1994.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. This permit authorizes irrigation of up to 1/2 acre in association with the domestic use.
5. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of February, 1993

for 
R. Keith Higginson, Director

RECEIVED

FEB 17 1993

NOV 30 1992

Department of Water Resources
Western Regional Office

Ident. No. 61-07678

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PAUL DYSSEGARD
Address: 2485 S 18 W
MOUNTAIN HOME ID 83647

208-587-3225

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENESE Sec. 3, Township 04S, Range 06E
ELMORE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
well, pump
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 550
feet.
- Is groundwater with a temperature greater than 85F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

8. Place of Use: DOMESTIC

TWN RGE SEC
04S 06E 3 NESE

9. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

WELL AGREEMENT

1993

10. Remarks: Domestic use is for one home.

11. Map of proposed point of diversion and place of use attached? []

Date
entered
12/2/92
ly

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by ly Date 11/30/92 Time 10 A Preliminary check by cyf

Fee \$ 30 Receipted by ly # W015693 Date 11/30/92

Publication prepared by GG Date 12/9/92 Published in Mountain Home News
12/16 & 12/23/92

Publication approved st Date 1-11-93

FEB 17 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 12, 1995

PAUL DYSSEGARD
2485 S 18 W
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07678

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUL 19 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 61-07678 DATE 7-7-95



NAME	<u>Change OK</u>	<u>✓</u> Or Address Change?
PRIORITY DATE	<u>✓</u>	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NA</u>
SOURCE	<u>✓</u>	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV	<u>✓</u>	Amendment needed? <u> </u> <u>✓</u> Overlaps? <u> </u>
PLACE OF USE	<u>✓</u>	Amendment needed? <u> </u> <u>✓</u> Overlaps? <u> </u>
DIV RATE	<u>✓</u>	Permit/fee limits: <u>.04 cfs</u> Meas Q = <u> </u> Theo Q = <u> </u> Recommend: <u>.04</u> <u>Standard @ .04</u> Combined rates exceed capacity <u> </u>
ANNUAL VOLUME	<u>✓</u>	Volume Limit: <u> </u> Season: <u> </u> Calculations: <u>Standard @ 1.2</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
USES	<u>✓</u>	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
ADDITIONAL INFO		Supplemental Groundwater <u> </u> PPU Scenario <u> </u> Irr/Dom Combination <u> </u> Shared G/W System <u> </u>
NEW REMARKS	<u>✓</u>	Multiple p/d(s) in ¼ ¼? <u> </u> Other <u>LOCATED WITHIN LOT 2 BLOCK 3</u> <u>MENDI BISTIE SUB NO 1</u>
NEW CONDITIONS	<u>✓</u>	Watermaster control - District <u> </u> Measuring/Locking Devices <u> </u> Irrigation Overlap <u> </u> Other <u> </u> Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	<u>✓</u>
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 03 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 61-7678

1. Owner: Paul Dyssegard Phone No. _____

Current Address: 2485 So 18th West Mountain Home ID 83647

2. Accompanied by: NONE - In-office Verification EXAM DATE: 1/14/94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	3	4S	6E	Elmore	Plat map, county assessor


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4S	6E	03													D				

JUL 19 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = N/A

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: N/A

JUL 19 1995

E. NARRATIVE/REMARKS/COMMENTS

Mendi

P/W aka lot 2 Bk 3 Windy Bistie Sub

Well drilled 9/18/92, log attached, permit 61-92-W-060

Per Elmore County assessor, location confirmed.

Residence is present w/ no more ^{than} 1/2 acre total
irrigation (from appraisal notes) Lot Size ~5 ac.

Did not visit site. Recommend as D/I

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

JUL 19 1995

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

N/A

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{IR} \text{ and } V_{D,R} =$ _____

2. Volume Calculations for Other Uses:

D/i internal & external 1.2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.04	1.2
Totals:			.04	1.2

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Cindy Hodges Date 11/15/94

Reviewer _____ Date _____

SEAL
MIDPONT MCA

JUL 19 1995

PORTIONS OF THE NE 1/4 AND THE SE 1/4 OF SECTION 3,
T 4 S, R 6 E, E 34 W ELMORE COUNTY,
IDAHO 1980



NOTE 5' EASEMENT FOR IRRIGATION, DRAINAGE
& UTILITIES ALONG ALL LOT LINES

CURVE		DATA					
CURVE	R	Δ	T	L	CH	PERMITS	
C-1	20	89°19'03"	19.74	3115	24	144°43'30"W	
C-2	20	90°41'00"	20.24	3125	28.95	145°28'30"E	
C-3	20	54°55'14"	10.39	1917	18.05	N 37°21'31"W	
C-4	67	118°19'14"	112.22	15836	115.05	N 04°16'23"E	
C-5	67	118°19'14"	112.22	15836	115.05	N 04°16'23"E	
C-6	20	54°55'14"	10.39	1917	18.05	S 27°21'31"W	
C-7	20	94°11'58"	117.72	3114	28.09	N 44°43'01"W	
C-8	20	94°48'00"	22.25	3170	49.48	N 45°16'59"E	

Миротен

JUL 19 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name T D Construction
Address 925 Airbase Road, Mountain Home, ID
Drilling Permit No 61-92-W-060-000
Water Right Permit No. 61-07678

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)


5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
.250 inches 6 5/8 inches + 2 feet 18 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feetWell screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☐ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port _____

6. LOCATION OF WELL 9 miles NW OF Glenns Ferry

Sketch map location must agree with written location.

Subdivision Name Mindy Bistie
#1
Lot No. _____ Block No. _____
County ElmoreAddress of Well Site Hiway 51
(give at least name of road)T. 4 N ☐ or S ☒
NE 1/4 SE 1/4 Sec. 3, R. 6 E ☒ or W ☐

7. WATER LEVEL

Static water level 386 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
		one

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	2	Top Soil		
8	2	18	Gray lava		
6	18	68	Gray lava		
6	68	75	Brown lava & cinders		
6	75	82	Broken brown lava		
6			Lost circulation		
6	82	90	Med. hard		
6	90	92	Soft		
6	92	132	Med. hard		
6	132	137	Soft		
6	137	240	Med. hard		
6	240	246	Soft		
6	246	389	Med. hard		
6	389	392	Soft		
6	392	411	Med. hard		
6	411	416	Soft		
6	416	470	Med. hard		
6	470	473	Soft		
6	473	475	Med. hard		
6	475	490	Med. hard		
6	490	496	Soft		X
6	496	532	Med. hard		
6	532	531	Soft		X
6	531	550	Med. hard		X

RECEIVED

SEP 23 1992

MICROFILMED

RECEIVED

OCT 21 1992

Department of Water Resources
Western Regional Office

DEC 04 1992

Department of Water Resources

10.

Work started 9/01/92 finished 9/03/92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Hiddleston & Son, Inc. Firm No. 35Address Mountain Home Date 9/18/92

Signed by Drilling Supervisor _____

and

(Operator) Matt Hiddleston
(If different than the Drilling Supervisor)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>J T D Construction</u> Address <u>925 Airbase Road, Mountain Home, ID</u> Drilling Permit No. <u>61-92-W-060</u> Water Right Permit No. _____		7. WATER LEVEL Static water level <u>386</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F Quality _____ (Describe anomalies or temporary zones below)																																																																																																																														
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 8)		8. WELL TEST DATA ☐ Pump ☐ Balcon ☐ Air ☐ Other _____ Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____ _____ _____ _____																																																																																																																														
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From</th> <th>To</th> <th>Material</th> <th>Water</th> </tr> <tr> <th></th> <th>ft</th> <th>ft</th> <th></th> <th>Yes No</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>2</td><td>Top Soil</td><td></td></tr> <tr><td>8</td><td>2</td><td>18</td><td>Gray lava</td><td></td></tr> <tr><td>6</td><td>18</td><td>68</td><td>Gray lava</td><td></td></tr> <tr><td>6</td><td>68</td><td>75</td><td>Brown lava & clinders</td><td></td></tr> <tr><td>6</td><td>75</td><td>82</td><td>Broken brown lava</td><td></td></tr> <tr><td>6</td><td>82</td><td>90</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>90</td><td>92</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>92</td><td>132</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>132</td><td>137</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>137</td><td>240</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>240</td><td>246</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>246</td><td>389</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>389</td><td>392</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>392</td><td>411</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>411</td><td>416</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>416</td><td>470</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>470</td><td>473</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>473</td><td>475</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>475</td><td>490</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>490</td><td>496</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>496</td><td>532</td><td>Med. hard</td><td></td></tr> <tr><td>6</td><td>532</td><td>531</td><td>Soft</td><td></td></tr> <tr><td>6</td><td>531</td><td>550</td><td>Med. hard</td><td></td></tr> </tbody> </table>		Bore Diam.	Depth From	To	Material	Water		ft	ft		Yes No	8	0	2	Top Soil		8	2	18	Gray lava		6	18	68	Gray lava		6	68	75	Brown lava & clinders		6	75	82	Broken brown lava		6	82	90	Med. hard		6	90	92	Soft		6	92	132	Med. hard		6	132	137	Soft		6	137	240	Med. hard		6	240	246	Soft		6	246	389	Med. hard		6	389	392	Soft		6	392	411	Med. hard		6	411	416	Soft		6	416	470	Med. hard		6	470	473	Soft		6	473	475	Med. hard		6	475	490	Med. hard		6	490	496	Soft		6	496	532	Med. hard		6	532	531	Soft		6	531	550	Med. hard	
Bore Diam.	Depth From	To	Material	Water																																																																																																																												
	ft	ft		Yes No																																																																																																																												
8	0	2	Top Soil																																																																																																																													
8	2	18	Gray lava																																																																																																																													
6	18	68	Gray lava																																																																																																																													
6	68	75	Brown lava & clinders																																																																																																																													
6	75	82	Broken brown lava																																																																																																																													
6	82	90	Med. hard																																																																																																																													
6	90	92	Soft																																																																																																																													
6	92	132	Med. hard																																																																																																																													
6	132	137	Soft																																																																																																																													
6	137	240	Med. hard																																																																																																																													
6	240	246	Soft																																																																																																																													
6	246	389	Med. hard																																																																																																																													
6	389	392	Soft																																																																																																																													
6	392	411	Med. hard																																																																																																																													
6	411	416	Soft																																																																																																																													
6	416	470	Med. hard																																																																																																																													
6	470	473	Soft																																																																																																																													
6	473	475	Med. hard																																																																																																																													
6	475	490	Med. hard																																																																																																																													
6	490	496	Soft																																																																																																																													
6	496	532	Med. hard																																																																																																																													
6	532	531	Soft																																																																																																																													
6	531	550	Med. hard																																																																																																																													
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)		10. RECEIVED SEP 23 1992 Department of Water Resources Western Regional Office OCT 21 1992																																																																																																																														
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ 250 inches 6 5/8 inches 2 feet 18 feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation? _____ inches by _____ inches _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth 18 Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ _____ ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____		11. DRILLER'S CERTIFICATION We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Hiddleston & Son, Firm No. 35</u> Address <u>Mountain Home</u> Date <u>9/18/92</u> Signed by Drilling Supervisor _____ and _____ (Operator) <u>Matt Hiddleston</u> (If different than the Drilling Supervisor)																																																																																																																														
6. LOCATION OF WELL <u>9 miles NW of Glenn Ferry</u> Sketch map location must agree with written location. Subdivision Name <u>Mindy Bluff</u> Lot No. _____ Block No. _____ County <u>Elmore</u> Address of Well Site <u>Hwy 51</u> (Give at least name of road) NE _____ W _____ SE _____ SW _____ T. _____ S. _____ R. _____ N _____ or S _____ E _____ or W _____		12. USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHITE COPY TO THE DEPARTMENT.																																																																																																																														



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 2, 1994

Paul Dyssegard
2485 S 18th W
Mountain Home, ID 83647

RE: Permit No. 61-07678

Dear Mr. Dyssegard:

After talking to Cindy Hodges at our Western Region, I discovered that during the review of your Proof of Beneficial Use form I failed to notice that you were exempt from the license examination fee. I have begun the process to refund the \$50.00 exam fee. The refund will take approximately one (1) week to ten (10) days and will arrive under a separate cover.

Thank you for notifying the department of our error. If you have any questions or I can be of any assistance, please do not hesitate to call.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Western Region, Fiscal

UNRECORDED

FEB 3 1994

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: 0027420

Date: 1/12/1994
Time:

Received

From: DYSSEGARD, PAUL OR PATRIC


Type of Payment	Program A cct	Amount
BENEFICIAL USE 61-07678		
56104	229 21 1155	50.00

Total

\$50.00

CHECK: 553

Region: STATE

Signature: 

RECORDED

FEB 23 1994

January 24, 1994

PAUL DYSSEGARD
2485 S 18TH W
MOUNTAIN HOME ID 83647

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 61-07678

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
FEB 2 1994

FEB 2 1994

December 31, 1993

PAUL DYSSEGARD
2485 S 18 W
MOUNTAIN HOME ID 83647

PROOF DUE NOTICE

RE: PERMIT NO. 61-07678

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



RECEIVED

FEB 23 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 11, 1993

PAUL DYSSEGARD
2485 S 18 W
MOUNTAIN HOME ID 83647

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 61-07678

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

A handwritten signature in cursive script that reads "Brenda L. Miller".

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

A rectangular stamp with the date "FEB 17 1993" in a bold, sans-serif font.

FEB 17 1993

DEC 23 1992

Department of Water Resources
Western Regional Office

**NOTICE OF APPLICATIONS
FOR WATER RIGHTS**

The Following applications have
been filed to appropriate the public wa-
ters of the State of Idaho:

61-07677

EBEN, BART
406 BIRCH ST
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: NWSW Sec 26 T 03S R
06E in ELMORE County.

Use: DOMESTIC (.100 CFS); IRRI-
GATION (.060 CFS); Total Diversion:
(.160 CFS)

Date Filed: 11/30/1992
In: ELMORE County T03S R06E
S26 NWSW

2.0 ACRES TOTAL

61-07678

DYSSEGARD, PAUL
2485 S 18 W
MOUNTAIN HOME, ID 83647
Source: GROUNDWATER
Diversion Pt: NENESE Sec 3 T 04S
R 06E in ELMORE County.

Use: DOMESTIC (.040 CFS); Total
Diversion: (.040 CFS)

Date Filed: 11/30/1992
In: ELMORE County T04S R06E
S03 NESE

The permits will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore January 4, 1993.

R. Keith Higginson, Director
Published 12/16/1992 & 12/23/1992.

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, Coleen W. Swenson, do solemnly swear that I
am the foreman, or publisher of the

Mountain Home News

a weekly newspaper of general circulation, pub-
lished once a week at MOUNTAIN HOME, IDAHO,
that the notice attached hereto and which is a part
of publication thereof; was published in said news-
paper for

2 consecutive weeks, the first publi-
cation having been made on 16th day of

December, 1992, and the last publi-

cation having been made on the 23rd day of

December, 1992; every Wednesday

issue of the paper during the period and time of
publication and that the notice was published in the
newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninter-
ruptedly published in said Elmore County during a
period of 78 consecutive weeks prior to the first
publication of the attached notice.

Coleen W. Swenson

Subscribed and sworn to me this 23rd day of

December, 1992

Brenda M Jacoby
Notary Public

Residing in Mountain Home, Elmore County, Ida-
ho. My commission expires 11-16-98.

61-07678

DYSSEGARD, PAUL
2485 S 18 W
MOUNTAIN HOME, ID 83647

Source: GROUNDWATER

Diversion Pt: NENESE Sec 3 T 04S R 06E in ELMORE County.

Use: DOMESTIC (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 11/³⁰~~27~~/1992

In: ELMORE County
T04S R06E S03 NESE

RECORDED

FEB 17 1993