



VERPENCINI

765 R8E S.4

1986 survey



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ N/A Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	5	5460		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Pump curve


MICROFILMED

DEC 20 1995

JACUZZI®

SandHandler High Capacity 4" - 60 GPM Performance Curves

S460



60 GPM

Simplex
cellars
Hommett

DOH 73'
STATICS
as of 5-22-92

MICROFILMED
DEC 20 1995
76.8

1966 Survey


61-7516

DEPENDEN

61-07630

61-7516

65 86 S. Y



MICROFILMED

DEC 20 1995



HANNETT 1.7 MI.
TWIN FALLS CIVIC CE
HANNETT 2.3 MI.
HANNETT 7.7 MI.
HANNETT 8.3 MI.
HANNETT 8.8 MI.
HANNETT 9.3 MI.
HANNETT 9.8 MI.
HANNETT 10.3 MI.
HANNETT 10.8 MI.
HANNETT 11.3 MI.
HANNETT 11.8 MI.
HANNETT 12.3 MI.
HANNETT 12.8 MI.
HANNETT 13.3 MI.
HANNETT 13.8 MI.
HANNETT 14.3 MI.
HANNETT 14.8 MI.
HANNETT 15.3 MI.
HANNETT 15.8 MI.
HANNETT 16.3 MI.
HANNETT 16.8 MI.
HANNETT 17.3 MI.
HANNETT 17.8 MI.
HANNETT 18.3 MI.
HANNETT 18.8 MI.
HANNETT 19.3 MI.
HANNETT 19.8 MI.
HANNETT 20.3 MI.
HANNETT 20.8 MI.
HANNETT 21.3 MI.
HANNETT 21.8 MI.
HANNETT 22.3 MI.
HANNETT 22.8 MI.
HANNETT 23.3 MI.
HANNETT 23.8 MI.
HANNETT 24.3 MI.
HANNETT 24.8 MI.
HANNETT 25.3 MI.
HANNETT 25.8 MI.
HANNETT 26.3 MI.
HANNETT 26.8 MI.
HANNETT 27.3 MI.
HANNETT 27.8 MI.
HANNETT 28.3 MI.
HANNETT 28.8 MI.
HANNETT 29.3 MI.
HANNETT 29.8 MI.
HANNETT 30.3 MI.
HANNETT 30.8 MI.
HANNETT 31.3 MI.
HANNETT 31.8 MI.
HANNETT 32.3 MI.
HANNETT 32.8 MI.
HANNETT 33.3 MI.
HANNETT 33.8 MI.
HANNETT 34.3 MI.
HANNETT 34.8 MI.
HANNETT 35.3 MI.
HANNETT 35.8 MI.
HANNETT 36.3 MI.
HANNETT 36.8 MI.
HANNETT 37.3 MI.
HANNETT 37.8 MI.
HANNETT 38.3 MI.
HANNETT 38.8 MI.
HANNETT 39.3 MI.
HANNETT 39.8 MI.
HANNETT 40.3 MI.
HANNETT 40.8 MI.
HANNETT 41.3 MI.
HANNETT 41.8 MI.
HANNETT 42.3 MI.
HANNETT 42.8 MI.
HANNETT 43.3 MI.
HANNETT 43.8 MI.
HANNETT 44.3 MI.
HANNETT 44.8 MI.
HANNETT 45.3 MI.
HANNETT 45.8 MI.
HANNETT 46.3 MI.
HANNETT 46.8 MI.
HANNETT 47.3 MI.
HANNETT 47.8 MI.
HANNETT 48.3 MI.
HANNETT 48.8 MI.
HANNETT 49.3 MI.
HANNETT 49.8 MI.
HANNETT 50.3 MI.
HANNETT 50.8 MI.
HANNETT 51.3 MI.
HANNETT 51.8 MI.
HANNETT 52.3 MI.
HANNETT 52.8 MI.
HANNETT 53.3 MI.
HANNETT 53.8 MI.
HANNETT 54.3 MI.
HANNETT 54.8 MI.
HANNETT 55.3 MI.
HANNETT 55.8 MI.
HANNETT 56.3 MI.
HANNETT 56.8 MI.
HANNETT 57.3 MI.
HANNETT 57.8 MI.
HANNETT 58.3 MI.
HANNETT 58.8 MI.
HANNETT 59.3 MI.
HANNETT 59.8 MI.
HANNETT 60.3 MI.
HANNETT 60.8 MI.
HANNETT 61.3 MI.
HANNETT 61.8 MI.
HANNETT 62.3 MI.
HANNETT 62.8 MI.
HANNETT 63.3 MI.
HANNETT 63.8 MI.
HANNETT 64.3 MI.
HANNETT 64.8 MI.
HANNETT 65.3 MI.
HANNETT 65.8 MI.
HANNETT 66.3 MI.
HANNETT 66.8 MI.
HANNETT 67.3 MI.
HANNETT 67.8 MI.
HANNETT 68.3 MI.
HANNETT 68.8 MI.
HANNETT 69.3 MI.
HANNETT 69.8 MI.
HANNETT 70.3 MI.
HANNETT 70.8 MI.
HANNETT 71.3 MI.
HANNETT 71.8 MI.
HANNETT 72.3 MI.
HANNETT 72.8 MI.
HANNETT 73.3 MI.
HANNETT 73.8 MI.
HANNETT 74.3 MI.
HANNETT 74.8 MI.
HANNETT 75.3 MI.
HANNETT 75.8 MI.
HANNETT 76.3 MI.
HANNETT 76.8 MI.
HANNETT 77.3 MI.
HANNETT 77.8 MI.
HANNETT 78.3 MI.
HANNETT 78.8 MI.
HANNETT 79.3 MI.
HANNETT 79.8 MI.
HANNETT 80.3 MI.
HANNETT 80.8 MI.
HANNETT 81.3 MI.
HANNETT 81.8 MI.
HANNETT 82.3 MI.
HANNETT 82.8 MI.
HANNETT 83.3 MI.
HANNETT 83.8 MI.
HANNETT 84.3 MI.
HANNETT 84.8 MI.
HANNETT 85.3 MI.
HANNETT 85.8 MI.
HANNETT 86.3 MI.
HANNETT 86.8 MI.
HANNETT 87.3 MI.
HANNETT 87.8 MI.
HANNETT 88.3 MI.
HANNETT 88.8 MI.
HANNETT 89.3 MI.
HANNETT 89.8 MI.
HANNETT 90.3 MI.
HANNETT 90.8 MI.
HANNETT 91.3 MI.
HANNETT 91.8 MI.
HANNETT 92.3 MI.
HANNETT 92.8 MI.
HANNETT 93.3 MI.
HANNETT 93.8 MI.
HANNETT 94.3 MI.
HANNETT 94.8 MI.
HANNETT 95.3 MI.
HANNETT 95.8 MI.
HANNETT 96.3 MI.
HANNETT 96.8 MI.
HANNETT 97.3 MI.
HANNETT 97.8 MI.
HANNETT 98.3 MI.
HANNETT 98.8 MI.
HANNETT 99.3 MI.
HANNETT 99.8 MI.
HANNETT 100.3 MI.
HANNETT 100.8 MI.

65
86
5.4
NENE

61-7516
+
61-07630

MICROFILMED
DEC 20 1955



P/D

MICROFILMED

DEC 20 1995



P/M

New Warehouse

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Simplot Leasing Corp. Permit No. 61-7516
Current Address: P.O. Box 27 Boise, Id 83707 Phone No. 336-2110
2. Accompanied by: Jim Dines EXAM. DATE: 8/6/87
Address: Hammett Id Phone No. 366-2372
Relationship to Permit Holder: Foreman
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-2134 ☐ Copies Attached } NOT NEEDED
2. Other water rights with same point of diversion: ~~02-2134~~ 02-2134 ☐ Copies Attached ☐ Copies of Field Exam's Attached }

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

APR 18 1990



HAMMETT 1.7 MI.
TWIN FALLS (CIVIC

Hammett's office/study
F 5 S
T 6 S
HAMMETT 2.3 MI.
p/d

65
86
5.4
NENE

61-7516

Liz Reid
.04 cfs Wm (for
3 washers)
.04 cfs Wm for
1 home

RECORDED

APR 18 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07630

Priority: January 27, 1990

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that J R SIMPLOT CO

PO BOX 27

BOISE ID 83707

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 6, 1989; and has submitted Proof of Beneficial Use on June 22, 1992. An examination indicates that the works have a diversion capacity of 0.170 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.09 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 1(NENE), Sec. 4, Township 06S, Range 08E
ELMORE County

PLACE OF USE: COMMERCIAL


TWN RGE SEC

06S 08E 4 Lot 1(NENE)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Right 61-07516 is also diverted through the point(s) of diversion described above.
6. Commercial use is for a warehouse.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of NOVEMBER, 1995.

Acting for  KARL J. DREHER, Director

DEC 20 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 61-07630)
IN THE NAME OF J. R. SIMPLOT COMPANY) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before May 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 22, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 61-07630 be REINSTATED with an advance in priority to January 27, 1990.

Dated this 2nd day of July, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

JUL 28 1992

RECEIVED
JUN 22 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt of Fee \$ 50.00
Date 6-22-92
Receipt No. 0024643
Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 61-07630 Telephone No. (208) 336-2110
2. Name(s) of Permit Holder(s): J.R. Simplot Company
3. Mailing Address: P.O. Box 27, Boise, ID 83707
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: _____ Date Drilled: _____

Application was made to expand the use of the existing well permitted under 61-07516

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic NA (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other shop (1); potato storages (2)

6. Total rate and/or volume for which proof is submitted .12 cfs OR _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

Flow Measurement Port: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)
9. Person to contact to accompany the Department representative during field examination of the water system.

Tom Morrison (208) 366-2372
Name Telephone No.

Box 25 Star Route, Hammett, ID 83627
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 28 1992

6/17/92
Date

[Signature]
Signature (and title, if on behalf of a company or organization)
Ronald N. Graves
Secretary J.R. Simplot Co.

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 61-07630

Proposed Priority: December 6, 1989 Maximum Diversion Rate: 0.12 CFS

This is to certify, that J.R. SIMPLOT CO.

P.O. BOX 27

BOISE, ID 83707

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.12 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NENE), Sec. 4, Township 06S, Range 08E
ELMORE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC


06S 08E 4 LOT 1(NENE)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Commercial use is for humidifiers in potato storages.


This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of April, 1990.


R. Keith Higginson, Director

MICROFILMED

APR 18 1990

Ident No 61-07630STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant J.R. SIMPLOT COMPANY Phone (208) 336-2110
Post office address P.O. BOX 27 BOISE, IDAHO 83707
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot 1
Sec 4 Township 6S Range 8E B.M. ELMORE County; additional
points of diversion if any NONE

4. Water will be used for the following purposes
Allow 0.12
Amount .122 C.F.S for COMMERCIAL purposes from 1/1 to 12/31 (both dates inclusive) 1/
(cfs or acre-feet per annum)
Amount .08 C.F.S for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated is (a) .1220 .12 and/or (b) _____ 1/
cubic feet per second acre feet per annum

6 Proposed diverting works

- a. Description of ditches, flumes, pumps, headgates, etc. THE WELL AND DIVERTING WORKS ARE THE SAME AS LISTED IN WATER RIGHT #61-07516.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet, total
reservoir capacity _____ acre-feet, period of year when water will be diverted to storage
_____ to _____ inclusive.

- c. Proposed well diameter is unknown inches, proposed depth of well is unknown feet 2/

- d. Is ground water with a temperature of greater than 90°F being sought? no 2/

- 7 Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

1/ Delete domestic and reduce total rate to .12 cfs per telecom with Vie Connod
2/ per field report 61-07516 on 8/6/87. APR 18 1990 of J.R. Simplot Co., 11/4/90
- 82

*kw 3/26/90
(Application received showing comm. use 11-12-76)

8 Description of proposed uses (if irrigation only, go to item 9)

- a. Hydropower, show total feet of head and proposed capacity in KW. _____
- b. Stockwatering, list number and kind of livestock _____
- c. Municipal; show name of municipality _____
- d. Domestic, show number of households 2 HOUSEHOLDS *
- e. Other, describe fully. HUMIDIFICATION, POTATO STORAGES (4)

9 Description of place of use

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b. If water is used for other purposes, place a symbol of the use (example D for Domestic) in the corresponding place of use below See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	8E	4	C																
			L+1																

Total number of acres to be irrigated _____


- 10 Describe any other water rights used for the same purposes as described above 61-07516 (same well, limited comm. water for 3 potato storage units & 1 home).
11. a Who owns the property at the point of diversion? J.R. SIMPLOT COMPANY
- b Who owns the land to be irrigated or place of use? J.R. SIMPLOT COMPANY
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: LICENSE #6107516 PROVIDED ENOUGH WATER TO FACILITATE 1 DOMESTIC AND 1 POTATO STORAGE. THIS APPLICATION WILL PROVIDE ENOUGH ADDITIONAL WATER TO FACILITATE 2 DOMESTICS AND 2 PTOTATO STORAGES. THIS APPLICATION WILL ALSO EXTEND THE PERIOD OF USE FOR ALL USES TO YEAR ROUND.

* Remarks N/A. p/m should show commercial use only. Per tech with vic. of Simplot Co., 11/10/90. SL APR 18 1990

for database purposes

13 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Received by JPB. Date 12/7/89 Time 5:00 pm Preliminary check by SL
Fee \$ 48 30⁰⁰ Receipted by JP # CO13321 Date 12/6/89
Publication prepared by per 1/4/90 revision 1/15 Refund due - SL GG Date 1-10-90 Published in Mountain Home News
Publication approved SL Date 2/24/90
1/17 & 1/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a SUBJECT TO ALL PRIOR WATER RIGHTS.

b Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 _____

c The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land


d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit

e Other:

MICROFILMED

APR 18 1990

1966 Survey



RECEIVED

JAN 04 1990

J. R. SIMPLOT COMPANY
List of Directors
as of
October 23, 1989

Department of Water Resources
Western Regional Office

J. R. SIMPLOT
06-23-55

P.O. Box 27
Boise, ID 83707

SCOTT R. SIMPLOT
08-25-70

P.O. Box 27
Boise, ID 83707

A. DALE DUNN
10-01-73

P.O. Box 27
Boise, ID 83707

GORDON C. SMITH
12-19-84

P.O. Box 27
Boise, ID 83707

JAMES E. CONRAD
10-01-73

P.O. Box 1059
Caldwell, ID 83605

DON J. SIMPLOT
05-15-57

P.O. Box 27
Boise, ID 83707

RICHARD R. SIMPLOT
08-25-70

P.O. Box 27
Boise, ID 83707

C. L. OTTER
08-25-70

P.O. Box 27
Boise, ID 83707

GAY SIMPLOT OTTER
10-23-89

P.O. Box 27
Boise, ID 83707

DEAN TRAVIS, JR.
11-29-85

P.O. Box 912
Pocatello, ID 83201

JACK E. MORGAN
10-03-77

1160 Santa Maria Drive
Boise, ID 83702

RALPH J. COMSTOCK, SR.
01-06-82

2888 Leisure Drive
Boise, ID 83707

9758k

MICROFILMED

APR 18 1990

J. R. SIMPLOT COMPANY
List of Officers
as of
February 15, 1989

Chairman of the Board 10-04-76	J. R. Simplot	P.O. Box 27 Boise, ID 83707
President 05-03-88	Gordon C. Smith	P.O. Box 27 Boise, ID 83707
Senior Vice President 10-06-75	James E. Conrad	P.O. Box 1059 Caldwell, ID 83605
Senior Vice President 11-29-85	Dean Travis, Jr.	P.O. Box 912 Pocatello, ID 83201
Vice President 05-03-88	L. E. Costello	P.O. Box 27 Boise, ID 83707
Vice President 10-06-86	Scott R. Simplot	P.O. Box 27 Boise, ID 83707
Vice President 10-06-69	Don J. Simplot	P.O. Box 27 Boise, ID 83707
Vice President 10-01-73	Richard R. Simplot	P.O. Box 27 Boise, ID 83707
Vice President 10-01-79	C. L. Otter	P.O. Box 27 Boise, ID 83707
Treasurer 12-18-85	James D. Crawford	P.O. Box 27 Boise, ID 83707
Secretary 10-06-75	Ronald N. Graves	P.O. Box 27 Boise, ID 83707

INDEXED

APR 18 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 16, 1995

J R SIMPLOT CO
PO BOX 27
BOISE ID 83707

RE: WATER RIGHT NO. 61-07630

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

DEC 20 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 61-07630 DATE 11-13-95



NAME	Change ☐ OK ☒	Or Address Change?
PRIORITY DATE	☒	Advance? <u>YES</u> Advanced to: <u>1-27-90</u> Order to reinstate needed? <u>NO</u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐	Changes or just clarification of originally intended source? <u>NO</u> Notice of Intent to Void necessary? <u>NO</u>
POINT OF DIV	☒	Amendment needed? <u>NO</u> Overlaps? <u>61-07516 com + dom @ .08</u>
PLACE OF USE	☒	Amendment needed? <u>NO</u> Overlaps? <u>61-07516</u> <u>02-02134 adjacent land/NA</u>
DIV RATE	☒	Permit/fee limits: <u>.12 CFS</u> Meas Q = <u>.17</u> Theo Q = <u> </u> Recommend: <u>.09</u>
CAPACITY = .17 <u>61-07516 = .09</u> AVAILABLE .09 CFS		
ANNUAL VOLUME	☒	Combined rates exceed capacity <u>NO</u> Volume Limit: <u> </u> Season: <u> </u> Calculations: <u>2500 gal/day for 5 months = 1.2</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u>NO</u>
USES	☒	Change in Nature of Use or additional uses? <u>NO</u> Amendment necessary? <u>NO</u>
ADDITIONAL INFO		Supplemental Groundwater <u>NO</u> PPU Scenario <u>NO</u> Irr/Dom Combination <u>NO</u> Shared G/W System <u>YES</u>
NEW REMARKS	<u>W36</u>	Multiple p/d(s) in <u>1/4 1/4</u> ? <u>NO</u> Other <u>61-07516; com use is for a warehouse</u>
NEW CONDITIONS	☒	Watermaster control - District <u>NO</u> Measuring/Locking Devices <u>NO</u> Irrigation Overlap <u>NO</u> Other <u>NO</u> Water Quality <u>NO</u> Heat/Cool/Fish verified <u>NO</u>

COMMENTS: Reduce rate.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Commercial</u>	<u>.09</u>	<u>1.2</u>	<u>NO</u>	<u>NO</u>
			LICENSE	☒
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 13 1995

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 61-076301. Owner: JR Sunplot Co Phone No. 366-2372Current Address: PO Box 27 Boise 837072. Accompanied by: Tom Morrison EXAM DATE: 10/11/94Address: Hammet Phone No. 587-1125
after. beep: 1113Relationship to Permit Holder: Mgr3 Source: Ground water tributary to _____**B. OVERLAP REVIEW**1. Other water rights with the same place of use. 02-02134, 61-075162. Other water rights with the same point of diversion: 61-07516**C. DIVERSION AND DELIVERY SYSTEM**

1. Point(s) of Diversion:

Ident No	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	1		No	No	4	6e	8e	Elmore	USGS Quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
6e	8e	4	C																

MURDERED MEN
REC 20 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	5	5460		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Pump curve

DEC 20 1995

E. NARRATIVE/REMARKS/COMMENTS

A 6" well with a 5 hp submersible pump supplies water to 4 warehouses, 1 home, 1 office and 1 shop. License 61-07516 covers all uses except for an additional warehouse. The system has been upgraded since the 61-07516 licensing exam. The casing is now above ground and a 5 hp faunzi pump has been installed. License 61-07516 lists .08 cfs. The new system capacity is .17 cfs. The additional .09 cfs was recommended for this permit. No other water uses are used.

In the 2nd warehouse, the ground water is used to maintain a constant temperature of 50°. A pressure pump sprays mist into the warehouses through vented pipes. High powered fans spread the mist throughout.

(The dimensions of the new warehouse is 300' X 240').

Have conditions of permit approval been met? ☒ yes ☐ no

DEC 20 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

5 HP @ 50 PSI + 130' hd per pump curve = 75 GPM or
17 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

1 additional warehouse:

2500/dy for 5 months

 $(2500)(150) = 375000 \text{ gal/yr} / 325850 \text{ gal/af} = 1.2 \text{ af}$ - VS - .17 (system capacity) $(242)(1.9835) = 81.6$.09 (this permit) $(242)(1.9835) = 43.2$ **H. RECOMMENDATIONS**

1. Recommended Amounts

(.08 cfs previously licensed 61-07516)

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	.09	1.2
Totals:			.09 cfs	1.2 af

2. Recommended Amendments

☐ Change P.D. as reflected above☐ Add P.D. as reflected above☒ None☐ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other**I. AUTHENTICATION**Field Examiner's Name Ly Date 10/10/95

Reviewer _____ Date _____

SEAL

DEC 20 1995

Bob Manning
Rt. 3 Box 610-D
Mtn. Home, ID 83647
(208) 587-9055
FAX (208) 587-9816

2769 South Cole Rd
Boise, ID 83709
(208) 362-2900
FAX (208) 362-9723

HIDDLESTON DRILLING & PUMP CO., INC.




A Division of Hiddleston & Son, Inc.

APR 20 1995

JACUZZI

SandHandler High Capacity 4" - 60 GPM Performance Curves

S460



Simplex
cellars
Hammitt

DOH 73'
STATICS
as of 6-22-97

76.8

1966 Survey


61-7516

DEPENDEN

61-07630


61-7516

65 86 5.4



MICROFILMED

DEC 20 1995



IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: _____ OTHER APPLICABLE NO: 61-07630
2. OWNER: Simplat Phone: _____
Address: _____
3. WELL LOCATION: Twp 6S, Rge. 8E, Sec. 4, Ne 1/4 Ne 1/4
County Elmore (Provide sketch map and photo on reverse.)
4. DRILLER: unknown Lic. No. _____
When Drilled? _____
5. WELL CONSTRUCTION:
Casing Diameter 6 inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No
Casing ≥ 12 inches above ground? ☒ Yes ☐ No - Describe _____
Depth of Casing 60 ft. Method Drilled _____
Condition of Well Casing: ☒ Good ☐ Fair ☐ Poor Describe _____
Control Valve? ☐ Yes ☒ No Pressure Gauge: ☐ Yes ☐ No
Condition of Piping and Valving good
Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 15 ft. Water Temperature cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: 50 (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☐ Municipal ☒ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

RECEIVED
DEC 20 1995

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

*curb + pump have been upgraded
by Huddleston ... 1992.*

Lg


Signature of Dept. Representative & Title

10/11/94

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


RECEIVED
DEC 20 1995



New Warehouse

P/u

DEC 20 1995
RECEIVED



4d

July 6, 1992

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE ID 83707

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07630

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
JUL 28 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 61-07630

Reviewed by Klg

Date 7/1/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

TYPES OF USE

commercial
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source

NA Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 6/22/92 173
Date proof due 5/1/92 - 121
No. of days late = 52
Priority Date 12/6/89 + 340
New Priority Date 1/27/90 392
-365
27

DEFICIENCIES OR ACTION ITEMS

proof acceptable

needs an order

DATA ENTRY

New Address

Proof Made 6/22/92
7/1/92 Klg

CORPORATE HEADQUARTERS

RECEIVED
JUN 22 1992

June 19, 1992

Department of Water Resources


L. Glen Saxton
Chief, Water Allocation Bureau
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Re: IDWR Permit No. 61-07630

Dear Mr. Saxton:

Enclosed is the completed State of Idaho Department of Water Resources Proof Of Beneficial Use for the above referenced permit, with a \$50.00 check to cover your license examination fee.

Sincerely,



Vic Conrad
Associate, Simplot
Land and Development

encl: Completed Proof Form
J.R. Simplot Company Check No. 083399 for \$50.00

cc: G. Young

JUL 28 1992

May 6, 1992

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE ID 83707

LAPSE NOTICE

RE: PERMIT NO. 61-07630

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated February 28, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 5/6/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

klg

JUL 28 1992

February 28, 1992

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE ID 83707

PROOF DUE NOTICE

RE: PERMIT NO. 61-07630

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 3, 1990

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P61-07630

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

APR 18 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
APR 18 1990

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

7767
Date 01/09/90
Code 193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME DEPT. OF WATER RESOURCES

Document No	
Pre-Audit	Date
Warrant No	

RECEIVED
JAN 10 1990

PAY J.R. SIMPLOT CO.
ATTN: VIC CONRAD
PO BOX 27
TO BOISE, ID 83707

Department of Water Resources
Western Regional Office

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE
() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Major	Minor			
1	06 20 199	1238	8831		RECPT. #C013321 PER STEVE LESTER 1/ 5/90 15.00	15.00	
						15.00	

Re: refund to appl. 61-07630

MICROFILMED

APR 18 1990

NOTE: Final payment must be accompanied by a receiving copy

TOTAL

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service; that the items have been received and accounted for; and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form, that totals carried hereon are correct, that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith, and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

MEMORANDUM

TO: DEBBIE ALLEN

FROM: STEVE LESTER

DATE: JAN. 5, 1990

SUBJ: REFUND FOR APPLICATION

Application 61-07630 for 0.2020 cfs was filed on 12/6/89 by the J.R. Simplot Co. and receipt C013321 (copy attached) was issued for \$45 paid. On 1/4/90, Vic Conrad of the company telephoned and reduced the application flow rate to 0.12 cfs, which requires a \$30 fee.

Please issue a \$15 refund and mail it to:

J. R. Simplot Co.
P.O. Box 27
Boise, ID. 83707
Attn: Vic Conrad

(tele. 336-2110).

Thanks.

file copy

MICROFILMED

APR 18 1990

CONVERSATION MEMORANDUM

DATE 1/4/90FILE 61-07630NAME OF PARTY Vic Conrad 389-7359 (J.R. Singlet representative)EMPLOYEE Steve Lester

RE: _____

① only 1 home & yard plant. This is home covered
by 61-07516 so delete domestic references on
61-07630

② Need .12 cfs commercial 1/1-12/31.

There are now 4 warehouses, so have additional warehouse
and need more water for use all yr.

③ will supply corp. officers etc. a.s.a.p.

④ total cfs = .12 fee = \$30 , refund \$15

MICROFILMED

APR 18 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 20, 1989

J.R. Simplot Company
P.O. Box 27
Boise, ID. 83707

Re: Application for Permit 61-07630

Dear Applicant:

The above application was received and reviewed and needs additional attention before processing continues. Please review the following points and respond accordingly. A copy of the application is included for reference.

- 1) The names, titles, and addresses of corporate officers are needed.
- 2) The reference to Permit 61-07516 was noted. I conducted the licensing field exam for that permit in 8/87 although a license has not been issued. This is a normal delay due to backlogs and does not reflect problems with the water right. My license recommendations included the home immediately south of the buried well and commercial use for the office and three potato storage warehouses immediately north of the well. The total recommendation includes domestic, one home at 0.04 cfs from 1/1-12/31, and commercial, one office and three warehouses at 0.04 cfs from 9/15 to 5/15.

3) Based on the above, please clarify the uses in the new application. Domestic use for two homes and commercial use for two potato facilities, both from 1/1 to 12/31, were included. Are you referring to two additional homes? If so, the water use would be properly described as follows:

domestic, 0.06 cfs (internal use), 1/1-12/31, and
irrigation, up to 0.03 cfs per acre for yards etc., 3/15-11/15.

Irrigation area to the nearest tenth acre should be specified if possible. One acre equals 43,560 square feet. The acre value multiplied by 0.03 cfs yields the maximum irrigation allotment (multiply by 0.02 cfs if more than five acres will be irrigated). However, if one additional home other than the one described in 61-07516 is involved, the additional single-family domestic use is entitled to 0.04 cfs, a reduction from the 0.08 cfs shown in the application.

4) Is the total commercial need for three warehouses and the office 0.12 cfs all year? If so, 0.08 cfs beyond the 0.04 cfs commercial use in 61-07516 is actually sought. In this case, commercial use of 0.08 cfs from 1/1 to 12/31 would be shown on the application. However, if 0.12 cfs in addition to the 0.04 cfs under the earlier right is needed, the application is correctly filed. Please note that cfs rates are shown to the nearest hundredth. 0.20 cfs becomes 0.20 cfs.

MICROFILMED


APR 18 1990

Application 61-07630

Page 2

The above details are explored because this department cannot approve uses that completely duplicate existing valid rights from the same source. Please respond within 30 days. Additional help is available by contacting me (334-2190).

Sincerely,



Steve Lester

Sr. Water Resource Agent

SL: sl

Enclosure: application copy

MICROFILMED

APR 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 61-7516


1. Owner: Simplot Leasing Corp. Phone No. 334-2110
Current Address: P.O. Box 27 Boise, Id 83707
2. Accompanied by: Tim Dimes EXAM. DATE: 8/6/87
Address: Hammet Id Phone No. 366-2372
Relationship to Permit Holder: Foreman
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 02-2134 ☐ Copies Attached
2. Other water rights with same point of diversion: ~~02-2134~~ 02-2134 ☐ Copies Attached ☐ Copies of Field Exam's Attached
- } NOT NEEDED

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

An unusual arrangement exists for this system. The well and casing are completely buried. No specific information is known or can be found concerning this well (well logs, maint. info., company records, etc.). A buried 3/4" line supplies internal & external water to one house and (< 1/2 acre) yard south of the well. A 2" buried line runs to an office/shop and 3 potato storage warehouses north of the well. The shop contains a 500 gallon pressure tank (normally runs between 45-60 psi). Office/shop has 1 sink and bathroom and 2 hose outlets. Normally 2 people use this area, 5 days/week, normal work year. Each warehouse has a 1" riser with two hose attachments; (garden hoses) used in humidifying process approx 24 hrs/day, 5 months/year.

See Remarks on page 4 for continuation

4. Estimated use per warehouse is approx. 2500 gallons/24 hr period (estimate by Mr. Diner).

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNKNOWN submersible	3	NO TAG	UNKNOWN submersible	NO TAG; 2" pipe
		cannot verify this		info from permit	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	01		NE	NE	4	6S	8E	Elmore	USGS 7 1/2' Quad

6. Place(s) of Use:

Indicate Method of Determination SAME AS IN P/D

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	8E	4	LOT OF D																—
			LOT OF C																—

MICROFILMED

APR 18 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
~~PUMP~~						
5 gallon bucket and stopwatch						

2. Measurements:

~~NAME~~
 5 gals / 22 seconds - measured at one warehouse where 2 hose outlets were operating.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{60}{22} \times 5 = 13.64$ $\frac{13.64}{448.8} = .03$ cfs - demonstrates minimum capacity for commercial use.

2. Alternate Method for Checking Purposes: NONE AVAILABLE. NO WELL LOG CAN BE FOUND. $\approx$ UNKNOWN.

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/A

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

APR 18 1990

a) Domestic
 1 house int. + ext. = 1.2
 b) Commercial
 1 office/shop: "day workers, office per person" = 18 gallons/day x 260 days/yr = 4680 g.
 3 warehouses: 2500 gallons each per 24 hr day for 5 months: $\rightarrow$ 2 warehouses $\rightarrow$ Approx. working:
 $(3)(2500)(150) = 1,125,000$ g/yr. - CONTINUED in REMARK

H. REMARKS AND OVERLAP VIEW ANALYSIS

Commercial volume, cont:

1,132,800 g/y

$$1,125,000 \text{ g/y} + 7800 \text{ g/y} = 1,132,800 \text{ g/y}, \quad 325,850 \text{ g/a.f} = 3.5 \text{ AFA}$$

$$V. (0.04 \times 242) (1.9835) = 19.2 \text{ AFA}$$

Allow .04 cfs for commercial use. No reasonable limiting factor is evident.

Overlap - NO CONFLICT.

PD- 02-2134 uses Snake River water, different source

PU- 02-2134 " " " " to irrigate 35 acres in same
1/4 1/4 and 34 acres in NWRE.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Commercial	9/15 5/15	.04	3.5
Domestic	1/1 12/31	.04	1.2
	Totals:	.08	4.7

2. Recommended Amendments

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

J. AUTHENTICATION

Field Examiner's Name Steven Lester

Signature Steven Lester

Certification Date _____


Field Report Preparation Date 8/6/87


BD
1/21/88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APR 18 1990





HAMMETT 1.7 MI.
TWIN FALLS CIVIC C

Hammett, official stamp
T. 5 S.
T. 6 S.
HAMMETT 2.3 MI.
(HAMMETT) 9/10

65
86
5.4
NENE

61-7516

Liz Reed
.04 of 50mm (for
3 washers)
.04 of 10mm for
1 home

RECEIVED

APR 18 1990

**NOTICE OF APPLICATIONS
FOR WATER RIGHTS**

The following applications have been
filed to appropriate the public waters of
the State of Idaho:

02-07436

SIFCO FARMS
504 N. PHILLIPPI
BOISE, ID 83706
Source: SNAKE RIVER; Tributary:
COLUMBIA RIVER
Diversion Pt: LOT 8 (SESE) Sec 31 T
05S R 08E

Use: WILDLIFE (2.200 CFS); WILD-
LIFE STORAGE (9.00 AF); RECREA-
TION (2.200 CFS); RECREATION
STORAGE (9.00 AF); DIVERSION TO
STORAGE (2.200 CFS); Total Diver-
sion: (2.200 CFS) (9.00 AF)

Date Filed: 10/27/1989

In: T06S R08E S06 Lot 1 (NENE) 1A

61-07630 1A

J.R. SIMPLOT CO.

P.O. BOX 27

BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: LOT 1 (NENE) Sec 4 T
06S R 08E

Use: COMMERCIAL (.122 CFS); To-
tal Diversion: (.120 CFS)

Date Filed: 12/08/1989

In: T06S R08E S04 Lot 1 (NENE) 1A

The permits will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, Western Region, 2735 Air-
port Way, Boise, Idaho 83705 on or be-
fore FEBRUARY 5, 1990.

R. KEITH HIGGINSON, Director
Published 1/17/1990 & 1/24, 1990.

Affidavit of Publication

County of Elmore)
) ss.

STATE OF IDAHO)

I, Mike Thornberg do
solemnly swear that I am the foreman or publisher of the
MOUNTAIN HOME NEWS

a weekly newspaper of general circulation published
once a week at MOUNTAIN HOME, IDAHO, that the
notice attached hereto and which is a part of the proof of
publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having
been made on the 17 day of January.

19 90 and the last publication having been made on
the 24 day of January 19 90.
every Wednesday issue of the paper during the period
and time of publication and that the notice was published
in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN
HOME NEWS has been continuously and uninterrupt-
edly published in said Elmore County during a period of
78 consecutive weeks prior to the first publication of the
attached notice.

Mike Thornberg

STATE OF IDAHO)
COUNTY OF ELMORE)

On this 25 day of Jan in the year of 1990.

before me, a Notary Public, personally appeared

Mike Thornberg, known or identified
to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn,
declared that the statements therein are true, and ac-
knowledgeed to me that he executed the same.

Deen O. Swen
Notary Public for Idaho

Residing at Mtn Home, ID

My commission expires: 2-5-91

RECEIVED

JAN 26 1990

Department of Water Resources
Western Regional Office

MICROFILMED

APR 18 1990

61-07630

J.R. SIMPLOT CO.
P.O. BOX 27
BOISE, ID 83707

Source: GROUNDWATER

Diversion Pt: LOT 1 (NENE) Sec 4 T 06S R 08E

Use: COMMERCIAL (.122 CFS)
Total Diversion: (.120 CFS)

Date Filed: 12/06/1989

In: T06S R08E S04 Lot 1 (NENE)

MICROFILMED

APR 18 1990