

12.7
13.18

18.7
18.17

5-5-106
5-18-19

38.1

61-7236

18.7

36.3

P/D

5 26.0

4 BURIED
8" mainline

5 26.1

7 10.3

13 51.3

13.18
24.19

9 12.7

2 Houses

10 4.8

11 15.7

12 12.4

13 8.2

14 10.0

15 5.5

16 19.0

17 7.5

18 17.7

19 20.0

61-7426

P/D STOCKWATER

OCT 11 1988

Little
canyon
creek

18 80.4

20 40.0

61-7236
Owner stated:

irrigation

2-18 ac parcel

1-14 ac parcel


TOTAL 50 ac in

SE 1/4 S-18

10 E



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Plumer
(Applicant)

RECEIVED

MAR 25 1993

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 61-7426
Phone No. 366-2318
1. Owner: Richard P. Viner
Current Address: Rt. 1 Box 420 Glenns Ferry, Id 83623
2. Accompanied by: Same EXAM. DATE: 8/4/87
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-4112, 61-0303, 61-4038, 61-4039 (SWSE S.18);
37-4112, 61-4039, 61-7575 (NENW S.19) ☐ Copies Attached
COPIES UNNECESSARY
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

MICROFILMED

JUN 30 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

LOT#	S.	W ^{1/2}
18	18	W ^{1/2} W ^{1/2}
19	19	W ^{1/2} W ^{1/2}


61-7426
SS 10E
S.18 S.19

GLENN'S FERRY QUADRANGLE
IDAHO-ELMORE CO.

7.5 MINUTE SERIES (TOPOGRAPHIC)

630000 FEET | (KING HILL AREA)

115



61-7426



P/D

Well is 1500'
West of Little Canyon
Creek, N. of Glenns
Ferry.

P/U

Stock tank 20' from
well. View is SE.

P/U

One of the two
homes using internal
water. This home is
in SWSE S. 18, 200'
NE of well.

Both homes use
irrigation water from
other sources for
yards.



RECEIVED

JUN 30 1993

61-7426

P/D

Well is 1500'
west of Little Canyon
Creek, N. of Glenns
Ferry.



P/U

Stock tank 20' from
well. View is SE.



P/U

One of the two
homes using internal
water. This home is
in SWSE 5.18, 2000'
NE of well.

Both homes use
irrigation water from
other sources for
yards.

RECEIVED

JUN 30 1993

81-7426

P/D

Well is 1500'
west of Little Canyon
Creek, N. of Glenn's
Ferry.

P/U

Stock tank 20' from
well. View is SE.

P/U

One of the two
homes using internal
water. This home is
in SWSE S. 18, 200'
NE of well.

Both homes use
irrigation water from
other sources for
yards.



RECORDED

JUN 30 1993

NOTICE OF
AMENDED APPLICATION
FOR PERMIT

Notice is hereby given that permit No. 61-7426 in the name of Richard P. Viner was filed on 1/5/1981 for the diversion of 3.3 cfs from a groundwater source with a point of diversion within Lot 1 (NWNW), NENW, SENW, Lot 2 (SWNW), S. 19, T. 5S., R. 10E, to be used for irrigation pur-

poses from 4/1 to 11/1 within portions of the NENW, Lot 1 (NWNW), Lot 2 (SWNW), SENW, S. 19, T. 5S., R. 10E. B.M.

The permit holder now proposes to amend the permit by changing the nature of use, point of diversion and place of use to domestic purposes for two homes (0.08 cfs) and stockwater purposes for .12 cfs, from a well within the NENW, S. 19, T. 5S., R. 10E., to be used within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 19; and the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 18; Twp. 5 S., Rge. 10E., for a total of .20 cfs.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before February 8, 1988.

R. Keith Higginson, Director
Published in Mountain Home News 1/20 & 1/27/88.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Mike Thornberry do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof; was published in said newspaper for

2 consecutive weeks, the first publica-
tion having been made on the 20 day

of January, 1988, and

the last publication having been made on the

27 day of January

19 88; every Wednesday issue of the paper

during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Mike Thornberry
Subscribed and sworn to me this 20th
day of January, 1988

Carol W. Sine
Notary Public

MICROFILMED

OCT 11 1988

RECEIVED

FEB 2 1988

Department of Water Resources
Western Regional Office

T.
5
S.

Well + pump

Buildings

18

Little Canyon Creek

8

From aerial photo.

Subdivisions = 9

Area = 120 acres

$Q = 120''$ or
2.4 cfs.

STEVENS FERRY

~~Handwritten notes and signatures, mostly illegible due to crossing out.~~

Scale: 2 Inches Equals 1 Mile. Draw Map In Ink.

Recommended amounts for licensing under permit #61-2253 per yield report. 1524619

RECORDED

o.k.
nen

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application has been submitted for permit to appropriate the public waters of the State of Idaho:
61-7426

VINER, RICHARD P.
BOX 656, GLENN'S FERRY, ID
83623

Source: GROUNDWATER

Date Filed: 01/06/1981

Amount: 3.30 CFS

Diversion Point: LOT 01 (NWNW)
NENW SENW LOT 02 (SWNW) Sec
19 T 05S R 10E, ELMORE Co.

Use: IRRIGATION (3.30 CFS) from
04/01 to 11/01

Place of Use: NENW LOT 01
(NWNW) Lot 02 (SWNW) SENW Sec
19 T 05S R 10E FOR 165 ACRES

Diversion Means: WELL & PUMP.

If issued, the permit will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before FEBRUARY 16, 1981.

C. STEPHEN ALLRED

Director

Published 1/29 & 2/6/81.

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Vivian M. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

... 2 ... consecutive weeks, the first publica-
tion having been made on the ... 29 ... day
of ... Jan ..., 1981, and
the last publication having been made on the
... 6 ... day of ... Feb ...
1981...; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

[Signature]

Subscribed and sworn to me this 5th
day of February, 1981.

[Signature]
Notary Public

RECORDED

RECEIVED

FEB 6 1981

Department of Water Resources
Western Regional Office

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07426

Priority: January 5, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:

0.11 CFS
2.5 AF

This is to certify, that RICHARD P VINER
RT 1 BOX 420

GLENN'S FERRY ID 83623 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated January 5, 1981; and
has submitted Proof of Beneficial Use on January 24, 1986. An examination indicates
that the works have a diversion capacity of .110 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.3 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	1.2 AF
	Totals	0.11 CFS	2.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 19, Township 05S, Range 10E
ELMORE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

05S 10E 19 NENW

PLACE OF USE: DOMESTIC
TWN RGE SEC

05S 10E 18 SWSE
19 NENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MODIFIED

JUN 30 1993

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 61-07426

CONDITIONS/REMARKS:

5. Stockwater use is for 100 range cattle.
6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of JUNE, 1993.

Acting for  R. Keith Higginson, Director

JUN 30 1993

STATE OF IDAHO

MAR

Department of Water Resources

Department of Water Resources

Water Resources Division

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

APPROVED

Comes now Richard P. VinerPhone 366-2318

of (address) Rt. 1 Box 420, Glenns Ferry, ID 83623, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 61-7426, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE 1/4 NW 1/4, Section 19, Township 5S, Range 10E, B.M.,
County of _____ . Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount .08 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount .12 for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
<u>5S</u>	<u>10E</u>	<u>19</u>					<u>S</u>	<u>D</u>											
<u>5S</u>	<u>10E</u>	<u>18</u>															<u>D</u>		

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? applicant
 b. Who owns the land to be irrigated or the place of use? applicant
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

MICROFILMED

OCT 11 1988

Show 40-acre subdivisions, townships, ranges and ditches.

SEE ATTACHED AERIAL PHOTO.

[illegible]

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at BOISE IDAHO, this 6/2 day of 1987.

Richard P. Viner
(Signature)

FOR DEPARTMENT USE ONLY

12/18/87 *JP*
Preliminary check by *[Signature]* Fee = \$20.00

Received by BD Date 6/2/87 REC'T # 44881

Publication prepared by 38 Date V 31, 88

Published in with these views

Publication dates meta ~~home~~ News
1/21/7 '28/28

ACTION OF THE DEPARTMENT OF WATER RESOURCES

1. L. GLEN SAXTON

of the Department of Water Resources hereby

Approve the above Application for Amendment.

MICROFILMED

OCT 11 1988

Witness my hand this 23 day of September

19 88
A. Glen Saxton
Chief, Operations Bureau

5-5-108
5-18-89

61-7236

P10

BURIED
8" MAINLINE

2
Houses

OCT 11 1988

Little
Canyon
Creek

61-7236
Source 5-18-89
1/18/89

2-18 ac parcel
E-14 ac parcel

TOTAL 50 ac in
S-1/4 S-18

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JAN 24 1986

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 61-7426

Name(s) of Permit Holder: Richard P. Viner

Post Office Address: RT1 Box 420 GLENS FERRY 83623

Telephone No. 366-2318

Source of Water: G.W.

Extent of Use.

Domestic two (number of households)

Stockwater 250 range (max.) (number and type of stock)

Irrigation _____ (acres)

Other/Remarks Permit was for irrigation but well drilled did not produce

ENOUGH WATER. ONLY USED FOR DOMESTIC AND STOCKWATER. A CHANGE IN NATURE OF
USE AMENDMENT WILL BE FILED AFTER FIELD EXAM HAS BEEN MADE.

Indicate the date water was first diverted and beneficially used under this permit: Dec 1985

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Dick Viner

(Name)

SAME AS ABOVE

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/24/86
Date

Richard P. Viner
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

2-25-86
MF

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard P. Viner Phone 366-7920

Post office address Box 656, Glens Ferry, Idaho 83623

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is ^(Lot 1) NW $\frac{1}{4}$ $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 19 Township 5 S.

Range 10 E. B.M. Elmore County, additional points of diversion if any: _____

^(Lot 2) NE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 19, Twp. 5 S., Rge. 10 E. (1 well)

4. Water will be used for the following purposes:

Amount 3.3 cfs for Irrigation purposes from 04/01 to 11/01 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.3 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Drilled well with electric or diesel pump.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20" inches; proposed depth of well is 600. feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5 S.	10 E.	19					40	1t.1 43	1t.2 42	40									165
							All of	the	NW¼										
							of Sec.	19											

Total number of acres to be irrigated 165

c. Describe any other water rights used for the same purposes as described above. Presently irrigating 75 acres with water purchased from the King Hill Irrigation District.

9. a. Who owns the property at the point of diversion Richard P. Viner

b. Who owns the land to be irrigated or place of use Richard P. Viner

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks At the present time 75 of the 160 acres described, is being irrigated by water purchased from the King Hill Irrigation District. Method of irrigation is surface by means of gravity flooding.


Since I find that it is impossible to purchase additional water from King Hill Irrigation District, I would like to drill a well, which would enable me to water the entire 160 acres by means of sprinkle irrigation.

I feel this would enable me to accomplish two things; Put more land into production by means of sprinkler, and to prevent waste of water, due to runoff from the system presently used. All of the NW¼ of section 19; Twp. 5 S., Rge. 10 E. will be irrigated.


MICROFILMED

5 South

10 E



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Plumer
(Applicant)

Proposed Priority

1/5/81

Received by mr Date 1-5-81 Time 1:00 P.M.

Preliminary check by yg Fee \$ 105.00

Receipted by h/k Date 1-6-81 # 17233

Publication prepared by neh Date 1-22-81

Published in Man Home News

Publication dates 1-29/2-6-81

Publication approved neh Date 2/12/81

Protests filed by: nen

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 61-7426, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 23rd day of February, 19 81.

A. Glen Saylor

CHIEF

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 7, 1993


RICHARD P VINER
RT 1 BOX 420
GLENNS FERRY ID 83623

RE: WATER RIGHT NO. 61-07426

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

NOTED

JUN 30 1993

WR0749NP
No. L61-07426

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/01/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD P VINER RT 1 BOX 420 GLENNS FERRY ID 83623 (208) 366-2318	01/05/1981	STOCKWATER DOMESTIC	01-01 12-31 01-01 12-31	0.03 CFS 0.08 CFS	1.3 AFA 1.2 AFA
TOTAL DIVERSION:					0.11 CFS	2.5 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.11 CFS

Point(s) of Diversion: T05S R10E S19 NE NW

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
05S	10E	19	:							S										:

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:
05S	10E	18	:																	:
05S	10E	19	:							D										:

Pou County: ELMORE

~~Non-Irrigation Uses: D/2 HOMES.~~

Other Water Rights Listing Overlapping Place(s) of use:

37-04112 61-00303 61-04038 61-04039 61-07236 61-07575 A02-00214 A02-00215 A02-00216 A02-00217

Remarks: Stockwater use is for 100 range cattle.
Domestic use is for 2 homes.

Dates: App. Received: 01/05/1981 Priority Date: 01/05/1981
Proof Due Date: 02/01/1986 Proof Made Date: 01/24/1986
Exam Made Date: 08/04/1987 Exam Sent to S.O.: 03/24/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 06/01/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 61-7426

Date 6-1-93

Brenda Chapman

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>Yes</u>	<u>No</u>	Measurement Done <u>NONE</u>
	<u>Yes</u>	<u>No</u>	Pumping Theoretical $(8.8) \times () \times (.7)$ $(+ [2.31 \times])$
	<u>Yes</u>	<u>No</u>	System Capacity <u>.11</u>
	<u>Yes</u>	<u>No</u>	Allowable Amount: <u>100 head @ .03 / 2 homes .08</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			Standard Irr. Season <u> </u>
			Season Recommended <u> </u>
<u>Allow full yr on stockwater.</u>	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
<u>No definite season on exam.</u>	<u>Yes</u>	<u>No</u>	<u>2 homes @ .6 = 1.2 gcf 100 stock = 1.3</u>
	<u>Yes</u>	<u>No</u>	Flow limit: <u>.11</u> x 365 x 1.9835 = <u>79.6 > 2.5</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u>
	<u>Yes</u>	<u>No</u>	<u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Overlap Analysis for 5+ Acres Needed?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use? <u>Done already</u>
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>DOMESTIC 2 homes + Stockwater</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Devices
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Standard/Irr/Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
			Dates/Misc
			<u>NO</u> Water Dist
			<u>1-5-81</u> App Rec'd
			<u>8-4-87</u> Exam Made

COMMENTS: Reduced amount

LICENSE ✓

AMEND

SPECIAL PARAGRAPH

(L)

RECEIVED

MAR 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 61-7426
Phone No. 366-2318
1. Owner: Richard P. Vine
Current Address: Rt. 1 Box 420 Glenns Ferry, Id 83623
2. Accompanied by: Same EXAM DATE: 8/4/87
Address: Same Phone No. Same
Relationship to Permit Holder: Same
3. Source groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 37-4112, 61-0303, 61-4038, 61-4039 (SWSE S.18);
37-4112, 61-4039, 61-7575 (NENW S.19) ☐ Copies Attached
2. Other water rights with same point of diversion NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

JUN 30 1993

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. Narrative: Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc.)

300' deep well with 6" casing and small pump with ^N80 gal/bw pressure tank compose this system. 1 1/2" lines lead to two homes and 1 stock tank. Interiors domestic water is involved. Approx. 100 head of cattle use the trough on the average of 4 months / year.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi system	3/4	7K7105677	submersible Jacuzzi	1 1/2" lines; NOT Ag

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	19	SS	10E	Elmore	USGS 7 1/2' QUAD AND ASCS photo from Exam 61-7236 (same owners, exam on same date.)

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
SS	10E	18															D		—
		19					D										~~S~~		—
							S										~~S~~		—

Do not use this space

JUN 86

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

Static & dynamic pumping levels unknown. No well log available.
Owner unsure of normal operating pressure.

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1 Measured Method: NONE available

2. Alternate Method for Checking Purposes. See add'l comp't sheet

F. PUMP EFFICIENCY DATA (Optional) N/A

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____

G. VOLUME CALCULATIONS

1 Volume Calculations for Irrigation: N/A

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2 Volume Calculations for Other Uses:

Domestic, 2 units, internal use = $2 \times .6 = 1.2$ AFA

Stockwater, 100 head cattle, 4 mo/yr. =

$$\frac{100 \times 12 \times 4 \times 31}{325,850} = .457 = .5 \text{ AFA}$$

$$V. \frac{(2.4)(124)(1.9835)}{.03} = 22.1 \text{ AFA}$$

JUN 30 1993

Note request to remove measuring device.

H REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap, plu only, NO CONFLICT:

5 separate rights are found in the two $\frac{1}{4}$ $\frac{1}{4}$'s, none are wells. All are irrigation rights. One right (39-4112, King Hill Irrig) also provides domestic and stockwater uses of Malad River water but not at Vineer's two homes or stock tank.

Amendments - corrected appl. for amendment rec'd 12/18/87.

Omit all but ~~new~~ S.19 as P.D.'s.

Change P/U to include ~~new~~ S.19 and ~~new~~ S.18.

Change nature of use from irrigation to domestic and stockwater.

Reduce rate of flow from 3.3 to .11 cfs.

See attached Appl. for amendment filed 2 months prior to exam. That appl. should be modified to show ~~new~~ S.18 as additional ~~flow~~ ^{flow}. Also, reduce stockwater, and thus total, flow as ~~per~~ exam indicates.

I RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.08	1.2
Stockwater	1/1	12/31	.03	0.5
Totals:			.11	1.7

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ None

☒ Other

if corrected Appl. for amendment approved.

J. AUTHENTICATION

Field Examiner's Name

Steven Lester


Signature

Steven Lester

Certification Date

Field Report Preparation Date

8/4/87 and 12/4/87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JUN 30 1987

61-7426 Addtl. computations

Hp equation:

well depth $\approx 300'$

static or dynamic pumping levels unknown and no well log available.

hp = .75

1 1/2" pipe

efficiency = .8 assumed

psi = 20 assumed, small system } these assumptions give owner the benefit of doubt.

$$Q = \frac{HP \times 8.8 \times \text{Eff}}{(2.31 \times \text{PSI}) + \text{Dym Pump. Level} \rightarrow Z}$$

if:

$$Z = 100' \quad Q = .04 \text{ cfs}$$

$$= 50' \quad = .05 \text{ cfs}$$

$$= 10' \quad = .09 \text{ cfs}$$

WATER USE

a) 2 homes internal use.

$$\text{Allow } .04 \text{ cfs/home} = .08 \text{ cfs}$$

b) Stockwater

item	date	# cattle described	cfs (examined manual, pg. III-15, table 6)
Proof B/U form	1/86	250	.07
exam fee sheet	6/87	500	.12
field exam	8/87	100	.03

Allow .03 cfs for stockwater based on owner's statement during the exam.

Therefore, total flow allowed

$$\text{domestic} = .08 \text{ cfs}$$

$$\text{stock} = .03 \text{ cfs}$$

$$\text{TOTAL} = \underline{\underline{.11 \text{ cfs}}}$$

JUN 30 1988

This rate is more or less compatible with Hp eq. if pumping level is close to surface.

8/4/87

I request removal of the measuring device
requirement on Permit 61-7426.

Signal Richard P. Viner

witnessed

Steve Lester
Water Resource Agent

RECEIVED
AUG 11 1987
HHS 50 105

— Copy of Appl. for
Amendment filed 6/87 —

INTER-DEPARTMENT MEMO — 1

FROM Dave T

DATE 7/28/87

TO Jan

SUBJECT

Attached App for Amendment of Permit No. 61-7426

Because neither a p/d change nor a place of use change is contemplated by the attached amendment, and because the amendment represents a reduction in proposed diversion rate from 3.3 cfs to 0.20 cfs, no advertisement is required.

Dave

SIGNATURE

Original Appl. returned to JAN 5. on 12/4/87. I mistakenly held onto it in the exam file. SL

Corrected Appl. returned 12/18/87. Original copy to JS 12/21/87

Under the direction of my supervisor, I have been directed not to microfilm memos that are from & to staff. I am only to film memos that are to the file. DAB

[illegible]

31-7426

P/D

Well is 1500'
west of Little Canyon
Creek, N. of Glenns
Ferry.

P/U

Stock tank 20' from
well. View is SE.

P/U

One of the two
homes using internal
water. This home is
in SWSE S. 18, 200'
NE of well.

Both homes use
irrigation water from
other sources for
yards.

IN. 11111

JUN 30 1993

51-7426

P/D

Well is 1500'
west of Little Canyon
Creek, N. of Glenn's
Ferry.

P/U

Stock tank 20' from
well. View is SE.

P/U

One of the two
homes using internal
water. This home is
in SWSE 5.18, 2000'
NE of well.

Both homes use
irrigation water from
other sources for
yards.

JUN 30 1993

31-7426

P/O

Well is 1500'
west of Little Canyon
Creek, N. of Glenns
Ferry.

P/U

Stock tank 20' from
well. View is SE.

P/U

One of the two
homes using internal
water. This home is
in SWSE S. 18, 200'
NE of well.

Both homes use
irrigation water from
other sources for
yards.

JUN 30 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

September 29, 1988

RE: Permit No. 61-7426

Richard P. Viner
Rt. 1, Box 420
Glenns Ferry, ID 83623

Dear Permit Holder(s):

Enclosed is a copy of the approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

OCT 11 1988

RECEIVED
MAR 20 1988

State of Idaho
Department of Water Resources

Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY:

Right Number

361-7426

Applicant

Richard Viner

Purpose of Amendment:

☐ Change point of diversion.

☐ Add diversion point(s).

☐ Increase amount.

☐ Change place of use.

☐ Other

Nature of use

CHECK:

☒ Description of amended point(s) of diversion.

☒ Amount, nature and period of use. If increased, delay date of priority.

Decreased

☒ Description of amended places of use. If expanded, delay date of priority.

☒ Ownership of point of diversion and place of use.

☒ Map.

☒ Signature (must be permit holder).

☒ Fee.

☒ Existing water rights from the same source, amended place of use.

☒ Right number(s) _____

☐ Yes ☐ No Should amendment be advertised?

☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received.

☒ Amendment published correctly.

☐ Protests processed. NONE

☒ Approve.

☐ Deny.

Conditions _____

By

J. J. DRT

Date

3/28/88

STATE OFFICE PROCESSING:

☒ Amendment correct and complete. By

Jim

Date

9-22-88

☐ Approved copy sent to applicant and to Region. By _____

Date _____

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Mike Thornberry do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

2 consecutive weeks, the first publica-

tion having been made on the 20 day

of January, 1988, and

the last publication having been made on the

27 day of January,

19 88; every Wednesday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Mike Thornberry

Subscribed and sworn to me this 27th

day of January, 1988

Charles W. Sine
Notary Public

MICROFILMED

OCT 11 1988

RECEIVED
FEB 2 1988

Department of Water Resources
Western Regional Office

15

NOTICE OF AMENDED APPLICATION FOR PERMIT

Notice is hereby given that permit No. 61-7426 in the name of Richard P. Viner was filed on 1/5/1981 for the diversion of 3.3 cfs from a groundwater source with a point of diversion within Lot 1 (NWNW), NENW, SENW, Lot 2 (SWNW), S. 19, T. 5S., R. 10E, to be used for irrigation purposes from 4/1 to 11/1 within portions of the NENW, Lot 1 (NWNW), Lot 2 (SWNW), SENW, S. 19, T. 5S., R. 10E. B.M.

The permit holder now proposes to amend the permit by changing the nature of use, point of diversion and place of use to domestic purposes for two homes (0.08 cfs) and stockwater purposes for .12 cfs, from a well within the NENW, S. 19, T. 5S., R. 10E., to be used within the NE1/4NW1/4, Sec. 19; and the SW1/4SE1/4, Sec. 18; Twp. 5S., Rge. 10E., for a total of .20 cfs.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, 2735 Airport Way, Boise, ID 83705 on or before February 8, 1988 .

R. Keith Higginson, Director

Published in Mountain Home News 1/21 & 1/28/88 ..

RECEIVED

OCT 11 1988

4/86

RECEIVED

JUN 18 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

EXAMINATION FEE INFORMATION

KEYPUNCHED

For Office Use Only

Fee Received \$ 50Date 6/2/87Receipt # 44881Receipt by ADSent to S.O. 6/8/87 #1. Permit No. 61-7426

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Richard P. Viner3. Post Office Address: Rt 1, Box 420 Glenns Ferry ID 83623Telephone No. 208-366-23184. Source of Water: Ground water

5. Extent of Use:

Domestic 2 (No. of households) Stockwater 500 (No. and type of stock)

Irrigation _____ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .20 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Fall 1981

8. Person to contact to accompany the department representative during the field examination:

As Above

(Name)

OCT 11 1988

(Address)

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the ~~certified examiner~~ I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date _____

Richard P. Viner
 Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

61-7426
VINFR, RICHARD P.
RT. 1 BOX 420
GLENN'S FERRY, ID 83623

138175

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

Statehouse
Boise, Idaho 83720
(200) 334 2190

MARCH 10, 1986

RICHARD P. WINER
RT. 1 BOX 420
GLENN FERRY ID 83623

RE: Permit No. G1 7426

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 334 2190 or in person in the third floor State Towers Building, 450 West State Street, Boise.

Sincerely,
s/Judy Penze
Secretary

POOR QUALITY

RECEIVED

OCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
NOVEMBER 30, 1985

VINER, RICHARD P.
BOX 656
GLENN'S FERRY, ID 83623

138530

PROOF DUE NOTICE

RE: PERMIT NO. 61-7426

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 9, 1981

Richard P. Viner
Box 656
Glenns Ferry, Idaho 83623

Dear Mr. Viner,

RE: Permit No. 61-7426

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or an access port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the access port.

The exercise of this permit may also be affected by the Supreme Court's review of the case of Idaho Power Company vs. State of Idaho, et al., Ada County Civil No. 62237, currently being appealed to the Supreme Court of Idaho. Since the use of water under your permit may affect the flows in the Snake River between Milner Dam and Hells Canyon, the final decision in this case may determine to what extent the exercise of your permit is subject to water rights of Idaho Power. While the Supreme Court is reviewing this case Idaho Power Company has not filed a specific protest to your permit. However, the Department of Water Resources has been advised that the Power Company is not waiving any of its rights to contest or limit the exercise of your permit or subsequent license.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

Enclosure

RECEIVED
MAR 11 1981
WATER RESOURCES
DIVISION

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Jan Grover

APPLICATION NUMBER: 61-7426
VINER

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use: 61-2253 - see memo.
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2-16-81
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2/4/81
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/5/81 Date of priority recommended.
☒ Special conditions of approval or cover letter. I.P. GW letter

By: DBS Date: 2/17/81

STATE OFFICE REVIEW:

return receipt w/ cover letter

SW 103, 105 OIC

- ☐ See attached sheet for more information.

By: Relm Date: 2/20/81

MICROFILMED

TO: File (Richard P. Viner)
FROM: Jan Grover *Jan*
DATE: January 16, 1981

In staff reviewing this application, I located a permit which overlaps 30 acres in the NW $\frac{1}{4}$, Sec. 19, Twp. 5S, Rge. 10E, at 1" per acre. This permit is #61-2253.

This permit was pre-canned, but never cancelled. A field examination was conducted and it appears that some sort of notarized affidavit is still needed from the permit holder before a license can be issued. This correspondence took place in 1965.

Rather than deleting the 30 acres from the new application and then chancing the cancellation of Permit No. 61-2253 in the future, it was decided to place a memo in the file noting the overlap and when the examination is done on this new permit, Permit no. 61-2253 should be checked to see if it is licensed. If so, then the 30 acres can be eliminated from the new permit prior to licensing.

JG:hh

RECEIVED
NOV 12 1980

Department of Water Resources
Western Regional Office

November 7, 1980

Mr. Richard P. Viner
Box 656
Glenns Ferry, Idaho 83623

Dear Mr. Viner:

Please note that per the attached microfilm plat it appears that the NW $\frac{1}{4}$ Sec. 19 contains two government lots - for 43 acres and 42 acres. This increases your total acreage to 165 so I have correspondingly increased the rate of flow to 3.3 cfs. The fee remains at \$105.00.

Please mail the application, with the fee to:

Idaho Department of Water Resources
Western Region
92 South Cole Road
Boise, Idaho 83705

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocation Section

DRT:jg

Enclosure

o.k.
nen

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Vivian M. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

... 2 ... consecutive weeks, the first publica-
tion having been made on the ... 29 ... day
of ... Jan ..., 1981, and
the last publication having been made on the
... 6 ... day of ... Feb ...
19 81...; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Subscribed and sworn to me this 5th
day of February, 1981.

Marta Waters
Notary Public

MICROFILMED

RECEIVED

FFB 6

Department of Water Resources
Western Regional Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region

92 South Cole Road
Boise, Idaho 83709
(208) 334-2190

JANUARY 22, 1981

Mountain Home News
Drawer D
Mountain Home, ID 83647

Gentlemen.

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 16, 1981.

Yours truly,

HELEN L. HARRINGTON
Secretary

Encl.

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 92 S. Cole Road, Boise, Idaho 83709 on or before FEBRUARY 16, 1981.

C. STEPHEN ALLRED

Director

Published 1/29 & 2/6/81.

MICROFILMED

VINER, RICHARD P.

BOX 656, GLENN'S FERRY, ID 83623

Source: GROUNDWATER

Date Filed: 01/06/1981

Amount: 3.30 CFS

Diversion Point: LOT 01 (NWNW) NENW SENW LOT 02 (SWNW) Sec 19 T 05S R 10E,
ELMORE Co.

Use: IRRIGATION (3.30 CFS) from 04/01 to 11/01

Place of Use: NENW LOT 01 (NWNW) LOT 02 (SWNW) SENW Sec 19 T 05S R 10E
FOR 165 ACRES

Diversion Means: WELL & PUMP.

RECEIVED
FEB 10 1981
FBI - BUTTE