


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delmar Foster and/or Rosalia Foster
(Applicant)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that DELMAR &/or ROSALIE FOSTER c/o Rocky Bar Stage, Mountain Home, ID has on July 12, 1977 submitted Application No. 61-7337 for a permit to appropriate 1.22 cubic feet per second of water from a groundwater source be means of well and open ditch within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 3 T3S-R7E B.M., Elmore County to be used from Jan 1 to Dec 31 for stockwater and from Apr 1 to Oct 1 for irrigation of 60 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 3 T3S-R7E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 8, 1977.

C. STEPHEN ALLRED
Director

Published in the Mountain Home News, Mountain Home, ID on July 21, 1977 and July 28, 1977.

OK 148
8-4-77

RECEIVED

JUL 29 1977

Department of Water Resources
Western Regional Office

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Floyd S. Waters do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having been made on the 21 day of July, 1977, and the last publication having been made on the 28 day of July, 1977; every Thursday issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Floyd S. Waters

Subscribed and sworn to me this 28 day of July, 1977

Floyd S. Waters
Notary Public

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: DELMAR +/or ROSALIE FOSTER Permit No. 61-07337
Current Address: HC 87 Box 14 MTN. HM. Phone No. 587-4194
2. Accompanied by: ROSALIE FOSTER EXAM. DATE: 6/17/91
Address: SAME Phone No. SAME
Relationship to Permit Holder: WIFE
3. Source: GROUND WATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 61-00272 ☐ Copies Attached
2. Other water rights with same point of diversion: 61-00272 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

NOT TO SCALE



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

JUL 28 1992

34 | 35
3 | 2 T 258
182

35.3 NHEL
2 NHEL
5.3 NHEL
3
10.5

T 259
183

NHEL PM

NHEL
PC

T 260
184

3 | 2
10 | 11

NHEL
3.5
NHEL
3
3.5
4 NHEL
11.6
NHEL
5
2.8
HEL
10.2
HEL
10.5
8 NHEL
19.4

RECEIVED
JUL 26 1952

This is a topographic map of a region in Illinois, featuring the Rattlesnake River and several reservoirs. A blue rectangle highlights a specific area labeled "Crae" with handwritten red notes "ph" and "ph". The map includes numerous spot elevations, contour lines, and infrastructure like a substation and power lines. A red stamp in the bottom right corner reads "MICROFILMED JUL 28 1992".

Key features and labels on the map include:

- Water Bodies:** Rattlesnake River, Lamberton Reservoir, John Hoffman Reservoir.
- Infrastructure:** 3419T Substation, 3419T, 3405T, 3454T, 3459T, 3476T, 3479T, 3493T, 3496T, 3505T, 3516T, 3549T, 3562T, 3565T, 3566T, 3567T, 3568T, 3569T, 3570T, 3571T, 3572T, 3573T, 3574T, 3575T, 3576T, 3577T, 3578T, 3579T, 3580T, 3581T, 3582T, 3583T, 3584T, 3585T, 3586T, 3587T, 3588T, 3589T, 3590T, 3591T, 3592T, 3593T, 3594T, 3595T, 3596T, 3597T, 3598T, 3599T, 3600T, 3601T, 3602T, 3603T, 3604T, 3605T, 3606T, 3607T, 3608T, 3609T, 3610T, 3611T, 3612T, 3613T, 3614T, 3615T, 3616T, 3617T, 3618T, 3619T, 3620T, 3621T, 3622T, 3623T, 3624T, 3625T, 3626T, 3627T, 3628T, 3629T, 3630T, 3631T, 3632T, 3633T, 3634T, 3635T, 3636T, 3637T, 3638T, 3639T, 3640T, 3641T, 3642T, 3643T, 3644T, 3645T, 3646T, 3647T, 3648T, 3649T, 3650T, 3651T, 3652T, 3653T, 3654T, 3655T, 3656T, 3657T, 3658T, 3659T, 3660T, 3661T, 3662T, 3663T, 3664T, 3665T, 3666T, 3667T, 3668T, 3669T, 3670T, 3671T, 3672T, 3673T, 3674T, 3675T, 3676T, 3677T, 3678T, 3679T, 3680T, 3681T, 3682T, 3683T, 3684T, 3685T, 3686T, 3687T, 3688T, 3689T, 3690T, 3691T, 3692T, 3693T, 3694T, 3695T, 3696T, 3697T, 3698T, 3699T, 3700T, 3701T, 3702T, 3703T, 3704T, 3705T, 3706T, 3707T, 3708T, 3709T, 3710T, 3711T, 3712T, 3713T, 3714T, 3715T, 3716T, 3717T, 3718T, 3719T, 3720T, 3721T, 3722T, 3723T, 3724T, 3725T, 3726T, 3727T, 3728T, 3729T, 3730T, 3731T, 3732T, 3733T, 3734T, 3735T, 3736T, 3737T, 3738T, 3739T, 3740T, 3741T, 3742T, 3743T, 3744T, 3745T, 3746T, 3747T, 3748T, 3749T, 3750T, 3751T, 3752T, 3753T, 3754T, 3755T, 3756T, 3757T, 3758T, 3759T, 3760T, 3761T, 3762T, 3763T, 3764T, 3765T, 3766T, 3767T, 3768T, 3769T, 3770T, 3771T, 3772T, 3773T, 3774T, 3775T, 3776T, 3777T, 3778T, 3779T, 3780T, 3781T, 3782T, 3783T, 3784T, 3785T, 3786T, 3787T, 3788T, 3789T, 3790T, 3791T, 3792T, 3793T, 3794T, 3795T, 3796T, 3797T, 3798T, 3799T, 3800T, 3801T, 3802T, 3803T, 3804T, 3805T, 3806T, 3807T, 3808T, 3809T, 3810T, 3811T, 3812T, 3813T, 3814T, 3815T, 3816T, 3817T, 3818T, 3819T, 3820T, 3821T, 3822T, 3823T, 3824T, 3825T, 3826T, 3827T, 3828T, 3829T, 3830T, 3831T, 3832T, 3833T, 3834T, 3835T, 3836T, 3837T, 3838T, 3839T, 3840T, 3841T, 3842T, 3843T, 3844T, 3845T, 3846T, 3847T, 3848T, 3849T, 3850T, 3851T, 3852T, 3853T, 3854T, 3855T, 3856T, 3857T, 3858T, 3859T, 3860T, 3861T, 3862T, 3863T, 3864T, 3865T, 3866T, 3867T, 3868T, 3869T, 3870T, 3871T, 3872T, 3873T, 3874T, 3875T, 3876T, 3877T, 3878T, 3879T, 3880T, 3881T, 3882T, 3883T, 3884T, 3885T, 3886T, 3887T, 3888T, 3889T, 3890T, 3891T, 3892T, 3893T, 3894T, 3895T, 3896T, 3897T, 3898T, 3899T, 3900T, 3901T, 3902T, 3903T, 3904T, 3905T, 3906T, 3907T, 3908T, 3909T, 3910T, 3911T, 3912T, 3913T, 3914T, 3915T, 3916T, 3917T, 3918T, 3919T, 3920T, 3921T, 3922T, 3923T, 3924T, 3925T, 3926T, 3927T, 3928T, 3929T, 3930T, 3931T, 3932T, 3933T, 3934T, 3935T, 3936T, 3937T, 3938T, 3939T, 3940T, 3941T, 3942T, 3943T, 3944T, 3945T, 3946T, 3947T, 3948T, 3949T, 3950T, 3951T, 3952T, 3953T, 3954T, 3955T, 3956T, 3957T, 3958T, 3959T, 3960T, 3961T, 3962T, 3963T, 3964T, 3965T, 3966T, 3967T, 3968T, 3969T, 3970T, 3971T, 3972T, 3973T, 3974T, 3975T, 3976T, 3977T, 3978T, 3979T, 3980T, 3981T, 3982T, 3983T, 3984T, 3985T, 3986T, 3987T, 3988T, 3989T, 3990T, 3991T, 3992T, 3993T, 3994T, 3995T, 3996T, 3997T, 3998T, 3999T, 4000T.

JUL 28 1992



61-07337
SUBMERSIBLE
BACKUP DOMESTIC
+ STOCKWATER
WELL



PRIMARY DOMESTIC
WELL + PRESSURE
TANK WHERE
61-07337 WELL
IS PIPED +
COMBINED

MICROFILMED

JUL 28 1992

DOMESTIC ② + ③
LOOKING W



DOMESTIC ① +
PASTURE
LOOKING NE



MICROFILMED
JUL 28 1992



RATTLESNAKE CREEK
LOOKING NE



HWY 20

DOMESTIC 3
DOMESTIC 2
CHICKEN COOP

DOMESTIC 1

HOMESTEAD
LOOKING W

MICROFILMED

JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07337

Priority: August 28, 1977

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

2.9 AF

This is to certify, that DELMAR FOSTER
ROSALIE FOSTER

HC 87 BOX 14

MOUNTAIN HOME ID 83647

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 12, 1977; and has submitted Proof of Beneficial Use on April 17, 1990. An examination indicates that the works have a diversion capacity of .250 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.5 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	2.4 AF
	Totals	0.09 CFS	2.9 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 3, Township 03S, Range 07E
ELMORE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

03S 07E 3 NESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.
6. Stockwater use is for 90 sheep and 20 range cattle.

APPROVED

JUL 28 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 61-07337

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of JULY, 1992.

Acting for R. Keith Higginson, Director

JUL 28 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 61-7337 IN)
THE NAME OF DELMAR &/OR ROSALIE FOSTER)
_____)

ORDER

WHEREAS, on September 16, 1977, the Department of Water Resources issued Permit No. 61-7337 with a condition of approval which was later modified to states:


The permit holder shall either install a measuring device or provide a provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department.

and,

WHEREAS, the Department of Water Resources has determined that the installation of measuring deviceor a certified measurement is not required at this time;

NOW, THEREFORE, IT IS ORDERED that this condition of approval on Permit No. 61-7337 be REMOVED.

Dated this 27th day of July, 1990.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

JUL 28 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 61-7337 IN THE)
NAME OF DELMAR &/OR ROSALIE FOSTER) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before March 1, 1990; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holders that the permit lapsed for failure of the permit holders to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,


WHEREAS, the permit holders have provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on April 17, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 61-7337 be REINSTATED and the priority advanced to August 28, 1977.

Dated this 25th day of June, 1990.

MICROFILMED

JUN 27 1990


L. GLEN SAXTON, Chief
Water Allocation Bureau

Form 204
3/83
RECEIVED
AUG 05 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received *na*
Date *8-6-87*
Receipt # *44188*

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use on a water right permit

Department of Water Resources

Delmar Foster of *40 Rocky Bar Stage,*
(Name) (Address)
RT 4 W. Home, ID 83647
State of *Idaho*, deposes and says

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of the
State of Idaho No *61-7337*

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
September 1, 19 *87*.

That he has heretofore performed the following work described under said permit
(This must be filled out! If no work has been completed put none)
The well is drilled and has a 9' x 12' and
water is run to a stock tank.

Costing \$ _____

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:
David is a dependent in APC's lawsuit
I need to put a smaller pump and hookup
as a domestic.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to *MARCH 1, 1990* *Delmar Foster*
(1 yr minimum, 5 yrs maximum) (Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied

FEE: \$15.00

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the application for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to March 1, 1990.

SEP 28 1987

Signed this *18th* day of *August*, 19 *87*.

L. Glen Saxton
Chief, Operation Bureau

RECEIVED
JUN 28 1985

STATE OF IDAHO

Department of Water Resources
Western Regional Office

APPLICATION FOR AMENDMENT OF A PERMIT

APPROVED

To change the point of diversion and/or the place of use.

Comes now Delmar &/or Rosalie Foster Phone 587-4194
of (address) c/o Rocky Bar Stage, Rt 4, Mtn Home, Id 83647, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 61-7337, and requests that the permit and permit map be changed as follows:

1. Point of diversion: No change $\frac{1}{4}$ $\frac{1}{4}$, Section _____, Township _____, Range _____, B.M.,
County of _____. Other points of diversion: _____

2. Period and nature of use. (irrigation, domestic, stockwatering, industrial, etc.)

Amount .08 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount .02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
<u>35</u>	<u>7E</u>	<u>3</u>													X				

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: 2 domestic uses

MICROFILMED

Show 40-acre subdivisions, townships, ranges and ditches.

MICROFILMED

Diagram illustrating a small square structure with a circle inside, labeled "pd + pou". The structure is positioned on a grid. To the left of the square is a bracket labeled "3". Further left is the number "35". Above the square is the label "7E".

Signed at Boise, this 28 day of June, 1985.

f June, 1985.
Delmar West
(Signature)

Preliminary check by _____ Fee = \$20.00 #36095 Received by 6LS Date #36095 6/28/85

Publication prepared by N/A Date Published in Mountain Home News N/A

Publication dates _____

I, L. GLEN SAXTON, of the Department of Water Resources hereby

Approve the above referenced Amendment provided the conditions as set forth

on page 4 of Permit No. 61-7337 are met.

Witness my hand this 30th day of July

19 85
A. Glen Saylor
Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 61-7337

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

Delmar &/or Rosalie Foster of 1/2 Rocky Bar Stage, Mountain Home
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 61-7337.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before September 1, 1982.

That he has heretofore performed the following work described under said permit: I have constructed a 580 feet deep well and installed a pump. The well has apparently caved in and will have to be reconstructed or otherwise repaired before it can be used. Costing \$ 15,000⁰⁰

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Time delays in getting power to the pump have caused our schedule of development to be delayed. After well was pumped I found defective did not have time to correct problem.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to October 1, 1985.

Delmar Foster
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to September 1, 1987.

Signed this 24th day of August, 1982.

J. Glen Sayton
Chief, Operations Bureau

\$15.00 fee received by AS Date 8/16/82 Receipt # 24112

Identification No. _____
Application No. 61-7337

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant Delmar &/or Rosalie Foster Phone 587-4194
post office address c/o Rocky Bar Stage, Mountain Home, ID 83647
- 2 Source of water supply Groundwater which is a tributary of _____
- 3 a Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 3S
Range 7E B.M. Elmore County; additional points of diversion if any: _____

- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes.
Amount 1.2 for Irrigation purpose from April 1 to October 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated.
a 1.22 cubic feet per second and/or
b _____ acre feet per annum
- 6 Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc Well, and open ditch

- b Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inclusive
(Mo Day) (Mo Day)
- c Proposed well diameter is 8 inches; proposed depth of well is 575 feet
- 7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b Estimated construction cost is \$ _____.
- 8 Description of proposed uses
a If water is **not** for irrigation.
(1) Give the place of use of water. NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 3S
Range 7E B.M. _____
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe Water for 80 head of livestock

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below

[illegible]

Total number of acres to be irrigated 60

c. Describe any other water rights used for the same purposes as described above. _____

Surface water from Rattlesnake Creek

9 a Who owns the property at the point of diversion APPLICANT


b Who owns the land to be irrigated or place of use APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

11 Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Dolma Foster and Rosalia Foster
(Applicant)

Proposed Priority 7/12/77

Received by SG Date 7-12-77 Time 4:35 P.M.

Preliminary check by SG Fee \$ 35.00

Received by STW Date 7-13-77 # 8538

Publication prepared by M Date 7-14-77

Published in Mountain Home News

Publication dates July 21 & 28

Publication approved L Date 8-4-77

Priority reduced to 1 Reason

Protests filed by

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by 122 g

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 61-7337, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other. For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 16 day of September 19 77.

[Signature]
Deputy Director

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that DELMAR &/or ROSALIE FOSTER c/o Rocky Bar Stage, Mountain Home, ID has on July 12, 1977 submitted Application No. 61-7337 for a permit to appropriate 1.22 cubic feet per second of water from a groundwater source by means of well and open ditch within the NE 1/4 SE 1/4 Sec 3 T3S-R7E B.M., Elmore County to be used from Jan 1 to Dec 31 for stockwater and from Apr 1 to Oct 1 for irrigation of 60 acres within the SE 1/4 SW 1/4, N 1/2 SE 1/4 Sec 3 T3S-R7E B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before August 8, 1977.

C. STEPHEN ALLRED
Director

Published in the Mountain Home News, Mountain Home, ID on July 21, 1977 and July 28, 1977. *X*

*OK 148
8-4-77*

Affidavit of Publication

County of Elmore
STATE OF IDAHO } ss.

I, *[Signature]* do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

2 consecutive weeks, the first publication having been made on the *21* day of *July*, 1977, and the last publication having been made on the *28* day of *July*, 1977; every Thursday issue of the paper

during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice

Subscribed and sworn to me this *28* day of *July*, 1977

[Signature]
Notary Public

July 13, 1992

DELMAR FOSTER
ROSALIE FOSTER
HC 87 BOX 14
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07337

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JUL 28 1992

June 3, 1992

DELMAR FOSTER
ROSALIE FOSTER
HC 87 BOX 14
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07337

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
JUL 28 1992

LICENSE REVIEW CHECKLIST

Permit # 61-07337

Date 6-5-20-92
38

	Yes	No	
NAME	☒	☐	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
	☐	☐	<u>.08 cfs (DOM)</u> <u>.01 cfs (STOCK - Minimum Allowable)</u>
	☒	☐	Disagree with Theoretical? <u>7.5 x 5.8 x .7 = .25</u>
	☐	☒	Limited by Capacity? <u>.25 cfs 92' (23' x 40')</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☐	☐	<u>2 x 1.2 = 2.4 AFA (DOM)</u> <u>.5 AFA (STOCK)</u>
	☐	☐	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? <u>Per Amendment</u>
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/2 homes</u> <u>STOCK/90 sheep 20 cattle</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
	☐	☒	Water Dist.
	☐	☒	App Rec'd
	☐	☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduce Rate</u>		
	<u>Used Average of Owners & Well drillers estimate - 92'</u>		
	<u>Used 40 psi (low end domestic estimate)</u>		
	<u>Limited to 2 homes per amendment</u>		
License	<u>10-Day</u>	☒	<u>15-Day</u>
			<u>Special Correspondence</u>

WR0749NP
No. L61-07337

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 05/20/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DELMAR FOSTER	08/28/1977	STOCKWATER	01-01 12-31	0.01 CFS	0.5 AFA
C	ROSALIE FOSTER		DOMESTIC	01-01 12-31	0.08 CFS	2.4 AFA
	HC 87 BOX 14					
	MOUNTAIN HOME ID 83647					
				TOTAL DIVERSION:	0.09 CFS	2.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.25 CFS

Point(s) of Diversion: T03S R07E S03 NE SE

Place of use Legal Description for: STOCKWATER

	NE				NW				SW				SE			
T R S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac
03S 07E 3	:				:				:				:	S		

Place of use location for DOMESTIC is the same location as described for: STOCKWATER

Pou County: ELMORE

Other Water Rights Listing Overlapping Place(s) of use:
61-00272

Remarks: Domestic use is for 2 homes.
Stockwater use is for 90 sheep and 20 range cattle.

Dates:	App. Received:	07/12/1977	Priority Date:	08/28/1977	(Priority Date Advanced.)
	Proof Due Date:	03/01/1990	Proof Made Date:	04/17/1990	(Proof Received Late.)
	Exam Made Date:	06/17/1991	Exam Sent to S.O.:	01/27/1992	
	Licensed Date:				

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/20/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 61-07337
1 Owner DELMAR +/or ROSALIE FOSTER Phone No. 587-4194
Current Address HC 87 Box 14 MTN HM. 83647
2 Accompanied by. ROSALIE FOSTER EXAM DATE: 6/17/91
Address SAME Phone No SAME
Relationship to Permit Holder: WIFE
3 Source: GROUND WATER tributary to _____


B. OVERLAP REVIEW

1 Other water rights with same place of use: 61-00272 ☐ Copies Attached
2. Other water rights with same point of diversion. 61-00272 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i. d. as applicable. ☐ Alternative diagram attached

NOT TO SCALE



Scale: 1" = _____

- 2 ☒ Copy of U.S G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

- 3 Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 8" well equipped with a 7.5 HP submersible pump supplies backing water through a 2" underground line to the primary line. The well pressure tank system where water is in a lined and used for 3 homes with lawns and stockwater for 90 sheep and 20 beef. Pasture is dry land farmed or uses Rattlesnake Cr. when flowing.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL	FRANKLIN SINGLE PHASE	7.5	UNKNOWN	BERKLEY	# 8029194

*Code to correspond with No. on map and aerial photo

INFO FROM HEDDLESTON DRAINAGE

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL			NESE		03	35	7E	ELMORE	ORTHOPOD MAP, AERIAL PHOTO

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
35	7E	03													D				

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

DYN PUMPS, 12" LEAD L' *dynamic level* 125' = .27 cfs
dynamic level 125' = .44 cfs

2. Alternate Method for Checking Purposes.

$$\frac{7.5 \times 8.8 \times .70}{125 + (20 \times 2.31)} = .27 \text{ cfs} \quad \frac{7.5 \times 8.8 \times .7}{60 + (20 \times 2.31)} = .44 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

application limit = .10 cfs

Discharge Pressure: _____ psi x 2.31 = _____ ft (1), Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

Flow rate _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

Domestic use 3 households (internal + external) = 3.6 AFA

alternate: .08 x 365 x 1.9835 = 57.9 AFA

stock use, 90 sheep = 90 x 2 x 365 = 325,850 = .2

20 beef = 20 x 12 x 365 = 325,850 = .3

alternate: .02 x 365 x 1.9835 = 14.5

NOT REFILED
JUL 28 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Surface water at 61-00272 from Rattle Snake
Ck. used for pasture irrigation when
flowing and also supplements the domestic
lawn irrigation.

This well was originally intended for irrigation
but driller struck 9.0° hot water. Irrigation
use was not allowed with hot water well.
Well now used for domestic / stockwater
backup. Water's external temperature = ~80°.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.08	3.6
STOCKWATER	1/1	12/31	.02	.5
Totals:			.10	4.1

2 Recommended Amendments


- ☐ Change P D as reflected above ☐ Add P.D as reflected above
☐ Change P U as reflected above ☐ Add P U as reflected above

☒ None

☐ Other

J. AUTHENTICATION

Field Examiner's Name LORE WHITE
Signature Lori White
Certification Date _____
Field Report Preparation Date 6/18/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

$$\begin{array}{r} 34 \overline{) 35} \\ 78 \overline{) 2} \end{array}$$
 T 258
 1882

33 NHEL
 2 NHEL
 5.3

NHEL PM

$$\begin{array}{r} 3 \overline{) 2} \\ 10 \overline{) 11} \end{array}$$

NHEL PC

260
24

NHEL

3 NHEL
 2.5
 4 NHEL
 11.6

5.0
 5.0

NHEL

16

10.2

7 NHEL

10.2

8 NHEL

12.4

This is a topographic map of a region in Iowa, featuring the Rattlesnake River, Lambert Reservoir, and John Hoffman Reservoir. The map is overlaid with a grid system and contains numerous elevation points, such as 3744T, 3644T, 3526T, and 3405T. A rectangular box highlights a specific area near the Rattlesnake River, with the word "Creek" written inside it. The map also shows "Trans Line" and "Substation" labels. A date stamp "JUL 28 1992" is visible in the lower right corner.

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 61-07337

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 35, Rge 7E, Sec. 03, NE 1/4 SE 1/4 or Lot .

2. Owner: Delmar Foster
Address HC 67 Box 14, City Mtn Hm, St 3.6

3. Casing $\geq$ 12 inches above ground: Yes No X

4. Access Port: Yes No / Static Water Level:
Pressure Gauge: Yes No / Casing Diameter: 8"
Flowing: Yes / No Temperature: 96°

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes No

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Hot WATER WELL - 96° - used for
3 domestic, internal + external, and
stockwater

JUL 28 1992

USE TYPEWRITER OR
BALL POINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Del Foster
Address Int Home
Owner's Permit No. _____

7. WATER LEVEL

Static water level _____ feet below land surface
Flowing? ☒ Yes ☐ No GPM flow 42.1
Temperature 76 °F. Quality _____
Artesian closed in pressure 25 PSI
Controlled by ☒ Valve ☒ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other

Discharge GPM	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection

9. LITHOLOGIC LOG

Hole Diam.	Depth From	To	Material	Water Yes No
12	0	6	Soil	
12	6	8	Pressure Clay	
12	8	11	Red Sand + Clay	
12	11	13	Gray Clay	
12	13	24	Gray Lava + Clay	
12	24	48	Gray Lava	
10	48	62	Brown Lava	
10	62	75	Gray Lava + Clay	
10	75	86	Red Lava + similar	
10	86	103	Brown Lava + Clay	
10	103	132	Gray Lava	
10	132	137	Brown Lava + Clay	
10	137	152	Gray Lava	
10	152	154	Gray Cinder + Clay	
10	154	165	Similar large gravel sand	
10	165	182	Fine Sand	
8	182	207	Sandy Clay	
8	207	210	Blue Clay + Sand	
8	210	245	Blue Clay	
8	245	262	Fine Black Sand + Blue Clay	
8	262	280	Blue Clay	
8	280	322	Black Cinder + Sand	
8	322	342	Black Lava + Blue Shale	
8	342	348	Blue Clay	
8	348	352	Blue Shale	
8	352	350	Blue Shale + Black Lava	
8	350	375	Blue Shale	
8	375	580	Coarse Sand	

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Aug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 580 feet
Casing schedule ☒ Steel ☐ Concrete
Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet
250 inches 10.8 inches 1 feet 14 feet
250 inches 8.5 inches 1 feet 319 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 24 Material used in seal ☒ Cement grout
☐ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Sherry gel ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.
Subdivision Name _____
Lot No. _____ Block No. _____
County Elmore
SE 1/4 E 1/4 Sec. 3 T 3 N 2 E 1/4


10.

Work started 6/6/77 finished 6/27/77

11. DRILLER'S CERTIFICATION

Firm Name Williamston Drilling Firm No. 35
Address Int Home Date 6/28/77
Signed by (Firm Official) Karl
and
Operator Ken Karl

JUL 28 1977



61-07337
SUBMERSIBLE
BACKUP DOMESTIC
+ STOCK WATER
WELL



PRIMARY DOMESTIC
WELL + PRESSURE
TANK WHERE
61-07337 WELL
IS PIPED +
COMBINED

JUL 28 1992



DOMESTIC ① +
PASTURE
LOOKING NE



DOMESTIC ② + ③
LOOKING W

JUL 28 1992



RATTLESNAKE CREEK
LOOKING NE

HWY 20

DOMESTIC 3
DOMESTIC 2
CHICKEN COOP

DOMESTIC 1



HOMESTEAD
LOOKING W

APR 3 1992

August 13, 1990

Delmar and Rosalie Foster
c/o Rocky Bar Stage
Rt. 4
Mountain Home, ID 83647

Dear Mr. and Mrs. Foster:

Re: Permit No. 61-7337

Enclosed is a copy of the order which removes the measuring device requirement for this permit.

If you have any questions concerning your permit, please contact this office or the regional office at 334-2190.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
JUL 28 1992

I herby Request That^{the} Measuring
Device Requirement Be Removed
FROM permit #61-7337 since
The Amount of water Produce From
The well is Less Than The Amount
For which The Department Requires
The Installed Measuring Device.

Dubman Gentry

06-29-90.

RECEIVED
JUL 28 1992

June 26, 1990

DELMAR FOSTER
ROSALIE FOSTER
C/O ROCKY BAR STAGE
RT. 4
MOUNTAIN HOME, ID 83647

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 61-07337

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a measuring device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

/

The installation of the measuring device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

Rita Fleck
Secretary/Records Manager

MONOTYPED
JUN 27 1990

Department of

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the project.

FORWARD, THE WHITE COPY TO THE DEPARTMENT

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 61-7337

Date: 6-19-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely NO
NO Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
NP A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☐ Waiver or modification of measuring device requested

Remarks:

needs measuring device

Priority Calculation:

Date proof received	<u>April 17, 1990</u>	<u>107</u>
Date proof due	<u>Mar 1, 1990</u>	<u>- 60</u>
No. of days late		<u>= 47</u>
Priority date	<u>July 12, 1997</u>	<u>+ 193</u>
NEW PRIORITY DATE	<u>Aug 28, 1997</u>	<u>= 240</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
APR 17 1990

For Office Use Only
Amt. of Fee \$ 50.00
Date 4/17/90
Receipt No. 6016350
Received by JS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 61-7337 Telephone No. 208 587 4194

Name(s) of Permit Holder(s): Delmar Foster or Rosalie S. Foster

Post Office Address: HC 87 Box 14 Mtn. Home, Idaho 83647

Source of Water: Well

If ground water, well driller's name: Hiddleston Drilling & Pump Co. Date drilled: July, 1977

Extent of Use:
Domestic 3 (No. of households) Irrigation _____ (No. of acres)
Stockwater 300 (No. and type of stock) Other _____
150 cows & calves, 150 Sheep Ewes & Lambs.

Total rate and/or volume for which proof is submitted .10 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: March, 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Delmar Foster or Rosalie S. Foster

208 587 4194

Name

Telephone No

HC 87 Box 14 Mtn. Home, Idaho 83647

Address

(Be home AFTER 2:00 P.M.)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho

UNFILMED
JUN 27 1990

04-17-90
Date

Delmar Foster
Signature (and title if on behalf of a company or organization)

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

March 29, 1990

Delmar and Rosalie Foster
HC 87 box 14
Mountain Home, ID 83647

Dear Mr. and Mrs. Foster:

Re: Permit No. 61-7337

LAPSE NOTICE

Enclosed is a copy of the denied request for extension of time which you submitted in connection with the above referenced permit. Provisions of Sec. 42-204, Idaho Code, state that the department can only grant one extension of time. Please note that the department has previously granted an extension of time in connection with this permit.

You are also hereby notified that under the provisions of Sec. 42-218a, Idaho Code, Permit No. 61-7337 lapsed since the department could not approve the request for extension of time.

I suggest you complete and return the proof of beneficial use form for that stock use of the project developed. Later, you should file a new application within one year of the time you actually intend to continue developing the project. Since Idaho is now under a mandatory permit procedure to develop a water right, the new application will provide an additional period of time for development, although the priority date will be later in time.

Please feel free to contact any of our regional offices if you wish assistance in completion of the new application.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures


RECEIVED

JUN 27 1990

CERTIFICATION OF MAILING

I hereby certify that on 3/29/90
a copy of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

[Signature]



FEB 12 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by DeLmar
Date 2/12/90
Receipt # C-4526

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 61-7337Name(s) of Permit Holder: DeLmar Foster - Rosalie FosterPost Office Address: HC 87 Box 14 MIN. HOME, ID. 83647Telephone No. 587-4194Date Proof is Due: MARCH 1, 1990

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Stock Sys. is Complete, Excp. putting in
Line From one well To other

Costing \$ 750.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Permit holder(s) request an extension to MARCH 1, 1991. DeLmar Foster
(1 yr. minimum) (Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be DENIED. The department cannot grant more than one extension of time pursuant to Sec. 42-204, Idaho Code.

MICROFILMED

JUN 27 1990

Signed this 20TH day of March, 19 90.

Director

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 61-7337Reviewed by *[Signature]*Date 3-16-90

BASIC INFORMATION

y Date stamp received
y Extension received timely (not too early not too late)
y Fee received and receipted
y Name and signature same as permit
y Address change

BASIS FOR EXTENSION REQUEST

 Has adequate work been completed to demonstrate due diligence?
 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls _____ Dismissed from Swan Falls _____
 Other _____ Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

 Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN

Delay - Ept. previously granted. Based on due diligence

Reinstate Date extension received _____ = _____
 Proof due date _____ = -
 No. of days late _____ = _____
 Priority date _____ = +
 ADJUSTED PRIORITY DATE _____ = _____

DATE ENTRY

 Change proof due date
 Priority date change
 Address change

138992
December 31, 1989

DELMAR FOSTER
ROSALIE FOSTER
C/O ROCKY BAR STAGE
RT. 4
MOUNTAIN HOME, ID 83647

PROOF DUE NOTICE

RE: PERMIT NO. 61-07337

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED

JUN 27 1990

September 3, 1987

Delmar &/or Rosalie Foster
c/o Rocky Bar Stage
Rt. 4
Mountain Home, ID 83647

Dear Mr. and Mrs. Foster:

Re: Permit No. 61-7337

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to March 1, 1990.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

SEP 28 1987

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 61-7337Reviewed by [Signature]Date 8-18-1987

BASIC INFORMATION

y Date stamp received
y Extension received timely
 (not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
y Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
y Has the cost incurred been adequate to demonstrate an intent to complete the project?
y Has the permit been involved in litigation?
 a. Swan Falls y Dismissed from Swan Falls Yes 5th Dismissal
 Other y Identify _____
 b. Is supporting documentation needed to complete the file? _____
 Requested _____
 c. Calculate the period of delay
 Date litigation completed 10-1-1985
(9-10-1985)
 Date litigation began -4-1-1983
 Total period of delay = 6mo 2yrs
 Present proof due date + 9-1-1987
 NEW PROOF DUE DATE = 3-1-1990

N/A Is delay by a government agency?
 Is supporting documentation needed to complete the file? _____
 Requested? _____

ACTION TAKEN - Recommend approval based on the Swan Falls litigation

Special conditions or remarks:

N/A Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____

1 Prepare coding sheet
1 Change rolodex cardf

MICROFILMED

SEP 28 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

August 17, 1987

Delmar Foster
c/o Rocky Bar Stage
Rt. 4
Mountain, Home, ID 83647

PERMIT NO. 61-7337

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 44188.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED
SEP 28 1987

138708
CERTIFIED MAIL
June 30, 1987

FOSTER, DELMAR & ROSALIE
C/O ROCKY BAR STAGE
RT. 4
MOUNTAIN HOME, ID 83647

PROOF DUE NOTICE

RE: Permit No. 61-7337

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

INTROFILMED

SEP 28 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

Microfilmed

SEP 28 1987

August 1, 1985

RE: Permit No. 61-7337

Delmar &/or Rosalie Foster
c/o Rock Bar Stage, Rt. 4
Mtn. Home, ID 83647

Dear Mr. and Mrs. Foster:

Enclosed is a copy of the approved Application for Amendment submitted in connection with the above referenced permit.

The Department wishes to call to your attention certain legislation effective July 1, 1985 that may have a direct effect on your permit. More specifically, Section 42-203D, Idaho Code was enacted during the last session of the legislature requiring the Director to review all existing permits to determine compliance with Chapter 2, Title 42, Idaho Code.

Section 42-203D, Idaho Code, reads as follows:

42-203D. Review of Permits - Opportunity for Hearing. -
(1)The Department shall review all permits issued prior to the effective date [July 1, 1985] of this section, except to the extent a permit has been put to beneficial use prior to July 1, 1985, to determine whether they comply with the provisions of Chapter 2, Title 42, Idaho Code. If the Department finds that the proposed use does not satisfy the criteria of Chapter 2, Title 42, Idaho Code, then the Department shall either cancel the permit or impose the conditions required to bring the permit into compliance with Chapter 2, Title 42, Idaho Code. If the Department finds that the permit satisfies the criteria established in Chapter 2, Title 42, Idaho Code, then the Department shall enter an order continuing the permit.
(2)The Department shall provide an opportunity for hearing in accordance with Section 42-1701A, Idaho Code, and Sections 67-5209 through 67-5215, Idaho Code, for each holder of a permit that is proposed either to be cancelled or made subject to new conditions.

MICROFILMED

RE: Permit No. 61-7337
Page 2

If you have questions regarding this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

August 25, 1982

Delmar &/or Rosalie Foster
c/o Rocky Bar Stage
Mountain Home, ID 83647

Dear Mr. and Mrs. Foster:

Re: Permit No. 61-7337

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to September 1, 1987.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138267

FOSTER, DELMAR & ROSALIE
C/O ROCKY BAR STAGE
MOUNTAIN HOME, ID 83647

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 61-7337 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho. 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

September 19, 1977

Re: Permit No. 61-7337

Delmar &/or Rosalie Foster
c/o Rocky Bar Stage
Mountain Home, ID 83647

Dear Mr. and Mrs. Foster:

Enclosed is a copy of your approved Application for Permit No. 61-7337. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 661-

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

☐ Pre-permit exam
☐ Adjudication Claim
☐ Dam Construction
☐ Papers Sent

(1) 665 7/19/77

In form to receipt

(2) _____

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) 665 7/19/77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

OK Other rights on the same place of use *none platted*

(10) _____

Comments: _____

(11) rf OK

Affidavit of Publication received (date) 8-4-77

(12) _____

Final date for protests 8-8-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

_____ Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District W By THA Date 8-8-77

RECEIVED

Supplemental



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

July 15, 1977

Re: Notice of Application for Water Permit No. 61-7337 -- Delmar &/or Rosalie Foster

Mountain Home News
Dawer O
Mountain Home, ID 83647

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before August 8, 1977.

Sincerely,

RITA FLECK
Secretary

Bill submitted
8-4-77
y

MICROFILMED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that DELMAR &/or ROSALIE FOSTER
c/o Rocky Bar Stage Mountain Home, ID
has on July 12, 1977 submitted Application No. 61-7337
for a permit to appropriate 1.22 cubic feet per second ~~acres feet~~
~~perXXXXXX~~ of water from a groundwater source
by means of well and open ditch
within the NE1/4 Sec 3 T3S-R7E B.M., Elmore County

to be used from Jan 1 to Dec 31
for stockwater and from Apr 1 to Oct 1 for XXXX irrigation of 50 acres

within the SE1/4SW1/4, NE1/4 Sec 3 T3S-R7E B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Director of
the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho
83705 on or before August 8, 1977.

C. STEPHEN ALLRED

Director

Published in the Mountain Home News, Mountain Home, ID
on July 21, 1977 and July 28, 1977.

MICROFILMED