

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Point of diversion
[Place of Use]

23

T. 2 S.

R. 5 E B. M.

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dennis M Baker
(Applicant)

61 7165

RECEIVED

AUG 27 1973

Department of Water Administration

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that DENNIS M. BAKER, 1220 A. Vista Ave., Boise, Ida. has on August 3, 1973 submitted Application No. 61-7165 for a permit to appropriate 0.14 cubic feet per second of water from a ground-water source by means of well, pump & distribution system within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T. 2 S., R. 5 E., B.M., Elmore County to be used from Jan. 1 to Dec. 31 for domestic use & April 1 to Oct. 31 for irrigation of 5 acres within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T. 2 S., R. 5 E., B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Sept. 4, 1973.

R. KEITH HIGGINSON
Director

Published in the Mountain Home News, Mountain Home, Idaho on August 16, 1973 and August 23, 1973.

OK'd
8-27-73

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Lloyd S. Waters do solemnly swear that I am the foreman, or publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

.....2..... consecutive weeks, the first publication having been made on the ..16..... day of ..August....., 1973, and the last publication having been made on the 23..... day of ..August..... 19..73...; every Thursday issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this ..23.....

day of ..August....., 1973

Dennis M. Waters
Notary Public

61 7165




Diagram of System

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 61-7165 Priority August 8, 1973 Amount 0.04 cfs

THIS IS TO CERTIFY, that DENNIS M. BAKER
of Boise, Idaho, has complied with the terms and conditions of Permit
No 61-7165 issued pursuant to Application for Permit dated August 3, 1973,
and has submitted proof to the Department of Water Resources on October 6, 1975 (late proof),
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	from <u>Jan. 1</u> to <u>Dec. 31</u>	at <u>0.04</u> cfs and	<u>1.2 acre feet</u>
	from _____ to _____	_____ cfs and	_____
	from _____ to _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed as for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 23,
Twp. 2 S, Rge. 5 E, B. M. in the County of Elmore

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2 S	5 E	23					X												

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
November, 19 75.

Director

Identification No. _____

Application No. 61-7165

STATE OF IDAHO

LICENSE ISSUED FOR 0.04 SEC. FT. DEPARTMENT OF WATER ADMINISTRATION
LICENSE PAGE NO. _____

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant DENNIS M. BAKER
post office address 1220 A. Vista Ave., Boise, Idaho 83705 PH: 345-1656
2. Source of water supply Groundwater which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 2 S.
Range 5 E B.M. Elmore County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for Irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.14 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & distribution system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam. _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.
- 7 a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 4,000.00.
- 8 Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 2 S.
Range 5 E. B.M.
(2) Amount of power to be generated _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2 S	5 E	23					5												5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Point of diversion Fl + place of use		
23	T. 2 S	
R. 5 E B. M.		

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Dennis M. Baker
(Applicant)

(Applicant)

61 7165

Received by R.W.H. Date 8-3-1973 Time 4:05 P.M.
 Preliminary check by R.W.H. Fee \$ 10.00
 Receipted by ef Date 8/3/73 Rec'd #11456
 Publication prepared by ef Date 8-16-73
 Published in Mountain Home News
 Publication dates 8-16 & 8-23-73
 Publication approved ef Date 8-27-73
 Priority ~~referred to~~ 8-8-73 Reason _____

Protests filed by. _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KRP W 30F

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 61-7165, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1974.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 12 day of September, 1973.

A. Kenneth Run
 DEPUTY Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 61-7165
IN THE NAME OF DENNIS M. BAKER

ORDER OF REINSTATEMENT

WHEREAS, on August 3, 1973, Dennis M. Baker filed with the Department of Water Resources (formerly the Department of Water Administration) an application for permit to appropriate 0.14 cubic feet per second of groundwater to be diverted from a point within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, Twp. 2S, Rge. 5E, B.M., Elmore County, to be used for domestic and irrigation purposes; and,

WHEREAS, on September 12, 1973, the Department approved said application and issued Permit No. 61-7165 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before October 1, 1974; and,

WHEREAS, on August 16, 1974, the Department extended the time within which to submit proof of beneficial use of water to October 1, 1975; and,

WHEREAS, on August 1, 1975, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on October 6, 1975, the Department notified the permit holder that Permit No. 61-7165 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, on October 6, 1975, the Department received the required proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 61-7165 be REINSTATED and the priority advanced to August 8, 1973.

Dated this 10th day of October, 1975.


A. KENNETH DUNN
Administrator, Operations Division

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

APPLICATION FOR EXTENSION OF TIME

AUG 16 1974

State of Idaho)
County of Ada)

Department of Water Resources

Permit No. 61-7165

DENNIS M. BAKER of 2222 Broadway Avenue, Boise
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 61-7165.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before October 1, 19 74.

That he has heretofore performed the following work described under said permit:

WELL DRILLED AND PUMP INSTALLED

Costing \$ 4,725.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: _____

We have drilled the well, the pump is installed, and the water is being issued for construction purposes to construct a home on five (5) acres of adjacent ground; however, the home is not completed yet; therefore, a one (1) year extension of time is requested for completion purposes.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to October 1, 19 75.

Dennis M. Baker
(signature) *

Subscribed and sworn before me this 15th day of August, 19 74.

seal

Dutch Poff
(notary public)

My commission expires June 15, 1975

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 61-7165 to October 1, 1975.

Witness my hand this 19 day of August, 19 74.

R. Keith Higgins
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

61-7165

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>EEB</u>	<u>10 Aug</u>	Application No. <u>61 7165</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>EEB</u>	<u>10 Aug</u>	In form to receipt
	<u>EEB</u>	<u>10 Aug</u>	Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>EEB</u>	<u>10 Aug</u>	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>EEB</u>	<u>10 Aug</u>	In form for advertising <u>OK</u>
(6)	_____	_____	Located within Water District No. _____
(7)	<u>KAT</u>	<u>9/7</u>	Critical groundwater area: yes _____ no ☒
(8)	_____	_____	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)	_____	_____	Comments: _____
(10)	<u>df</u>	<u>8-27-73</u>	Affidavit of Publication received (date) <u>OK</u>
(11)	_____	_____	Final date for protests <u>9/4</u> Protests received: yes _____ no ☒
(12)	_____	_____	Date and Place of hearing _____ Decision reached at hearing _____
(13)	_____	_____	All requested information received from agencies or applicant yes _____ no _____
(14)	<u>KAT</u>	<u>9/7</u>	Action recommended: ☒ Approve Priority <u>8/3</u> ☐ Deny Reason for Reduction _____ ☐ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>Western</u>	By <u>Ken Ford</u>	Date <u>9/7/73</u>

61 7165

RECOMMENDED

CONDITIONS OF APPROVAL

- ☐ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.
- ☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.
- ☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.
- ☐ Maximum rate of diversion shall not exceed _____ c.f.s.
- ☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.
- ☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.
- ☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.
- ☐ The proposed well shall not be drilled within _____ feet of another well.
- ☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.
- ☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.
- ☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.
- ☐ Other: _____

REC

AUG 27 1973

Department of Water Administration

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, *Lloyd S. Waters* do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

.....*2*..... consecutive weeks, the first publica-
tion having been made on the *16*..... day
of *August*....., 197*3*, and
the last publication having been made on the
.....*23*..... day of *August*.....
19..*73*...; every Thursday issue of the paper
during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.


Lloyd S. Waters

Subscribed and sworn to me this *23*.....

day of *August*....., 197*3*

William M. Waters
Notary Public

61 7165



OK d/f
8-27-73

November ¹⁹~~18~~, 1975

Re: Permit No. 61-7165

Dennis M. Baker
2222 Broadway Avenue
Boise, ID 83705

Dear Mr. Baker:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:rb

Enc.

RECEIVED

October 31, 1975

Mr. Dennis M. Baker
2222 Broadway Ave.
Boise, Idaho 83705

Dear Mr. Baker:

A representative of this Department has made an examination of the works covered by your Permit No. 61-7165 and has found the following:

Quantity of water diverted: 0.04 cfs Source: ground water

Amount of water that can be recognized as beneficially used under Idaho law: 0.04 cfs

The maximum quantity diverted shall not exceed 1.2 acre feet per year.

Point of diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, Twp. 2 S, Rge. 5 E, B.M.,
Elmore County

Beneficial use: Domestic purposes for one family within the NW $\frac{1}{4}$ -
NW $\frac{1}{4}$, Sec. 23, Twp. 2 S, Rge. 5 E, B.M.

Priority established: August 8, 1973

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,


BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

MICROFILMED

MICROFILMED

Diagram of System



DATE OF EXAM 10-22-75

ACREAGE
Found 0
Recommended 0

Irrigation Requirement 0 Ac Ft/Ac

USE

Irrigation	Q = _____ c.f.s	V = _____	AF/Ann. from _____	to _____
Domestic	Q = <u>0.04</u> c.f.s.	V = <u>1.2</u>	AF/Ann. from <u>Jan 1</u>	to <u>Dec 31</u>
Livestock	Q = _____ c.f.s.	V = _____	AF/Ann. from _____	to _____

Is water co-mingled? yes _____ no X

Name source. _____
 twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Exchange? yes _____ no X

Name source exchanged with: _____
 twp. _____ N/S, Rge _____ E/W, B M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Point of injection. _____
 twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

 _____ County

Point of exchange-
 twp. _____ N/S, Rge _____ E/W, B M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County _____

Total Q measured 0.04 cfs Method of measurement estimate

Total Q recommended 0.04 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 1.2 af/am.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒ _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:
8" well - 421' deep - 1 1/2 HP submersible pump - to house
no lawn, but several trees

REMARKS: well does not have a surface seal - extra volume is for irrigation of trees. It may be assigning permit to new owner.

Examiner's Signature Peter Chamberlain Date 10-24-75

Checked by JS Date 10-27-13

Approved by _____ Date _____

October 10, 1975

Re: Permit No. 61-7165

Dennis M. Baker
2222 Broadway Avenue
Boise, Idaho 83705

Dear Mr. Baker:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has been advanced to August 8, 1973.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions regarding the field exam, please contact our District Office in Boise.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:JFR

Enclosure

Identification No. _____

Permit No. 61-7165

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

OCT 6 1973 *late j*

Department of Water Resources

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Dennis M. Baker
b) Post Office Address 2222 Broadway Ave., Boise, ID 83706
2. Permit Number 61-7165
3. Date of Priority that you are prepared to establish 8/3/1973
4. a) Source from which water was appropriated ground water
b) Location of the point of diversion: NW ¼ NW ¼, Section 23
Township 2 S, Range 5 E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 0.04 for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 0.10 for Irrigation purposes from April 1 to Oct. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 0.14 cfs cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimate
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) The pump size of the well is 1½ horse, well casing is 8 inches, and it is 421 feet deep.
b) Describe the type and size of measuring device which you have installed at your point of diversion: N/A
c) Give well driller's name and address and the date the well was completed: Well drillers name is Art Boltz of Mountain Home, Idaho. The well was completed November, 1974.
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 10-10-75 by h

MB



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215


October 6, 1975

Mr. Dennis M. Baker
2222 Broadway
Boise, Idaho 83705

Dear Mr. Baker:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 61-7165 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:jg

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Reed Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

● SENDER Complete items 1 and 2.

Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one)

- ☐ Show to whom and date delivered..... 15¢
- ☐ Show to whom, date, & address of delivery.. 35¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
- ☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2 ARTICLE ADDRESSED TO: " " " " " "

3. ARTICLE DESCRIPTION.

REGISTERED NO. CERTIFIED NO. INSURED NO.

87016

(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE

4. DATE OF DELIVERY

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S
INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below

- Complete items 1 and 2 on reverse side
- Moisten gummed ends and attach to back of article

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



**RETURN
TO**



DEPART

NOV 14 1964

11:11 AM

NOV 14 1964

August 1, 1975

CERTIFIED MAIL

27016

Re: Permit No. 61-7165

Dennis M. Baker
2222 Broadway Avenue
Boise, Idaho 83705

Dear Mr. Baker:

One of the conditions of approval of your water Permit No. 61-7165 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Dennis V. Moore
Address 1220 A.V. 3rd Ave. Boise, Idaho
Owner's Permit No. 615711

7. WATER LEVEL

Static water level 10 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature 64 ° F. Quality Soft water
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u> </u>	<u>2.5 ft</u>	<u>2 hrs</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>10</u>	<u>0</u>	<u>25</u>	<u>Surface Soil</u>		☒
<u>10</u>	<u>25</u>	<u>50</u>	<u>Yellow Sand</u>		☒
<u>10</u>	<u>50</u>	<u>75</u>	<u>Gravel</u>		☒
<u>10</u>	<u>75</u>	<u>100</u>	<u>Gravel</u>		☒
<u>10</u>	<u>100</u>	<u>125</u>	<u>Gravel</u>		☒
<u>10</u>	<u>125</u>	<u>150</u>	<u>Gravel</u>		☒
<u>10</u>	<u>150</u>	<u>175</u>	<u>Gravel</u>		☒
<u>10</u>	<u>175</u>	<u>200</u>	<u>Gravel</u>		☒
<u>10</u>	<u>200</u>	<u>225</u>	<u>Gravel</u>		☒
<u>10</u>	<u>225</u>	<u>250</u>	<u>Gravel</u>		☒
<u>10</u>	<u>250</u>	<u>275</u>	<u>Gravel</u>		☒
<u>10</u>	<u>275</u>	<u>300</u>	<u>Gravel</u>		☒
<u>10</u>	<u>300</u>	<u>325</u>	<u>Gravel</u>		☒
<u>10</u>	<u>325</u>	<u>350</u>	<u>Gravel</u>		☒
<u>10</u>	<u>350</u>	<u>375</u>	<u>Gravel</u>		☒
<u>10</u>	<u>375</u>	<u>400</u>	<u>Gravel</u>		☒
<u>10</u>	<u>400</u>	<u>425</u>	<u>Gravel</u>		☒
<u>10</u>	<u>425</u>	<u>450</u>	<u>Gravel</u>		☒
<u>10</u>	<u>450</u>	<u>475</u>	<u>Gravel</u>		☒
<u>10</u>	<u>475</u>	<u>500</u>	<u>Gravel</u>		☒
<u>10</u>	<u>500</u>	<u>525</u>	<u>Gravel</u>		☒
<u>10</u>	<u>525</u>	<u>550</u>	<u>Gravel</u>		☒
<u>10</u>	<u>550</u>	<u>575</u>	<u>Gravel</u>		☒
<u>10</u>	<u>575</u>	<u>600</u>	<u>Gravel</u>		☒
<u>10</u>	<u>600</u>	<u>625</u>	<u>Gravel</u>		☒
<u>10</u>	<u>625</u>	<u>650</u>	<u>Gravel</u>		☒
<u>10</u>	<u>650</u>	<u>675</u>	<u>Gravel</u>		☒
<u>10</u>	<u>675</u>	<u>700</u>	<u>Gravel</u>		☒
<u>10</u>	<u>700</u>	<u>725</u>	<u>Gravel</u>		☒
<u>10</u>	<u>725</u>	<u>750</u>	<u>Gravel</u>		☒
<u>10</u>	<u>750</u>	<u>775</u>	<u>Gravel</u>		☒
<u>10</u>	<u>775</u>	<u>800</u>	<u>Gravel</u>		☒
<u>10</u>	<u>800</u>	<u>825</u>	<u>Gravel</u>		☒
<u>10</u>	<u>825</u>	<u>850</u>	<u>Gravel</u>		☒
<u>10</u>	<u>850</u>	<u>875</u>	<u>Gravel</u>		☒
<u>10</u>	<u>875</u>	<u>900</u>	<u>Gravel</u>		☒
<u>10</u>	<u>900</u>	<u>925</u>	<u>Gravel</u>		☒
<u>10</u>	<u>925</u>	<u>950</u>	<u>Gravel</u>		☒
<u>10</u>	<u>950</u>	<u>975</u>	<u>Gravel</u>		☒
<u>10</u>	<u>975</u>	<u>1000</u>	<u>Gravel</u>		☒

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 8 inches Total depth 1000 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>50</u> inches	<u>8</u> inches	<u>0</u> feet	<u>100</u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet

Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To
<u> </u> perforations	<u> </u> feet	<u> </u> feet
<u> </u> perforations	<u> </u> feet	<u> </u> feet
<u> </u> perforations	<u> </u> feet	<u> </u> feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name


Type Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet

Gravel packed? ☐ Yes ☒ No Size of gravel
Placed from feet to feet

Surface seal? ☒ Yes ☐ No To what depth feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Section map location must agree with written location.



County
N 4 1/4 Sec. 1, T. 1 N/S, R. 1 E/W

10.

Work started Aug finished Oct

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name Number
Address
Signed By Date

August 20, 1974

Re: Permit No. 61-7165

Dennis M. Baker
2222 Broadway Avenue
Boise, Idaho 83706

Dear Mr. Baker:

Enclosed is a copy of the approved application for extension of time submitted in connection with the above referenced permit.

The time within which to submit proof of beneficial use has been extended to October 1, 1975.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG
Enclosure

61-7165

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show address
where delivered

☐

Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

25891

1

INSURED NO.

2

**Dennis M. Beck*
SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

8/6/74

8

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

61-7165

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- ↓
- If special services are desired, check block(s) on other side.
 - Moisten gummed ends and attach to back of article.



**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

PS Form 3811
June 1973

61-7125

1
Sent Mr. Baker
extension of time
form per phone
call of 8/6/74.

Jan G.

61-71165

August 1, 1974

CERTIFIED MAIL

#25891

Re: Permit No. 61-7165

2222 *Permit No. 61-7165*
8300


Dennis M. Baker
1220 A. Vista Ave.
Boise, ID 83605

Dear Mr. Baker:

One of the conditions of approval of your water Permit No. 61-7165 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1974. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

61-7165

September 13, 1973

Re: Permit No. 61-7165

Mr. Dennis M. Baker
1220 A. Vista Ave.
Boise, ID 83605

Dear Mr. Barker:

Enclosed is a copy of your approved Application for Permit No. 61-7165 . We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosure

61 7165

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse - Annex 2
Boise Idaho 83707
(208) 384-2215
Western District Office



Water Rights Administration
Water Resource Investigation
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 10, 1973

Mountain Home News
P. O. Drawer 0
Mountain Home, Idaho 83647

Re: Applications for Permit No. 02-7125 - D. Arlen Taylor
61-7165 - Dennis M. Baker

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

61 7165

Sincerely,

Bill submitted 8-27-73

**NOTICE OF APPLICATION FOR
WATER PERMIT**

Notice is hereby given that DENNIS M. BAKER, 1220 A. Vista Ave., Boise, Ida. has on August 3, 1973 submitted Application No. 61-7165 for a permit to appropriate 0.14 cubic feet per second of water from a ground-water source by means of well, pump & distribution system within the NW 1/4 NW 1/4, Sec 23 T 2 S R 5 E, B.M., Elmore County to be used from Jan. 1 to Dec. 31 for domestic use & April 1 to Oct. 31 for irrigation of 5 acres within the NW 1/4 NW 1/4, Sec 23, T. 2 S., R. 5 E. B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before Sept. 4, 1973.

R. KEITH HIGGINSON
Director

Published in the Mountain Home News, Mountain Home, Idaho on August 16, 1973 and August 23, 1973

OK'd
8-14-73

5512 19

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that DENNIS M. BAKER, 1220 A. Vista Ave.,
Boise, Ida.

has on August 3, 1973 submitted Application No. 61-7165
for a permit to appropriate 0.14 cubic feet per second ~~XXXXXX~~
~~XXXXXX~~ per annum of water from a groundwater source
by means of well, pump & distribution system
within the NW¹/₄ NW¹/₄, Sec. 23, T. 2 S., R. 5 E., B.M., Elmore County

to be used from Jan. 1 to Dec. 31 for domestic use & April 1 to Oct. 31
for the irrigation of 5 acres

within the NW¹/₄ NW¹/₄, Sec. 23, T. 2 S., R. 5 E., B.M.

If issued, this permit will be subject to all prior water rights. Pro-
tests against the granting of the permit must be filed with the Idaho Depart-
ment of Water Administration, Statehouse, Boise, Idaho, 83707, on or before
Sept. 4, 1973.

R. KEITH HIGGINSON

61 7165

Director

Published in the Mountain Home News, Mountain Home, Idaho
on August 16, 1973 and August 23, 1973.

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 6, 1973

Dennis M. Baker
1220A Vista Avenue
Boise, Idaho 83705

Re: Application for Permit No. 61-7165

Dear Mr. Baker:

Attached herewith is your Receipt No. 11456 in the amount of \$ 10.00

for Application for Permit No. 61-7165

which was received in this office under the above date.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

61 7165