


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

T281
202

1 NHEL
39.4

2 NHEL
39.2

3 NHEL
21.1

4 NHEL
59.3

2 HEL
19.3 NW

3
15.5

6 NHEL
39.3

7 NHEL
39.1

8 NHEL
74.1

#1

1
15.0

T287
206

1 NHEL
40.0

#3

T282
202
1 NHEL
19.4

T283
203

#2

3 NHEL
37.7

1
34.8

15.0 NHEL

12

T348
603

2 HEL
22.3

3
38.9

2
34.7 NHEL

FEB 01 1993

1 NHEL
74.3

4 HEL
39.5

T349

T668

6.187


HEL/NW

Attach = 1

N
W + E
S

Legend


— 4+6 WL
— 2" WL
— 1" WL



END ID ACRES 1/8 DIVISION
 SE 1/4, Section 12, T4S, R6E, Boise Meridian
 more County Idaho

WATER DISTRIBUTION DIAGRAM

Lots are 5 acres each
 except for the lots on the
 east end which are 1.25 acres each



LEGEND


Delivery Point
 Main/Trunk Line

Proposed Delivery Point
 Flush Point

Possible Deleopment

N
 W + E
 S
 T4S R6E SEC 12
 N1/2 SE 1/4

#2
 FEB 01 1993





#1 10HP FRANKLIN #1594722
#2 20HP FRANKLIN #7109440



Microfilm

FEB 01 1993



#3 20HP FRANKLIN #21489

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>Opelndie Acres-Dan Dahl</u> Address: <u>Mountain Home, Idaho</u> Owner's Permit No. _____	7. WATER LEVEL Static water level: <u>297</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ F. Quality _____ Artesian closed in pressure _____ psi Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																								
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																										
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>16</td><td>0</td><td>55</td><td> </td><td> </td></tr> <tr><td>16</td><td>0</td><td>12</td><td>Brown Soil</td><td> </td></tr> <tr><td>16</td><td>12</td><td>20</td><td>Brown Soil, Sand & Gravel</td><td> </td></tr> <tr><td>16</td><td>20</td><td>30</td><td>Brown Soil, Clay & Gravel</td><td> </td></tr> <tr><td>16</td><td>30</td><td>45</td><td>Gray Lava</td><td> </td></tr> <tr><td>16</td><td>45</td><td>55</td><td>Red Gray Lava</td><td> </td></tr> <tr><td>10</td><td>55</td><td>65</td><td>Red Gray Lava</td><td> </td></tr> <tr><td>10</td><td>65</td><td>83</td><td>Gray Lava</td><td> </td></tr> <tr><td>10</td><td>83</td><td>93</td><td>Brown Chy, Sand, Cinders</td><td> </td></tr> <tr><td>10</td><td>93</td><td>101</td><td>Gray Lava</td><td> </td></tr> <tr><td>10</td><td>101</td><td>105</td><td>Red Brown Chy, Cinders, Sand</td><td> </td></tr> <tr><td>10</td><td>105</td><td>165</td><td>Gray Lava</td><td> </td></tr> <tr><td>10</td><td>165</td><td>201</td><td>Brown & Gray Clay</td><td> </td></tr> <tr><td>10</td><td>201</td><td>230</td><td>Brown & Red Chy</td><td> </td></tr> <tr><td>10</td><td>230</td><td>290</td><td>Gray Lava</td><td> </td></tr> <tr><td>10</td><td>290</td><td>317</td><td>Red Lava (297)</td><td> </td></tr> <tr><td>10</td><td>317</td><td>340</td><td>Gray Lava</td><td> </td></tr> <tr><td>10</td><td>340</td><td>370</td><td>Gray Lava, Hard</td><td> </td></tr> <tr><td>10</td><td>370</td><td>400</td><td>Red & Gray Lava</td><td> </td></tr> <tr><td>10</td><td>400</td><td>401</td><td>Gray Lava</td><td> </td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes/No	From	To	16	0	55			16	0	12	Brown Soil		16	12	20	Brown Soil, Sand & Gravel		16	20	30	Brown Soil, Clay & Gravel		16	30	45	Gray Lava		16	45	55	Red Gray Lava		10	55	65	Red Gray Lava		10	65	83	Gray Lava		10	83	93	Brown Chy, Sand, Cinders		10	93	101	Gray Lava		10	101	105	Red Brown Chy, Cinders, Sand		10	105	165	Gray Lava		10	165	201	Brown & Gray Clay		10	201	230	Brown & Red Chy		10	230	290	Gray Lava		10	290	317	Red Lava (297)		10	317	340	Gray Lava		10	340	370	Gray Lava, Hard		10	370	400	Red & Gray Lava		10	400	401	Gray Lava	
Hole Diam.	Depth		Material	Water Yes/No																																																																																																								
	From	To																																																																																																										
16	0	55																																																																																																										
16	0	12	Brown Soil																																																																																																									
16	12	20	Brown Soil, Sand & Gravel																																																																																																									
16	20	30	Brown Soil, Clay & Gravel																																																																																																									
16	30	45	Gray Lava																																																																																																									
16	45	55	Red Gray Lava																																																																																																									
10	55	65	Red Gray Lava																																																																																																									
10	65	83	Gray Lava																																																																																																									
10	83	93	Brown Chy, Sand, Cinders																																																																																																									
10	93	101	Gray Lava																																																																																																									
10	101	105	Red Brown Chy, Cinders, Sand																																																																																																									
10	105	165	Gray Lava																																																																																																									
10	165	201	Brown & Gray Clay																																																																																																									
10	201	230	Brown & Red Chy																																																																																																									
10	230	290	Gray Lava																																																																																																									
10	290	317	Red Lava (297)																																																																																																									
10	317	340	Gray Lava																																																																																																									
10	340	370	Gray Lava, Hard																																																																																																									
10	370	400	Red & Gray Lava																																																																																																									
10	400	401	Gray Lava																																																																																																									
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other	5. WELL CONSTRUCTION Diameter of hole: <u>10</u> inches Total depth: <u>401</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>1/2</u> inches</td> <td><u>10</u> inches</td> <td><u>1</u> feet</td> <td><u>54</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation: _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth: <u>54</u> Material used in seal ☒ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Sherry gel ☐ Temporary surface casing ☐ Overbore to seal depth	Thickness	Diameter	From	To	<u>1/2</u> inches	<u>10</u> inches	<u>1</u> feet	<u>54</u> feet																					Number	From	To																																																																												
Thickness	Diameter	From	To																																																																																																									
<u>1/2</u> inches	<u>10</u> inches	<u>1</u> feet	<u>54</u> feet																																																																																																									
Number	From	To																																																																																																										
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County _____ Elmore NE 1/4 SE 1/4 Sec. 12 T. 4 N. R. 6 E/W	10. Work started <u>4/3/73</u> finished <u>5/12/73</u> 11. DRILLER'S CERTIFICATION Firm Name <u>C. L. Hiddleston & Son</u> Firm No. <u>35</u> Address <u>Mountain Home Idaho</u> Date <u>5/12/73</u> Signed by (Firm Official) <u>Ron Hiddleston</u> and <u>Ron</u> (Operator)																																																																																																											


USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

FEB 01 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER (Bob Croman) Name <u>SPLENDID ACRES #3</u> Address <u>MTN HOME</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>330</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ of _____ Quality _____ Describe artesian or temperature zones below																																																																																																																																																							
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ Discharge G.P.M. <u>200</u> Pumping Level <u>1.0</u> Hours Pumped <u>1.0</u> JUL 22 1986																																																																																																																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG Department of Water Resources Western Regional Office																																																																																																																																																							
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		<table border="1"><thead><tr><th>Bore Diam.</th><th>Depth From</th><th>To</th><th>Material</th><th>Water Yes No</th></tr></thead><tbody><tr><td>10</td><td>2</td><td>2</td><td>TOP SOIL</td><td></td></tr><tr><td>10</td><td>2</td><td>8</td><td>DARK BROWN clay w/sand</td><td></td></tr><tr><td>10</td><td>8</td><td>12</td><td>LT tan clay</td><td></td></tr><tr><td>10</td><td>12</td><td>31</td><td>Sand & GRAVEL</td><td></td></tr><tr><td>10</td><td>31</td><td>33</td><td>GRAY lava</td><td></td></tr><tr><td>10</td><td>33</td><td>34</td><td>LARGE RIVER ROCK & Sand</td><td></td></tr><tr><td>10</td><td>34</td><td>43</td><td>Gray lava w/some cinders</td><td></td></tr><tr><td>8</td><td>43</td><td>47</td><td>INTERBEDS Gray lava</td><td></td></tr><tr><td>8</td><td>47</td><td>50</td><td>BROWN CINDERS</td><td></td></tr><tr><td>8</td><td>50</td><td>80</td><td>Gray LAVA</td><td></td></tr><tr><td>8</td><td>80</td><td>93</td><td>Brown Cinders & clay</td><td></td></tr><tr><td>8</td><td>93</td><td>99</td><td>BROWN LAVA</td><td></td></tr><tr><td>8</td><td>99</td><td>120</td><td>STRING OF BROWN CINDERS than brown lava</td><td></td></tr><tr><td>8</td><td>120</td><td>122</td><td>CINDERS (Brown)</td><td></td></tr><tr><td>8</td><td>122</td><td>138</td><td>Gray LAVA</td><td></td></tr><tr><td>8</td><td>138</td><td>140</td><td>BROWN CINDERS</td><td></td></tr><tr><td>8</td><td>140</td><td>162</td><td>Brown lava</td><td></td></tr><tr><td>8</td><td>162</td><td>178</td><td>Gray lava</td><td></td></tr><tr><td>8</td><td>178</td><td>182</td><td>BROWN SANDSTONE, clay & cinders.</td><td></td></tr><tr><td>8</td><td>182</td><td>208</td><td>Brown lava</td><td></td></tr><tr><td>8</td><td>208</td><td>220</td><td>PARTIAL VOID, SOFT CINDERS, & clay</td><td></td></tr><tr><td>8</td><td>220</td><td>250</td><td>BROWN LAVA</td><td></td></tr><tr><td>8</td><td>250</td><td>253</td><td>BROWN clay & cinders</td><td></td></tr><tr><td>8</td><td>253</td><td>270</td><td>BROWN LAVA</td><td></td></tr><tr><td>8</td><td>270</td><td>280</td><td>FRAGILE LAVA THAN GRAY LAVA.</td><td></td></tr><tr><td>8</td><td>280</td><td>294</td><td>FRAGILE THAN GRAY LAVA</td><td></td></tr><tr><td>8</td><td>294</td><td>296</td><td>LARGE CHUNKS OF BROWN CINDERS.</td><td></td></tr><tr><td>8</td><td>296</td><td>300</td><td>BROWN LAVA</td><td></td></tr><tr><td>8</td><td>300</td><td>303</td><td>PARTIAL VOID TAN CINDERS & clay</td><td></td></tr></tbody></table>		Bore Diam.	Depth From	To	Material	Water Yes No	10	2	2	TOP SOIL		10	2	8	DARK BROWN clay w/sand		10	8	12	LT tan clay		10	12	31	Sand & GRAVEL		10	31	33	GRAY lava		10	33	34	LARGE RIVER ROCK & Sand		10	34	43	Gray lava w/some cinders		8	43	47	INTERBEDS Gray lava		8	47	50	BROWN CINDERS		8	50	80	Gray LAVA		8	80	93	Brown Cinders & clay		8	93	99	BROWN LAVA		8	99	120	STRING OF BROWN CINDERS than brown lava		8	120	122	CINDERS (Brown)		8	122	138	Gray LAVA		8	138	140	BROWN CINDERS		8	140	162	Brown lava		8	162	178	Gray lava		8	178	182	BROWN SANDSTONE, clay & cinders.		8	182	208	Brown lava		8	208	220	PARTIAL VOID, SOFT CINDERS, & clay		8	220	250	BROWN LAVA		8	250	253	BROWN clay & cinders		8	253	270	BROWN LAVA		8	270	280	FRAGILE LAVA THAN GRAY LAVA.		8	280	294	FRAGILE THAN GRAY LAVA		8	294	296	LARGE CHUNKS OF BROWN CINDERS.		8	296	300	BROWN LAVA		8	300	303	PARTIAL VOID TAN CINDERS & clay	
Bore Diam.	Depth From	To	Material	Water Yes No																																																																																																																																																					
10	2	2	TOP SOIL																																																																																																																																																						
10	2	8	DARK BROWN clay w/sand																																																																																																																																																						
10	8	12	LT tan clay																																																																																																																																																						
10	12	31	Sand & GRAVEL																																																																																																																																																						
10	31	33	GRAY lava																																																																																																																																																						
10	33	34	LARGE RIVER ROCK & Sand																																																																																																																																																						
10	34	43	Gray lava w/some cinders																																																																																																																																																						
8	43	47	INTERBEDS Gray lava																																																																																																																																																						
8	47	50	BROWN CINDERS																																																																																																																																																						
8	50	80	Gray LAVA																																																																																																																																																						
8	80	93	Brown Cinders & clay																																																																																																																																																						
8	93	99	BROWN LAVA																																																																																																																																																						
8	99	120	STRING OF BROWN CINDERS than brown lava																																																																																																																																																						
8	120	122	CINDERS (Brown)																																																																																																																																																						
8	122	138	Gray LAVA																																																																																																																																																						
8	138	140	BROWN CINDERS																																																																																																																																																						
8	140	162	Brown lava																																																																																																																																																						
8	162	178	Gray lava																																																																																																																																																						
8	178	182	BROWN SANDSTONE, clay & cinders.																																																																																																																																																						
8	182	208	Brown lava																																																																																																																																																						
8	208	220	PARTIAL VOID, SOFT CINDERS, & clay																																																																																																																																																						
8	220	250	BROWN LAVA																																																																																																																																																						
8	250	253	BROWN clay & cinders																																																																																																																																																						
8	253	270	BROWN LAVA																																																																																																																																																						
8	270	280	FRAGILE LAVA THAN GRAY LAVA.																																																																																																																																																						
8	280	294	FRAGILE THAN GRAY LAVA																																																																																																																																																						
8	294	296	LARGE CHUNKS OF BROWN CINDERS.																																																																																																																																																						
8	296	300	BROWN LAVA																																																																																																																																																						
8	300	303	PARTIAL VOID TAN CINDERS & clay																																																																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ inches Diameter _____ inches + _____ feet From _____ feet To _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ feet To _____ feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>43</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between struts Describe access port _____		11. DRILLERS CERTIFICATION JUL 21 1986 I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>HIDDESTON DRILLING</u> Firm No. <u>35</u> Address <u>MTN HOME IDA</u> Date <u>16 Jul 86</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Duck</u>																																																																																																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name <u>Department of Water Resources</u> Lot No. _____ Block No. _____ County <u>ELMORE</u> N/E 1/4 S/W 1/4 Sec. 12 T. 4 N/S. R. 6 E/W.		RECEIVED FEB 01 1993																																																																																																																																																							

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER (Bob Cronin) Name <u>Spendid Acres #3</u> Address <u>Mtn Home</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>330</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Sailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> <tr> <td><u>300</u></td> <td></td> <td><u>1.0</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>300</u>		<u>1.0</u>																																																																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																										
<u>300</u>		<u>1.0</u>																																																																																																										
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>8</u></td> <td><u>303</u></td> <td><u>320</u></td> <td><u>Brown Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>320</u></td> <td><u>334</u></td> <td><u>Fractured & Broken thin</u></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Brown Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>334</u></td> <td><u>336</u></td> <td><u>Brown clay & cinders</u></td> <td>☒</td> </tr> <tr> <td></td> <td><u>336</u></td> <td><u>357</u></td> <td><u>Brown Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>357</u></td> <td><u>368</u></td> <td><u>Partial red tan clay</u></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>& cinders, very porous</u></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>& Broken</u></td> <td></td> </tr> <tr> <td></td> <td><u>368</u></td> <td><u>416</u></td> <td><u>Gray Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>416</u></td> <td><u>422</u></td> <td><u>Partial old red cinders</u></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>W. T. T. L.</u></td> <td></td> </tr> <tr> <td></td> <td><u>422</u></td> <td><u>436</u></td> <td><u>Brown Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>436</u></td> <td><u>440</u></td> <td><u>Red cinders, W. T. T. L.</u></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>Large cinder rubble</u></td> <td></td> </tr> <tr> <td></td> <td><u>440</u></td> <td><u>460</u></td> <td><u>Gray Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>460</u></td> <td><u>462</u></td> <td><u>Brown & red cinders</u></td> <td>☒</td> </tr> <tr> <td></td> <td><u>462</u></td> <td><u>480</u></td> <td><u>Gray Lava</u></td> <td></td> </tr> <tr> <td></td> <td><u>480</u></td> <td><u>483</u></td> <td><u>Red cinders large</u></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>chunks</u></td> <td></td> </tr> <tr> <td></td> <td><u>483</u></td> <td><u>535</u></td> <td><u>Gray Lava</u></td> <td></td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes No	From	To	<u>8</u>	<u>303</u>	<u>320</u>	<u>Brown Lava</u>			<u>320</u>	<u>334</u>	<u>Fractured & Broken thin</u>	☒				<u>Brown Lava</u>			<u>334</u>	<u>336</u>	<u>Brown clay & cinders</u>	☒		<u>336</u>	<u>357</u>	<u>Brown Lava</u>			<u>357</u>	<u>368</u>	<u>Partial red tan clay</u>	☒				<u>& cinders, very porous</u>					<u>& Broken</u>			<u>368</u>	<u>416</u>	<u>Gray Lava</u>			<u>416</u>	<u>422</u>	<u>Partial old red cinders</u>	☒				<u>W. T. T. L.</u>			<u>422</u>	<u>436</u>	<u>Brown Lava</u>			<u>436</u>	<u>440</u>	<u>Red cinders, W. T. T. L.</u>	☒				<u>Large cinder rubble</u>			<u>440</u>	<u>460</u>	<u>Gray Lava</u>			<u>460</u>	<u>462</u>	<u>Brown & red cinders</u>	☒		<u>462</u>	<u>480</u>	<u>Gray Lava</u>			<u>480</u>	<u>483</u>	<u>Red cinders large</u>	☒				<u>chunks</u>			<u>483</u>	<u>535</u>	<u>Gray Lava</u>	
Bore Diam.	Depth		Material	Water Yes No																																																																																																								
	From	To																																																																																																										
<u>8</u>	<u>303</u>	<u>320</u>	<u>Brown Lava</u>																																																																																																									
	<u>320</u>	<u>334</u>	<u>Fractured & Broken thin</u>	☒																																																																																																								
			<u>Brown Lava</u>																																																																																																									
	<u>334</u>	<u>336</u>	<u>Brown clay & cinders</u>	☒																																																																																																								
	<u>336</u>	<u>357</u>	<u>Brown Lava</u>																																																																																																									
	<u>357</u>	<u>368</u>	<u>Partial red tan clay</u>	☒																																																																																																								
			<u>& cinders, very porous</u>																																																																																																									
			<u>& Broken</u>																																																																																																									
	<u>368</u>	<u>416</u>	<u>Gray Lava</u>																																																																																																									
	<u>416</u>	<u>422</u>	<u>Partial old red cinders</u>	☒																																																																																																								
			<u>W. T. T. L.</u>																																																																																																									
	<u>422</u>	<u>436</u>	<u>Brown Lava</u>																																																																																																									
	<u>436</u>	<u>440</u>	<u>Red cinders, W. T. T. L.</u>	☒																																																																																																								
			<u>Large cinder rubble</u>																																																																																																									
	<u>440</u>	<u>460</u>	<u>Gray Lava</u>																																																																																																									
	<u>460</u>	<u>462</u>	<u>Brown & red cinders</u>	☒																																																																																																								
	<u>462</u>	<u>480</u>	<u>Gray Lava</u>																																																																																																									
	<u>480</u>	<u>483</u>	<u>Red cinders large</u>	☒																																																																																																								
			<u>chunks</u>																																																																																																									
	<u>483</u>	<u>535</u>	<u>Gray Lava</u>																																																																																																									
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>2 Jul 86</u> finished <u>10 Jul 86</u>																																																																																																											
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Diameter</th> <th>Slot size</th> <th>Set from</th> <th>feet to</th> <th>feet</th> </tr> </thead> <tbody> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> <tr> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> <td>_____</td> </tr> </tbody> </table> Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	Diameter	Slot size	Set from	feet to	feet	_____	_____	_____	_____	_____	_____	_____	_____	_____	_____	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name _____ Firm No. <u>35</u> Address _____ Date _____ Signed by (Firm Official) _____ and _____ (Operator) _____																																																												
Thickness	Diameter	From	To																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
Number	From	To																																																																																																										
_____ perforations	_____ feet	_____ feet																																																																																																										
_____ perforations	_____ feet	_____ feet																																																																																																										
_____ perforations	_____ feet	_____ feet																																																																																																										
Diameter	Slot size	Set from	feet to	feet																																																																																																								
_____	_____	_____	_____	_____																																																																																																								
_____	_____	_____	_____	_____																																																																																																								
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N W S Subdivision Name _____ Lot No. _____ Block No. _____ County _____	12. NOTES <u>NE 1/4 SW 1/4 Sec. 12, T. 4, N. 36, E. 10.</u>																																																																																																											

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

At Ach# 1

SPLendid ACRES SUBDIVISION
 A PORTION OF THE
 NW 1/2 SE 1/4, SECTION 12, T.45, R.6E, B.M.
 ELMORE COUNTY, IDAHO
 1971



20' EASEMENT
EACH



NOTE:
Street Turn-around
Easement to revert
to Property Owner
when Street is
Extended.

Lodgend

4+6 WL

2" WL

1" WL

CURVE	BEARING	ANGLE	CH	DEAR
6-8	29.00'	89° 55' 35"	19.83	31.25'

EASEMENT
PRIVATE TO
WELCH

MAK 31 1989

[P] Proposed construction
 [H] Existing HOUSE

JUB ENGINEERS, INC.
 Engineers Planners
 Boise Idaho

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07106

Priority: January 28, 1972

Maximum Diversion Rate:

0.50 CFS

Maximum Diversion Volume:

96.2 AF

This is to certify, that SPLENDID ACRES WATER & SEWER ASSN INC

205 1/2 SUNRISE DRIVE

MOUNTAIN HOME ID 83647

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 28, 1972; and has submitted Proof of Beneficial Use on July 7, 1988. An examination indicates that the works have a diversion capacity of .660 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.37 CFS	74.0 AF
DOMESTIC	01/01 to 12/31	0.28 CFS	22.2 AF
	Totals	0.50 CFS	96.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 12, Township 04S, Range 06E
NESE , Sec. 12, Township 04S, Range 06E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S	06E	12	NESE 10	NWSE 8.5		18.5
Total number of acres irrigated:						18.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

APPROVED

FEB 01 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07106

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for 37 homes.
7. Two points of diversion are located within NESE, S12, T04S, R06E. Place of use is also known as Splendid Acres Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of December, 1992.

Acting for  R. Keith Higginson, Director

FEB 01 1993

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 61-07106

RECEIVED
DEC 10 1992
Department of Water Resources

Date of Priority: January 28, 1972

Maximum Diversion Rate:
Maximum Diversion Volume:

0.50 CFS
96.2 AF

Comes now DONN L DAHL
C/O FRANK ULREY REAL ESTATE
PO BOX 477
MOUNTAIN HOME ID 83647

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 61-07106, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.37 CFS	74.0 AF
DOMESTIC	01/01 to 12/31	0.28 CFS	22.2 AF
	Totals	0.50 CFS	96.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 12, Township 04S, Range 06E
NESE , Sec. 12, Township 04S, Range 06E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S	06E	12	NESE 10	NWSE 8.5		18.5
Total number of acres irrigated:						18.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Mtn Home, ID, this 8 day of DECEMBER, 1992.

RECEIVED
FEB 01 1993

(Signature)

FOR SPLENDID ACRES
WATER/SEWER ASSOCIATION

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 61-07106

FOR DEPARTMENT USE ONLY

Preliminary check by CS Fee = \$20.00 Received by JY # CD25981 Date 11-12-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 61-07106 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for 37 homes.
7. Two points of diversion are located within NESE, S12, T04S, R06E. Place of use is also known as Splendid Acres Subdivision.

Witness my hand this 18TH day of DECEMBER, 1992.

Acting for R. Keith Higginson, Director

FEB 01

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 61-7106' IN THE NAME OF)
DONN L. DAHL')
_____)

ORDER OF REINSTATEMENT

This matter having come before the Idaho Department of Water Resources (Department) the Department finds as follows:

FINDINGS OF FACT

1. On March 14, 1972, the Director of the Department of Water Resources issued Permit No. 61-7106 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before March 1, 1977.

2. On December 31, 1976 the Department sent a proof due notice to the permit holder.

3. On January 6, 1977, the permit holder spoke with Ken Dunn of the Department and requested that a proof of beneficial use form and an assignment form be sent to a Mr. Swank.

4. Department records do not contain evidence that the forms were sent by the Department.

5. On March 3, 1977 the Department sent a lapse notice to the permit holder since neither proof of beneficial use nor a request for extension of time had been received from the permit holders.

6. On July 7, 1988 Proof of Beneficial Use was received by the Department.

MICROFILMED

MAR 31 1989

7. Splendid Acres Homeowner's Association, apparent successor to the permit holder, submitted the following documents to show pre-1977 development: (1) a plat depicting mains and service lines to 37 lots and verified by Bowman Plumbing; (2) well logs for two wells; and (3) a system inspection letter from Jack E. Kelly, a professional engineer.

CONCLUSIONS OF LAW

1. Section 42-218a, Idaho Code, authorizes the Department to reinstate a lapsed permit upon submittal of evidence clearly establishing the extent of beneficial use prior to the proof due date and a showing of reasonable cause why the proof was submitted late.

2. Section 42-218a also provides that the priority of a reinstated permit shall be advanced to the day that proof of beneficial use was received, and that the "original priority date of a lapsed permit shall not be reinstated except upon a showing of error or mistake of the department".

3. The landowners have submitted proof of beneficial use along with supporting evidence which clearly establishes that water was in fact beneficially used prior to the proof due date.

4. The request to the Department that a proof of beneficial use form be mailed along with an assignment, and the fact that the record does not contain any evidence that the documents were sent establishes that the Department erred in failing to mail the requested information.

5. Failure of the Department to provide necessary forms is sufficient cause why proof of beneficial use was not submitted.

6. The permit can be reinstated with no advance in priority.

ORDER

IT IS HEREBY ORDERED that Permit No. 61-7106 is reinstated.

RECORDED
MAR 31 1989

IT IS FURTHER ORDERED that the original date of priority of January 28,
1972 is also reinstated.

Dated this 13th day of February, 1989.

L. Glen Saxton

L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

MAR 31 1989

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

- 1 Name of applicant Donn L. Dahl
post office address P.O. Box 477, Mountain Home, Idaho
- 2 Source of water supply groundwater which is a tributary of _____
- 3 a Location of point of diversion is NE 1/4 of SE 1/4 of Section 12 Township 4S
Range 6E B.M. Elmore County additional points of diversion if any
NW 1/4 Sec. 12, T.4S., R.6E. B.M.
- b If water is not consumed it will be discharged into septic tanks at a point in NE + NW 1/4s
of SE 1/4 of Section 12 Township 4S Range 6E B.M. _____
- 4 Water will be used for the following purposes
Amount 0.5 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
- 5 Total quantity to be appropriated:
a 0.5 cubic feet per second and or
b _____ acre feet per annum
- 6 Proposed diverting works
a Description of ditches, flumes, pumps, headgates, etc. 3 wells equipped with 7 1/2 to 10 HP
submersible pumps discharging into domestic water system for up to
35 residences
b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____
Period of year during which storage will occur _____ to _____ inches
c Proposed well diameter is 10 inches, proposed depth of well is 300 feet
- 7 a Time required for the completion of the work and application of the water to the project is _____
b _____

(4) Name of applicant _____

located at _____

(5) If water is to be used for _____

63 7703

61 71 ;

TWP	RANGE	SEC	NE 1/4	NW 1/4	SW 1/4	SE 1/4	TOTALS
7	1	1	1	1	1	1	

The number of acres to be irrigated

Let the map, not with right, and for the purpose, is the old the

7 2003 completed, at present and new applicant


Applicant

the fact that the system is designed to be able to handle a large number of users simultaneously, it is important to ensure that the system is scalable and can grow as needed.

1. For a b.c.

Specifications for submittal to Idaho Department of Health
being prepared by Anderson & Kelly

11. Map of proposed project shall clearly show the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

(Applicant)

61-7106

Received by _____ Date _____ Time _____
Preliminary check by EB Fee \$ 25.00
Received by _____ Date 2-22-72
Publication prepared by LR Date 2-4-72
Publication _____ Mt. Home News
Publication date 2-10 & 2-17-72
Publication approved _____ Date _____
Final _____ Reason _____

Exhibits filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval/denial by EB

ACTION OF THE DIRECTOR DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 61-7106 and said application is hereby APPROVED

1. Approval of said application subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1 1977
- c. Other A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 18 day of March, 1972

R. Keith Higgs
Director

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that
Dora L. Dahl, P. O. Box 477,
Mountain Home, Idaho has on
January 28, 1973, submitted Ap-
plication No. 61-7106 for a per-
mit to appropriate 3.5 cubic feet
per second of water from a
ground water source by means
of wells and pumps within the
NE¼, SE¼ (2 points), NW¼,
SE¼, Sec. 12, T. 4S, R. 6E, E.
M., Elmore County to be used
from Jan. 1 to Dec. 31 for do-
mestic purposes for up to 36
residences within the NE¼, SE¼,
Sec. 12, T. 4S, R. 6E, E. M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water Ad-
ministration, Statehouse, Boise,
Idaho, 83707, on or before Feb-
ruary 28, 1973.

R. KIRBY HIGGINSON
Director

Published in the Mountain
Home News, Mountain Home,
Idaho on Feb. 26 and Feb. 27,
1973.

Affidavit of Publication

County of Elmore } ss.
STATE OF IDAHO }

I, ..., do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

consecutive weeks, the first publica-
tion having been made on the day
of 19..... and
the last publication having been made on the
day of

19.....; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Joseph L. Stater

Subscribed and sworn to me this

day of 19.....

Notary Public



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 22, 1992

SPLENDID ACRES WATER & SEWER ASSN INC
205 1/2 SUNRISE DRIVE
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07106

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

FEB 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

DONN L DAHL
% FRANK ULREY REAL ESTATE
PO BOX 477
MOUNTAIN HOME ID 83647-0477

RE: WATER RIGHT NO. 61-07106

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return within 15 days. The amendment filing fee of \$20.00 was received November 12, 1992, receipt No. C025981.

If you do not concur with the findings on the amendment or if you have any questions, please contact us within the 15-day period.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

c: Splendid Acres Water & Sewer Association

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 61-07106

Date of Priority: January 28, 1972 Maximum Diversion Rate: 0.50 CFS
Maximum Diversion Volume: 96.2 AF

Comes now DONN L DAHL
C/O FRANK ULREY REAL ESTATE
PO BOX 477
MOUNTAIN HOME ID 83647

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 61-07106, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.37 CFS	74.0 AF
DOMESTIC	01/01 to 12/31	0.28 CFS	22.2 AF
	Totals	0.50 CFS	96.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 12, Township 04S, Range 06E
NESE , Sec. 12, Township 04S, Range 06E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S	06E	12	NESE 10	NWSE 8.5		18.5
Total number of acres irrigated:						18.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this _____ day of _____, 19____.

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 61-07106

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = _____ Received by gy # C025481 Date 11-12-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 61-07106 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
6. Domestic use is for 37 homes.
7. Two points of diversion are located within NESE, S12, T04S, R06E. Place of use is also known as Splendid Acres Subdivision.


Witness my hand this _____ day of _____, 19____.

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street
Boise, Idaho 83706-2237

FEB 01 1993



not at
this
address
opened in
error

10-1-91/06
Pam



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

DONN L DAHL
% FRANK ULREY REAL ESTATE
PO BOX 477
MOUNTAIN HOME ID 83647-0477

RE: WATER RIGHT NO. 61-07106

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return within 15 days. The amendment filing fee of \$20.00 was received November 12, 1992, receipt No. C025981.

If you do not concur with the findings on the amendment or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cZ

Enclosure

c: Splendid Acres Water & Sewer Association

NOV 01 1993

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/23/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DONN L DAHL C/O FRANK ULREY REAL ESTATE PO BOX 477 MOUNTAIN HOME ID 83647	01/28/1972	IRRIGATION DOMESTIC	04-01 10-31 01-01 12-31	0.37 CFS 0.28 CFS	74.0 AFA 22.2 AFA
TOTAL DIVERSION:					0.50 CFS	96.2 AFA
Tributary to:			Stage: LICENSE			

Point(s) of Diversion Capacity: 0.66 CFS

Point(s) of Diversion: T04S R06E S12 NE SW NE SE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				SUM
T	R	S	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	
04S	06E	12	:	:	:	:	:	:	:	:	:	:	:	:	:	18.5
TOTAL ACRES																18.5

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ELMORE

Other Water Rights with Same Point(s) of Diversion and Source:
61-04060 61-07106 61-07572

Other Water Rights Listing Overlapping Place(s) of use:
61-07572

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Remarks: Domestic use is for 37 homes.
Two points of diversion are located within NESE, S12, T04S, R06E.
Place of use is also known as Splendid Acres Subdivision.

Dates: App. Received: 01/28/1972 Priority Date: 01/28/1972 (Priority Date Advanced.)
Proof Due Date: 03/01/1977 Proof Made Date: 07/07/1988 (Proof Received Late.)
Exam Made Date: 07/23/1991 Exam Sent to S.O.: 02/04/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 11/23/92 SKAGGS

* Changed per J.S. 12-10-92

FEB 01 1993

Send to this Address

Beard you field claims, memo
Data last updated 11-25-92
Comment Required P/D
Send to Splendid Acres Water & Sewer
205 1/2 Avenue Q1, Mt Home ID 83647

C025981

11/12/1992

SPLENDID ACRES WATER ASSO

APP. FOR AMENDMENT (61 07106)

56105

229 21 1155

20.00

CHECK

285

\$20.00

Region: STATE

Signature: _____

FEB 01 1993

DATE: 10/28/92
PAGE: 1

Audit: 00/00/00

RECEIVED
FEB 01 1993

EXHIBIT 1
SYSTEM DESCRIPTION

Revised 10/26/1992 per amended memo #47, May 20, 1992

Well #1 (10 HP), Well #2 (20 HP) and well #3 (20 HP) supply water to Splendid Acres Subdivision. The subdivision consists of 35 developed lots with access to the three well water system and two vacant lots that have been stubbed in (see enclosed plat map).

Although well #3 was drilled in 1986, after the Mountain Home Groundwater Management Area designation, it can now be included in the system capacity calculations for both domestic and irrigation uses due to the amendment of memo #47.

CALCULATIONS

$$\text{WELL \#1: } \frac{10 \times 8.8 \times .7}{320 + 40 \times 2.31} = .15 \text{ CFS}$$

$$\text{WELL \#2: } \frac{20 \times 8.8 \times .7}{360 + 40 \times 2.31} = .27 \text{ CFS}$$

$$\text{WELL \#3: } \frac{20 \times 8.8 \times .7}{420 + 40 \times 2.31} = .24 \text{ CFS}$$

TOTAL CAPACITY: .66 CFS

The dynamic pumping level for each well ws estimated 15-20' above the bowl settings obtained from Hiddleston Drilling.

Domestic requirement (per exhibit 12): 37 LOTS = .28 CFS

Internal domestic use: 37 LOTS X .6 AFA = 22.2 AFA

1/2 irrigation per lot: 37 LOTS X .5 AC = 18.5 ACRES

18.5 X .02 = .37 CFS

18.5 X 4.5 = 83.3 AFA REQUIRED

.37 X 1.9835 X 246 = 180.5 AFA POTENTIAL

.28 CFS + .37 CFS = .65 CFS maximum allowed for system

61-07106 recommended for a total of .50 cfs (permit limit)



FEB 01 1993

EXHIBIT 2
REMARKS AND OVERLAP ANALYSIS

Revised 10/26/1992 per amended memo #47, May 20, 1992)

Application 61-07572 was filed in 1985 on the same water system for Splendid Acres Subdivision. This application was being withheld because it was filed after the designation of the Mountain Home Groundwater Management Area in 1982. Because of the amendment of memo #47, this application can now be processed once it has been amended to the requirements of memo #47 and proof has been paid. Since a field exam has already been conducted for 61-07106, application 61-07572 can be recommended for the difference between the maximum statutory amount allowed for the uses described and the amount authorized for licensing 61-07106:
(.65 cfs - .50 cfs = .15 cfs rate recommended for application 61-07572.)

No other water rights are used.

611993

00156001005

PROPERTY HOME ID 83647

CATEGORY DESCRIPTION

1986

TAXPAYERS

*** VALUATION ASSESSMENT NOTICE ***

 TAXPAYER'S RESPONSIBILITY
 IF THERE ARE ANY QUESTIONS
 REGARDING THIS STATEMENT
 NOTIFY THE ASSESSOR'S OFFICE BEFORE
 JUL 14, 1986
 SEE THE REVERSE SIDE FOR FULL EXPLANATION
 KEEP THIS COPY FOR YOUR RECORDS

TOTAL

7.24 - 2346
 LORI

SPLendid ACRES WATER
 & SEWER ASSOC INC
 205 COURSE DR

PROPERTY HOME ID 83647-0000

TAX NO 6 LOT 5 BL 2
 SPLendid ACRES

HAVE YOU APPLIED FOR YOUR
 50/50 HOMEOWNER'S EXEMPTION?

001560020054

TAX NO 3

THIS IS NOT

BILL

00156001005

PROPERTY HOME ID 83647
 15.00 STATE PAID
 12.00 TAXES
 12.00 TAXES

CATEGORY DESCRIPTION

ACRES

MARKET VALUE

1986

TAXPAYERS

*** VALUATION ASSESSMENT NOTICE ***

 TAXPAYER'S RESPONSIBILITY
 IF THERE ARE ANY QUESTIONS
 REGARDING THIS STATEMENT
 NOTIFY THE ASSESSOR'S OFFICE BEFORE
 JUL 14, 1986
 SEE THE REVERSE SIDE FOR FULL EXPLANATION
 KEEP THIS COPY FOR YOUR RECORDS

TOTAL

SPLendid ACRES WATER
 & SEWER ASSOC INC
 205 COURSE DR

PROPERTY HOME ID 83647-0000

TAX NO 5 LOT 5 BL 1
 SPLendid ACRES SUB

HAVE YOU APPLIED FOR YOUR
 50/50 HOMEOWNER'S EXEMPTION?

NOTICE

FEB 01 1993

PROPERTY ADDRESS

PARCEL NO 00156001005C TAX NO 2

Mr. Donn Dahl
c/o Frank Ulrey Real Estate
P.O. Box 477
Mountain Home, ID 83647

Per County
Assessor (Elmore):
no current address
for Donn
Dahl.

3/23/89
Jm

Department of Water Resources

re sent
c/o Splendores
3/23/89
SC

MICROFILMED
MAR 31 1989

RECEIVED
MAR 01 1989

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

FEB 01 1993

EDWARD & PAULINE WASHUK 307 Sunrise Drive, Mountain Home, Idaho 83647

1989

GIVE
TO THE
MARCH OF

100% Heart-A-Palace
100% Heart-A-Palace

1306 N. 1st Street

FEB 01 1993

100% Heart-A-Palace

84700

LICENSE REVIEW CHECKLIST

Permit # 61-07106

Date 05-19-92
38

	Yes	No	
NAME	☐	☒	Address Change? <u>770 Assignment</u>
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
			<u>.28 cfs (DOM)</u> <u>17.5 x .02 = .35 cfs (FRR)</u>
	☒	☐	Disagree with Theoretical? <u>(.15 cfs) (.27 cfs) (.27 cfs)</u>
	☒	☐	Limited by Capacity? <u>.46 cfs (System)</u>
	☒	☐	IRR-Limited by Capacity of Wells #1 & 2 = .42 cfs
TOTAL VOLUME	☐	☐	Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
	☐	☐	<u>4-1 to 10-31</u> Standard Irr. Season
	☐	☐	<u>Same/Not on Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations? _____
	☐	☐	<u>.175 x 4.0 = 70 AFA (IRR)</u> <u>.35 x .6 = 21 AFA (DOM)</u>
	☐	☒	Limited by Flow? <u>.35 x 213 x 1.9835 = 147.9 > 70</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source _____
	☐	☒	Notice of Intent to Void. _____
P/D	☐	☐	Verify with Map _____
	☒	☐	Amendment Needed? <u>Add NE SW / Drop NW SE</u>
	☐	☒	Is Overlap Analysis a Consideration? _____
P/U	☐	☐	Verify with Map _____
	☐	☒	Amendment Needed? _____
	☐	☒	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? <u>Same Use</u>
	☐	☒	Amendment Needed? <u>Break DOM into IRR & DOM</u>
REMARKS	☒	☐	Multiple P/Ds in 1/4 1/4? <u>2 in NE SE</u>
	☒	☐	Non-Irr. Uses <u>DOM / 35 Homes</u>
	☒	☐	Special Overlap Condition _____
	☒	☐	Other <u>P/U</u> _____
CONDITIONS	☐	☒	Measuring Device _____
	☐	☒	W/Master Control _____
	☒	☐	Overlap _____
	☐	☒	Water Quality _____
	☐	☒	DATES/MISC _____
	☐	☒	Water Dist. _____
	☐	☒	App Rec'd _____
	☐	☒	Exam Made _____
COMMENTS/MEMOS NEEDED:	<u>Reduced Rate</u> <u>M.D. not needed by F.E.</u>		
	<u>Wells #1 & 2 developed prior to 3-1-77</u>		
	<u>Wells #3 developed 7-86</u>		
License ☐ 10-Day ☐ 15-Day ☒ Special Correspondence _____			

Revised per Memo from Field Examiner 11/92

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L6107280	T03S R06E S14	GROUNDWATER																																16
	:																	16																
6100034	RATTLESNAK :																																	
6100196	RATTLESNAK :																																	
A6100263	CANYON CRE :																																	110
A6100264	CANYON CRE :																																	110
A6100266	CANYON CRE :																																	110
6102099	GROUNDWATE :																																	1
6102147	GROUNDWATE :																																	5
6104034	GROUNDWATE :																																	5
A6104034	GROUNDWATE :																																	5
6104094	GRPIDWATE :																																	14
A6104094	GROUNDWATE :																																	14
6107048	GROUNDWATE :																																	37
A6107048	GROUNDWATE :																																	37
6107199	GROUNDWATE :																																	1
6107275	GROUNDWATE :																																	10
6107409	GROUNDWATE :																																	12
A6107409	GROUNDWATE :																																	12
6107437	GROUNDWATE :																																	2
A6107437	GROUNDWATE :																																	2
6107455	GROUNDWATE :																																	11
6107573	GROUNDWATE :																																	7
A6110152	GROUNDWATE :																																	2
A6110417	CANYON CRE :																																	110
A6110419	CANYON CRE :																																	110
A6110421	CANYON CRE :																																	110
A6302188	CAT CREEK :																																	110
A6302214	CASTLE ROC :																																	110
A6319893	LITTLE CAM :																																	110
A6320139	LITTLE CAM :																																	110
--86 MAP--	C39Q-Z 13 :	01		05						01		26		37		19		38		40		40		39		12		14		14		17		303

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	DOWN L DAHL C/O FRANK ULREY REAL ESTATE PO BOX 477 MOUNTAIN HOME ID 83647	01/28/1972	IRRIGATION DOMESTIC	04-01	10-31	0.35 CFS	70.0 AFA
				01-01	12-31	0.28 CFS	21.0 AFA
				TOTAL DIVERSION:		0.42 CFS	91.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.69 CFS

Point(s) of Diversion: T04S R06E S12 NE SW NE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
04S	06E	12	:														09	08		17.5
TOTAL ACRES																				17.5

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ELMORE

Other Water Rights with Same Point(s) of Diversion and Source:
61-04060 61-07106 61-07572

Other Water Rights Listing Overlapping Place(s) of use:
61-07572

Conditions of Approval:

- R31 - This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Remarks: Domestic use is for 35 homes.
Two points of diversion are located within NESE, S12, T04S, R06E.
Place of use is also known as Splendid Acres Subdivision.

Dates: App. Received: 01/28/1972 Priority Date: 01/28/1972 (Priority Date Advanced.)
Proof Due Date: 03/01/1977 Proof Made Date: 07/07/1988 (Proof Received Late.)
Exam Made Date: 07/23/1991 Exam Sent to S.O.: 02/04/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/20/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with Conditions of Approval
- ☒ Well Inspection Form (If Needed)
- ☒ Aerial Photo Required? ☐ yes ☐ no If yes: ☐ copy attached
- ☒ SRBA Attachment A Submitted to Adjudication Section
- SRBA Claim Check Received LW 10/31/91 (initial & date)
- ☐ N/A ☐ Applicable, See Attachment A _____
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of government plat
- ☒ Check of P/D index LW 10/31/91 (initial & date)
- Overlap ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
- Type of Overlap? ☒ Add acres or uses to existing system
- ☒ Increase rate of flow or volume
- ☐ Other: _____
- ☒ Check of P/U index LW 10/31/91 (initial & date)
- Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
- Type of Overlap? ☒ Increase rate of flow or volume
- ☒ Add P/D's
- ☒ Increase number of acres within tracts
- ☐ Other: _____
- ☒ Scheduling Letter Sent? _____ (initial & date)
- ☒ Appointment Made and Telephone Conversation Memo Attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully Completed and Signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Copy of SRBA Claim Verification Sheet / ☐ Original Returned to Adjudication Section

C. Review and Processing:

- Exam Completed 10/31/91 LW (signature of examiner & date)
- Exam Reviewed by Senior Water Resource Agent GU 1/9/92 (initial & date)
- Exam Reviewed by Manager of Regional Office Dm 1/24/92 (initial & date)
- Exam Sent to State Office 2-4-92 ST (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 10 1992
DEPT. OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 61-07106

1 Owner: SPLENDID ACRES WATER ASSOCIATION Phone No. 587-4438

Current Address 205 1/2 SUNRISE DR, MTN HM, ID 83647

2 Accompanied by: _____ EXAM DATE: 7/23/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: _____ tributary to _____

B. OVERLAP REVIEW

1 Other water rights with same place of use: 61-07572

☐ Copies Attached

2 Other water rights with same point of diversion: 61-07572

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable ☐ Alternative diagram attached

SEE ENCLOSED SUBDIVISION PLATS

RECEIVED
FEB 01 1993

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required)

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater)

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement Indicate pressure, number of sprinklers, etc)

SEE EXHIBIT 1

☐ See Remarks on page 4 for continuation

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
# 1	FRANKLIN	10	7109440	BERKLEY	6AH-12
2	"	20	1594722	"	6AM--10
3	"	20	21H89	"	6T20-150

*Code to correspond with No on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
# 1		NE	NE	SE	12	45	6E	CLATSOP	CHIT 11 P 12-3 A.C.C. P 12-3
2		SE	NE	SE	12	45	6E	"	"
3		NE	NE	SW	12	45	6E	"	"

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
45	6E	12													D	D			—
															9	8.5			17.5

Do not use this space

RECEIVED

FEB 01 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method

SEE EXHIBIT 1

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure _____ psi x 2.31 = _____ ft (1); Dynamic pumping level _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW _____ Ave PF x _____ Ave Volts x _____ Ave Amps x 0.01732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

SEE EXHIBIT 1

1. Volume Calculations for Irrigation

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
FEB 01 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

SEE EXHIBIT 2

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1/1	12/31	.26 cfs	21 AFA
IRRIG	3/15	11/15	.35 cfs	78.8 AFA
Totals:			.42 cfs	99.8 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above

☒ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other


J. AUTHENTICATION

Field Examiner's Name LORE WHITE

Signature Lor White

Certification Date 10/31/91

Field Report Preparation Date 10/31/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

FEB 01 1993

EXHIBIT 1
SYSTEM DESCRIPTION

WELL #1 (10 HP), WELL #2 (20 HP) AND WELL #3 (20 HP) SUPPLY WATER TO SPLENDID ACRES SUBDIVISION. THE SUBDIVISION CONSISTS OF 35 DEVELOPED LOTS WITH ACCESS TO THE 3 WELL WATER SYSTEM AND 2 VACANT LOTS (SEE ENCLOSED PLAT MAP). THE LAWN IRRIGATION IS ALLOWED FOR WELL #1 & #2 ONLY BECAUSE THE APPLICATION WAS FILED IN 1972, BEFORE THE DESIGNATION OF THE MTN HOME MANAGEMENT AREA.

THE CFS CALCULATIONS FOR THIS PERMIT ARE BASED ON WELL #1 & #2 ONLY. WELL #3 WAS DRILLED AFTER 1982, AND WAS NOT PART OF THIS ORIGINAL PERMIT. ALTHOUGH THE SYSTEM IS COMBINED, WELL #3 HAS BEEN EXCLUDED FROM THE FLOW CALCULATIONS.

THEORETICALS

$$\text{WELL \#1: } \frac{10 \times 8.8 \times .7}{320 + 40 \times 2.31} = .15 \text{ CFS}$$

$$\text{WELL \#2: } \frac{20 \times 8.8 \times .7}{360 + 40 \times 2.31} = .27 \text{ CFS}$$

TOTAL CAPACITY **.42 CFS**

THE DYNAMIC PUMPING LEVEL FOR EACH WELL WAS ESTIMATED 15-20' ABOVE THE BOWL SETTINGS OBTAINED FROM HIDDLESTON DRILLING.

CALCULATIONS

BASED ON INTERNAL DOMESTIC USE: 35 LOTS X .6 AFA = 21 AFA
DOMESTIC REQUIREMENT CHART: 35 LOTS = .26 CFS

BASED ON 1/2 ACRE IRRIGATION PER LOT: 35 LOTS X .5 AC = 17.5 AC
17.5 AC X .02 = .35 CFS
17.5 X 4.5 = 78.75 AFA
.35 X 1.9835 X 246 = 170.7 AFA

✓
RECEIVED
FEB 01 1982

EXHIBIT 2
REMARKS AND OVERLAP ANALYSIS

APPLICATION 61-07572 WAS FILED IN 1985 ON THE SAME WATER SYSTEM FOR SPLENDID ACRES SUBDIVISION. THE APPLICATION REPRESENTS THE 3RD WELL DRILLED IN 1986 AND INCLUDES IRRIGATION USE. THIS APPLICATION IS BEING WITHHELD BECAUSE IT WAS FILED AFTER THE DESIGNATION OF THE MTN HOME GROUNDWATER MANAGEMENT AREA IN 1982 AND CANNOT BE APPROVED FOR ANY TYPE OF IRRIGATION WHAT SO EVER.

PERMIT AND PROOF FOR 61-07106 WERE FILED ON WELLS #1 & #2 ONLY. BECAUSE THE PERMIT WAS FILED PRIOR TO THE MTN HOME GROUNDWATER MANAGEMENT DESIGNATION, IRRIGATION OF UP TO 1/2 ACRE PER LOT IS ALLOWED AS PART OF THE DOMESTIC USE FOR WELLS #1 & #2 ONLY. SINCE THE SYSTEM IS COMBINED WITH WELL #3, THE PERMIT CAN BE AMENDED TO INCLUDE WELL #3 BUT WOULD BE LIMITED TO THE .42 CFS SYSTEM CAPACITY OF WELLS #1 & #2. ALSO, A SPECIAL CONDITION WOULD NEED TO BE ADDED REGARDING THE IRRIGATION USE SINCE WELL #3 CAN ONLY BE USED FOR IN-HOUSE DOMESTIC USE.

APPROVED
FEB 01 1993

T281
202

39.4

31.2

3 NHEL
21.1

2 NHEL
18.1 NW

3
15.

2 NHEL
31.2

8 NHEL
74.1

#1

1
15.0

34.8

52

T348
603


HEL
22.3

FEB 0 1 199

1 NHEL
74.3

4 HEL
39.5

4+6	wt
2"	wt
1"	wt



Proposed construction

JUST ENGINEERS. INC.


END ID ACRES 1/4 DIVISION
 SE 1/4, Section 12, T4S, R6E, Boise Meridian
 more County Idaho

WATER DISTRIBUTION DIAGRAM

Lots are 5 acres each
 except for the lots on the
 east end which are 1.25 acres each

#1

#3




#2

FEB 01 1993

N
 W + E
 S

T4S R6E SEC 12
 N 1/2 SE 1/4



MISSOURI MED

FEB 21 1993

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 61-07106

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 4S, Rge 6E, Sec. 12, 1/4 1/4 1/4
or Lot ____.
2. Owner: Splendid Acres Subdivision
Address 209 1/2 Sunrise Dr., City Mt. HM, St ID
3. Casing $\geq$ 12 inches above ground: Yes ____ No ____
4. Access Port: Yes ____ No / Static Water Level: 300
Pressure Gauge: Yes ____ No / Casing Diameter: 2-10" 1-8"
Flowing: Yes / No ____ Temperature: cold
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ____ No ____


If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Wells installed by Hiddleston
see enclosed logs

RECEIVED
FEB 01 1993




#1 10HP FRANKLIN #1594722
#2 20HP FRANKLIN #7109440



RECEIVED

FEB 01 1993



#3 20HP FRANKLIN #21489

BERKELEY PUMP COMPANY Serial No. **7109440**

#2
Name Wendell Aves Date Installed 6/2/72
Address Wt Home Job No. 771
Inv. No. _____

Model

6 A M 10**RECEIVED**

FEC 6 1 1993

336' of 2 1/2"

340' of 208" main

Motor Make Franklin HP 10 RPM 3450 Phase 3
Engine Make _____ Type _____ Model _____

(Dealer Copy)

CROMAR
WELL

HIDDLES
PUMP COMPANY

S/N

21 H89

Name Splendid acres #3 Date Installed 5-1-91

Address inter home

Warranty 1 yr.

Pump Model 8 6T20-150

Motor-Franklin HP 40 RPM 3450 Phase 3P Volts 230 Code C91
Date 1.190068

Static 330' Setting 441

Depth 535 Pipe 2 1/2"

Well yes Wire No. 414

FEB 01 1993

BERKELEY PUMP COMPANY Serial No. [REDACTED]

1594722

Name Splendid Acres Date Installed 11-25-85

Address Well # 2 Job No. _____

Inv. No. _____

Pump Model No. 6 AH-12

No Pitless

DATE Code H85

400
248
463

378' 2 1/2" Galv
378' 4-4

Motor Make Franklin HP 20 RPM 3450 Phase 3

Engine Make _____ Type _____ Model _____

FEB 01 1993

(Dealer Copy)

PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (Specify) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal (Specify) _____

METHOD DRILLED

☐ Cable ☐ Rotary ☐ Aug ☐ Other _____

WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 107 feet

Casing schedule ☒ Steel ☐ Concrete

Thickness _____ Diameter _____ From _____ To _____

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Start of perforation _____ inches by _____ inches

Number _____ From _____ To _____

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 54 Material used in seal ☒ Cement grout


☐ Pudding clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing

☐ Overbore to seal depth

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County _____

DRILLED CERTIFICATION

Firm Name Biddleston & Son Firm No. 35

Address 1001 N. 1st St. Boise Idaho Date 5/12/73

Signature of Firm Official [Signature]

Printed Name of Firm Official [Name]

Signature of Inspector [Signature]

Printed Name of Inspector [Name]

USE ADDITIONAL SHEETS IF NECESSARY. FORWARD THE WHOLE TO THE DEPARTMENT.

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.1. WELL OWNER SPLENDID HOMES

Name _____

Address _____

Owner's Permit No _____

NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement☐ Abandoned (describe method of abandoning)

2. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test☐ Municipal ☐ Industrial ☐ Stock

3. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

4. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth _____ feetCasing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
_____ inches	<u>10</u> inches	<u>± 2</u> feet	<u>50</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth _____ feetMaterial used in seal ☒ Cement grout ☐ Puddling clay

5. LOCATION OF WELL

Sketch map location must agree with written location.



County _____

_____ 1/4 _____ 1/4 Sec. _____, T. _____ N/S, R. _____ E/W

7. WATER LEVEL

Static water level 298 feet below land surfaceFlowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water Level N.
	From	To		
16	0	12	SOIL	
	12	28	Clay and Gravel	
	28	31	Clay, some sand rock.	
	31	39	CLAY & GRAVEL	
10	39	98	Black LAVA	
	98	120	GRAY LAVA	
	120	157	BROWN LAVA	
	157	170	Brown clay & cinders	
	170	217	GRAY LAVA	
	217	225	BROWN LAVA	
	225	310	GRAY LAVA	
	310	320	BROWN LAVA	
	320	360	GRAY LAVA, Brown, cinders	
	360	378	GRAY LAVA HARD	
	378	380	Light GRAY LAVA	
	380	387	Red cinders	
	387	400	Black & red lava	
514/50 - 515/50				
Static 312				
8"	400	415	GRAY LAVA (HARD)	
	415	460	Reddish cinders	
	460	500	GRAY LAVA	
	500	510	GRAY LAVA & cinders	
	510	520	GRAY LAVA	
	520	535	GRAY LAVA / cinders	
	535	550	GRAY LAVA	

10. Work started 3/6/72 finished 3/31/72

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.

Driller's or Firm's Name _____ Number _____

Address _____

Signed By _____ Date _____

FEB 01 1993

1. The first part of the report is a general introduction to the project, which includes a statement of the problem, the objectives of the study, and a brief description of the methodology used.

Describe access port: RECEIVED Work started: 27 Jul 86, finished: 10 Jul 86

LOCATION OF WELL		JUL 21 1986 11 DRILLERS CERTIFICATION	
Sketch map location must agree with written location		(We certify that all minimum well construction standards were complied with at the time the rig was removed.)	
N W E S		Subdivision Name _____ Department of Water Resources _____	Firm Name <u>H. J. HUSTON DRILLING</u> Firm No. <u>BS</u>
Lot No. _____	Block No. _____	Address <u>Mtn Home ID#</u> Date <u>11 JUL 86</u>	Signed by (Firm Official) <u>[Signature]</u> and <u>[Signature]</u> (Operator)
County <u>Elmore</u>	<u>NE 1/4 Sec 12 T. 1 N. R. 1 E.</u>		

WELL DRILLER'S REPORT

1. WELL NUMBER: **(1336 0274)**
 NAME: **STANDARD ACRES '85**
 OWNER: **MAIN ALMA**
 ADDRESS: **10000**

2. WELL DEPTH: **230**
 TYPE: **DRILL**
 PURPOSE: **WATER**
 DATE: **1986**

3. NATURE OF WORK:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

4. WELL CLOSURE:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

5. PROPOSED USE:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

6. WELL CLOSURE:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

7. METHOD DRILLED:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

8. WELL CLOSURE:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

9. WELL CONSTRUCTION:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

10. WELL CLOSURE:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

11. LOCATION OF WELL:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**

12. DRILLERS CERTIFICATION:
 A. **DRILL**
 B. **REPAIR**
 C. **TEST**
 D. **OTHER**



State of Idaho

DEPARTMENT OF WATER RESOURCES

(208) 327-7900

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - [REDACTED]

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 29, 1989

Pauline Washik
307 Sunrise Dr.
Mountain Home, ID 83647

RE: Reinstatement of permit no. 61-7106 and legalization of
Splendid Acres Subdivision well #3

Dear Ms. Washik:

Enclosed is a copy of a letter which I mailed to Larry Tomberlin and carbon copied to Michael McLaughlin. Also enclosed is a copy of the order of reinstatement for permit/no. 61-7106. The order was not mailed to Splendid Acres until recently because department clerical staff initially attempted to mail it to Donn L. Dahl.

On the second page of the letter to Larry Tomberlin, in the third full paragraph, I stated that a transfer form was enclosed with the letter. I presume that the transfer form was sent to Larry Tomberlin, and that he completed the transfer application. I have not assisted in the preparation of a transfer or an amendment, however. I would be happy to assist if needed.

One other point needs to be clarified. In my letter, I stated that the reinstatement date would be July 7, 1988. After the letter was written, I discovered that we had not sent proper forms at the time we were corresponding with Donn Dahl and some of his contemporaries. As a result, the original date of priority of January 28, 1972 was reinstated.

Sincerely,

Gary Spackman, Manager
Water Right Permits Section

MANUFACTURED

MAR 31 1989

Enclosures

cc: Michael McLaughlin
Attorney at Law
P.O. Box 580
Mountain Home, ID 83647

Western Region

Larry Tomberlin
306 Aguirre Road
Mountain Home, ID 83647

RECEIVED
MAR 31 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 23, 1989

RE: Permit No. 61-7106

Mr. Donn Dahl
c/o Frank Ulrey Real Estate
P.O. Box 477
Mountain Home, ID 83647


Dear Permit Holder(s):

We acknowledge receipt of the statement of beneficial use and the supporting documentation for reinstating the above referenced permit. Enclosed is a copy of the Order of Reinstatement. Please note that the original date of priority, January 28, 1972, has been reinstated.

Before a license can be issued, a field examination will be made by a representative of this Department.

If you have any questions regarding this matter, please contact this office or our Western Regional Office at 334-2190.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:hm

Enclosure

MICROFILMED
MAR 31 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS

GOVERNOR

November 10, 1988

R. KEITH HIGGINSON

DIRECTOR

Larry Tomberlin, Chairman
Splendid Acres Subdivision
306 Aguirre Road
Mountain Home, ID 83647

RE: Reinstatement of permit no. 61-7106 and legalization of
Splendid Acres Subdivision well no. 3 by filing a transfer

Dear Mr. Tomberlin:

I received the information on well no. 3 which you mailed to me. I am sorry I am slow in responding.

I have enclosed a calculation sheet for your records. I converted the gallons per minute which you measured to cubic feet per second (cfs). I calculated that the pump was producing .25 cfs at the time you measured it.

I have also calculated the total acre feet which you pumped from July 8, 1987 through July 6, 1988. The total volume diverted was 5.08 acre-feet.

Splendid Acres has two choices: (1) It can file an amendment once the lapsed permit is reinstated, or (2) It can file a transfer.

If Splendid Acres decides to file an amendment adding the third well as an additional point of diversion, water use by Splendid Acres will be limited to the flow rate, annual volume and consumptive use developed under the original two wells. This limitation may adversely affect the amount of water that can be claimed in the Snake River adjudication. It will, however, legalize the third well without taking land out of production elsewhere.

The second alternative is for Splendid Acres to file a transfer. Idaho Code Section 42-222 states that the Department cannot approve a transfer of water which results in an enlargement of the right. The Department reviews three criteria to determine if an enlargement will occur: (1) The rate of diversion, (2) The volume of diversion, and (3) The consumptive use. A transfer generally must not exceed the most stringent test of the three criteria.

If Splendid Acres plans to change an irrigation use domestic use through the filing of a transfer, sufficient acreage must be removed from irrigation to compensate for the domestic

MICROFILMED
MAR 31 1989

Larry Tomberlin
Page 2
November 10, 1988

use. Compensation acreage can be determined by using either the 0.25 cfs instantaneous pumping rate or the 5.08 acre foot annual volume. An irrigation use is typically licensed for .02 cfs per acre. We generally assume a consumptive use volumes of 2 to 3 acre-feet per acre per year. If the instantaneous rate is considered as the controlling criterion, 12.5 acres of ground (at 0.02 cfs per acre) would have to be removed from irrigation to compensate for the 0.25 cfs change. On the other hand, if consumptive annual volume is evaluated, approximately three acres would need to be removed from irrigation.

The consumptive use test presumes that the subdivision has been fully developed, and also that maximum volume withdrawal was reflected in the records you provided. You should account for all users and be certain that the calculated volume of 5.0 acre-feet is representative of total anticipated use. Some cushion for additional volume withdrawal should be included. Future development that would increase total withdrawal must be identified.

Since the instantaneous rate test is the most stringent, the flow rate would control, and 12 to 13 acres would have to be removed from irrigation.

The true measure of expansion, however, is in terms of acre-feet depleted from the system, rather than a rate of diversion. I am willing to entertain a proposal to evaluate enlargement by annual consumptive volume, instead of by instantaneous flow rate. In my opinion, it is not reasonable to consider the instantaneous flow rate for a groundwater transfer, except in those cases where a large pump is locally interfering with other wells. I have enclosed some transfer forms, if you wish to file a transfer. You should provide for future development that would increase annual volume withdrawal by Splendid Acres and factor proposed maximum volume into the transfer. I recommend approximately four to five acres removed from irrigation to compensate for the domestic use from the third well.

With regard to reinstatement of lapsed permit no. 61-7106, some questions arose about the number of lots that could be identified as being served by water. As I count the lots again, it appears that 36 lots could receive water. We will limit the development to 36 units unless we hear from you within the next thirty (30) days.

MICROFILMED

MAR 31 1989

Larry Tomberlin
Page 3
November 10, 1988

The date of priority for the reinstatement will be July 7, 1988. If you have further questions, please don't hesitate to contact me.

Sincerely,



GARY SPACKMAN, Supervisor
Water Allocation Section

GS:hm

Enclosure

cc: Michael McLaughlin
Attorney at Law
P.O. Box 580
Mountain Home, ID 83647
Western Region

MICROFILMED

MAR 31 1989

CALCULATION OF PUMPING CAPACITY
SPLENDID ACRES SUBDIVISION
THIRD WELL

By: GARY SPACKMAN

Date: SEPTEMBER 30, 1988

INSTANTANEOUS RATE :

$$\begin{aligned} \frac{210 \text{ GAL.}}{2 \text{ MIN.}} &= 110 \text{ GAL./MIN.} \\ &= 0.25 \text{ CFS} \end{aligned}$$

ANNUAL USEAGE :

METER READING ON JULY 8, 1987 = 59,506 gal

METER READING ON JULY 6, 1988 = 281,000 gal

$$\text{ANNUAL USE} = 281,000 - 59,506 = 221,494 \text{ gal.}$$

$$221,494 \text{ gal/year} = 5.08 \text{ acre-ft/yr.}$$

MICROFILMED

MAR 31 1989

RECEIVED

SEP 28 1988

McLAUGHLIN LAW OFFICES

700 NORTH 3RD EAST STREET

P. O. BOX 580

MOUNTAIN HOME, IDAHO 83647

TELEPHONE (208) 587-4438

Department of Water Resources

MICHAEL R. McLAUGHLIN
TERRY S. RATLIFF

114 NORTH COMMERCIAL AVENUE
GLENN'S FERRY, IDAHO 83623
TELEPHONE (208) 366-2666

September 23, 1988

Mr. Gary Spakeman
Department of Water Resources
450 W. State Street
Boise, ID 83647

Dear Gary:

I would appreciate if you would send to me, for my records, written confirmation of the priority date given for the two wells in Splendid Acres subdivision. Further, if you have received any other additional information from the membership, I would appreciate it.

Sincerely yours,

McLAUGHLIN LAW OFFICES


Michael McLaughlin

MM/cag

MICROFILMED

MAR 31 1989

PUMP READINGS

GALLONS USED

	#1	#2	#3	#1	#2	#3
7-8-87	048838.00	15 CRT KICKING ON	059506.00			
15	052363.00		068244.00	3525	0	8738
22	056117.00		075962.00	3754	0	7718
29	059280.00		084762.00	3163	0	8800
8-5-87	062452.00		092897.00	3172	0	8135
12	065879.00		101352.00	3387	0	8455
19	069442.00		110127.00	3602	0	8775
26	073013.00		117859.00	3571	0	7732
9-2-87	076665.00		125704.00	3651	0	7844
9	080514.00		134172.00	3849	0	8468
16	084050.00		141989.00	3535	0	7816
23	084664.00		149868.00	614	0	7879
30	"		158658.00	0	0	8790
10-7-87	"		167171.00	0	0	8513
14	"		174455.00	0	0	7284
21	"		178793.00	0	0	4338
28	"		182515.00	0	0	3782
11-4-87	"		184204.00	0	0	1629
11	"		184746.00	0	0	542
18	"	NEED METER	185421.00	0	0	675
25	084688.00	000131.00	186005.00	24	131	584
12-2-87	"	"	186832.00	0	0	827
9	084689.00	"	187464.00	0	0	632
16	"	"	188076.00	0	0	612
23	"	"	188723.00	0	0	647
30	"	"	189483.00	0	0	760
1-6-88	"	"	190337.00	0	0	854
13	"	"	192104.00	0	0	1767
* FLUSH 20	084712.00	000802.00	192346.00	23	671	242
27	OFF	001532.00	OFF	0	730	0
2-3-88	085473.00	OFF	OFF	761	0	0
10	OFF	001537.00	193024.00	0	5	678
17	OFF	002200.00	OFF	0	663	0
24	086322.00	OFF	ON	849	0	0
3-2-88	OFF	ON	193718.00	0	0	694
9	ON	002800.00	OFF	0	629	0
16	087277.00	OFF	194755.00	955	0	0
23	OFF	ON	194752.00	0	0	1034
** 30	ON	004050.00	OFF	0	1071	0
4-6-88	087318.00	005802.00	194755.00	41	1749	3
13	081319.00	OFF	197433.00	1	0	2618
20	ON	005500.00	197433.00	0	0	2911
27	ON 087321.00	OFF 008540.00	ON 200347.00	2	2738	0
5-4-88	OFF	ON	ON 204776.00	0	0	4429
11	ON 087321.00	ON 008540.00	ON 210145.00	0	16	5369
18	ON 087321.00	ON 009175.00	ON 219229.00	0	619	9084
25	ON 087321.00	ON 011162.00	ON 229585.00	0	1987	10356
6-1-88	ON 087321.00	ON 011404.00	ON 235808.00	0	242	6003
8	ON 088771.00	ON 011876.00	ON 243825.00	1450	472	8017
15	ON 090180.00	ON 011942.00	ON 253686.00	1409	66	9861
22	ON 090058.00	ON 013556.00	ON 264269.00	0078	1614	10553
29	ON 092653.00	ON 017323.00	ON 273711.00	395	3767	9442
7-6-88	ON 093827.00	ON 018900.00	ON 281002.00	1174	1577	7289

MICROFILMED
MAR 31 1988


PUMP READINGS

GALLONS

	#1	#2	#3	#1	#2	#3
7-13-88	094815.00	022322.00	289674.00	988	3423	8674
20	095310.00	024671.00	297749.00	495	2348	8075
27	099281.00	024671.00	305690.00	3971	0	7941
8-3-88	103145.00	024671.00	312711.00	3864	0	7021
10	107028.00	024671.00	319546.00	3883	0	6835
17	110923.00	024671.00	326195.00	3895	0	6649
24	114726.00	024671.00	332357.00	3803	0	6162
31	118499.00	026030.00	338419.00	3773	1359	6062
9-7-88	122241.00	026470.00	345105.00	3742	440	6686

GARY


PUMPING CAPACITY YOU ASKED FOR WAS
 210 GALS. FOR 2 MIN. PERIOD. HOPE THIS
 IS ALL YOU NEED. IF NOT? CALL 587-7030



MICROFILMED

MAR 31 1989

2. ~~Tracts~~ A PORTION OF THE
S1/2 SE1/4, SECTION 12, T4S. R2E. BM.
ELMORE COUNTY, IDAHO
1971



USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Carlson, res-Lon Dahl

Address 10101 N. Home, Idaho

Owner's Permit No. _____

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

- ☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole _____ inches Total depth 401 feet

Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>1</u> inches	<u>10</u> inches	<u>+1</u> feet	<u>54</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

- Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal ☒ Cement grout


☐ Puddling clay ☐ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing

☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County _____

_____ 1/4 _____ 1/4 Sec. 12 T. 16 N/S, R. 10 E/W

7. WATER LEVEL

Static water level 297 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

- ☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	55			
16	0	12	Brown Soil		
16	12	20	Brown Soil, Sand & Gravel		
16	20	30	Brown Soil, Clay & Gravel		
16	30	45	Gray Lava		
16	45	55	Red Gray Lava		
10	55	65	Red Gray Lava		
10	65	83	Gray Lava		
10	83	93	Brown Clay, Sand, Cinders		
10	93	101	Gray Lava		
10	101	105	Red Brown Clay, Cinders		
10	105	165	Gray Lava		
10	165	201	Brown & Gray Clay		
10	201	230	Brown & Red Clay		
10	230	290	Gray Lava		
10	290	318	Red Lava		
10	318	340	Gray Lava		
10	340	370	Gray Lava, Hard		
10	370	400	Red & Gray Lava		
10	400	401	Gray Lava		

10.

Work started 4/3/73 finished 4/7/73

11. DRILLERS CERTIFICATION

Firm Name C. L. Hiddleston & Son Firm No. _____

Address 10101 N. Home Idaho Date _____

Signed by (Firm Official) _____

and

(Operator) _____

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Don Dahl
Address Mountain Home, Idaho
Owner's Permit No. _____

7. WATER LEVEL

Static water level 298 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
30		2

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION


Diameter of hole 10 inches Total depth 400 feet
Casing schedule: ☐ Steel ☐ Concrete
Thickness Diameter From To
_____ inches 10 inches +2 feet 50 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feetWas a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 50 feet
Material used in seal ☒ Cement grout ☐ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County Elmore
NE ¼ SE ¼ Sec. 12 T. 4 N/S, R. 6 E/W10. Work started 3/6/72 finished 3/31/72

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Dick Johnson--Driller
C.L. Hiddleston & Son

Driller's or Firm's Name

Mountain Home, Idaho

Address

Signed By

35


Number

Date

ENDID ACRES 1/4 DIVISION
 SE 1/4, Section 12, T4S, R6E, Boise Meridian
 more County Idaho

WATER DISTRIBUTION DIAGRAM

Lots are 5 acres each
 except for the lots on the
 east end which are 1.25 acres each



NOTED
 MAR 31 1989

RECEIVED

APR 05 1989

Department of Water Resources

307 Sunrise Drive,
Mountain Home, Id 83647
April 3, 1989

St. R. B.
Chabard Co.
Boise, Id.

Dear Gary,

I've received all your copies except
a "Transfer Form". I'd like one to
see what it said and to show Mike
McLaughlin, City.

He'll be in Boise, Thursday, April 6th
with my grand daughter for her appoint-
ment next door at the H & W Bldg.
so I can run over & pick it up.
If you're not going to be in please
leave it with the young lady out
front so I can get it.

I'm sorry there is such a mess -
we are working to get it all back
on track - honestly

Thanks a million -

Sincerely,

Mrs. Fashik
(Spencer Asst. State Assn)
Sec & Bd. Member



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 30, 1990

Joyce Hoyt
215 Sunrise Drive
Mountain Home, ID 83647

RE: Reinstated Permit to Appropriate Water No. 61-7106 and
Application to Appropriate Water No. 61-7572

Dear Ms. Hoyt:

I acknowledge receipt of your letter dated May 20, 1990. I have worked with and spoken to various users of water residing in the Splendid Acres subdivision. I am disturbed about your allegation that your organization has received conflicting answers from the Department.

Some of the conflict may have resulted from contact with other employees in the Department. May I suggest, however, that conflicting answers are often given because of failure of the requesting party to fully disclose all of the facts. Answers are often interpreted differently in instances where the users are sharply divided and contentious, as is the case within the Splendid Acres subdivision. May I suggest that at least part of the confusion probably has been caused by the volatility of the individual subdivision homeowners. May I also suggest that if you want to avoid conflicting answers in the future, that you and your members direct all of your questions to one person in the Department.

Even the questions you have asked are general in nature, and the answers to them depend upon the status of the water right filings. As a result, I will try to answer your questions as they specifically apply to your development. The answers may be different if the circumstances are different.

Two water right filings relate to the Splendid Acres subdivision. One of the filings is permit no. 61-7106, which was filed by Donn L. Dahl. Mr. Dahl failed to file proof of beneficial use and the permit lapsed. Through the efforts of some of the members of your association, the permit was reinstated. The permit authorized use of water for domestic purposes. The permit also approved lawn and garden watering, but full irrigation of the large acreage lots was not contemplated by the permit. An irrigation component would have been necessary. As a result, I interpret permit no. 61-7106 to authorize diversion of water for in-house domestic use and irrigation of up

to 1/2 acre for 37 lots contained in Splendid Acre subdivision. The proof of beneficial use only depicted 37 lots to which water was being supplied.

The other filing is application for permit to appropriate water no. 61-7572. This filing is an application, and has not been approved because it requests diversion of water for both domestic and irrigation use. Prior to filing of the application, the Department designated the area where Splendid Acres subdivision is located as a ground water management area, and enjoined further development of water in the area. I understand that application no. 61-7572 represents a third well drilled for the subdivision on Mr. Cromar's property. No right to divert water from the Cromar well exists at the present time. Because of a recent change in policy, however, the Department will consider approving diversion from the Cromar well for in-house domestic use only. The water right cannot be approved for any irrigation, even of gardens and lawns. With the above explanation of the Splendid Acres water rights, I will answer your questions:

1. In a community water system can a household use community water to irrigate more than 1/2 acre of lawn, garden or field?

Answer: Irrigation of 37 lots within the Splendid Acres subdivision is limited to irrigation of 1/2 acre of lawn and/or garden per lot. Irrigation is only authorized from the two oldest wells identified by permit no. 61-7106.

2. Using a privately owned shallow well on one's own property within the corporation, what is the maximum acreage that a household can irrigate for lawn, garden and field?

Answer: A private individual is entitled, under the law, to drill a well for domestic purposes, which includes irrigation of up to 1/2 acre. The moratorium resulting from a ground water management designation probably prevents the irrigation of lawn, garden and field, however.

3. Using a combination of community water and a privately owned shallow well, what is the maximum amount of land that can be irrigated for lawn, garden and field?

Answer: At best, it appears that the most land that could be irrigated from the community wells or privately owned wells within Splendid Acres is 1/2 acre per residential lot.

4. After being informed of Idaho state law concerning water usage limitations, if a member refuses to abide by the law, what

recourse does the corporation have to ensure compliance by the member?

Answer: The primary responsibility for enforcement ought to rest with the corporation or association. It was my understanding that bylaws and resolutions of the association have prohibited irrigation of more than 1/2 acre anyway. I believe that it is the responsibility of the association to enforce its rules.

Nevertheless, if a person is irrigating more land than his water right authorizes him to divert, the Department of Water Resources can, if it finds a violation, issue a cease and desist order to the offender, and, if offenses continue, can assess civil penalties of up to \$100 per day.

The Department uses its enforcement power with restraint. Let me also warn you that the Department may, if forced into a legal battle, also decide other matters against the subdivision, such as an injunction against use of the Cromar well, which may be adverse to the goals of the association.

If I can be of further assistance, please contact me.

Respectfully,

A handwritten signature in cursive script that reads "Gary Spackman".

GARY SPACKMAN, Manager
Water Right Permits Section

GS:js

cc: Western Region



Department of Water Resources

215 Sunrise Drive
Mountain Home, ID 83647
May 20, 1990

Mr. R. Keith Higginson
Director, Dept. of Water Resources
1301 N. Orchard St.
Boise, ID 83720

Dear Mr. Higginson:

I have been tasked by the membership of The Splendid Acres Water Corporation, which is a community water system, to seek clarification of the amount of land that can legally be irrigated by each household in the corporation, according to Idaho law.

During the past two years, we have received conflicting answers from various members of your organization; this lack of agreement from your offices has unfortunately caused disagreement among our membership. We have been given the following opinions: (1) that each household can use domestic water for household use and the irrigation of $\frac{1}{2}$ acre, whether using water from our community system only or from a combination of the community system and a privately owned shallow well on the individual's property; (2) that the maximum allowable usage is for 1 acre; (3) that these limitations of $\frac{1}{2}$ acre and 1 acre do not apply to community water systems, that there is no limitation, as long as water is available in sufficient quantities.

Will you, as the director, please answer the following questions:

1. In a community water system, can a household use the community water to irrigate more than $\frac{1}{2}$ acre of lawn, garden, or field?
2. Using a privately owned shallow well on one's own property within the corporation, what is the maximum acreage that a household can irrigate for lawn, garden, and field?
3. Using a combination of community water and a privately owned shallow well, what is the maximum amount of land that can be irrigated for lawn, garden and field?
4. After being informed of Idaho state law concerning water usage limitations, if a member refuses to abide by the law, what recourse does the corporation have to ensure compliance by the member?

We would appreciate a written answer from you as soon as possible, along with copies of the particular statutes that pertain to this matter, so that we can inform our membership and hopefully settle the matter within our corporation.

Sincerely,

Joyce Hoyt
Board Member, Splendid Acres
Water Corporation



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 29, 1989

Mrs. Edward Washik
307 Sunrise Dr.
Mountain Home, ID 83647

RE: Your letter dated August 10, 1989; Reinstated Permit to
Appropriate Water No. 61-7106 and Application to Appropriate
Water No. 61-7572

Dear Mrs. Washik:

Thank you for your letter dated August 10, 1989.

Our records show that application no. 61-7106 was filed with the Department of Water Resources on January 28, 1972, proposing construction of three wells for use by the Splendid Acre Subdivision. The application was approved, but proof of beneficial use was not submitted to the Department, causing the permit to lapse.

In 1985, application for permit no. 61-7572 was filed with the Department. The application again proposed the drilling of three wells for use by Splendid Acre Subdivision. The Department has not acted on the application, and action is still being withheld because the application proposes diversion within the Mountain Home groundwater management area. A groundwater management area was created because existing uses may be exceeding available groundwater supplies.

During the spring of 1988, Department personnel were informed that Splendid Acres was pumping from three wells without a water right. After gathering data, the Department reinstated permit no. 61-7106 with its original date of priority. The reinstatement only recognized the development of two wells, however. The third well, located on Mr. Cromar's property (hereafter referred to as the Cromar well), could not be included in the reinstatement because it was not developed during the permit development period.


The Department suggested two alternatives to authorize use of water from the Cromar well. First, the reinstated permit could be amended to add another point of diversion, but the water diverted would be limited to the traditional diversion from the first two wells. Second, the subdivision could acquire water rights from elsewhere, and transfer the rights to the third well. Mr. Cromar attempted to find water rights he could transfer to the well, but was unsuccessful in locating valid rights to transfer.

Pumping water from the Cromar well may be an illegal diversion of water. The subdivision must take action to obtain authorization to use water from the Cromar well. The Department staff will assist again, if necessary.

I cannot resolve your question about fencing the Cromar well, and suggest you contact the Department of Health & Welfare, Division of Environmental Quality, or your local central health district office. I have forwarded a copy of this letter to Mr. Marchus for his review.

You have raised issues about whether Mr. Cromar is contractually bound to perform certain duties. These issues cannot be resolved by the Department of Water Resources, and must be addressed in another forum.

Respectfully,


R. KEITH HIGGINSON
Director

RKH:js

cc. Monty Marchus
Idaho Dept. Health & Welfare
Statehouse Mail
Boise, Idaho 83720

IDWR - Western Region

RECEIVED
AUG 11 1989

Department of Water Resources

Mr. & Mrs. Edward Washik
307 Sunrise Drive
Mountain Home, ID 83647
August 10, 1989

Mr. R. Keith Higginson, Director
Idaho Water Resource Board
1301 N. Orchard Street
Boise, Idaho 83720

Dear Mr. Higginson,

The community water system in Splendid Acres Subdivision in Mountain Home needs to be looked into thoroughly.

We have had a well drilled on property adjacent to our subdivision and pumping water for three years without permission to divert water from the State. The application for Permit, applied for on November 18, 1985, was for all three wells, the first two originally applied for by Donn Dahl in 1972. Mr. Ray Lamb, our corporation chairman, did this without the knowledge of the entire corporation, giving Mr. Cromar, on neighboring land, the right to take water rights for all three wells, ask for irrigation and domestic and to irrigate two separate twenty acre plots that he owns, one of which was deeded November 1987 after this application was applied for.

Mr. Lamb had in his possession all paperwork from the corporation showing an Application for Permit #61-7106 with Donn Dahl as applicant, and on the map of proposed projects in the same application, it shows where the three wells are to go within our subdivision. At that time Jim Swank of Ulrey Real Estate was the prime developer of this subdivision acting under power of attorney for Donn Dahl.

Mr. Gary Spackman attended a meeting in an attorney's office September 2, 1988 where Mr. Cromar promised a deed for the well and water rights from his land. We later found out that he was offering water rights on dry land.

Long before this well was drilled, I found in past minutes where Mr. Cromar promised to donate the land for this well. It also states 100' x 100' area around the well and easement over the water line from this well to our subdivision. Now, three years after the well is drilled and pumping water, Mr. Cromar is denying us our property for this well, making it his well on his property, while our residents are faithfully paying for it, all except ourselves. If someone makes a promise, it shouldn't take three years and lawyers to obtain a deed if the intentions were honorable.


I have a couple of questions pertaining to community water well houses. Are they supposed to be kept fenced permanently year round, and is this 100' x 100' area to be completely cleared of any personal belongings by private homeowners?

Would you be so kind as to take this matter up with Mr. Marcus of the Idaho Health Department and Mr. Gray of the Real Estate Commission and see what can be done to rectify our problems.

We asked Mr. Cromar to annex into our subdivision, but he refused. We know he doesn't want to pay our tax base, but he does want our water and membership in our corporation. Most of us object to his terms. Many are selling their property to avoid the problems.

The attorney for the Splendid Acres Water Corporation is Dan Hawkley, P.O. Box 44106, Boise 83711, phone 322-7427. His paralegal is Norm Thornburg, 587-0090 in Mountain Home. Mr. Hawkley was our attorney early in 1988, so he knows what is going on.

Sincerely,

A handwritten signature in cursive script, appearing to read "Mrs. Edward Washik".

Mrs. Edward Washik

cc: Department of Health & Welfare, Mr. Monty Marcus
Real Estate Commission, Mr. Paul Gray

Mr. & Mrs. Edward Washik
307 Sunrise Drive
Mountain Home, ID 83647
August 10, 1989

State of Idaho
Department of Health & Welfare
Division of Environment
801 Reserve Street
Boise, Idaho 83712

Attn: Mr. Monty Marcus

Dear Mr. Marcus:

As 16½ year residents of Splendid Acres Subdivision in Mountain Home, we would like you to investigate the third well of our community water system, placed on property located outside our subdivision, now owned by Mr. Robert Cromar, according to law.


Mr. Cromar promised a deed to this well and has since reneged on his promise, therefore legally making him owner of our \$30,000+ well. This well was to be located within Splendid Acres according to drawing of 1972. He promised us the deed to the 100' x 100' area round the well and an easement over the pipeline to our subdivision. A gate has to be opened to enter his land to get to this well.

All this was planned by Mr. Cromar, Mr. Ray Lamb, and Mr. Jeff Kendall of our Board of Directors of 1985 and 1986, without the knowledge or approval of the rest of the members of the corporation. We were not told until Mr. Hiddleston was contracted to drill it. Hr. Hiddleston told us Mr. Lamb told him that a deed for this property was given to Splendid Acres. On the well-drillers report, it states Mr. Cromar as owner. Something is sure amiss in this whole fiasco.

I also have a couple of questions I would like answered: what is the maximum length a one inch line can run from the main water line to a resident's home and is a water line legal if it passes under a septic line?

We would appreciate any help we can get from the state to straighten all this out legally.

Sincerely,


Mrs. Edward Washik

cc: Real Estate Commission, Mr. Paul Gray
Idaho Water Resource Board, Mr. R.K. Higginson

Mr. & Mrs. Edward Washik
307 Sunrise Drive
Mountain Home, ID 83647
August 10, 1989

Mr. Paul Gray, Commissioner
Real Estate Commission
633 N. 4th Street
Boise, ID

Dear Mr. Gray:

I'm sorry this is the office we have to come to for assistance, along with the Idaho Water Resources and Health & Welfare, but we have no alternative except to seek help from State government offices.

When we bought our two properties in Splendid Acres Subdivision, one in 1972, the other in 1973, our salesman, Jim Swank, never informed us that the community water system was being diverted outside the subdivision by written contract. This contract, found by us in 1988, was signed April 1, 1973, after we moved into our new home here and we already had a corporation formed. This information should have been revealed to all the shareholders in our water corporation before it was decided on and we should have had a say on it, shouldn't we?

Mr. Swank only told us the Cromars, who own property adjacent to our subdivision, were using our water until they could afford their own well, that they would attend our corporation meetings, but have no say in the corporation. The Cromars never indicated, at any time at any meetings, that they were holding a legal contract.

Now, in 1985, Mr. Ray Lamb, member of our Board of Directors and Mr. Cromar began their private dealings by planning our third well on Mr. Cromar's property. Minutes show this property was to be donated to our subdivision. Mr. Lamb got Mr. Cromar on our Board of Directors, against this legal contract, and while Mr. Cromar served on our Board, his name appeared on the Amendment of the five Board members to sign to borrow the money that was needed for the well. This has to be conflict of interest, doesn't it? Besides all this, Mr. Lamb also has Mr. Cromar on the Application of Permit to the Idaho Water Resources Board to irrigate his forty acres of farmland with all three of our wells and Mr. Hiddleston, well driller, has Mr. Cromar as owner of the well on his report. Where does the subdivision stand legally?

I became very suspicious and began checking the courthouse and Idaho Water Resources files and discovered we were being swindled by Mr. Cromar and Mr. Lamb. When we had new elections in 1986, Mr. Lamb succeeded in getting Mr. Cromar on our Board of Directors, with Jeff Kendall as new chairman. Each time I tried to speak, they told me to wait for new business, but I was never given the chance to speak. Mr. Kendall later came to my house to apologize about the meeting, and I told him Mr. Cromar was on our board illegally, that

the meeting was illegal, and the third well could not go on Cromar's property, when it is mapped to be placed within Splendid Acres. Mr. Kendall had plenty of time to stop all this, but ignored me and went ahead with this well. Mr. Kendall also went to the lawyer and signed an Easement to the subdivision from Mr. Cromar for a 24 foot radius around the well site and an easement over the water line running to our subdivision, amongst other things. In 1988, the easement was found null and void because of the original contract.

The borrowing of money was levied on the residents at \$500 plus each, and Mr. Cromar owes none. I refused to pay because Splendid Acres does not have a deed to the land this well is sited on, as we do for the other two wells. Mr. Kendall kept billing us and then threatened us with legal action which forced us to hire an attorney to get him off our backs. It has cost us close to \$700 to show the other residents they have been sucked in by cheaters, and to avoid court costs.

Now, the corporation has a lawyer trying to get our deed, and the Cromars hired a lawyer to not give us a deed unless we give in to all their demands. Mr. Cromar promised us water rights from one of his 20 acres plots at a meeting in September 1989 between Board members, Gary Spackman of the Idaho Water Resources Board, Mr. Cromar, and Mike McLaughlin, our corporation attorney at the time. After checking this, we found we were lied to again. This particular 20 acres was purchased by Cromar in 1987 as dry land. Mr. Cromar has water rights on his first 20 acres but won't give any to our third well, as he would have to stop irrigating a portion.

How does a subdivision get their well back or the deed to stay within the laws of this state when you have to deal with dishonesty? People are very disgruntled because they are paying on this well and cannot quit, because once they began, they must continue, according to a lawyer.

In the late 70s or early 80s, Mr. Cromar got a resident, Tom Bennick, to allow him to cut across his corner, so Cromars can use our paved road to get to his trailer instead of maintaining the right of way alongside our subdivision. Now the cut corner belongs to Cromar because of the length of time it has been used. Mr. Cromar planned to build his new house towards our well and received a free hookup besides not paying the \$500 plus for either the trailer or the house, plus not having to pay pump repairs like the rest of us.


After 16 years, they are trying to make us pay water fees on an empty rental, on which we water grass with a shallow well, at no cost to the corporation. The law states no more than $\frac{1}{2}$ acres watering; this law is being broken, too by some of the residents. Our covenants and by-laws are adhered to by very few here, and someone needs to inform these residents what the laws are.

I'm sorry to have to go to the State offices on this matter, but some of our residents are selling out to leave this mess behind. We have the original farmhouse in this subdivision, and would like to divorce ourselves from the water system and drill our own well. I have suffered health problems over this and it's not worth the heartache.

We plan to sell our large home and move in back into a double wide on a foundation. How can we divorce that piece of property out?

Thank you for your time and energy.

Yours truly,

A handwritten signature in cursive script, appearing to read "Mrs. Edward Washik".

Mrs. Edward Washik

cc: Department of Health & Welfare, Mr. Monty Marcus
Idaho Water Resource Board, Mr. R.K. Higginson

Hiddleston Drilling & Pump Co., Inc.

R.F.D. 1, Box 610-D
Mountain Home, Idaho 83647
208 587-4650


Water Wells & Test Holes

April 27, 1977

Pump Sales & Service

TO WHOM IT MAY CONCERN:

The two wells at Splendid Acres were tested
with existing pumps and produced 84 gallons each
per minute with no draw down.



Ron Hiddleston
President

MICROFILMED

MAR 31 1989

ANDERSON & KELLY
CONSULTANTS IN ENGINEERING AND GEOLOGY
8700 EMERALD STREET
BOISE, IDAHO 83704

October 3, 1972

Mr. Donn Dahl
c/o Frank H. Ulrey Real Estate
P.O. Box 477
Mountain Home, Idaho


Dear Mr. Dahl:

This letter is to certify that the underground main distribution line for the Splendid Acres subdivision was inspected by a representative of this office on September 29, 1972. The system was found to be water tight in conformance with the specifications prepared for this project dated January 1970.

The construction has been inspected from time to time and has been completed satisfactorily and in accordance with the specifications.

Sincerely,

ANDERSON & KELLY



MICROFILMED
MAR 31 1989



Shipping Address: 215 South Main

July 14, 1988

To Whom It May Concern:

This is to certify that the water system for Splendid Acres Subdivision was installed and functional prior to March 1, 1977.

Attachment #1 shows how the lines were prior to March 1, 1977. Our firm has maintained this line since 1973.

Marion L. Bowman
Marion L. Bowman
Owner & Partner

MICROFILMED

MAR 31 1989

MEMORANDUM

TO: FILE
FROM: GARY SPACKMAN *Gary*
DATE: AUGUST 31, 1988
RE: NECESSITY OF REQUIRING THE ACTUAL PERMIT HOLDER OF RECORD TO
SUBMIT PROOF FOR REINSTATEMENT.

Section 42-218a, Idaho Code, states that the "permitholder" seeking reinstatement must submit sufficient evidence to clearly establish the extent of beneficial use during the development period. A question has arisen whether the Department should only accept information submitted by the permitholder instead of from third parties.

Although the statute states specifically that the "director shall require sufficient evidence to be submitted by the permit holder to clearly establish the extent of beneficial use . . .," I believe that we should accept proof of beneficial use and accompanying evidence to clearly establish use from any person, provided that we attempt to notify the permitholder of record that the information has been submitted to us.

Many changes in the ownership of land occur without a proper assignment of the permit that is used on the property. If water has been developed, but not yet licensed, the seller of the property probably intended to sell the permit with the land. Even if water has not been developed, the past landowner may have intended that the permit pass with the land. If we refuse to accept submittals such as proof of beneficial use because the person submitted the information is not the permitholder, we are probably, in most cases, frustrating the intentions of both the former and present landowners.

I also believe that the reference to "permitholder" in Section 42-218a, Idaho Code is placed in the statute to state the most likely place where the information should come from. I do not believe it excludes all others from submitting the proof and necessary evidence to prevent a permit from falling by the wayside or in reinstating one that has been lapsed for a long period of time, and the original permitholder cannot be found or is estranged from the interested party.

I recommend that we accept the information submitted by Splendid Acres Homeowner's Association for reinstatement and send notice to the permitholder of record that the homeowner's association is seeking reinstatement of the lapsed permit.

MICROFILMED

MAR 31 1989

MEMORANDUM

TO: FILE NO. 61-7106

FROM: GARY SPACKMAN *Gary*

RE: REINSTATEMENT OF THE LAPSED PERMIT BY SPLENDID ACRES
SUBDIVISION

DATE: JULY 27, 1988

A dispute among the homeowners in Splendid Acres Subdivision revealed that permit no. 61-7106, filed initially to provide domestic water to the subdivision, lapsed for failure to submit proof of beneficial use. The homeowners explored several possibilities, including filing a new application, but the groundwater protection in the area prevents further new development. The only alternative to legalize the subdivision diversion appeared to be reinstatement of permit no. 61-7106.

Permit no. 61-7106 is in the name of Donn L. Dahl, who was the developer of the subdivision. Mr. Dahl sold the lots in the subdivision and no longer retained an interest. When proof due notice was sent to him, he called this office in 1976, and talked to Ken Dunn as per Ken's conversation memorandum dated January 6, 1976. Ken represented in his memo that they sent Mr. Dahl an assignment form and that the proof of beneficial use form would be sent to Mr. Swank. The records are devoid, however, of any correspondence forwarding the forms. Proof of beneficial use was never submitted, nor was the permit ever assigned.

I believe that, in this case, we should allow the Homeowners Association to file proof on behalf of Mr. Dahl. I also believe that we were somewhat culpable for perhaps not sending the necessary forms to the parties to complete the transaction. It appears that there is reasonable cause for late submittal of proof in our files, namely: (1) We may have failed to send the necessary forms as requested by Mr. Dahl, and (2) ownership of the subdivision changed hands without apprising the owner of the lots that a filing of proof of beneficial use was necessary.

I have also reviewed the information which has been received, and find that it is sufficient to clearly establish the extent of beneficial use.

MICROFILMED

MAR 31 1989

For Office Use Only
Fee Received \$100.00
Date 7/7/88
Receipt # 0001760
Receipt by CP
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 61-7106

Name(s) of Permit Holder: SPLENDID ACRES WATER AND SEWER ASSOCIATION, INC.

Post Office Address: POST OFFICE BOX 580, Mountain Home, ID 83647

Telephone No. (208) 587-4438

Source of Water: ground water

Extent of Use:

Domestic domestic (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.5*
0.05 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1972

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Larry Tomberlin (208) 587-7030
(Name) (Telephone Number)

306 Aguirre Rd, Mountain Home, ID
(Address)

MICROFILMED
MAR 31 1989

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/7/88 Date Larry Tomberlin Signature of Permit Holder (and title, if appropriate)
Chairman, Splendid Acres Water Association

* This was a typographical error, as confirmed by Pauline Washik, 7/7/88 G.S.

July 7, 1988

The Department of Water Resources
received a \$100.00 examination fee from
Splendid Acres Water Association on
July 7, 1988. An official receipt will
be forthcoming.

by: Gary Spickman
Water Allocation Section Mgr.

RECEIVED
MAR 31 1989



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Paul D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

March 3, 1977

Gunn L. Dahl
425 Pleasantview Dr.
Anderson, CA 95606

Dear Mr. Dahl:

You are hereby notified that, under the provisions of Section 1-118a of the Idaho Code, Permit No. 1-7101 is lapsing.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:jg

WATER RESOURCES BOARD:

John F. Smith
Chairman
Franklin Jones
Member

George L. Van
Vleet-Chapman
El. Reed Hansen
Member

Donald H. Bricker
Secretary
Scott W. Ward
Member

John C. Schneider
Member
Joseph H. Harrison
Member

INTERVIEW

DATE 1-6-74

61-7106

NAME - Donn Dahl

AKA - R.K. Dahl

Mr. Dahl called to determine who he had received letter requesting proof of beneficial use.

He has sold water system to owners of property in subdivisions. Mr. James of Real Estate is president of water corporation.

I told him we would send assignment form to Mr. Dahl and then proof of beneficial use form to Mr. James.

Donn L. Dahl

425 Pleasant View Drive

Anderson, Calif. 96007

December 31, 1961

Re: Extension

Dear Sir:

Re: Affidavit

Dear Sir:

One of the conditions of approval of your Water Permit No. 61-7101 (see last page) was that the extent of development be submitted as proof of beneficial use of water to this office on or before March 1, 1962. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 40-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

F. KEITH HIGGINS
Director

RKH:js
Enc: Proof affidavit

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2211



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

March 15, 1972

Re: Permit No. 61-7106 - Donn L. Dahl

Donn L. Dahl
P.O. Box 477
Mountain Home, Idaho 83647

Dear Mr. Dahl:

Enclosed is a copy of your approved Application for Permit No. 61-7106. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENG
Assistant Director

BDF:cr

Enclosures

61-7106

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 61-7106 and Dann I. Dahl

Source Groundwater

Point of Diversion NF, SE (2 points) Sec 12, T. 4S, R. 6E, B.M., Elmore County

Quantity 5 Use Domestic Period Jan. 1 - Dec. 31

Quantity Use Period

Quantity Use Period

Well Size diameter 10 Proposed Depth 300 Feet

Use 1 - 2 residences and garden and lawn watering; complete irrigation of 2 - 5

acre lots will not be included in water service agreements.

Date Forwarded 2-7-72 Date Returned Received by

(P) IS

(C) (P) (R)

Applied Qty. Use Period F/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

CTIO: Approved Denied

Conditions of approval or reason for denial

INVESTIGATION By Title

Date

February 7, 1972

Re: Application for Permit No. 61-7106 - Donn I. Dahl

George W. Varin
Environmentalist III
Central District Health Dept.
Courthouse
Mountain Home, Idaho 83647

Dear Mr. Varin:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McElDowney
Appropriation Supervisor

M/BB

Loeure

February 4, 1972

Re: Application No. 02-7092 - John A. &/or Sadie E. Wheeler
" " 61-7103 - Leonard &/or Ruby Roberson
" " 61-7106 - Dora L. Dahl

Mountain Home News
P.O. Drawer 0
Mountain Home, Idaho 83647

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

Wier

Enc: Legal Notices (3)

61-7103

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Don L. Dahl, P. O. Box 477,
Mountain Home, Idaho has
January 24, 1972 submitted an
application No. 61-7106 for a per-
mit to appropriate 0.5 cubic feet
per second of water from a
ground water source by means of
wells and pumps within the
NE 1/4, Sec. 12, T. 48, R. 6E, B.
M., Elmore County to be used
from Jan. 1 to Dec. 31 for do-
mestic purposes for up to 35
residences within the NE 1/4, Sec.
12, T. 48, R. 6E, B. M.
If issued this permit will be
subject to all prior water rights
Protests against the granting of
the permit must be filed with the
Idaho Department of Water Ad-
ministration, Statehouse, Boise
Idaho 83703, on or before Feb-
ruary 28, 1972.
H. HIGGINSON
Dire.

Published in the Mountain
Home News, Mountain Home,
Idaho on Feb. 10 and Feb. 17,
1972

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that Donn L. Dahl, P.O. Box 477,
Mountain Home, Idaho
has on January 28, 1972 submitted application to 61-7106
for a permit to appropriate 0.5 cubic feet per second ~~XXXXXX~~
of water from a ground water source
by means of wells and pumps
within the NELSE (2 points), NESE, Sec. 12, T. 4S, R. 6E, B.M., Elmore County
to be used from Jan. 1 to Dec. 31
for domestic purposes for up to 35 residences
within the NELSE, Sec. 12, T. 4S, R. 6E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of Water
Administration, Statehouse, Boise, Idaho, 83727, on or before February 28, 1972.

D. KEITH HIGGINS

Director

Published in the Mountain Home News, Mountain Home, Idaho 61 71
on Feb. 10 and Feb. 17, 1972.

January 28, 1972

Donn L. Lahl
Box 477
Mountain Home, Idaho 83647

Dear Mr. Lahl:

Attached herewith is your receipt No. 8760 in the amount of \$ 25.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

RB:ejw

Enclosure: Receipt

61 7195

CABLE ADDRESS: AIDKEL

TELEPHONE: 375 9220
AREA CODE 208

ANDERSON & KELLY
CONSULTANTS IN ENGINEERING AND GEOLOGY
6700 EMERALD STREET
BOISE, IDAHO 83704

January 27, 1972

Idaho Department of Water Administration
Statehouse Annex 2
Boise, Idaho 83707

Gentlemen:

Enclosed is a water right application for Mr. Donn L. Dahl for 0.5 cfs for domestic use in the Splendid Acres Sub-Division south of Mountain Home, Idaho. Also enclosed is our check in the amount \$25.00 to cover filing fees. We would appreciate receiving copies of any correspondence directed to Mr. Dahl pertaining to this application.

Sincerely,

ANDERSON & KELLY


Jack E. Kelly

JEK/cr

cc: Mr. Donn L. Dahl

6. 7/70