


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert M Ford
(Applicant)

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE
THE PUBLIC WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Robert M. Ford, %Rocky Bar Stage, Mountain Home, Idaho, has on April 2, 1970, submitted Application No. 61-7070 to appropriate the public waters of a groundwater source. The proposed uses are irrigation (.40 cfs) from March 1 to Nov. 1 and stockwater purposes (0.6 cfs) from Jan. 1 to Dec. 31.

The application proposes a maximum diversion and appropriation of 0.46 cubic feet per second of water to be diverted by well within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 2, T. 3S, R. 7E, B.M., Elmore County, and is to be used within the W $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 3S, R. 7E, B.M. for the irrigation of 155 acres and stockwater.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before May 4, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Mountain Home News, Mountain Home, Idaho, on April 16 and April 23, 1970.

Affidavit of Publication

RECEIVED
APR 27 1970
Department of Reclamation

County of Elmore }
STATE OF IDAHO } ss.

I, Lloyd S. Waters do solemnly swear that I am the foreman, the publisher of the

MOUNTAIN HOME NEWS

a semi-weekly newspaper of general circulation, published twice a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

...2... consecutive weeks, the first publication having been made on the ...16... day

of ...April..., 1970., and the last publication having been made on the

...23... day of ...April...

1970.; every Thursday issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this ...23...

day of ...April..., 1970..

Vivian M. Waters

Notary Public

61-7070

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES.

RECEIVED
JAN 15 1992

BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: RAY HUNT Permit No. 61-07070
Current Address: C/O ROCKY BAR STAGE, MOUNTAIN HOME, 83647 Phone No. 587-4197
2. Accompanied by: PRESTON ALLEN EXAM. DATE: 7/30/91
Address: Mt. Home Phone No. 587-5751
Relationship to Permit Holder: RELATIVE + FARM MGR.
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: 61-00271, 61-02205

☐ Copies Attached
2. Other water rights with same point of diversion: 61-02205

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 18 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



R7E

34 35
3 2 T 258
182

35 36
2 4

35.3 NHEL
2 NHEL
5.3
NHEL
3
10.3
1.4

259
183
NHEL
2.3

MICROFILMED

NOV 18 1992

P/D
P/u




SUBMERSIBLE
DOMESTIC WELL

MICROFILMED

NOV 18 1992

SPRINKLER
FOR LAWN
+ GARDEN





DOMESTIC
TRAILER

PASTURE +
STOCK

MICROFILMED
NOV 18 1992



WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT #	NAME	AMOUNT C.F.S.
App. for Permit	61-7070	Robert M. Ford	.46
Assignment	61-7070	Richard O. Lord	.46

RECEIVED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 61-07070

Priority: October 22, 1970

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.2 AF

This is to certify, that RICHARD O LORD

5095 N 24TH E

MOUNTAIN HOME ID 83647

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 2, 1970; and has submitted Proof of Beneficial Use on September 11, 1980. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.2 AF
	Totals	0.04 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 2, Township 03S, Range 07E
ELMORE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	07E	2	SWNE	1		1

Total number of acres irrigated: 1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

MICROFILMED

NOV 18 1992


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 61-07070

CONDITIONS/REMARKS:

6. Stockwater use is for 40 sheep and 5 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 16TH
day of OCTOBER, 1992.

Acting for 
R. Keith Higginson, Director

RECORDED

NOV 18 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 61-7070
IN THE NAME OF RICHARD O. LORD

ORDER OF REINSTATEMENT

WHEREAS, on April 2, 1970, Robert M. Ford applied to the Department of Water Resources for a permit to appropriate 0.46 cubic feet per second of water from a groundwater source to be diverted within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 2, Twp. 3S, Rge. 7E B.M., Elmore County, to be used for irrigation and stockwatering purposes; and,

WHEREAS, on June 1, 1970, the Department approved said application and issued Permit No. 61-7070 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1975; and;

WHEREAS, on June 17, 1975, the Department granted an extension of time to June 1, 1980 without an advance in priority; and,

WHEREAS, on March 31, 1980, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to make said proof; and,

WHEREAS, on June 12, 1980, the Department notified the permit holder that Permit No. 61-7070 had lapsed for failure of the permit holder to submit proof of beneficial use; and

WHEREAS, on June 19, 1980, the permit holder assigned all right, title, and interest in and to Permit No. 61-7070 to Richard O. Lord; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon show of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on September 11, 1980;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 61-7070 be REINSTATED and the priority advanced to April 20, 1970.

Dated this 6th day of October, 1980.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

ok
June
K. J. W.

RECEIVED

State of Idaho
Department of Water Resources

JUN 19 1980

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Alice Ford, individually, and as the Personal Representative of the
Estate of Robert M. Ford, hereby assign to Richard O. Lord

of 5095 North 24th East, Mountain Home, ID
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 61-7070
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 2nd day of June, 1980.

Alice Ford
Permit Holder - Personal Representative
for the Estate of Robert M. Ford, deceased

Alice Ford
Spouse of Permit Holder

State of Idaho)
County of Elmore) ss.

On this 2nd day of June, 1980, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ (she) ~~they~~ executed the same.

seal

David Wilson
Notary Public residing at Mountain Home, Id.

My commission expires:
5-28-84

MICROFILM

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 61-7070

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Elmore)

Permit No. 61-7070

ROBERT M. FORD of Mountain Home
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to
Appropriate the Public Waters of the State of Idaho No. 61-7070.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before June 1, 19 75.

That he has heretofore performed the following work described under said permit:

~~Well has been drilled, pump installed and portion of ground~~
under irrigation.

Costing \$ Installed

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: Pending ligation which prohibits permit holder
from completing work project.

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to June 1, 19 80.

Robert M Ford
(signature) *

Subscribed and sworn before me this 29 day of May, 19 75.

seal

Notary Public residing at
Mountain Home, Idaho

My commission expires May 10, 1976

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED
and the time within which to submit proof of beneficial use under Permit No. 61-7070 be
extended to June 1, 1980.

IT IS FURTHER ORDERED that the permit be reinstated without a loss of priority, pursuant
to Section 42-218a of the Idaho Code.

Witness my hand this 17th day of June, 19 75.

A. Kenneth Dunn
A. KENNETH DUNN
Administrator, Operations Division

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available
through the Department of Water Resources, Statehouse, Boise, Idaho 83720.

ASSIGNED TO:
Richard O. Lord
5095 North 24th East
Mountain Home, Idaho 83647
June 19, 1980

Identification No. 61-7070
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Robert M. Ford
post office address c/o Rocky Bar ~~Estate~~ ^{STAGE} Estate, Mtn. Home, Idaho 83647
2. Source of water supply groundwater which is a tributary of _____
3. a Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 2 Township 3S
Range 7E B.M. Elmore County; additional points of diversion if any: _____
- b If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
- 4 Water will be used for the following purposes:
Amount .40 for irrigation purpose from March 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .06 for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated.
a .46 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. drilled well
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c Proposed well diameter is 16 inches; proposed depth of well is 520 feet.
- 7 a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years
b. Estimated construction cost is \$ installed.
- 8 Description of proposed uses
a. If water is **not** for irrigation SAME AS LAND LIST
(1) Give the place of use of water. _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 250 beef
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe. _____

61-7070

b If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	7E	2		30	40		40	5		40									155

Total number of acres to be irrigated 155

c. Describe any other water rights used for the same purposes G-33045


9. a. Who owns the property at the point of diversion Self

b. Who owns the land to be irrigated or place of use Self

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert M. Ford
(Applicant)

61-7070

Received by Bill Date 4-2-70 Time 10:30 AM
Preliminary check by Bill Fee \$ 10.00
Receipted by ef Date 4-2-70
Publication prepared by de Date 4-8-70
Published in Inta Home News
Publication dates 4-16 + 23 - 70
Publication approved de Date 4-28-70
Priority reduced to _____ Reason _____

rec'd #
4391 given

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Reg. Bill

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 61-7070, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 75.
- c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works. This permit is supplemental to all prior rights.

2. Denial of said application is for the following reasons: _____

Witness my hand this 1st day of June, 19 70.

P. Keith Higgins
State Reclamation Engineer

RECEIVED

APR 27 1970

Affidavit of Publication

Department of Reclamation

County of Elmore }
STATE OF IDAHO } ss.

I, Floyd S. Waters do
solemnly swear that I am the foreman, the
publisher of the

MOUNTAIN HOME NEWS

a semi-weekly newspaper of general circulation,
published twice a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

...2... consecutive weeks, the first publica-

tion having been made on the ...16... day

of ...April..., 1970., and
the last publication having been made on the

...23... day of ...April...

1970.; every Thursday issue of the paper
during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Floyd S. Waters

Subscribed and sworn to me this ...23...

day of ...April..., 1970..

...Vivian M. Waters
Notary Public

61- 7070

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

61-07070

RICHARD O LORD
5095 N 24TH E
MOUNTAIN HOME ID 83647

RECEIVED
NOV 09 1992
Department of Water Resources

NOV 18 1992

LORD O R 53-47201-1 1A91
FORWARDING TIME EXPIRED
LORD
PD SIX 128
MOUNTAIN HOME ID 53-47-0128
RETURN TO SENDER

Handwritten barcode or tracking marks at the bottom of the page.

MEMORANDUM

TO: FISCAL

FROM: PAM SKAGGS *CS* *McG*

RE: REFUND WR #61-07070

DATE: 4-NOV-1992

=====

Please prepare and mail a \$20.00 refund to the persons listed below. An amendment was submitted and then returned to the right holder without any action. The filing fee was receipted on 10-29-92 under receipt #W015601, Western Region.

Richard O. Lord
Ray Hunt
5095 N. 24th E.
Mountain Home, ID 83647

RECEIVED

NOV 18 1992

W015601

10/29/1992
15:50:12

HUNT & LORD

AMENDMENT FOR 61-07070

62105

229 21 1155

20.00

CHECK

1005

\$20.00

Region: WESTERN

Signature: _____

RECEIVED

NOV 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 4, 1992

Richard O. Lord
5095 N. 24th E.
Mountain Home, ID 83647

RE: License 61-07070

Dear Mr. Lord:

I am in receipt of an Application for Amendment for Licensing Purposes on the above referenced right that was submitted by you on 10-28-92 with an \$20.00 filing fee paid under receipt #W015601.

This right has been licensed and a copy sent to you. The amendment was requested in order to include the domestic use found by the field examiner. An amendment would have added that use to the right, but would not have increased the rate of diversion which was licensed at the capacity of the system. Use of groundwater for a single home domestic use is exempt from filing a water right. You are not required to file a water right for this use.

The right was licensed in your name, but is now considered real property and appurtenant to the land described on the license. A license doesn't require an assignment to a new property owner. If Mr. Hunt is the current owner of the property, then he would also own the water right. He may, if he wishes, submit evidence of ownership of the property and we will retain it in our files for future reference.

I am returning the signed amendment and assignment form and will request a refund of your filing fee. You will receive your refund under separate cover. If you have any further questions regarding this matter, please feel free to contact me directly at 327-7943.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

Enclosures

CC: Ray Hunt
C/O Rocky Bar Stage
Mountain Home, ID 83647

NOV 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 21, 1992

RICHARD O LORD
5095 N 24TH E
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07070

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

NOV 18 1992

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD O LORD 5095 N 24TH E MOUNTAIN HOME ID 83647	10/22/1970	IRRIGATION STOCKWATER	04-01 10-31 01-01 12-31	0.03 CFS 0.01 CFS	4.0 AFA 0.2 AFA
TOTAL DIVERSION:					0.04 CFS	4.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T03S R07E S02 SW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	SUM
03S	07E	2	:					01												1.0
TOTAL ACRES																				1.0

Place of use location for STOCKWATER is the same location as described for: IRRIGATION

Pou County: ELMORE

Other Water Rights with Same Point(s) of Diversion and Source:
61-02205 61-07070

Other Water Rights Listing Overlapping Place(s) of use:
61-00271 61-02205 61-07070

Conditions of Approval:

- R51 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: Stockwater use is for 40 sheep and 5 range cattle.

Dates: App. Received: 04/02/1970 Priority Date: 10/22/1970 (Priority Date Advanced.)
Proof Due Date: 06/01/1980 Proof Made Date: 09/11/1980 (Proof Received Late.)
Exam Made Date: 07/30/1991 Exam Sent to S.O.: 01/13/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 10/06/92 SKAGGS

770 Amendment Received - Drop Down from Draft Series

July 23, 1992

RAY HUNT
% ROCKY BAR STAGE
MOUNTAIN HOME ID 83647

RE: Water Right No. 61-07070

Dear Property Owner:

The above referenced water right is in the process of being reviewed for licensing. We have tried unsuccessfully to contact the water right holder of record to obtain an amendment to the permit so that a license can be issued. The Beneficial Use Field Exam, dated July 30, 1991, listed you as the owner of the property.

We also find that you have submitted a Snake River Basin Adjudication Claim on this particular right. In order for the adjudication claim to be included in the final decree, the license needs to be issued on the existing right. Therefore, we are forwarding the amendment form to you. You need simply to sign the form and return it to us along with the \$20.00 filing fee.

Once we receive the amendment, we will issue a license and will forward a copy to you for your records. The license will be issued in the name of the right holder shown in our records. If you wish to have the license issued in your name, you need to have the current holders of record, Richard O. Lord, assign the right to you via the enclosed assignment form. Whether or not an assignment is received, a license becomes real property and is appurtenant to the land which it covers.

Please submit the amendment form and fee to us within 30 days. You can submit the assignment form at the same time, if you desire to have the license issued in your name. If you have any questions concerning this matter, please feel free to contact us.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

NOV 18 1992

RICHARD O LORD
5095 N 24TH E
MOUNTAIN HOME ID 83647

Enclosure

100-443887-1

May 12, 1992

RICHARD O LORD
5095 N 24TH E
MOUNTAIN HOME ID 83647

RE: WATER RIGHT NO. 61-07070

Dear Water Right Holder:

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Also enclosed is an ORDER ADVANCING DATE OF PRIORITY of the above referenced permit in order that we can continue the processing.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:cz

Enclosures

LICENSE REVIEW CHECKLIST

Date 04-27-92

Permit # 61-07070
28

	Yes	No	
NAME	☐	☒	Address Change? <u>New Owners/No Assignment</u>
PRIORITY DATE	☒	☐	Advance? <u>Exam Fee Notice 4-3-87/Exam Fee Sheet 12-4-87</u>
	☒	☐	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? <u>.04 (DOM)</u>
	☒	☒	Disagree with Actual Measurement? <u>.03 (IRR)</u>
	☒	☐	Disagree with Theoretical? <u>1 x 6.8 x .7 = .037 = .04 cfs</u>
	☒	☐	Limited by Capacity? <u>.04 cfs 120' x 2.31 x 20</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same - Reduced from Permit</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>1 x 4.0 = 4.0 AFA (IRR) - 6 (DOM) .2 (STOCK)</u>
	☐	☒	Limited by Flow? <u>.03 x 213 x 1.9835 = 12.7 > 4.0</u>
			<u>.01 x 365 x 1.9835 = 7.2 > .2</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☐	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed? <u>Drop all but SWNE</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☒	☐	Changes required to be compatible with Maps, Data Entry Standards, etc?
	☒	☒	Change(s) in Nature of Use? <u>Add Dom.</u>
	☒	☒	Amendment Needed? <u>Add DOM</u>
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irrigation Uses <u>DOM/Home STOCK/40 sheep 5 Cattle</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R51</u>	☐	Overlap
	☐	☒	Water Quality
			Reduce Rate + Season
COMMENTS/MEMOS NEEDED:			<u>Conflicting Info from FE - H₂O Depth from Well log.</u>
License	☐	☐	10-Day
	☐	☐	15-Day
	☐	☒	Special Correspondence

2 Letters sent to right holder of record - No response.
Letter sent to new property owner with explanation - No response.
Drop Dom from License. CS 10-04-92

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD O LORD 5095 N 24TH E MOUNTAIN HOME ID 83647	10/22/1970	IRRIGATION STOCKWATER DOMESTIC	04-01 10-31 01-01 12-31 01-01 12-31	0.03 CFS 0.01 CFS 0.04 CFS	4.0 AFA 0.2 AFA 0.6 AFA
O	ROBERT M. FORD			TOTAL DIVERSION:	0.04 CFS	4.8 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T03S R07E S02 SW NE

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	SUM
03S	07E	2	:			01	:				:				:	1.0
TOTAL ACRES															:	1.0

Place of use Location for STOCKWATER is the same location as described for: IRRIGATION

Place of use Location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: ELMORE

Other Water Rights with Same Point(s) of Diversion and Source:
61-02205 61-07070

Other Water Rights Listing Overlapping Place(s) of use:
61-00271 61-02205 61-07070

Conditions of Approval:

- R51 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Remarks: Domestic use is for 1 home.
Stockwater use is for 40 sheep and 5 range cattle.

Dates: App. Received: 04/02/1970 Priority Date: 10/22/1970 (Priority Date Advanced.)
Proof Due Date: 06/01/1980 Proof Made Date: 09/11/1980 (Proof Received Late.)
Exam Made Date: 07/30/1991 Exam Sent to S.O.: 01/13/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 04/27/92 SKAGGS

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 61-7070

FROM: PAM SKAGGS

RE: PRIORITY ADVANCE REVIEW

DATE: 27-APR-1992

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 20 1970	110
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 03 1987	93
Exam Fee/Info Sheet Received Date:	DECEMBER 04 1987	338
Exam Fee or Info Due Date:	JUNE 02 1987	153
Days Late:		185 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	APRIL 20 1970	110
Total Days Late:		185 DAY(S)
New Priority Date:	OCTOBER 22 1970	295

RECEIVED

NOV 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

This report shall be filed with the Department of Water Resources
within 10 days after the completion or abandonment of the well.

1. WELL OWNER <i>Ray Hunt</i> Owner's Permit No. _____	7. WATER LEVEL Surface water <i>87</i> feet below land surface Water in well <i>87</i> feet below surface Control valve _____ Plug _____ Temperature _____ OF Quality _____																																								
2. NATURE OF WORK ☒ New well ☐ Drapered ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bore ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>Discharge GPM <i>50</i></td> <td>Pumping Level <i>87</i></td> <td>Hours Pumped <i>2</i></td> </tr> </table>	Discharge GPM <i>50</i>	Pumping Level <i>87</i>	Hours Pumped <i>2</i>																																					
Discharge GPM <i>50</i>	Pumping Level <i>87</i>	Hours Pumped <i>2</i>																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><i>8"</i></td> <td><i>0</i></td> <td><i>135</i></td> <td><i>Seal</i></td> <td></td> <td></td> </tr> <tr> <td></td> <td><i>1</i></td> <td><i>35</i></td> <td><i>Gray Lava Head</i></td> <td></td> <td></td> </tr> <tr> <td></td> <td><i>35</i></td> <td><i>45</i></td> <td><i>Red Lava & cinders</i></td> <td></td> <td></td> </tr> <tr> <td></td> <td><i>45</i></td> <td><i>130</i></td> <td><i>Brown Sandy Clay</i></td> <td></td> <td></td> </tr> <tr> <td></td> <td><i>130</i></td> <td><i>135</i></td> <td><i>Brown Sandy Gravel</i></td> <td></td> <td></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	<i>8"</i>	<i>0</i>	<i>135</i>	<i>Seal</i>				<i>1</i>	<i>35</i>	<i>Gray Lava Head</i>				<i>35</i>	<i>45</i>	<i>Red Lava & cinders</i>				<i>45</i>	<i>130</i>	<i>Brown Sandy Clay</i>				<i>130</i>	<i>135</i>	<i>Brown Sandy Gravel</i>		
Hole Diam.	Depth		Material	Water																																					
	From	To		Yes	No																																				
<i>8"</i>	<i>0</i>	<i>135</i>	<i>Seal</i>																																						
	<i>1</i>	<i>35</i>	<i>Gray Lava Head</i>																																						
	<i>35</i>	<i>45</i>	<i>Red Lava & cinders</i>																																						
	<i>45</i>	<i>130</i>	<i>Brown Sandy Clay</i>																																						
	<i>130</i>	<i>135</i>	<i>Brown Sandy Gravel</i>																																						
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																									
5. WELL CONSTRUCTION Casing schedule ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><i>250</i> inches</td> <td><i>6</i> inches</td> <td><i>3</i> feet</td> <td><i>135</i> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by <i>4</i> inches Number <i>240</i> perforations <i>115</i> feet <i>135</i> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☒ Yes ☐ No ☐ Size of gravel <i>8</i> _____ Placed from <i>135</i> feet to <i>20</i> feet Surface seal depth <i>20</i> Material used in seal ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<i>250</i> inches	<i>6</i> inches	<i>3</i> feet	<i>135</i> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet																					
Thickness	Diameter	From	To																																						
<i>250</i> inches	<i>6</i> inches	<i>3</i> feet	<i>135</i> feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
6. LOCATION OF WELL Sketch map location must agree with written location <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">N</td> <td colspan="2"></td> </tr> <tr> <td style="text-align: center;">W</td> <td style="text-align: center;">•</td> <td style="text-align: center;">E</td> </tr> <tr> <td style="text-align: center;">S</td> <td colspan="2"></td> </tr> </table> Subdivision Name _____ Lot No. _____ Block No. _____ County <i>Elmore</i> <i>SE 1/4 N 1/2 Sec 2 T 3 S W 1/2 R 7 E/W</i>	N			W	•	E	S			10. Work started <i>9/20/83</i> finished <i>9/21/83</i> 11. DRILLERS CERTIFICATION <i>Be Be</i> I/We certify that all minimum well construction standards were complied with at the time the rig was removed Firm Name <i>Hiddleston Drilling</i> Firm No. <i>35</i> Address <i>701 Homer</i> Date <i>9/23/83</i> Signed by (Firm Official) <i>Koz</i> and <i>Koz</i> (Operator)																															
N																																									
W	•	E																																							
S																																									

MICROFILMED

NOV 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES.
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 15 1992

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: RAY HUNT Permit No. 61-07070
Current Address: C/O ROCKY BAR STAGE, MOUNTAIN HOME, 83647 Phone No. 587-4197
2. Accompanied by: PRESTON ALLEN EXAM. DATE: 7/30/91
Address: MT. HOME Phone No. 587-5751
Relationship to Permit Holder. RELATIVE + FARM MGR.
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: 61-00271, 61-02205

☐ Copies Attached
2. Other water rights with same point of diversion: 61-02205

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MICROFILMED

NOV 18 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 6" well equipped with a 1 HP submersible pump supplies water to a double wide trailer, 40 sheep, 5 beef and 1 horse lawn + pasture. The lawn + pasture are irrigated with a 1" rubber hose and a portable sprinkler.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL-SUBMERSIBLE	—	1	—	—	—

*Code to correspond with No. on map and aerial photo

INSTALLED BY HIDDLESTON

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
WELL			SW	NE	02	35	7E	ELMORE	ORTHO PHOTO + ASCS PHOTO

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
35	7E	02			1														1
					D														
					S														

MICROFILMED

NOV 18 1992

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

THEORETICAL $\frac{1 \times 8.8 \times .7}{170 + 2.3 \times 20} = .03 \text{ cfs}$

PERMIT + PROOF AMT. = .46 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \times 4.5 = 4.5$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 246 \times 1.9835 = 14.6$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 4.5$

2. Volume Calculations for Other Uses:

INTERNAL DOMESTIC USE .6 AFA
STOCKWATER: 40 SHEEP X 2 X 365 ÷ 325,850 = .09
5 BEEF X 12 X 365 ÷ 325,850 = .07
1.16 AFA = .2 AFA

ALTERNATE: .06 X 365 X 1.9835 = 43.4 AFA

140 GPD ÷ 24 = 60 = .10 GPM = .0002 cfs = .01 cfs

NOV 18 1992
MICROFILMED
SYS. CAPACITY

H. REMARKS AND OVERLAP REVIEW ANALYSIS

No other rights used

The field exam for 61-02205, conducted in 1970 measured pump capacity at 2.88 cfs and licensed 93 acres at 1" / acre or 1.06 cfs. On the report, the examiner recommended that the applicant file on more property since the well is used as supplemental water when Rattlesnake Cr. is dry. Also the pump has the capacity for up to 51 more acres. Permit 61-07070 was filed for additional acres on the 61-02205 well. However the original 93 acres are the maximum that can actually be irrigated with the well and are adequately covered by license 61-02205. Rather than disallowing permit 61-07070, this report is based on a domestic well Mr. Hunt owns, located in the same P/D as listed on the permit for use not previously licensed.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	.03	4.5
STOCKWATER	1/1	12/31	.01	.2
DOMESTIC	1/1	12/31	.03	.6
Totals:			.03 cfs	5.3 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Change P.U. as reflected above

☐ Add P.U. as reflected above

☒ Other

J. AUTHENTICATION

Field Examiner's Name

LORE WHITE

Signature

Lori White

Certification Date

Field Report Preparation Date


8/1/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

NOV 18 1992







SUBMERSIBLE
DOMESTIC WELL

MICROFILMED

NOV 18 1992

SPRINKLER
FOR LAWN
& GARDEN





DOMESTIC
TRAILER

PASTURE +
STOCK

MICROFILMED
NOV 18 1992



IRRIGATION RIGHT FROM A GROUND WATER SOURCE

A theoretical calculation is necessary to determine if a measurement is required for irrigation from a groundwater source.

=====

1. Using the found acres (or an estimate by the permit holder) calculate the acre-foot per annum limit. This is the volume that the system must be able to theoretically produce to exclude a rate of flow measurement.
2. Next, given the pump hp and the estimated dynamic water level, calculate the theoretical rate of flow that the system can produce.
3. Using the rate found in step 2 and the days in the permitted irrigation season, calculate the theoretical AFA that the system could produce. This volume is then compared to the first AFA calculation. If the theoretical volume (step 3) is greater than the irrigation requirement volume (step 1) then no measurement is necessary. If it is less, then you must make a diversion rate measurement during the field examination.

$$1. \quad \frac{1}{\text{Found Acres}} * \frac{4.5}{\text{Irr. Req.}} = \frac{4.5}{\text{AFA}}$$

$$2. \quad \begin{array}{l} 240' \\ \text{Pump set } 100' \end{array} \quad \frac{(1) \text{ HP} * 8.8 * (.7) \text{ EFF}}{(\underline{170}) \text{ Dyn Level} + (2.3 * (\underline{20}) \text{ PSI})} = \frac{.03}{\text{Theor. Div. Rate}} \text{ CFS}$$

$$3. \quad \frac{.03}{\text{Theoretical Div. Rate}} * \frac{246}{\text{Days in season}} * 1.9835 = \frac{14.6}{\text{AFA}}$$

Note: for electrical motors
EFF = 0.70
for diesel motors
EFF = 0.60

Data Requires Verification ☐
Measurement Required -- ☐
Measurement Not Required ☒

Calculation data sources:

Found acres = 1
HP = 1
Dyn Level = 170
PSI = 20

NOV 18 1992

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 61-07070

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 3, Rge 7, Sec. 02, SW 1/4 NE 1/4
or Lot _____.
2. Owner: Ray Hunt 70 Preston Lord
Address _____, City _____, St _____
3. Casing $\geq$ 12 inches above ground: Yes _____ No /
4. Access Port: Yes _____ No / Static Water Level: 240'
Pressure Gauge: Yes _____ No / Casing Diameter: 6"
Flowing: Yes _____ No _____ Temperature: > 85°
5. Are there any obvious construction problems that may be a
source for contamination or waste of water: Yes _____ No _____

If answer to Item 5 is Yes, describe in remarks and attach
proofs.

Remarks: Submersible Domestic
well

RECEIVED

NOV 18 1992

4/86

RECEIVED
NOV 30 1987

KEYPUNCHED

For Office Use Only
Fee Received 00.00
Date 12/14/87
Receipt # 46037
Receipt by SP
Sent to S.O. 12/10/87

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED
DEC 17 1987

DEC 10 1987

1. Permit No. 64-7020

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE
Department of Water Resources
Western Regional Office

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Carolyn E. or Ray Hunt

3. Post Office Address: C/o Rocky Bar Stage Mt Home
Ida 83647 Telephone No. 208-587-4192

4. Source of Water: well

5. Extent of Use:
Domestic _____ (No. of households) Stockwater yes (No. and type of stock)
Irrigation 60 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted don't know cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
SPRING 1960

8. Person to contact to accompany the department representative during the field examination:
Preston Lord 100 Madonna Rd
(Name) (Address)

S.L.O 93401 CA NOV 18 1992 805-543-3000 230
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Nov 24 1987 Carolyn E. Hunt
Date Signature of Permit Holder (and title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 1, 1987

61-7070
Richard O. Lord
5095 N. 24th E.
Mountain Home, ID 83647

RE: Permit to Appropriate Water No. 61-7070

The Department mailed the original of the enclosed letter in an attempt to inform him that he was required to pay an examination fee on the above referenced permit. The letter was returned to the Department as undeliverable mail. Research of the records of the County Assessor reveals that you own property which may have been listed as the place of use in the permit.

Please read the enclosed letter. It may be necessary that you file an examination fee with the Department to prevent loss of a developed water right. Should we not hear from an interested party within sixty (60) days of the date of this letter, action will be initiated to remove the permit from the Department files.

Respectfully,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:jf

CC:

MICROFILMED

NOV 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

October 1, 1987

Carolyn E. or Roy Hunt
% Rocky Bar Stage
Mountain Home, Id 83647 (61-7070)

RE: Permit to Appropriate Water No. 61-7070

The Department mailed the original of the enclosed letter in an attempt to inform him that he was required to pay an examination fee on the above referenced permit. The letter was returned to the Department as undeliverable mail. Research of the records of the County Assessor reveals that you own property which may have been listed as the place of use in the permit.

Please read the enclosed letter. It may be necessary that you file an examination fee with the Department to prevent loss of a developed water right. Should we not hear from an interested party within sixty (60) days of the date of this letter, action will be initiated to remove the permit from the Department files.

Respectfully,

A handwritten signature in cursive script, reading "Gary Spackman", is written over a horizontal line.

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:jf

CC:

MICROFILMED

NOV 18 1992

Idaho Department of Water Resources
Western Region

DEPARTMENT OF WATER RESOURCES
2735 AIRPORT WAY
BOISE, IDAHO 83705

Claim Check
NO.
691829

☐ Hold

Date


4-4-87
1ST NO.

4-4-87
2ND NO.

4-4-87
3RD NO.

4-4-87
4TH NO.

REASON CHECKED
Unclaimed ☒ Refused
Address unknown ☐
Insufficient Address ☐
No such street ☐
No such office in state ☐
Do not remain in this country ☐



RECEIVED

APR 22 1987

Department of Water Resources
Western Regional Office

CERTIFIED MAIL
138119
NO.

BOISE
APR - 3 '87
IDAHO
60183

PAID

NOV 18 1992

U.S. POSTAGE
\$0.97

CLAIM NO.

213074

☐ VHS

DATE

1ST NOTICE

2ND NOTICE

RETURN

Detached from
US Form 3800-A
Oct. 1985





Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

61-7070
LORD, RICHARD O.
5095 NORTH 24TH EAST
MOUNTAIN HOME, ID 83647

138119

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

page 2

Examination Fee Notice

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is available from the department upon request. A listing of certified water right examiners is also available.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department. 011881

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The license examination fee schedule, on the back of the enclosed information sheet, shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be returned to this office. If you have questions or concerns please feel free to call at (208) 334-2190, or to visit the office at our new location near the airport, at 2735 Airport Way.

Sincerely,



DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:jp

Enclosure



Cecil D. Andrus
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Western Region

2735 Airport Way
Boise, Idaho 83705
(208) 334-2190

61-7070
LORD, RICHARD O.
5095 NORTH 24TH EAST
MOUNTAIN HOME, ID 83647

138119

April 3, 1987

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information set showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

NOV 18 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

WESTERN REGION, 92 South Cole Road, Boise, Idaho 83709

JOHN V EVANS
Governor

(Office at the corner of
Franklin and Cole Roads)

C. STEPHEN ALLRED
Director

(208) 384-2190

November 6, 1980

Richard O. Lord
5095 N 24 E
Mountain Home, ID 83647

RE: Permit No. 61-7070

Dear Mr. Lord:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Kay Walker
Secretary

MICROFILMED

Richard O. Lord
5095 North 24 East
Mtn. Hone, ID 83647

Re: Permit No. 61-7070

This office also acknowledges receipt of the statement of beneficial use. Enclosed is a copy of the order which reinstates your permit with an advance in priority.

If you have any questions regarding the field examination, please contact our regional office in Boise at 334-2190.

RITA FLECK
Sr. Secretary

cc: Western Region

SECRET

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 61-7070

Name(s) of Permit Holder Richard O Lord

Post Office Address. 5095 N 24 E MT. Home
Idaho Tel. No. 587-4256

Source of Water

Extent of Use

☐ Domestic

☒ Stockwater

☒ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

Measuring Device Required? ☐ Yes ☒ No

Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No


Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed

5-10-1980
Date

Richard O Lord
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

FROM Jim Johnson

DATE 9-11-80

TO File 61-7070

SUBJECT Extension of Time

Today Mr. Lord came in the office to take care of the request made of him in my letter of August 12, 1980.

After some discussion on his options he decided to file proof to beneficial use rather than pursue the request for an extension because he had developed 100 of the 155 acres and did not plan to do any further development.

CROFILMED

I returned to him the request for an extension of time and supporting papers showing the history of the court litigation.

SIGNATURE

August 12, 1980

Richard O. Lord
5095 North 24th East
Mountain Home, Idaho 83647

Dear Mr. Lord,

On June 19, 1980 the Department received your request for an extension of time. In reviewing your reasons for additional time we find that more information concerning the delay caused by the litigation over the ownership of the land is needed.

Section 42,204, Idaho Code, allows a water permit owner to file for an extension if he "... is prevented from proceeding with his work by his failure to obtain necessary consent or final approval or rejection from the Federal Government because of the pendency of an application for right of way or other matters within the jurisdiction of the United States or by litigation of any nature which might bring his title to said water in question..."

However, since a previous extension of time had been approved on your permit a second extension request must be based upon the delay caused by the litigation.

Please submit copies of the court or other documents that would show evidence of the duration of the litigation.

Please be sure that this information is as specific as possible so that the Department can reach a determination on the length of extension necessary to compensate for the litigation.

Since proof to beneficial use on your permit was due June 1, 1980, your prompt attention to this matter is necessary so that final action can be taken.

If we have not heard from you within 20 days after receipt of this letter the Department will have to initiate action to lapse your permit pursuant to Section 42 Idaho Code.

If you have any questions on this matter please contact me at 334-4162.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICRO

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FORD, ROBERT M.
~~C/O ROCKY BAR STAGE~~
MOUNTAIN HOME, ID 83647

1560 North 6th East

JUNE 03, 1980

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 61-7070 HAS LAPSED SINCE YOU HAVE NOT NOTIFIED US THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT. YOU WERE PROVIDED FORMS FOR THAT PURPOSE IN OUR NOTICE TO YOU DATED MARCH 31, 1980.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE PROOF OF BENEFICIAL USE AFFIDAVIT, ENCLOSED, OR SHOW OTHER REASONABLE CAUSE WHY THE PERMIT SHOULD BY REINSTATED WITHIN 60 DAYS FROM THE DATE OF THIS LAPSE NOTICE.

C. STEPHEN ALLRED
DIRECTOR

ENCLOSURE

ALLRED
6/12/80
Original of this document was
sent to the United States mail
for delivery to the
recipient.
Steve Fleck

MICROFILMED

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

1560 North 6th East
Mtn Home Id 83647

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FORD, ROBERT M.
C/O RUCKY BAR STAGE
MOUNTAIN HOME, ID 83647

MARCH 31, 1980


DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 61-7070 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,



RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

1

BUIC, ILMU 03720

RESERVE

APR 21 1980

Department of Water Resources

CLAIM CHECK
NO.

5600

□ HOLE

DATE _____

ATTENTION

Unopened
 Addressed to
 Insufficiently
 No such street
 No such office in state
 No return address

14

And recently visited by
Richard W. Ford

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FORD, ROBERT M.
C/O ROCKY BAR STAGE
MOUNTAIN HOME, ID 83647

104943

MARCH 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 61-7070 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 25, 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more quickly conducted by the Department's field examiner. You will also derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

June 30, 1975

Re: Permit No. 61-7070 - Robert M. Ford

Mr. Alan D. Wilson
Attorney-at-Law
240 No. 3rd East St.
Mountain Home, Idaho 83647

Dear Mr. Wilson:

Enclosed please find a copy of the approved application for extension of time in connection with the above referenced permit. You will note that the permit was reinstated without a loss of priority.

The extension application did not "catch up" with the file until after the lapse notice had been mailed on June 4th. We apologize for the inconvenience in this matter.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

ddr
Enclosure

LAW OFFICE OF
ALAN D. WILSON
240 NORTH 3RD EAST STREET
MOUNTAIN HOME, IDAHO 83647

~~XXXXXX~~
~~XXXXXXXXXX~~

TELEPHONE
208-587-3328

June 24, 1975

R. Keith Higginson
Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Permit No. 61-7070

Dear Mr. Higginson:


I represent Robert M. Ford, c/o Rocky Bar Stage, Mountain Home, Idaho. I hereby acknowledge receipt of your letter dated June 4, 1975, which letter notified Mr. Ford that Permit No. 61-7070 had lapsed.

This letter is to advise you that on June 2, 1975, being the last day to file final proof (being June 1 fell on a Sunday) I caused to be filed an application for extension of time in which to make final proof. Said request has been approved.

Please advise if your notice was an oversight or if in fact the Department allowed the Permit in question to lapse even though an application for extension had been filed within the time period allowed.

Your response to my letter is necessary so I can advise Mr. Ford what steps if any are necessary to clear up this oversight.

Sincerely,



Alan D. Wilson

ADW/bj1

RECEIVED



STATE OF IDAHO, DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720 (208) 384-2215

June 17, 1975

Robert M. Ford
c/o Rocky Bar Stage
Mountain Home, Idaho 83647

Dear Mr. Ford:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to June 1, 1980.

Sincerely,

D. Darlene Reich
D. Darlene Reich
Water Rights Supervisor

DDR:JFR



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

June 4, 1975


Re: Permit No. 61-7070

Robert M. Ford
c/o Rocky Bar Stage
Mountain Home, Idaho 83647

Dear Mr. Ford:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 61-7070 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within 60 days from the date of this notice of lapsing.


R. KEITH HIGGINSON
Director

RKH:gg

RECEIVED

- **SENDER**, Complete items 1 and 2.
Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom, date, and address of delivery 85¢

2. ARTICLE ADDRESSED TO:

RETURNED TO SENDER

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

26673


(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE

4. *Robert M. Ford*
DATE OF DELIVERY
APR 3 1975

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:



UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS

SENDER INSTRUCTIONS

- Print your name, address, and ZIP Code in the space below
- Complete items 1 and 2 on reverse side
 - Moisten gummed ends and attach to back of article.

RETURN
TO



DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



March 31, 1975

CERTIFIED MAIL

26673

Re: Permit No. 61-7070


Robert M. Ford
c/o Rocky Bar Stage
Mountain Home, ID 83647

Dear Mr. Ford:

One of the conditions of approval of your water Permit No. 61-7070 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

J

June 4, 1970

Re: Permit No. 61-7070

Mr. Robert M. Ford
c/o Rocky Bar Stage
Mountain Home, Idaho 83647

Dear Mr. Ford:

Enclosed is a copy of your approved Application for Permit No. 61-7070. We direct your attention to the conditions of approval on the fourth page under approval of the State Reclamation Engineer.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

C. Stephen Allred, Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
1 informational letter

61-7070

Mountain Home News

P. O. Drawer O
MOUNTAIN HOME, IDAHO 83647


April 14, 1970

Department of Reclamation
Statehouse Annex 2
Boise, Idaho 83707

Dear Sirs:

Please note in the legal regarding Robert M. Ford that I have changed the address of c/o Rocky Bar Estate to c/o Rocky Bar Stage. To my knowledge there is no such thing as Rocky Bar Estate but this man's address is c/o Rocky Bar Stage.

Sincerely,



Lloyd S. Waters
Editor & Publisher

LSW/bi

61-7070

NOTICE OF APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Robert M. Ford, %Rocky Bar Stage, Mountain Home, Idaho, has on April 2, 1970, submitted Application No. 61-7070 to appropriate the public waters of a groundwater source. The proposed uses are irrigation (.40 cfs) from March 1 to Nov. 1 and stockwater purposes (0.6 cfs) from Jan. 1 to Dec. 31.

The application proposes a maximum diversion and appropriation of 0.46 cubic feet per second of water to be diverted by well within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 2, T. 3S, R. 7E, B.M., Elmore County, and is to be used within the W $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 3S, R. 7E, B.M. for the irrigation of 155 acres and stockwater.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before May 4, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Mountain Home News, Mountain Home, Idaho, on April 16 and April 23, 1970.

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

April 8, 1970

Re: Application for Permit No. 92-7041 - Watson Brothers
61-7070 - Robert M. Ford
61-7071 - Watson Brothers

Mountain Home News
P.O. Drawer 0
Mtn. Home, Idaho 83647

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Legal notices (3)

Bill submitted
4-28-70
dr

61-7070

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Robert M. Ford, c/o Rocky Bar Estate,
Mountain Home, Idaho, has on April 2, 1970,
submitted Application No. 61-7070 to appropriate the public waters of
a groundwater source.

The proposed uses are irrigation (.40 cfs) from March 1 to Nov. 1 and stockwater
purposes (.06 cfs) from Jan. 1 to Dec. 31

The application proposes a maximum diversion and appropriation of 0.46
cubic feet per second ~~1.46 cfs~~ of water to be diverted by well
within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 2,
T. 3S, R. 7E, B.M., Elmore County,

and is to be used within the W $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 2, T. 3S, R. 7E, B.M.
for the irrigation of 155 acres and stockwater

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before April 27, 1970 5-4-70.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Mountain Home News, Mountain Home, Idaho,
on April 16 and April 23, 1970.

K.H.

61-7070

Platting of P.D. and land use not possible
at this time because this area has not been
surveyed; therefore, Quad sheets for platting
are not available.

61-7070