


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John Samuels
(Applicant)

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that John Bacutia, 1830 N. 6th East, Mountain Home, Idaho has on November 29, 1968 applied for permit under application No. 61-7048 to divert .84 cubic feet per second of water from a groundwater source. Water will be diverted by well, pump, motor, sprinklers and pressure system within the SW 1/4 NW 1/4, Sec. 14, T. 3 S., R. 6 E., B.M., Elmore County and is to be used from April 1 to November 1 for irrigation and from January 1 to December 31 for stockwater and domestic in the SW 1/4 NW 1/4,

Sec. 14, T. 3 S., R. 6 E., B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
First publication January 2, 1969
Last publication January 9, 1969

REC'D. ENGR.	
DEPUTY	
WATER RIGHTS	
ART	
DIST	
ADJ	
INVESTIGATION	
WELLS	
CANALS	
ACCOUNTING	
FILE	
RETURN TO	

RECEIVED

JAN 13 1969

Department of Reclamation

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Floyd S. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation, published once a week at MOUNTAIN HOME, IDAHO, that the notice attached hereto and which is a part of the proof of publication thereof, was published in said newspaper for

...2... consecutive weeks, the first publication having been made on the ...2... day of January..., 1969, and the last publication having been made on the ...9... day of January... 1969...; every Thursday issue of the paper during the period and time of publication and that the notice was published in the newspaper proper and not in a supplement thereof.

And I further swear that the said MOUNTAIN HOME NEWS has been continuously and uninterruptedly published in said Elmore County during a period of 78 consecutive weeks prior to the first publication of the attached notice.

Floyd S. Waters

Subscribed and sworn to me this ...9...

day of January..., 1969

Vivian M. Waters
Notary Public

61 7048





Diagram of System

See Darlene
for aerial maps!



No Measuring Device

T.
3
S





Diagram of System



State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 61-7048 Priority Nov. 29, 1968 Amount 0.75 cfs

THIS IS TO CERTIFY, that JUANITA BARRUTIA of Mountain Home, Idaho, has complied with the terms and conditions of Permit No. 61-7048 issued pursuant to Application for Permit dated November 29, 1968, and has submitted proof to the Department of Water Administration on September 25, 1970, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.75 cfs of water from a ground water source, tributary to, and that the permit holder has applied to a beneficial use & established a right to use water as follows:

Beneficial Use	Period of Use		Rate of Diversion		Annual Volume
Stockwater	from	Jan. 1 to Dec. 31	at	0.02 cfs and	0.7 acre feet
Irrigation	from	April 1 to Nov. 1	at	0.74 cfs and	166.5 acre feet or
	from		at		4.5 af per acre
(both dates inclusive)					

Subject, however, to the condition that no more than 0.75 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 167.2 acre-feet per year, said waters to be diverted within the SW 1/4 NW 1/4 of Sec. 14, Twp. 3 S, Rge. 6 E, B. M. in the County of Elmore

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3 S	6 E	14							37										37
									x (stockwater use)										

Total number of acres irrigated 37

A measuring device of a type approved by this Department shall be permanently maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 15 day of July, 19 74.

Director

61-7048

LICENSE ISSUED FOR 0.75 SEC. 11,
LICENSE P¹ " " " " " "

Identification No. _____
Application No. 61-7048

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

ASSIGNED TO:
Juanita Barrutia
Rt.1, Box 628
Mtn. Home

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant John Barrutia
post office address 1830 N. 6th East, Mountain Home, Idaho
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 14 Township 3 S
Range 6 E B.M. Elmore County County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes.
Amount .80 for irrigation purpose from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for stockwater purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .84 cubic feet per second and/or
b. _____ acre feet per annum
6. Proposed diverting works.
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, motor, sprinkler irrigation
pressure system for house

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 554 feet
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years
b. Estimated construction cost is \$ 9,000.00
8. Description of proposed uses.
a. If water is **not** for irrigation:
(1) Give the place of use of water. _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 100 beef

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3 S	6 E	14							40										40

Total number of acres to be irrigated 40

c. Describe any other water rights used for the same purposes Mountain Home Irrigation District

9. a. Who owns the property at the point of diversion Jaunita Barrutia
- b. Who owns the land to be irrigated or place of use Jaunita Barrutia
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

A C K N O W L E D G E M E N T

Date: 11-29-1968

Re: Application No. _____

I hereby acknowledge that, even though I was assisted by employees of the Idaho State Department of Reclamation in the preparation of Application No. _____, all responsibility with regard to the accuracy and completeness of the information contained therein rests with me.


Signed:

John B. Bantini

Applicant

61 7018

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John D. Smith
(Applicant)

Received by Dale Date 11-29-68 Time 10:25 AM
Preliminary check by Dale Fee \$ 20.00 check #2364 given
Receipted by D Date 11-29-68
Publication prepared by LG Date 12-23-68
Published in Mc. Nagne News
Publication dates 1-2 & 9-69
Publication approved HS Date 11-24
Priority reduced to _____ Reason _____

Protests filed by: none 1-23-69

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HS HS

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 61-7048, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 74.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works. This permit is supplemental to all prior rights

2. Denial of said application is for the following reasons: _____

Witness my hand this 24th day of January, 19 69.

R. Keith Higgins
State Reclamation Engineer

Identification No. _____

Permit No. 61-7048

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

SEP 11 1968

1. a) Name of Permit Holder MRS. JUANITA BARRUTIA ✓
b) Post Office Address ROUTE #1 BOX 628 MOUNTAIN HOME, IDAHO 83647
2. Permit Number 61-7048
3. Date of Priority that you are prepared to establish 29 NOVEMBER 1968
4. a) Source from which water was appropriated GROUND WATER FROM 8" DRILLED WELL
b) Location of the point of diversion: SW 1/4 NW 1/4, Section 14
Township 3S, Range 6E Boise Meridian, Other points of diversion: N/A
5. a) The amount of water and use to which the water has been applied:
✓ amount .80 for IRRIGATION purposes from APRIL 1 to NOVEMBER 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount .02 for STOCK WATER purposes from JANUARY 1 to JANUARY 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount .02 for DOMESTIC purposes from JANUARY 1 to JANUARY 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .84 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: MEASUREMENT BY V-NOTCH WEIR
BY JOHN BARRUTIA, CIVIL ENGINEER
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: 4" MAINLINE AND 3" LATERAL LINES OF ALUMINUM PIPE -
1 MAINLINE AND 2 LATERAL LINES
b) Describe the agreement or understanding by which you take water from the works DEVELOPMENT AND MAINTENANCE OF LAND IN RETURN FOR PRODUCTS
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 30 HP PUMP MOTOR, 300 GPM PUMP, 8" WELL CASING, 554 FT WELL DEPTH
b) Describe the type and size of measuring device which you have installed at your point of diversion: V-NOTCH WEIR
c) Give well drillers name and address and date the well was completed MOUNTAIN HOME WELL DRILLERS
PO BOX 112
HAMMETT, IDAHO 83627

exam typed
2-12-67
dg

61-7048

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use STOCK WATER AND DOMESTIC, BOTH USES LOCATED AT POINT DESCRIBED IN 4A ABOVE

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3S	6E	14			40														40

Total number of acres irrigated 40

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

28 AUGUST 1970
(Date)

Juanita Barrutia
(Signature)

State of Idaho
County of Elmore ss.

On this 28th day of August, 1970, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

W.H. Sanders
Notary Public residing at Mt. Home, Elmore County, Idaho

My commission expires March 3, 1973

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
ASSIGNMENT OF PERMIT

RECEIVED

JAN 6 1969

Department of Reclamation

I, John Barrutia, hereby assign to Juanita Barrutia
Name
of Rt #1 Box 628 Mountain Home, Idaho
Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 61-7048
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to
Permit No. _____ to appropriate the public waters of the State
of Idaho. (Give that portion of the permit being assigned by describing
the land list and the point of diversion - describe by acreage within each
40-acre subdivision.)

SW 1/4 Sec. 14, T.35 R.6E, B.M. Elmore
County

Made this 4TH day of January, 19 69.

Juanita Barrutia
Permit Holder

Margaret Barrutia
Wife of Permit Holder

State of Idaho)
County of Elmore) ss.

On this 4TH day of January, 19 69, personally ap-
peared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

James P. Weeks
Notary Public residing at
Mountain Home, Idaho

My commission expires 12-1-72

61 7048

✓ JWR 1-7-69

RECEIVED

JAN 13 1969

Department of Reclamation

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Lloyd S. Waters, do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

...2... consecutive weeks, the first publica-
tion having been made on the ...2... day
of ...January..., 1969, and
the last publication having been made on the
...9... day of January..
1969..; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this ...9...

day of January..., 1969

Vivian M. Waters

Notary Public

July 17, 1974

Re: Permit No. 61-7048

Juanita Barrutia
Route #1, Box 628
Mountain Home, Idaho

Dear Ms. Barrutia:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF/ta
Enclosure

61-7048

June 21, 1974

Mrs. Juanita Barrutia
Route 1 - Box 628
Mountain Home, Idaho 83647

Dear Mrs. Barrutia:

A representative of this Department has made a re-examination of the works covered by your Permit No. 61-7048 and the Department is prepared to issue a water license as follows:

Amount of water that can be recognized as beneficially used
under Idaho law: 0.75 cfs

Point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 14, Twp. 3 S, Rge. 6 E, B.M.

Beneficial use: Stockwatering purposes and the irrigation of 37 acres
within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, Twp. 3 S, Rge. 6 E, B.M.

Priority date established: Nov. 29, 1968

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

61-7048

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1 Name of permit holder Juanita Barrutia
Post office address Route #1, Box 628, Mtn. Home, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc)
Tributary to _____

3 Water will be used for the following purposes

Amount .80 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from Apr. 1 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount .02 c.f.s. for stockwater
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount .02 c.f.s. for domestic
_____ AF/Annum (nature of use)

Period of Use from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Other uses _____

Permit No. 61-7048
Examination for _____ by _____

4 Total amount to be appropriated

Max Rate of Diversion .84 cubic feet per second and annual volume _____ AF/Annum.

5 Location of Point(s) of Diversion

Township 3S N/S, Range 6E E/W, B.M., Section 14, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$, Elmore
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions _____

Description of diverting works 30 HP pump, motor, 300 GPM pump, 8" well casing, 554' well depth

Measuring device required yes ☒ no ☐

6 Lands to be irrigated or place of use.

TWP	RANGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3S	6E	14							40										40

61-7048

TOTAL ACREAGE

40

W o p a




Diagram of System

[illegible]

8404-19

DATE OF EXAM 25 May 71

ACREAGE

Found 37
Recommended 37

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q = .75 c.f.s. V = 166.5 AF/Ann. from Mar 15 to NW 15
Domestic Q = c.f.s. V = AF/Ann. from to
Livestock Q = .02 c.f.s. V = .57 AF/Ann. from 1 Jan to 31 Dec

Is water co-mingled? yes no

Name source: Ground water
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Exchange? yes no

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Total Q measured .75 cfs Method of measurement P gauge

Total Q recommended .75 Meter No. Type Condition

Total V recommended 167.07 Aft/ann

Recommended Amendments:

P.D.
Place of Use
Other No measuring device installed
None

MEASUREMENT CALCULATION:

2 lines 5/32" Nozzles 50 psi 68 heads
50 psi = 4.98 gpm
Q = 338.64 gpm / 450

SYSTEM DESCRIPTION:

2" Vell case Submersed Pump Motor No info
4" Outlet to 4" North South Portable Mainline Sprinkler
System - Pump indicator 75 psi Faucet outlet to Stock Tank
2" high 4 feet dia for stockwater

REMARKS:

About 25 head of Cattle at time of exam
and is in Alfalfa
See Tim B. for Aerial Phot of land.

Examiner's Signature James Booher Date 27 May 71

Checked by Date

Approved by Date

61-7048

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Juanita Barrutia
Post office address Route 1 - Box 628, Mtn. Home, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes.

Amount 0.80 c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 1 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount 0.02 c.f.s. for Stockwater
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount 0.02 c.f.s. for Domestic
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 61-7048
Examination for measuring device

4. Total amount to be appropriated:

Max Rate of Diversion 0.84 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 S N/S, Range 6 E E/W, B.M., Section 14, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$, Elmore
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: _____

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 S	6 E	14							40										40

TOTAL ACREAGE

40

T.
3
S





Diagram of System



DATE OF EXAM 25 July 72

ACREAGE
Found _____
Recommended _____

Irrigation Requirement 4.5 Ac Ft/Ac

USE
Irrigation Q = .48 c.f.s. V = 166.5 AF/Ann. from Mar 15 to Nov 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source Ground water
twp 3 N/S Rge 6 E/W, B.M., Sec. 14, Sub. SW 1/4 NW 1/4 Elmore County

Exchange? yes _____ no ✓

Name source exchanged with _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange.
twp _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured .48 cfs Method of measurement Badger Meter

Total Q recommended .48 cfs Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments.

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

Q = 200 gal in 55 secs
3.63
55 | 200
165
350
330
20
 $= 3.63 \text{ gpm} \times 60 = \frac{217.80 \text{ gpm}}{450} = .48 \text{ cfs}$

SYSTEM DESCRIPTION:

→ Badger Meter has been installed
8" well 4" discharge. Submerged pump
2 1/2 mile sprinkler lines

REMARKS:

Examiner's Signature James Booker Date 26 July 72

Checked by _____ Date _____

Approved by _____ Date _____

$$\begin{array}{r}
 450 \\
 \hline
 218.00 \\
 1800 \\
 \hline
 3800 \\
 3600 \\
 \hline
 200
 \end{array}$$

Mrs Juanita Barrutia
Route #1, Box 628
Mountain Home, Idaho 83647

7 May 1974

RECEIVED

MAY 9

State of Idaho
Dept. of Water Administration
Statehouse - Annex 2
Bosie, Idaho 83707

3DF

Department of Water Administration

ATTN: Mr B. D. Fleenor

Dear Mr Fleenor,

Reference permit #61-7048 and your letter to me dated 11 September 1973, indicating quantity of water diverted 0.48 CFS.

Later I had written to you stating that the water meter installed on my well might not have been reading accurately. Your reply was that re-examination would be accomplished upon repair of the water meter.

The water meter has, of course, been repaired late last fall. Since the irrigation season has now begun, request your re-examination at your earliest convenience.

Please bear in mind that besides the water recorded by the water meter in G.P.M. for sprinkle irrigation, some additional water is used from the well throughout the summer and fall for flood irrigating approximately 300 trees growing for future wind break. Livestock are also watered from this well.

Sincerely Yours,

Mrs. Juanita Barrutia
Mrs Juanita Barrutia

RECEIVED

NOV 8 1973

Department of Water Administration

5 November 1972

Mrs. Juanita Barrutia
Route 1 Box 628
Mountain Home, Idaho 83647

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, ID 83707


Dear Mr. Allred,

This is in regard to Permit Number 61-7048 and your letter of September 11, 1973 indicating .48CFS of water diverted after examination by your representative.

At that time I had corresponded with your department indicating my belief that my water meter was not operating correctly when examination was made by your representative. I had indicated that the meter was to be removed for calibration and/or repair. You asked that the department be notified when calibration and/or repairs was completed. The meter is now repaired and the well is prepared for re-examination by your representative. Please advise me when your representative is scheduled to visit the well site so that I might assist in starting the well pump.

I wish to have this re-examination as soon as possible so as to preclude monthly electrical payments to Idaho Power Company for extended period during the cold months ahead.

Sincerely,



Mrs. Juanita Barrutia

MEMO

To: **Jim Booker**

From: **Darlene**

Date: **September 21, 1973**

Herewith forwarding field exam report for Permit No. **61-7048**

Cannot issue license until the following is determined:

- ☐ Amount of water measured
- ☐ Location of point of diversion
- ☐ Place of use for domestic
- ☐ Place of use for stockwater
- ☐ Place of use for irrigation (number of acres in each 40-acre subdivision)
- ☐ Installation of measuring device
- ☒ Permit holder does not agree with findings of examiner, please re-examine **for Quantity**
- ☒ Other **(see attached copy of letter from permit holder)**

61-7048

RECEIVED

SEP 19 1973

Department of Water Administration

17 September 1973

Mrs. Juanita Barrutia
Route #1, Box 628
Mountain Home, ID 83647


BDF

State of Idaho
Dept. of Water Administration
Statehouse - Annex 2
Boise, ID
Attn. Bobby D. Fleenor

Dear Mr. Fleenor,

1. Reference is made to telephone conversation with you and John Barrutia on 17 September 1973, Subject: Permit Number 61-7048 - amount of water that can be recognized as beneficially used for issuance of license.
2. Per referenced telephone conversation, John advised that there was a distinct possibility that the metering device purchased was not registering the actual quantity of water pumped.
3. Your recommendation was that the metering device be repaired or replaced so that another inspection could be made by the water administration to determine the actual amount pumped.
4. I shall have the metering device repaired or replaced and notify your office immediately when the repair or replacement is completed.

Sincerely Yours,


(Mrs.) Juanita Barrutia

61-7048

FILE _____

NAME OF PARTY John BarrutiaEMPLOYEE Bob FleenorRE: License proposal of Sept 11, 1973

Mr. Barrutia is concerned about the Q we found.
He feels meter wasn't working properly and
therefore would like another exam when meter
is repaired.

He will send a letter requesting re-exam shortly.

IDE

61-7048

September 11, 1973

Mrs. Juanita Barrutia
Route 1, Box 628
Mountain Home, Idaho 83647

Dear Mrs. Barrutia:

A representative of this Department has made an examination of the works covered by your Permit No. 61-7048 and has found the following:

Quantity of water diverted: 0.48 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.48 cfs

The maximum quantity diverted shall not exceed 167.4 acre feet per year.

Beneficial use: ~~Irrigation and stockwater within the SW1/4NW1/4~~
Sec. 14, Twp. 3 S, Rge. 6 E, B.M. (37 acres)

Point of diversion: SW1/4NW1/4 Sec. 14, Twp. 3 S, Rge. 6 E, B.M.

Priority date established: November 29, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEMMER
Assistant Director

BDF/bjg

61-7048

April 7, 1972

C
Re: Permit No. 61-7048


Mrs. Juanita Barrutia
Route 1, Box 628
Mountain Home, Idaho 83647

Dear Mrs. Barrutia:

We have received your letter of March 29, 1972, indicating that a measuring device is to be installed in connection with the above referenced permit.

P
Therefore, the Order to Show Cause dated March 27, 1972, is hereby set aside. We wish to advise you, however, that it will be necessary for the Department to conduct another field examination before a Water License can be issued under this permit.

Very truly yours,


C. STEPHEN ALLRED
Deputy Director

CSA:DR

61-7048

RECEIVED

APR 5 1972

Department of Water Administration

Mrs. Juanita Barrutia
Route #1, Box 628
Mountain Home, Idaho 83647

March 29, 1972

State of Idaho
Dept of Water Admin
Statehouse - ANNEX 2
Boise, Idaho 83707

Dear Mr. Higginson,

This is in response to your letter of March 27, 1972 concerning installation of a measuring device as a part of diverting works for permit number 61-7048.

The Hiddleston Drilling & Pump Co of Mountain Home is currently in process of installing a Barker Water Flow Meter on my well.

Please advise me of any further requirements.

Sincerely,

Mrs. Juanita Barrutia
Mrs. Juanita Barrutia

61-7048

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



**PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300**

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

**RETURN
TO**

POD Form 3811 Apr. 1969

c55-16-71548-11

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE ANNEX #2

BOISE, IDAHO 83707

61-7048

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

31637

1

Quanta B. Barrett

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Sharon R. Massey

DATE DELIVERED

3/25/72

3

SHOW WHERE DELIVERED (*only if requested*)

106-7048

16-71442-11 847-105 GPO

March 27, 1972 CERTIFIED MAIL # 31637


Juanita Barrutia
Route 1, Box 628
Mountain Home, Idaho 83647

Dear Mrs. Barrutia:

It appearing to the Department of Water Administration that the terms and conditions of Permit 61-7048 to appropriate the public waters of the State of Idaho have not been complied with as to failure to install a measuring device as part of the diverting works,

you are hereby notified that under the provisions of Section 42-311, Idaho Code, as amended, said permit is hereby held for cancellation, and you are required to show cause before the Director of the Department of Water Administration on or before May 7, 1972, why said permit should not be cancelled.

Permit 61-7048 claims the use of 0.84 cubic feet per second of water from a ground water source, the point of diversion was to be located within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, Twp. 3 S, Rge. 6 E, B.M. and the permit was approved January 24, 1969.


R. KEITH HIGGINSON
Director

by
C. STEPHEN ALLRED
Deputy Director

61-7048

September 28, 1970

Re: Permit No. 61-7048

C Juanita Barrutia
Route 1, Box 628
Mountain Home, Idaho 83647

O Dear Mrs. Barrutia:

O We acknowledge receipt of your affidavit submitted as proof of beneficial use
for permit 61-7048.

P Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

P Very truly yours,

Y Donald W. McEldowney
Appropriation Supervisor

DWM:DR

61-7048

9-28-70

When field exam is typed -
see Quilone for aerial map
enclosure.

thank you

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER: James L. ...
Name James L. ...
Address Box 626

Owner's Permit No. ...
NATURE OF WORK (check) Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: ...

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☐
8" Diam. from 0 ft. to 10 ft.
"Diam. from 10 ft. to 20 ft.
"Diam. from 20 ft. to 30 ft.
"Diam. from 30 ft. to 40 ft.
Thickness of casing: ... Material: ...
Steel ☐ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☒ Type of perforator used: ...

Size of perforations: ... by ...
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.
perforations from ... ft. to ... ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name ...


Type ... Model No. ...
Diam. ... Slot size ... Set from ... ft. to ... ft.
Diam. ... Slot size ... Set from ... ft. to ... ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel ... Gravel placed from ... ft. to ... ft. Surface seal provided? Yes ☒ No ☐ To what depth? ... ft. Material used in seal: ...

Did any strata contain unusable water? Yes ☐
No ☒ Type of water: ...
Depth of strata ... ft. Method of sealing strata off: ...

Surface casing used? Yes ☐ No ☐
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Elmore Co.
Sec. 14 T. 2 R. 6

Size of drilled hole ... Total depth of well: ... Standing water level below ground: ... Temp. Fahr. ... Test delivery: ... gpm or ... cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test: ...

Length of time of test: ... Hrs. ... Min. Drawdown: ... ft. Artesian pressure: ... ft. above land surface ... Give flow ... cfs or ... gpm. Shutoff pressure: ...
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing? Yes ☐ No ☐

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	4	Top soil	x
4	10	Gravel	x
10	20	Gravel & sand	x
20	30	Gravel & sand	x
30	40	Gravel & sand	x
40	50	Gravel & sand	x
50	60	Gravel & sand	x
60	70	Gravel & sand	x
70	80	Gravel & sand	x
80	90	Gravel & sand	x
90	100	Gravel & sand	x
100	110	Gravel & sand	x
110	120	Gravel & sand	x
120	130	Gravel & sand	x
130	140	Gravel & sand	x
140	150	Gravel & sand	x
150	160	Gravel & sand	x
160	170	Gravel & sand	x
170	180	Gravel & sand	x
180	190	Gravel & sand	x
190	200	Gravel & sand	x
200	210	Gravel & sand	x
210	220	Gravel & sand	x
220	230	Gravel & sand	x
230	240	Gravel & sand	x
240	250	Gravel & sand	x
250	260	Gravel & sand	x
260	270	Gravel & sand	x
270	280	Gravel & sand	x
280	290	Gravel & sand	x
290	300	Gravel & sand	x
300	310	Gravel & sand	x
310	320	Gravel & sand	x
320	330	Gravel & sand	x
330	340	Gravel & sand	x
340	350	Gravel & sand	x
350	360	Gravel & sand	x
360	370	Gravel & sand	x
370	380	Gravel & sand	x
380	390	Gravel & sand	x
390	400	Gravel & sand	x
400	410	Gravel & sand	x
410	420	Gravel & sand	x
420	430	Gravel & sand	x
430	440	Gravel & sand	x
440	450	Gravel & sand	x
450	460	Gravel & sand	x
460	470	Gravel & sand	x
470	480	Gravel & sand	x
480	490	Gravel & sand	x
490	500	Gravel & sand	x

Work started: 6-12-68
Work finished: 7-1-68
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: Bill ...
Address: ...
Signed by: ...
License No. ... Date: 7-1-68

Use other side for additional remarks

DON SAMUELSON
GOVERNOR



R KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE — ANNEX 2
BOISE, IDAHO 83707

January 23, 1969

Re: Application NO. 61-7048

Mountain Home News
Mountain Home, Idaho

Gentlemen:

Returned herewith is the bill of publication for the above referenced application. Please certify and sign the bill and return it to this department for payment.

Very truly yours,

A handwritten signature in black ink, reading "Donald W. McEldowney". The signature is written in a cursive style with a large, stylized "D" and "M".

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: Bill

61 7048

January 28, 1969

Re: Permit No. 61-7048

**Juanita Barrutia
Route 1, Box 628
Mountain Home, Idaho 83847**

Dear Mrs. Barrutia:

We enclose a copy of your approved application for permit 61-7048
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CEA:dk

**Enclosures: Copy of application
2 informational letters**

61 7048

January 23, 1969

Re: Application NO. 61-7048

Mountain Home News
Mountain Home, Idaho

Gentlemen:

Returned herewith is the bill of publication for the above referenced application. Please certify and sign the bill and return it to this department for payment.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: Bill

61-7048

January 20, 1959

RE: Permit 61-7048

Juanita Barrutia
Route #1, Box 628
Mountain Home, Idaho 83647

Dear Mrs. Barrutia:

Enclosed herewith is a copy of the assignment which was submitted to this office for recording. The original copy has been placed in our files.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejv

Enclosure

61 7048

December 23, 1968

RE: Application no. 61-7048 - John Barrutia

**Mountain Home News
Mountain Home, Idaho**

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

**Donald W. McElowney
Appropriation Examiner**

**DWM:tg
Enc: legal notice**

61 7048

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that John Barrutia, 1836 N. 6th East, Mountain

Home, Idaho

has on

November 29, 1968

applied for permit under application No. 6X7/ 61-7048 to divert about

.84

cubic feet per second about water from

a groundwater source

Water will be diverted by

well, pump, motor, sprinklers and pressure system within the

SW1/4, Sec. 14, T. 3 S., R. 6 E., B. M., Elmore County

and is to be used from April 1 to November 1 for irrigation

and from January 1 to December 31 for stockwater and domestic

in the SW1/4, Sec. 14, T. 3 S., R. 6 E., B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Mountain Home News, Mountain Home, Idaho

on

January 2

and

January 9