


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Ascuena
(Applicant)

61 7041

NOTICE OF APPLICATION FOR
WATER

Notice is hereby given that George Ascuna, Route No. 1, Box 765, Mountain Home, Idaho has on July 30, 1968 applied for permit to divert 3.2 cubic feet per second or 800 acre feet per annum of water from a subterranean source under application No. 61-7041. Water will be diverted by a well, pump, and ditches within the NE 1/4 SE 1/4, sec. 6, T. 4 S, R. 7 E, B.M., Elmore County and is to be used from April 1 to November 1 for irrigation in the SE 1/4, sec. 6, T. 4 S, R. 7 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
First publication August 22, 1968.
Last publication August 29, 1968.

RECEIVED

AUG 30 1968

Department of Reclamation

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, Lloyd S. Waters do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

.....²..... consecutive weeks, the first publica-
tion having been made on the ...²²... day
of ...August....., 1968., and
the last publication having been made on the
.....²⁹..... day of August...
19..68...; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof.

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice.

Lloyd S. Waters

Subscribed and sworn to me this ..²⁹.....

day of ...August....., 1968

William M. Waters
Notary Public

61 7041

will sub 9-3-68

RTE

61-7041





Diagram of System



DATE 8/May/22 EXAMINATION RECORDS
 Pump Not on yet this year. Try 1 July
 by: FEB

NE 1/4 SE 1/4 Sec 6 45 7E

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 61-7041 Priority July 30, 1968 Amount 2.60 cfs

THIS IS TO CERTIFY, that GEORGE ASCUENA
of Mountain Home, Idaho, has complied with the terms and conditions of Permit
No. 61-7041 issued pursuant to Application for Permit dated July 30, 1968,
and has submitted proof to the Department of Water Administration on October 7, 1971,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 2.60 cfs of water from a ground water source,
tributary to _____ and that the permit holder has applied to a beneficial use &
established a right to use water as follows.

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>April 1</u> to <u>Nov. 1</u> at <u>2.60</u> cfs and			<u>625.5 acre feet or</u>
			<u>4.5 af per acre</u>

(both dates inclusive)

Subject, however, to the condition that no more than 2.60 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
625.5 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 6,
Twp. 4 S, Rge. 7 E, B. M. in the County of Elmore

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 S	7 E	6													24	39	40	36	139

Total number of acres irrigated 139

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 19 day of
August, 19 74

Director

61-7041

Identification No. 61-7041
Application No. 42721

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant George Ascuena
post office address Rt. 1; Box 765, Mountain Home, Idaho
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 6 Township 4 S.
Range 7 E. B.M. Elmore County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2 for Irrigation purpose from April-1 to Nov.-1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
5. Total quantity to be appropriated
a. 3.2 cubic feet per second and/or
b. 800 acre feet per annum
6. Proposed diverting works.
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and ditches

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet, total reservoir capacity _____ acre feet, materials used in storage dam. _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo Day) (Mo Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 600 feet
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years
b. Estimated construction cost is \$ 22,000.00
8. Description of proposed uses
a. If water is **not** for irrigation
(1) Give the place of use of water _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
4 S.	7 E.	6													X	X	X	X	160 acres

Total number of acres to be irrigated 160

c Describe any other water rights used for the same purposes _____

Mountain Home Irrigation District water delivery

9 a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Applicant's farm, above described, is in Mountain Home Irrigation District. 143 acres of the farm is under the canal of, and receives water deliveries from the District. 17 acres are above the canal and do not receive water from the District. The water supply of Mountain Home Irrigation District for irrigation is frequently inadequate to furnish sufficient water for the production of normal crops. Delivery in the 1968 season was 1.1 acre feet per acre.

The purpose of the foregoing filing is to provide water for the 143 acres supplemental to the deliveries from Mountain Home Irrigation District, and to provide water for the 17 acres mentioned above.

11 Map of proposed project



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George Herrera
(Applicant)

Received by ef Date 7-30-68 Time 8:00 am

Preliminary check by WEEK Fee \$ 35.00 8-6-68

Received by ef Date 7-7-68

Publication prepared by WEEK Date 8-13-68

Published in mt Home News

Publication dates 8-22/29-68

Publication approved WEEK Date 7-13-68

Priority reduced to _____ Reason _____

Protests filed by none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ef AP. R. H.

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 61-7041, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 70.

c. Other. The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works. This permis is supplemental to all prior rights.

2. Denial of said application is for the following reasons. _____

Witness my hand this 4th day of October 19 68.

Jack A. Barnett
Deputy State Reclamation Engineer

Identification No. _____

Permit No. 61-7041

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Administration

RECEIVED
7 1971 *ck*

1. a) Name of Permit Holder George Ascuena
- b) Post Office Address R.F.D. #1 Post Office Box #765 Mountain Home, Idaho
2. Permit Number 61-7041
3. Date of Priority that you are prepared to establish July 30, 1968
4. a) Source from which water was appropriated ground water
- b) Location of the point of diversion NE 1/4 SE 1/4, Section 6
Township 4 S, Range 7 E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 3.2 for irrigation purposes from April 1 to Nov. 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.2 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____
estimated
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) _____
well, pump and electric motor gravity
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
wier
c) Give well drillers name and address and date the well was completed _____
Hiddleston & Son Mountain Home, Idaho

61-7041

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
4 S	7 E	6													40	40	40	40	160

Total number of acres irrigated 160

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/7/71
(Date)

George Tsuena
(Signature)

State of IDAHO)
County of ADA) ss.

On this 7th day of October, 19 71, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Stephen Ulbrich
Notary Public residing at BOISE, IDAHO

My commission expires May 1 1972

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR EXTENSION OF TIME

State of Idaho)
County of Elmore)

Permit No. 61-7041

GEORGE ASCUENA
(name)

OF RFD 1, Box 765, Mountain Home, Idaho
(address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 61-7041.

That under the terms and conditions of said permit, work thereunder was required to be completed by November 1, 19 70.

That he has heretofore performed the following work described under said permit: Drilled the well, installed the pump, tested the well, installed electricity,

surveyed and constructed a ditch .

Costing \$ 22,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

Time to install a crossing for the water (road & canal). The water just now went

out of the canal

WHEREFORE, he asks that the State Reclamation Engineer extend the time for the completion of obligations under said permit to November 1, 19 75.

Subscribed and sworn before me this 5th day of OCTOBER, 19 70.

(signature)

(notary public)

My commission expires Jan 19, 1973

ACTION OF THE STATE RECLAMATION ENGINEER

I, R. KEITH HIGGINSON, ~~State Reclamation Engineer~~ of the State of
Director, Dept. of Water Administration
Idaho, hereby approve the above application for extension of time for permit

No. 61-7041 to November 1, 1975.

Witness my hand this 23rd day of October, 19 70.

State Reclamation Engineer

*IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are obtainable through the Department of Reclamation, Statehouse Annex II, Boise, Idaho 83707.

61-7041

RECORDED

AUG 29 1968

Department of Reclamation

Affidavit of Publication

County of Elmore }
STATE OF IDAHO } ss.

I, *Lloyd A. Staters* do
solemnly swear that I am the foreman, or
publisher of the

MOUNTAIN HOME NEWS

a weekly newspaper of general circulation,
published once a week at MOUNTAIN HOME,
IDAHO, that the notice attached hereto and
which is a part of the proof of publication
thereof, was published in said newspaper for

.....²... consecutive weeks, the first publica-

tion having been made on the ..²⁷.. day

of ..*August*... .., 1968., and

the last publication having been made on the

..²⁹... day of *August*...

19. 68 ...; every Thursday issue of the paper

during the period and time of publication and
that the notice was published in the newspaper
proper and not in a supplement thereof

And I further swear that the said MOUN-
TAIN HOME NEWS has been continuously and
uninterruptedly published in said Elmore County
during a period of 78 consecutive weeks prior
to the first publication of the attached notice

Lloyd A. Staters

Subscribed and sworn to me this ..²⁹..

day of ..*August*....., 1968

Chas. M. Walter
Notary Public

61 7041

will sub 9-3-6



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

August 20, 1974

Re: Permit No. 61-7041 & 61-7077

George Ascuena
RFD #1, Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:

Enclosed are copies of the water licenses issued on the above referenced permits.

We are also enclosing a copy of the approved amendment along with Receipt #15985 for Permit No. 61-7077.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Reed Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

61-7041

July 26, 1974

Mr. George Ascuena
RFD # 1 - Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:

A representative of this Department has made an examination of the works covered by your Permits No. 61-7041 and 61-7077 and has found the following:

Permit 61-7041

Quantity of water diverted: 2.60 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 2.60 cfs

The maximum quantity diverted shall not exceed 625.5 acre feet per year.

Point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 6, Twp. 4 S, Rge. 7 E, B.M.

Beneficial use: Irrigation of 139 acres within the SE $\frac{1}{4}$, Sec. 6, Twp. 4 S, Rge. 7 E, B.M.

Priority date established: July 30, 1968

Permit 61-7077

Quantity of water diverted: * 2.60 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 1.35 cfs

The maximum quantity diverted shall not exceed 304 acre feet per year.

Point of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 6, Twp. 4 S, Rge. 7 E, B.M.

Beneficial use: Irrigation of 67.5 acres within the N $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 7, Twp. 4 S, Rge. 7 E, B.M.

Priority date established: Oct. 5, 1970

* The maximum rate of diversion shall not exceed 2.60 cfs when combined with License No. 61-7041.

61-7041

Page 2
Mr. George Ascuna
Re: 61-7041 & 61-7077
July 26, 1974

Our field examiner's report indicates that the land being irrigated under Permit 61-7077 is in the N $\frac{1}{2}$ NE $\frac{1}{4}$ of Sec. 7 whereas the permit lists the N $\frac{1}{2}$ SE $\frac{1}{4}$ of Sec. 7. Therefore, it will be necessary for you to amend the permit before a water license can be issued. We are enclosing a partially completed application for amendment for your use in this matter. Please return the signed application along with a \$10.00 filing fee within 20 days of the date of this letter in order that we may issue your water right licenses as set forth on the previous page.

We also note that your Permit 61-7077 lists stockwater as a beneficial use. If you are indeed watering stock from the well, please note it on the amendment and advise us of the number of head being watered so that we might include stockwater under the license issued on Permit 61-7077.

If you do not concur with these findings or have any questions, please contact us within the 20-day limit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR
Enc: App for amend

61-7041

September 4, 1973

Mr. George Ascuaena
Route 1, Box 765
Mountain Home, Idaho 83647

Re: Permit Nos. 61-7041 and 61-7077

Dear Mr. Ascuaena:

By letter dated August 23, 1973, we informed you that you were ordered to show cause why Permit Nos. 61-7041 and 61-7077 should not be cancelled for failure to install a measuring device as required by this department. After discussing this matter with you on August 27, I agreed to give you sufficient time to install a weir and you indicated this could be accomplished by December 1, 1973. Therefore, this letter is to notify you that the order dated August 23, 1973, to show cause why the permit should not be lapsed for failure to complete the requirements has hereby been set aside and you are allowed until December 1, 1973, to install a suitable device and to notify this office in writing when such measuring device is installed.

Very truly yours,

R. KEITH HIGGINSON
Director

RKH;njl

cc: Western District

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

Re-exam
for
measuring
device

1. Name of permit holder George Ascuna
Post office address Route 1, Box 765, Mt. Home, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ Subterranean
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 3.2 c.f.s. for Irrigation
800 AF/Annum (nature of use)

Period of Use from April 1 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 61-7041
Examination for B/U

4. Total amount to be appropriated

Max Rate of Diversion 3.2 cubic feet per second and annual volume 800 AF/Annum.

5. Location of Point(s) of Diversion.

Township 4S N/S, Range 7E E/W, B.M., Section 6, Subdivision NE $\frac{1}{4}$ SE $\frac{1}{4}$, Elmore
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works Well, pump and ditches

Measuring device required yes ☒ no ☐

6. Lands to be irrigated or place of use

TWP	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 S	7 E	6													40	40	40	40	160



61-7041

TOTAL ACREAGE

160

DATE 8/22/72
 EXAMINATION RECORDS
 by JEB
 1 July
 Get this year. Try
 by JEB
 of

Diagram of System



DATE OF EXAM 19 Oct 71

ACREAGE

Found 139
Recommended 139

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q = 2.6 c.f.s. V = 625.5 AF/Ann. from Mar 15 to Nov 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: Ground Water
twp. 4 N/S Rge 7 E/W, B.M., Sec. 6, Sub. NE 1/4 SE 1/4 Elmore
County

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County

Total Q measured 2.6 CFS Method of measurement McCrometer

Total Q recommended 2.6 CFS Meter No. _____ Type Propeller Condition Good

Total V recommended 625.5 Ac Ft/ANN

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

Q = 2.6 CFS
V = 625.5 Ac Ft/ANN 2' Cippoletti Weir installed
A = 139 Acres 6/25/74

SYSTEM DESCRIPTION:

US Motors Hollowshaft pump motor 125 HP 220/440 Volts
1800 RPM Ser No 1406537 Layne and Bowler
Pump Ser # 44666 8" discharge 8' East to Concrete
Box then into earthen ditch.

REMARKS:

2.0 ft Weir installed I felt that the weir
would not give an accurate reading. Measured water
with McCrometer
OK at this time 6/25/74

Examiner's Signature [Signature] Date 20 Oct 71

Checked by _____ Date _____

Approved by _____ Date _____

2.0 ft Cippoletti Weir installed pump not on. Use previous
measurement for license from 6/25/74 fep 61-704

RECEIVED

Department of Water Administration

April 27, 1974
RFD #1 Box 765
Mountain Home, Idaho
83647

State of Idaho
Dept. of Water Adm.
614 State Street
Boise, Idaho 83702

Attention: Keith Higginson
RE: Permit No.'s 61-7041 and 61-7077

Dear Mr. Higginson:

In compliance with your instructions of December 4th, 1973,
a measuring device has been installed at the pump site for
the purpose of measuring water delivered by the pump.

I trust this installation and letter completes the require-
ments necessary to issue the water right for Permit No.'s
61-7041 and 61-7077.

Yours truly,

George Ascuena
George Ascuena

*Sent exams to
Jim D. for re-exam
for mea. dev.
Jan G.
5-1-74*

61-7041

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 4, 1973

Re: Permit No.'s 61-7041 & 61-7077


Mr. George Ascuena
RFD 1, Box 765
Mountain Home, Idaho 83467

Dear Mr. Ascuena:

The date before which an approved measuring device must be installed on Permit No.'s 61-7041 and 61-7077 is hereby extended to May 1, 1974, as you requested.

This measuring device must be installed before you begin diverting water for irrigation this next season. You must also notify this office on or before May 1, 1974, in writing, when this installation is completed.

Very truly yours,


R. KEITH HIGGINSON
Director

jfr

61-7041

INTER-DEPARTMENT MEMO — 1

DATE July 2, 1973


FROM Jim Booker

TO Water Rights

SUBJECT Field Exam 61-7077, 61-7041, Measuring Device

No measuring device installed. System the same as previous exam indicates. Water, however, is not being used for irrigation, but is being used approximately 3 to 5 miles away by the Highway Department for construction purposes. I have not seen a new permit for this use. No measuring device installed in this system either.

Recommend permits be cancelled.



SIGNATURE

61-7041

11/3/73

11/3/73

George Ascurra
RFD, Box 765
Mtn. Home

His wife died & he
was unable to put on
his measuring device
by Dec. 1 as required
He has materials but
won't extend until May
as it's too late in the
year to put it on
now.

61-7041

September 4, 1973

Mr. George Ascuena
Route 1, Box 765
Mountain Home, Idaho 83647

Re: Permit Nos. 61-7041 and 61-7077

Dear Mr. Ascuena:

By letter dated August 23, 1973, we informed you that you were ordered to show cause why Permit Nos. 61-7041 and 61-7077 should not be cancelled for failure to install a measuring device as required by this department. After discussing this matter with you on August 27, I agreed to give you sufficient time to install a weir and you indicated this could be accomplished by December 1, 1973. Therefore, this letter is to notify you that the order dated August 23, 1973, to show cause why the permit should not be lapsed for failure to complete the requirements has hereby been set aside and you are allowed until December 1, 1973, to install a suitable device and to notify this office in writing when such measuring device is installed.

Very truly yours,

R. KEITH HIGGINSON
Director

RKH:mjl

cc: Western District

61-7041

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

24780

1

Wara H. ... M. H.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

8/24/73

3

SHOW WHERE DELIVERED (*only if requested*)


No M.D.

635-16-71548-11 347-198 GPO

61-7041

POD Form 3811 Apr. 1969 c55-16-71548-11

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.



RETURN
TO

DEPARTMENT OF WATER ADMINISTRATION
STATE HOUSE ANNEX #2
BOISE, IDAHO 83702

24

61-7041

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 23, 1973

CERTIFIED MAIL

#24780

Re: Permit No.'s 61-7041 & 61-7077

George Ascuena
Route #1, Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:


On October 20, 1971, this office inspected the water diversion works and place of use as described in Permit No.'s 61-7041 & 61-7077. Our examiner found, on both permits, no measuring device of a type approved by the Department installed as part of your diverting works. Such a measuring device is an express condition which must be met prior to approval of licenses for your permits.

As you may be aware, your water rights cannot be confirmed by the issuance of licenses unless all of the conditions of approval are met. In the event that licenses are not issued and the permits lapse, further diversion of water under these permits would be illegal.

You are, therefore, hereby ordered to show cause, if any there be, before the Director of the Department of Water Administration, 614 State Street, Boise, Idaho, on or before September 23, 1973, as to why Permit No.'s 61-7041 & 61-7077 should not be lapsed for failure to complete the requirements under said permits.

If you have any questions, please feel free to contact this office.

Very truly yours,


R. KEITH HIGGINSON
Director

RKH:jc

61-7041

MEMORANDUM

TO: File Nos. 61-7041 and 61-7077
FROM: Jim Booker
DATE: December 2, 1971
SUBJECT: Field Examination

On October 19, 1971, I measured Mr. Ascuena's well through two different measuring devices. He had installed a Cippoletti type weir, which had not, in my estimation, been properly maintained. Water was flowing around, through and under the weir. A measurement over the weir yielded 2.7 cubic feet per second.

The second measurement was made with this Department's McCrometer measuring device. The measurement was made at the pump and yielded 2.6 cubic feet per second. I recommended this amount for licensing.

JIM

61-7041

October 19, 1971

Re: Permits No. 61-7041 & 61-7077

Mr. George Ascuena
Route 1 - Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:

We acknowledge receipt of your affidavits submitted as proof of beneficial use in connection with the above referenced permits.

Before licenses can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the systems.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

61-7041

October 26, 1970

Re: Permit No. 61-7041

Mr. George Ascuena
Route 1, Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:

Enclosed please find a copy of the APPROVED application for extension of time. The time within which to submit proof of beneficial use of water has been extended to November 1, 1975. The Department will notify you 60 days in advance of this date.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enclosure

61-7041

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

22141

INSURED NO.

DATE DELIVERED

9/2/50

1

George Ascuena

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

Lara Ascuena

3

SHOW WHERE DELIVERED (only if requested)

61-2041 ✓

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

55-16-71648-10

Apr 1967

POD Form 3811

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of envelope. Print on front of article RETURN REQUESTED.

POSTMARK OF
DELIVERING OFFICE



NAME OF SENDER

Dept. of Water Administration

STREET AND NO. OR P.O. BOX

Statehouse - Annex 2

POST OFFICE, STATE, AND ZIP CODE

Boise, Idaho 83707

September 1, 1970

Re: Permit No. 61-7041


Mr. George Ascuena
Route 1, Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:

One of the conditions of the approval of your Permit No. 61-7041 was that proof of application of the water to beneficial use be submitted to this office on or before November 1, 1970.

Enclosed is an affidavit form which must be used to submit proof of beneficial use. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended.

Either the proof affidavit or a request for extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



Director

Enc: Proof affidavit
dr

CERTIFIED MAIL

2: 1A1

61-7041

October 8, 1968

Re: Permit No. 61-7041

George Ascuena
Rt. 1, Box 765
Mountain Home, Idaho 83647

Dear Mr. Ascuena:

We enclose a copy of your approved application for permit 61-7041
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. W-401 for \$35.00
2 informational letters

61 7041

August 13, 1968

Re: Application No. 61-7041
George Ascuena

Mountain Home News
P. O. Drawer 6
Mountain Home, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: Legal notice

61 7041

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that George Ascuena, Route #1, Box 765, Mountain Home, Idaho has on July 30, 1968 applied for permit to divert 3.2 cubic feet per second or 800 acre feet per annum of water from a subterranean source under application No. 61-7041. Water will be diverted by a well, pump, and ditches within the NE1/4, sec. 6, T. 4 S, R. 7 E, B.M., Elmore County and is to be used from April 1 to November 1 for irrigation in the SE1/4, sec. 6, T. 4 S, R. 7 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Mountain Home News, Mountain Home, Idaho on August 22 and August 29.