

R4W

Crest Spring

20

x5580

21

22

North Fork

Fork

44972

29

Boghole Spring

28

27

South Fork

x5619

5424

x5396

32

x5642

5567

ALKALI SPRING

34

6028

6022

5350

5400

5455

x5388

6028

6022

5350

5400

5455

x5388

6028

6022

5350

5400

5455

x5388

T2S
T3S

Prospect

4965

Babbington

Granite Spring

x5713

5415

Stove Spring

Twin Spring

x5498

x5832

x5678

Macks Creek Spring

MICROFILMED

AUG 22 2000

5514

5525

x5612

Prospect

Spring
China Flat

RECEIVED

APR 07 2000

WATER RESOURCES
WESTERN REGIONSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 57-07692 Telephone No. 208-384-33002. Name of Permit Holder(s): USDI BUREAU OF LAND MANAGEMENT3. Mailing Address: 3948 DEVELOPMENT AVE.City BOISE State ID Zip 837054. Source of Water: ALKALI SPRING If **GROUNDWATER** (well), Date Drilled: mo. ____ / yr. ____

Well Driller: _____ Drilling Permit Number: _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 825 CowsIrrigation (No. of acres): _____ Other: WILDLIFE6. Total rate of diversion and/or volume for which proof is submitted: 0.2 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: LEO COLEMAN Telephone Number: 208-384-3464Address: 3948 DEVELOPMENT AVE., BOISE

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: April 7, 2000
(include your title, if on behalf of company or organization)MICROFILMED
AUG 22 2000

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 57-07692

Priority: April 10, 2000

Maximum Diversion Rate:

0.20 CFS

This is to certify, that US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

has applied for a permit to appropriate water from:
SPRING tributary of ALKALI CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.20 CFS
WILDLIFE	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNWSE , Sec. 33, Township 02S, Range 04W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

02S 04W 33 NWSE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before June 1, 2001.
2. Subject to all prior water rights.
3. Use of water under this water right will be regulated by the watermaster of State Water District No. 57R.
4. Prior to diversion of water under this right, the right holder shall install and maintain a measuring device and lockable controlling works of a type acceptable to the Department as part of the diverting works.
5. This right, when considered with all other rights common to the same grazing allotment, is limited to the quantity of water beneficially used by the number of stock within the allotment.
6. Stockwater use is for 825 range cattle.
7. Source is known locally as Alkali Spring, project #8522.

MICROFILMED

AUG 22 2000

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 57-07692

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

8th day of June, 2000.

Karl J. Dreher
Karl J. Dreher, Director
for

MICROFILMED
AUG 22 2000

RECEIVED

MAR 24 2000

FORM 202

WATER RESOURCES
WESTERN REGION

Ident. No. 57-07692

2/96 (Internet)
RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 26 2000

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources
BUREAU OF LAND MANAGEMENT
LOWER SNAIL RIVER DISTRICT

1. Name of Applicant _____ Phone (208) 384-3300

Mailing address 3942 DEVELOPMENT AVENUE, BOISE, IDAHO 83705

2. Source of water supply ALBERT SPRING which is a tributary of ALKALI CREEK

3. Location of point of diversion is Township 2S Range 4W Sec. 33, in the NW 1/4, NW 1/4, SE 1/4, Govt. Lot _____, B.M., OWYHEE County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 CFS for STOCK WATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 CFS for WILDLIFE WATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.2 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source COLLECTION SYSTEM, NEAR BOX, SHORT PIPELINE TO ONE 500 GAL. STOCK TANK

b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet

c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. 825 Cows

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. MISS. WILDLIFE

MICROFILMED
AUG 22 2000

8. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	R2E	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2S	4W	33																	825 COWS WILDLIFE

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? U.S. GOVERNMENT

b. Who owns the land to be irrigated or place of use? U.S. GOVERNMENT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: THIS IS BLM PROJECT # 8522 (ALKALI SPRING). IT WAS DEVELOPED BY BLM PRIOR TO JULY 11, 1990

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)


BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
Signature of Applicant (and title, if applicable)

Received by [Signature] Date 3/24/00 Time 8:14 Preliminary check by _____
Fee \$ 50.00 Receipted by [Signature] # 10026252 Date 3/24/00
Publication prepared by [Signature] Date 5-31-00 Published in OWYHEE AVALANCHE
Publication approved _____ Date _____

MICROFILMED
AUG 22 2000

R4W



MICROFILMED
AUG 27 2000

SD-0111
ADD COMMENT

Idaho Department of Water Resources
Comment Addition

Date: 04/11/00
Time: 10:15:51

Water Right Number: 57-07692

FIRST PAGE

Comment Date: 4/11/2000 User ID: LGRAVES

Subject: MORE INFO _____

Per Applicant: Use for 825 range cows and misc wildlife. P/U____
aka Alkali Spring, Project #8522. _____

Per IDWR: Priority advanced to date corrections and clarifications to original application made by Leo Coleman with BLM. _____

(Enter=Add)

(GOLD4=Prev) (GOLD5=Next)

MICROFILMED
APR 22 2000

Connie Brandau, Watermaster 57-R
HC 79 Box 61
Melba, ID 83641
June 25, 2000

Bureau of Land Management
Daryl Albiston, OFM
3948 Development Ave.
Boise, ID 83705-5389

Re: Permit to Appropriate Water NO. 57-07692

Dear Mr. Albiston:

My comment as Watermaster 57-R concerning your application for permit was submitted to IDWR on 6/12/00. This letter is to satisfy your request for further comment concerning the need for a measuring device and lockable controlling works of a type acceptable to IDWR as part of the diverting works.

Your application for permit is for .20 CFS (or 10 minors inches) of water. That is enough water to irrigate about ten acres of land even though it is not your intent to do that. One Cubic Foot per Second (cfs) equals 448.3 gallons per minute (Water Measurement, Bulletin No. 552, reprint 1992, page 45). The IDWR sheet titled "Annual Use of Water for Stockwater Purposes" does list the rate for 801-900 head of range cattle as 0.20 cfs - BUT - if you will read the * footnote it states "The rate is based upon approx. 2hr/day diversion to obtain the daily requirement" and stated in (1. of the same document "The amounts shown are based on 12 gpd/head." Your application for .20 cfs converts into 129,254.4 gallons per 24 hour day, a consumption rate of 156

gallons of water per head of livestock per day for the 825 listed on the permit application. To me, that is a totally unreasonable amount.

In my experience there are very few springs in the Owyhee Resource Area that flow at that rate. If that spring does naturally flow at that rate I feel that the IDWR requirements are justified.

If however the actual flow rates are less than .20 CFS I would recommend to BLM that those flow rates be measured (in gallons per minutes and then converted to CFS) and the permit application be refiled for the naturally occurring CFS/flow rate. If that were done it would probably not be necessary for either the measuring or flow control devices.

If the flow rates for the spring that is a tributary of Alkali Creek were typical of other springs in this area, they would probably be somewhere around one or two gallons per minute which calculates out to 1440 to 2,880 gallons per day, from less than .01 cfs to about .02 cfs.

I would be happy to meet with you and IDWR personnel on site for an accurate flow rate measurement and visual inspection to further determine the advisability of IDWR granting this water right.

Respectfully,

Connie Brandau

Connie Brandau
Watermaster 57-R

cc: IDWR

RECEIVED

JUN 19 2000

WATER RESOURCES
WESTERN REGION

RECOMMENDATION OF WATERMASTER

Application No: 57-07692Applicant's Name: Bureau of Land Management

Watermaster's Recommendation:

RECEIVED

JUN 22 2000

a) ☐ I do not oppose approval of this application. Department of Water Resourcesb) ☒ I do not oppose approval of this application if it is conditioned asfollows: claimant has maintenance responsibilityrelated
to spring, fences, enclosures & exclosures.Conflicts resolved prior to acceptance (see note/
comment)c) ☐ I oppose approval of this application for the following reasons:d) Additional Comment: I understand that there isanother permit that has been applied for on these
same waters by Bass & / or new owner John
Romero of Murphy, IDDated this 12th day of June, 2000.Water District No: 57-RConnie M. Brandon
Watermaster's Signature

Use reverse side of page if you need more space.

MICROFILMED

AUG 22 2000

RECEIVED

AUG 2 1960

I would hope that this conflict would
be resolved prior to ~~issuance~~ acceptance
of this application or issuance of a right
to these waters.

CB

MICROFILMED
AUG 22 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 14, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07692

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

According to the Proof of Beneficial Use you filed with the department, you checked the "NO" boxes of question number 7 regarding Measuring Device Requirements. According to Conditions of Approval and Remarks nos. 3 & 4 of your permit, you are required to have the Watermaster of State Water District No. 57R regulate this water right, and you are instructed to install and maintain a measuring device and a locking controlling works prior to diversion of water.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. Therefore, you may want to have the measuring device and controlling works installed before the department conducts the field examination in order to meet the licensing requirements.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

Please review your permit and call me if you have any questions regarding those conditions at (208)327-7953. If you have questions concerning the field examination, please contact the Western Regional Office of the department in Boise at (208) 334-2190.

Sincerely,

Deborah Drew-Ellis
Deborah Drew-Ellis
Administrative Assistant
Water Allocation Bureau

MICROFILMED
AUG 22 2000

c: IDWR - Regional Office

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 57-07692 Reviewed by D. Ellis Date 6/13/00

GENERAL CONSIDERATIONS

Yes Name same as permit?
Yes Address same as permit?
Yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Stockwater &
wildlife
Correct Uses? Yes

SOURCE OF WATER

Yes Surface water source
No Ground water source
Drilling permit required?
Copy in the file? / Drilling Permit No. /
Amount paid for permit / Correct?
Well log in the file? /

LICENSE EXAMINATION FEE

Yes Required?
\$50 Amount Submitted
Yes Correct?

MEASURING DEVICE

Yes Required?
No Installed?
No Waiver requested?

PRIORITY CALCULATION

Date proof received 4/7/00
Date proof due 6/1/2001
No. of days late / = /
Priority Date / + /
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

Acknowledge ge proof - notify measuring device
is required & must be installed prior to field
exam.

DATA ENTRY

New Address N/A Proof Made 4/7/00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 8, 2000

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-07692

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device and lockable controlling works that will enable the watermaster to control the rate of diversion.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure

MICROFILMED
AUG 22 2000

to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED
AUG 22 2000

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of June, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 57-07692

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELOPMENT AVE
BOISE ID 83705


Karl Lynn Townsend
Secretary

MICROFILMED
AUG 22 2000

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Reviewed by Sharla Curtis on ~~5-10-92~~
5/30/00

No 57-07692 Name: BLM Corp. Officers NA Ad ok _____ Govt Lots _____

AREA OF CONCERN: No/Yes _____ Moratorium _____ GWMA _____ TRUST/NON-TRUST _____

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
Basin 34 - 084
Irr w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag -
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE PROT - 077

BENEFICIAL USE DUE: 6/01/2001

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response No objection
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE _____
In-stream development - P52
WD - R04 (WD# 57-R)
≤ 0.20 cfs/others - 01H(P01) 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr, GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple p/d's per 1/4 - W32
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single p/d intended - 076

IRRIGATION SEASON _____ (Per updated map)

OTHER CONDITIONS/REMARKS Proj # 8522 Source known locally as Alkali Spr.

COMMENTS _____

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: Ly DATE: 4/10/00 APPLICATION: 57-07692

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

RECEIVED

MAY 26 2000

Department of Water Resources

Gov't. Lots:

☒ P/D
☒ P/U

ADDITIONAL INFORMATION

N ADVERTISE REMARK(S)
(Reviewer identify which remarks)

done T FLAG CHANGED TO P FLAG

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ Overlapping point of diversion.
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ 1992 moratorium:
- ☒ Surface water source, IDFG letter needed.
- ☒ Protected river or minimum flow reach, notify water planning bureau.
- ☒ E-mail to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☒ E-mail to Dam Safety staff: (for any storage)
- ☒ Mitigation plan: Check any that apply.
- ☐ immediate = acceptable plan required and submitted.
- ☐ future = open areas, acceptance of condition of approval is in file.
- ☒ Send power requirement letter &/or fish farm requirement letter.
- ☒ Power residency affidavit:
- ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

application corrections + clarifications

Date Requested 4/10/00 Date Response Received 4/10/00

PROCESSING

APP. NO. 5-07692

YES NO

☒ ☐ In form for advertising:
☒ ☐ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO: NOTE IF E-MAIL COMMENT LETTER USED.

YES NO

☐ ☒ I.D. Health & Welfare
☐ ☒ I.D. District Health
☒ ☐ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☒ ☒ Water Dist. # 57R
☐ ☒ Water Planning Bureau
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☐ ☐ Affidavit of publication received:
☐ ☐ Application published correctly: If not, record action taken.

☐ ☐ Publication dates and paper recorded on application:
☐ ☐ Final date for protest 5-22-00
☐ ☐ Protests received.
☐ ☐ Recommendations attached:
☐ ☐ Measuring device required:
☐ ☐ Water delivered by water master? District # _____
☐ ☐ Special conditions of approval or cover letter: _____

☐ ☐ See below for additional information

Recommended Date or Priority _____
Recommended by: _____ Date: _____

ADDITIONAL INFORMATION:



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 1, 2000

CONNIE BRANDAU
HC 79 BOX 61
MELBA ID 83641

Re: Applications for Water Right No 57-07693 in the Name of USDI, Bureau of Land Management, 57-07689 in the Name of USDI, Bureau of Land Management, and 57-07692 in the Name of Bureau of Land Management Lower Snake River District

Dear Watermaster:

Enclosed are copies of the above-referenced applications for permit. Also enclosed are forms for your recommendation concerning these applications.

Please review the applications and return any comments you might have within two weeks.

If you have any questions or need information, feel free to contact this office.

Sincerely,

Gary Spackman

GS:lm

Encl: Copy of Application
Recommendation of Watermaster Form

MICROFILMED

AUG 22 2000

Taylor, Sue

From: Lester, Steve
Sent: Tuesday, May 09, 2000 10:43 AM
To: Taylor, Sue
Subject: FW: Applications for Permit

Sue:

Please file copy of this in each application.

thanks,

Steve

-----Original Message-----

From: SCOTT GRUNDER [mailto:sgrunder@IDFG.STATE.ID.US]
Sent: Tuesday, May 09, 2000 9:20 AM
To: slester@idwr.state.id.us
Cc: CECE MANN; TERRY VERNHOLM
Subject: Applications for Permit

Dear Mr. Lester:

The Idaho Department of Fish and Game has reviewed the below listed Applications for Permit and we do not anticipate significant adverse effects to fish or wildlife habitats as a result of permitting them. Thank you for the opportunity to comment.

Nos. 55-07465 through 55-07467 and 57-07684 through 57-07687 and 57-07689 through 57-07694 in the name of the Bureau of Land Management

Scott A. Grunder
Environmental Staff Biologist
Idaho Department of Fish and Game, Southwest Region Office
3101 South Powerline Road
Nampa, Idaho 83886
Phone (208)-465-8465
FAX (208)-465-8467
email address: sgrunder@idfg.state.id.us

MICROFILMED

AUG 22 2000

57-07692

US DEPT OF INTERIOR
BUREAU OF LAND MANAGEMENT
3948 DEVELPMENT AVE
BOISE, ID 83705

Source: SPRING

Tributary: ALKALI CREEK

Diversion Pt: NWNWSE Sec 33 T 02S R 04W in OWYHEE County.

Use: STOCKWATER	(	0.200 CFS)
WILDLIFE	(	0.200 CFS)
Total Diversion:	(	0.200 CFS)

Date Filed: 4/10/2000

In: OWYHEE County
T02S R04W S33 NWSE

MICROFILMED

AUG 22 2000