


X53 (1971)

Homedale

TO3N ROSW

S.3 NWSW

Govt Lot 8



T0.3N 205W

THOMEDALE

~~AUG 06 1958~~
MICROFILMED

AS 11-070476

1. ARMORY
2. BOWLING
3. CITY HALL
4. CITY LIBRARY
5. CITY PARK

PLAYGROUND
RESTROOMS
TENNIS COURTS

...AIR GROUNDS / RODEO GROUNDS

7. FIRE DEPARTMENT

8 HEALTH SERVICES

9. LAUNDROMAT

10. **NOTE**

11 DWADNAC

11. PHARMACY

12 POLICE STATION

13. POST OFFICE

MA PUBLIC TELEPHONE

RESTAURANTS

15. RIVERSIDE PARK
TO ADP
MAY ROCKS

**BOAT DOCKS
CAMPER HOOKUPS**

DEWARD BELL STADIUM

PLAY GROUND

RESTROOMS
SWIMMING POOL

CONTINUED FROM PAGE 1

100-100000 100-100000

SCHOOL, ELEMENTARY

SCHOOL, WE HIGH & HIGH

18 SENIOR CITIZEN CENTER

▲ SERVICE STATIONS

19. VETERINARY CLINIC

MICROFILMED

OCT. 07 1992.

EMERGENCY NUMBERS

REF. 337-3000

POLICE (WEEKDAYS) 337-4642


NIGHTS, WEEKENDS, ...

HOLIDAYS)
SHERIFF

AMBULANCE
POISON CONTROL
337-3550
1-800-632-

www.3co.com.cn

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #5		20			
GPS Tag					
# A0004209					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

No flow meter at pump house

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

MICROFILMED

FEB 11 1999

P/D, Well #5



T7AP from SREK
 Claim file A57-07048
 T03N 205W

HOMEDALE

1. ARMORY
2. BOWLING
3. CITY HALL
4. CITY LIBRARY
5. CITY PARK
6. PLAYGROUND
7. RESTROOMS
8. TENNIS COURTS

AIR GROUNDS / RODEO GROUNDS


7. FIRE DEPARTMENT
8. HEALTH SERVICES
9. LAUNDROMAT
10. MOTEL
11. PHARMACY
12. POLICE STATION
13. POST OFFICE
14. PUBLIC - TELEPHONES
15. RESTAURANTS

17. SCHOOL, ELEMENTARY
18. SCHOOL, JR HIGH & HIGH
19. SENIOR CITIZEN CENTER
20. SERVICE STATIONS
21. VETERINARY CLINIC

13. RIVERSIDE PARK
 BOAT DOCKS
 CAMPER HOOKUPS
 DEWARD BELL STADIUM
 PLAYGROUND
 RESTROOMS
 SWIMMING POOL

OCT. 07 1999
 MICROFILMED
 FEB 11 1999

57-07656



EMERGENCY NUMBERS
 FIRE 337-5000
 POLICE (WEEKDAYS) 337-4642
 (NIGHTS, WEEKENDS)
 337-4222
 SHERIFF 337-4222
 AMBULANCE 337-3550
 POISON CONTROL 1-800-632-8000


(4-675b)

T3N, R5W, Sec. 3

lot 8 SWSW

ANGE N° 5 WEST OF THE BO

ENDENT RESURVEY AND SUBDIVISION OF SEC



8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? [] Yes [4] No

If yes, is there a check-valve present? [] Yes [] No

Is there a possible source of contamination nearby? [] Yes [1] No

If yes, what Type? _____

How far away from the well is this source? _____

9. REMARKS:

This is well # 5 for the City of Homedale.
This well was drilled under WR 57-07048
for 0.04 cfs. This permit increases the
diversion rate to 0.24 cfs.

Dan Zornick Water Rights Examiner
Signature of Dept. Representative & Title

9-23-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:



MICROFILMED

FEB 11 1999

1 of 2



P/O
Well
House
in
Riverside
Park
Well #5



P/O
Well,
Valves,
Piping,
etc.
in
Well
House
Well #5

MIC
FEB 11 1999

57-07656

2 of 2

P/u

Homedale

Homes
along

1st St.
E.



P/u

Homedale

Idaho
Av.

Hwy 19



MIDBORN

FEB 11 1999

57-07656

The Owyhee Avalanche

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss
COUNTY OF OWYHEE)

RECEIVED

JUN 11 1998

WATER RESOURCES
WESTERN REGION

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in

said newspaper, in _____ two (2) _____

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

June 03,10, 1998

Signed _____

Subscribed and sworn to me this 10th day of June A.D., 1998

Jan Roeberry

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires 05/04/2004

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-07656 ✓st

CITY OF HOMEDALE
PO BOX 757
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt: LOT 8 (SWNWSW)
SEC 3 T 03N R 05 W in
OWYHEE County.
Use: MUNICIPAL (0.240 CFS)
Total Diversion: (0.240 CFS)
Date Filed: 1/16/1998
00

Place of use is within the city limits of the City of Homedale. Applicant agrees to mitigate consumptive use in the future as needed.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water

Resources, Western Region,
2735 Airport Way, Boise, Idaho
83705 together with a protest
fee of \$25.00 on or before JUNE
22, 1998. The protestant must
also send a copy of the protest
to the applicant.

KARL J. DREHER, Director
6/3&10/98

MICROFILMED

AUG 06 1998

VEST 1 OF THE


AND SUBDIVISION OF

GAT PLAT
T3N R5W

48.50

N. 89° 39' W.

S. 3
LOT 8



State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 57-07656

Priority: January 16, 1998

Maximum Diversion Rate:

0.24 CFS

This is to certify, that CITY OF HOMEDALE

PO BOX 757

HOMEDALE ID 83628-0757

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 16, 1998; and has submitted Proof of Beneficial Use on August 14, 1998. An examination indicates that the works have a diversion capacity of 0.930 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	0.24 CFS	
<u>LOCATION OF POINT(S) OF DIVERSION:</u> Lot 8(NWSW), Sec. 3, Township 03N, Range 05W OWYHEE County			

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
2. Place of use is located within the city limits of the City of Homedale.
3. Right 57-07048 is also diverted through the point(s) of diversion described above.
4. Point of diversion is located within Riverside Park.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 30TH day of NOVEMBER, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

FEB 11 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

AUG 14 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 57-07656 Telephone No. 208-337-4641

2. Name(s) of Permit Holder(s): City of Homedale

3. Mailing Address: P.O. Box 757 Homedale Ida. 83628

4. Source of Water: groundwater If GROUNDWATER (well), Date Drilled: mo. N/A yr. N/A

a. Well Driller: N/A Drilling Permit Number: N/A

b. OPTIONAL: Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 800 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 10 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.24 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____	or	No <u>X</u>
	Has the measuring device been installed?	Yes _____	or	No <u>X</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____	or	No <u>X</u>
	Has the measurement port been installed?	Yes _____	or	No <u>X</u>

8. Fee Enclosed: \$ 100.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Larry Bauer Telephone Number: 208-337-4641

Address: P.O. Box 757 Homedale Ida. 83628

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Larry Bauer Public Works Date: 8/3/98
(include your title, if on behalf of company or organization)

SEP 21 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 57-07656

Proposed Priority: January 16, 1998

Maximum Diversion Rate:

0.24 CFS

This is to certify, that CITY OF HOMEDALE

PO BOX 757

HOMEDALE ID 83628-0757

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

MUNICIPAL

01/01 to 12/31

0.24 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 8(NWSW), Sec. 3, Township 03N, Range 05W
OWYHEE County


PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1999.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary for this purpose will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.
6. Point of diversion is located within Riverside Park.
7. Place of use is located within the city limits of the City of Homedale.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

30th day of July, 1998.



Karl J. Dreher, Director

MICROFILMED

AUG 06 1998

Ident. No. 57-07656

RECEIVED

JUL 22 1998

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

JAN 16 1998

WATER RESOURCES
WESTERN REGION

1. Name of Applicant City of Homedale Phone 208-337-4641
Mailing address P.O. Box 757 83628
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is Township 3N Range 05W Sec. 03 in the SW 1/4, NW 1/4, SW 1/4, Govt. Lot 8, B.M., Owyhee County;
additional points of diversion if any: 01/01 12/31
4. Water will be used for the following purposes Municipal
Amount .20 for irrigation purposes from April to Oct (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.24 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 15 hp submersible
4 in distribution
b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet
d. Is ground water with a temperature of greater than 85°F being sought? NO
e. If well is already drilled, when? 1971; Drilling firm N/A
Well was drilled for (well owner) City of Homedale; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is *1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. _____
c. Municipal; show name of municipality. City of Homedale
d. Domestic; show number of households. 850 - (Backup well for city)
e. Other; describe fully. _____

* * Notice of use corrected per tel. conv. w/applicant 5/18/1998.

* Corrected to current IDWR standards.

* As per applicant, system is in place. 01/26/1998

MICROFILMED

JUN 06 1998

9. Description of place of use: Riverside Park

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>3N</u>	<u>5W</u>	<u>3</u>									<u>10</u>								<u>10</u>

Total number of acres to be irrigated 10

10. Describe any other water rights used for the same purposes as described above. 57-07048

11. a. Who owns the property at the point of diversion? City of Homedale
b. Who owns the land to be irrigated or place of use? City of Homedale
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: N/A

12. Remarks: This well was drilled in 1971. At that time the usage -
amount of water was the same as present but for some reason was
filed wrong

* Place of use is within City limits of City of Homedale, as per
applicant, 5/18/1998, 1747.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED


AUG 06 1998

City of Homedale by Larry Bauer
Signature of Applicant (and title, if applicable)

Received by KG Date 11/16/98 Time 10:13 Preliminary check by MT
Fee \$ 100.00 Receipted by KG # W023378 Date 11/16/98
Publication prepared by ST Date 5/28/98 Published in Owyhee Avalanche on 6-3-10-98
Publication approved ST Date 7/1/99

X53 (1977)
Homedale

TO3N ROSW
S.3 NWSW
Govt Lot 8



Tap from S&EA

claim file 457-07048

To 3N 205W

HOMEDALE

POD 457-07048

3

MICRO FILMED


AUG 06 1998

1. ARMORY
2. BOWLING
3. CITY HALL
4. CITY LIBRARY
5. CITY PARK
6. PLAYGROUND
7. RESTROOMS
8. TENNIS COURTS

18. GROUND / RODEO GROUNDS

2. FIRE DEPARTMENT
3. HEALTH SERVICES
4. LAUNDROMAT
5. MOTEL
6. PHARMACY
7. POLICE STATION
8. POST OFFICE
9. PUBLIC - TELEPHONES
10. RESTAURANTS
11. RIVERSIDE PARK
12. BEAT DOGS
13. CAMPER HOOKUPS
14. DEWARD BELL STADIUM
15. PLAYGROUND
16. RESTROOMS
17. SWIMMING POOL

1. SCHOOL, ELEMENTARY
2. SCHOOL, JR HIGH & HIGH
3. SENIOR CITIZEN CENTER
4. SERVICE STATIONS
5. VETERINARY CLINIC



EMERGENCY NUMBERS

FIRE 337-3000
 POLICE (NIGHTS) 337-4642
 (NIGHTS, WEEKENDS)
 337-4222
 SHERIFF 337-4222
 AMBULANCE 337-3550
 POISON CONTROL 1-800-632-8000

MICROFILMED
 OCT 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 1, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF HOMEDALE
PO BOX 757
HOMEDALE ID 83628-0757

RE: WATER RIGHT NO. 57-07656

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

FEB 11 1999

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 7-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 1st day of December, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 57-07656

CITY OF HOMEDALE
PO BOX 757
HOMEDALE ID 83628-0757


Kari Lynn Townsend
Secretary

MOCCIMED

FEB 11 1999

MEMORANDUM

TO: File 57-07656

FROM: Sharla

DATE: November 30, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 57-07656 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion

T3N, R5W, S3 – NWSW (lot 8)

The copy of the city map when compared with the USGS topo map places the point of diversion in the NWSW. This description matches the recently decreed point(s) of diversion under 57-07048, diverted from the same well.

Exam Date: September 23, 1998

Examiner: Dan Tomich

MICROFILMED

FEB 11 1999

LICENSE REVIEW CHECKLIST

PERMIT NO 57-07656 DATE 11/30/98 REVIEWER. S H A R L A

NAME OK Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Lot 8 OK - no amendment
 Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4) city map NWSN
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s):
 File reviewed Profile reports printed
 PLACE OF USE N/A Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s)
 File reviewed Profile reports printed
 PD & PU amend (P37) Feds - P48
 RATE OF DIV
 Permitted Rate .24 cfs
 Fee limit 1.00 cfs \$100.00
 Measured cfs
 Theoretical .93 cfs
 Recommended Total Div Rate .24 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Muni</u>	<u>.24</u> cfs	<u>af</u>	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
	cfs	af		supp gw (WB7/065/079)
	cfs	af		overlap spec combined rts (W35)
	cfs	af		<1acre (W31)
	cfs	af	Domestic	(W01/WB5/070/071/075)
TOTALS	<u>.24</u> cfs	<u>af</u>	Power	(W42 or W43/025/027/R22 or R23)
			Fish (042)	Fire (077) Wtr Quality (081/R07)

Flow rate cfs X days X 1.98 = af

REMARKS

ADD'L CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
120 Others Trust (052/R55 - remove 051) Non-trust (048/049)
 Advance Priority yes ✓ no SRBA Claim N/A Adjust Memo
 Amend letters

MICROFILMED

FEB 1 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 16 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07656

1. Owner: City of Homedale

Phone No. (208) 337-4641

Current Address: P.O. Box 757, Homedale, ID 83628-0757

2. Accompanied by: Larry Bauer

EXAM DATE: 9-23-98

Address: (Same)

Phone No. (Same)

Relationship to Permit Holder: Public Works Director

3. Source: Groundwater

tributary to

B. OVERLAP REVIEW

A 57-10393
A 63-09260

1. Other water rights with the same place of use: A 57-07027, 57-07048, 57-07665

2. Other water rights with the same point of diversion: 57-07048

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	8		SW	SW	3	3N	5W	Owyhee	Site Visit, May


2. Place(s) of Use: City of Homedale Indicate Method of Determination Site Visit, May

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICROFILMED

FEB 11 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required)

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #5		20			
GPS Tag					
# A0004209					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

No flow meter at pump house

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

MICROFILMED

FEB 11 1999

E. NARRATIVE/REMARKS/COMMENTS

1. This permit is a well #5^{for} located at Riverside Park in Hemet, Idaho. The well was drilled under WR 52-052048 for 0.04 cfs of irrigation in the park. This permit is for an increase to 0.24 cfs and changing the use to municipal after DEQ approved the well for municipal use. At the present time, the water is used for irrigation of the park, and as needed for supplemental municipal water.
2. The well is piped into the municipal system through a 4" mainline connection on 2nd Street East. The operating pressure is about 55-60 psi.
3. Primary Well #1 is located in Canyon County north of the Snake River, Primary Well #2 is in the SW part of the city, Well #3 is the Old City Hall well near City Hall, and Well #4 is the Farmer's Well, also located near City Hall. In August, 1998, Well #4 started pumping mud and was shut-down. Well #1 is called the Tom Morris well, and Well #2 is called the McKimney well.
4. Well #5 has no flow meter, and is manually controlled to direct the flow when needed.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

FEB 11 1999

Additional Computation Sheets Attached

$$\phi = \frac{(8.8)(20.4 \text{ ft})(20 \text{ ft})}{5' + (55 \text{ psi}) \left(\frac{34'}{14.7 \text{ psi}} \right)} = \underline{0.93 \text{ cfs}} > 0.24 \text{ cfs}$$

Allow 0.24 cfs in permit.

1. Volume Calculations for Irrigation:

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

Municipal Use

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cts)	Annual Volume V (afa)
	From	To		
Municipal	01/01	12/31	0.24	
Totals:			0.24	

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

P/O is in
SWSW, Sec. 3,
Lot 8, not in
NWSW.


Field Examiner's Name Don Zornick Date 11-12-98

Reviewer	Date
----------	------

SEAL

MICROFILMED

FEB 11 1999




Trap from SRBA

claim file 457-07048

TO3N 805W

HOMEDALE



EMERGENCY NUMBERS

FIRE 337-3000
POLICE (WEEKDAYS) 337-4642
(NIGHTS, WEEKENDS, HOLIDAYS) 337-4222
SHERIFF 337-4222
AMBULANCE 337-3550
POISON CONTROL 1-800-632-8000

1. ARMORY
2. BOWLING
3. CITY HALL
4. CITY LIBRARY
5. CITY PARK
PLAYGROUND
RESTROOMS
TENNIS COURTS
6. AIR GROUNDS / RODEO GROUNDS
7. FIRE DEPARTMENT
8. HEALTH SERVICES
9. LAUNDROMAT
10. MOTEL
11. PHARMACY
12. POLICE STATION
13. POST OFFICE
14. PUBLIC TELEPHONES
15. RESTAURANTS
16. RIVERSIDE PARK
BOAT DOCKS
CAMPER HOOKUPS
DEWARD BELL STADIUM
PLAY GROUND
RESTROOMS
SWIMMING POOL
17. SCHOOL, ELEMENTARY
18. SCHOOL, JR HIGH & HIGH
19. SENIOR CITIZEN CENTER
20. SERVICE STATIONS
21. VETERINARY CLINIC

57-07656

FEB 11 1990

MICROFILMED

OCT 07 1990


(4-675b)

T3N, R5W, Sec. 3

lot 8 SWSW

RANGE NO 5 WEST OF THE BO

INDEPENDENT RESURVEY AND SUBDIVISION OF SEC



MICROFILMED
57-07656
FEB 1 1969

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

- Drilled under WR 57-07048
1. DRILLING PERMIT NO: GPS Tag # A0004209 OTHER APPLICABLE NO: 57-07656
2. OWNER: City of Homedale Phone: (208) 337-4641
Address: P.O. Box 757, Homedale, ID 83628-0757
Lot 8
3. WELL LOCATION Twp 3N, Rge. 5W, Sec. 3, SW 1/4 SW 1/4
County Owyhee (Provide sketch map and photo on reverse.)
4. DRILLER: Metzer Well Drilling Lic. No. 93
When Drilled? 3-7-72 to 5-8-72
5. WELL CONSTRUCTION:
Casing Diameter 8 inches Water tight cap? ☐ Yes ☒ No Access Port: ☒ Yes ☐ No
Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe About 3"
Depth of Casing 21 ft. Method Drilled Cable Tool
Condition of Well Casing: ☐ Good ☐ Fair ☒ Poor Describe Corroded
Control Valve? ☒ Yes ☐ No Pressure Gauge: ☒ Yes ☐ No No working,
Condition of Piping and Valving Poor however!
Auger to a depth of _____ ft. Evidence of Annular Seal ☒ Yes ☐ No to 18'
Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)
6. HYDROLOGIC INFORMATION:
Depth to Static Water 5 ft. Water Temperature Cold °F
Flowing Artesian ☐ Yes ☒ No Pressure: _____ (psi)
Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____
Water Quality Measurements/Observations (Describe) _____
7. WELL USE:
☐ Domestic ☐ Irrigation ☐ Stock
☐ Test ☒ Municipal ☐ Industrial
☐ Abandoned ☐ Waste Disposal/Injection ☐ Not Used
☐ Other: _____

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☐ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type? _____

How far away from the well is this source? _____


9. REMARKS:


*This is well #5 for the City of Homestead
This well was drilled under WR 57-07048
for 0.04 cfs. This permit increases the
diversion rate to 0.24 cfs.*

Don Zander, Water Rights Examiner
Signature of Dept. Representative & Title

9-23-98
Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:





1 of 2

P/O

Well


House

in

Riverside

Park

Well #5



P/O

Well,

values,

Piping,

etc.

in

Well

House

Well #5

57-07656

2 of 2



P/u

Homedale

Homes

along

1st St.

E.



P/u

Homedale

Idaho

Av.

Hwy 19

11000

57-07656

Permit No 51-01656 Reviewed by [Signature] Date 9-9-98

TYPES OF USE

dom. ecc (municipal)

Correct Uses? yes

SOURCE OF WATER

✓ Ground water source

Copy in the file? Drilling Permit No.

Well log in the file?

MEASURING DEVICE

NID Required?

Model	Installed?
Model 1	
Model 2	
Model 3	
Model 4	
Model 5	
Model 6	
Model 7	
Model 8	
Model 9	
Model 10	
Model 11	
Model 12	
Model 13	
Model 14	
Model 15	
Model 16	
Model 17	
Model 18	
Model 19	
Model 20	
Model 21	
Model 22	
Model 23	
Model 24	
Model 25	
Model 26	
Model 27	
Model 28	
Model 29	
Model 30	
Model 31	
Model 32	
Model 33	
Model 34	
Model 35	
Model 36	
Model 37	
Model 38	
Model 39	
Model 40	
Model 41	
Model 42	
Model 43	
Model 44	
Model 45	
Model 46	
Model 47	
Model 48	
Model 49	
Model 50	
Model 51	
Model 52	
Model 53	
Model 54	
Model 55	
Model 56	
Model 57	
Model 58	
Model 59	
Model 60	
Model 61	
Model 62	
Model 63	
Model 64	
Model 65	
Model 66	
Model 67	
Model 68	
Model 69	
Model 70	
Model 71	
Model 72	
Model 73	
Model 74	
Model 75	
Model 76	
Model 77	
Model 78	
Model 79	
Model 80	
Model 81	
Model 82	
Model 83	
Model 84	
Model 85	
Model 86	
Model 87	
Model 88	
Model 89	
Model 90	
Model 91	
Model 92	
Model 93	
Model 94	
Model 95	
Model 96	
Model 97	
Model 98	
Model 99	
Model 100	

_____ Waiver requested?

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

P not acceptable

New Address ✓ Proof Made 8 14 98

Proof Made 8 14 98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 9, 1998

City Of Homedale
PO Box 757
Homedale ID 83628

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07656

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c. IDWR - Regional Office

MICROFILMED

SEP 11 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 30, 1998

CITY OF HOMEDALE
PO BOX 757
HOMEDALE ID 83628-0757

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-07656

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

MICROFILMED

8 8 1998

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


2008 08 08

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 57-07656

CITY OF HOMEDALE
PO BOX 757
HOMEDALE ID 83628-0757


Kari Lynn Townsend
Secretary

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. **A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

946 0 6 1998

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*

No.: 57-7656 Name: City of Homedale Date: 7/24/98 Ad OK? ☒ / Gvmt Lts: ☒

AREA OF CONCERN:

- No/Yes _____ Mor / _____ GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

PROTESTED:**SYSTEM COMPLETED:**

- > 1 year - 26A-P17
≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - North / East / West
≤ 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
- No MD

WMD ~~Supplemental use~~

- > 0.24 cfs/5 acres - ~~067-070~~ (if GW use SW 1st-statewide)-(cannot move SW off)
≤ 0.24 cfs/5 acres - 01M (report when notified)
- No MD

DRILLING PERMIT:

All wells (✓ WDQ3)

In Basin 34?

Irr within WD

- 046/P23
- 085
- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated)

IN/ABOVE MIN STR FLOW (✓ MAP)

WD (✓ MAP & LISTING)

- > 0.10 cfs - *WB9
- R04 (WD # _____)
- 01J-P08 (MD & LD)
≤ 0.10 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

- > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

- > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water)

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

- *W22 -P04, NA
- 007 (w/ remark *WB9 if above Weiser), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA
- 029 (fish screens), NA

USE:

Domestic surface

>1 in rest area

Fire Protection

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres

> 5 acres

Mining

Municipal

Power

Stockwater

Storage (✓3 compo)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge), 27A (Payette River), NA
- 071-070
- 077
- 029-007-042(req)-081 (WQ)-P10
- R07 (injection well)
- R66/R67/R68/R69 (0.03 cfs/acre + 3 0/3 5/4 0/4 5 AF)
- R62/R63/R64/R65 (0.02 cfs/acre + 3 0/3 5/4 0/4 5 AF)
- 054(req)-081-P10
- ~~022-075~~ 004 (+memo?), NA (not in restricted area)
- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons use),
17G (FERC) or 17M (FERG), 18B-P09, >25 cfs-P18
- R37 (BLM/USFS), NA
- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev

Mitigation

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

- P84 (in 20/30/40/50/60/70/80 (87) basin)
- 058 (<85° GW temp only)
- P52 (stream channel alteration)
- 120
- B
- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU)

OWNERSHIP:**OTHER CONDITIONS:****STANDARD REMARKS:****BENEFICIAL USE DUE:****COMMENTS:**

- 01W60 (2) 059/Riverside Park
- 8/1/1999
- mun memo
- no overlapping SW rights

MEMORANDUM

DATE: July 24, 1998
TO: File No. 57-07656
FROM: Cindy Zimmerman *CZ*
RE: Status of municipal use

Section 42-202(2) of the Idaho Code states that "an application proposing an appropriation of water by a municipal provider for reasonably anticipated future needs" must be accompanied by documentation related to the service area, planning horizon, etc.

Western Region staff contacted Homedale public works staff who indicated this filing was to establish a water right on an existing use. This permit is not intended as an expansion of the current system.

Because this application does not include any of the special documentation, nor does it indicate that it proposes an appropriation for reasonably anticipated future needs, it should not at any time be interpreted as such.

MAILED 1 MEI

1998 JUL 28

10/97 RECEIVED

JUL 22 1998

DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETINITIAL REVIEW BY: TTT DATE: 01/22/1998 APPLICATION: 57-07656Advertising
Delay
OK To
ADV.
TTT 5/18/98REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Correct fee paid

Gov't. Lots:
8 P/D
NO PIUADDITIONAL INFORMATIONYES ADV ADVERTISE REMARK(S) NO Mitigation
(Reviewer identify which remarks)

YES NO

NO T FLAG CHANGED TO P FLAG
✓ T Flag to P Flag 5/18/1998 by TTT

- ☒ ☐ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ☒ ☐ Overlapping point of diversion.
- ☐ ☒ Critical groundwater area:
- ☐ ☒ Groundwater management area:
- ☐ ☒ 1992 moratorium:
- ☐ ☒ Bull trout impact area
- ☐ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ☐ ☒ Copy to Dam Safety staff: (for any storage)
- ☐ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ☐ ☒ Send power requirement letter:
- ☐ ☒ Send fish farm requirement letter:
- ☐ ☒ Power residency affidavit:
- ☐ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Is well connected to municipal system? YES but valved off w/ backflow prevention deviceDo other wells irrigate to park? NO - NOT enough pressure in Muni systemTitle & Larry Baver: Public Works Supervisor - See call memo 5/18/1998
5/18/1998 by Tel.Date Requested 01/22/1998 Date Response Received 01/26/1998 by Telephone

* Mitigation Response form sent 02/19/1998 TTT *

PROCESSING

APP. NO. 57-07656

YES NO

☒ ☐ In form for advertising:
☐ ☒ Statewide advertising: (> 10 cfs &/or 1000 af)
☒ ☐ Fee amount, receipt number and date recorded on application:

SEND COPIES TO:

YES NO

☒ ☐ I.D. Health & Welfare
☐ ☒ I.D. District Health
☐ ☒ I.D. Fish & Game
☐ ☒ I.D. Lands

YES NO

☐ ☒ U.S. BLM
☐ ☒ U.S. Forest Service
☐ ☒ Water Dist. # _____
☐ ☒ Other _____

FINAL REGIONAL PROCESSING REVIEW:

YES NO

☒ ☐ Affidavit of publication received:
☒ ☐ Application published correctly: If not, record action taken.

☒ ☐ Publication dates and paper recorded on application:

☐ ☐ Final date for protest 6-22-98

☐ ☒ Protests received.

☐ ☐ Recommendations attached:

☐ ☐ Measuring device required:

☐ ☐ Measuring port required:

☐ ☐ Water delivered by water master? District # _____

☐ ☐ Special conditions of approval or cover letter: 120 (standard municipal conditions)

See below for additional information

Recommended Date or Priority 1/16/98

Recommended by: Darys Date: 7/17/98

STATE OFFICE REVIEW _____

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

License 57-07048 has been decreed for two acres (as licensed), for the same well and place of use as this application. Other municipal rights (decreed) include 57-10393, ^{and} 57-07027, and license 63-09260. TTR

Dom. should be changed to municipal? Yes - entire nature of use changed to municipal per conv. w/ PW supervisor. Well can serve municipal uses - to DEQ stds. TTR 5/18/1998

The Owyhee Avalanche
P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss
COUNTY OF OWYHEE)

RECEIVED

JUN 11 1998

I, Joe E. Aman, being first duly sworn, depose and say

WATER RESOURCES
WESTERN REGION

1 That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned

2 That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho

3 That the said The Owyhee Avalanche has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice

4 That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in

said newspaper, in _____ two (2) _____

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s)

June 03,10, 1998

Signed _____
Joe E. Aman

Subscribed and sworn to me this 10th day of June A.D., 1998

Jan Roeberry
Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires 05/04/2004

NOTICE OF APPLICANT
TION FOR WATER
RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

87-07688

CITY OF HOMEDALE
PO BOX 757
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt: LOT 8 (SWNW SW)
SEC 3 T 03N R 05 W in
OWYHEE County.
Use: MUNICIPAL (0.240 CFS)
Total Diversion: (0.240 CFS)
Date Filed: 1/16/1998
00

Place of use is within the city limits of the City of Homedale. Applicant agrees to mitigate consumptive use in the future as needed.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water

MICROFILMED

AUG 06 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 29, 1998

ID DEPT OF HEALTH & WELFARE
DIV OF ENV QUALITY
BOISE REGIONAL OFFICE
PO BOX 83720
BOISE ID 83706

Re: Application for Permit No 57-07656 in the Name of City of Homedale

Dear Sir:

Enclosed is a copy of the above-referenced application for permit which may be of interest to your agency. Please review the application and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest along with the \$25.00 protest fee must be received in this office by June 22, 1998.

If you have any questions regarding the application, please contact this office

Sincerely,

Gary Spackman

GS:st

Encl.

MICROFILMED

AUG 06 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAY 27, 1998

Legal Notices Department
Owyhee Avalanche
P.O. Box 97
Homedale, ID 83628

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JUNE 22, 1998.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

MICROFILMED

AUG 06 1998

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 06 1998

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JUNE 22, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 6/ 3/1998 & 6/10/1998

MICROFILMED

AUG 06 1998

CONVERSATION MEMORANDUM

DATE 5/18/1998

FILE 57-07656

NAME OF PARTY Larry Baver

EMPLOYEE M. Minicucci

RE: Nature g use

Mr. Baver indicated that the well identified in this application is connected to the municipal system and has been cleared by DEQ to be used as a municipal well.

He indicated that it was fine with him to change the application to a municipal nature g use.

Comment will be sent to DEQ.

MICROFILMED

AUG 06 1998

R E S P O N S E F O R M

**COMPLETE ONLY IF YOU WANT YOUR
APPLICATION TO BE PROCESSED**

Name of Applicant

City of Homedale

Mailing Address

P.O. Box 757

Homedale Idaho 83628

Application No.

57-07656

Mitigation

Yes, I agree to accept a condition of approval on my application that will require mitigation related to fishery resources based upon a finding by the Director, Idaho Dept. of Water Resources. I understand that mitigation is not needed now but may be needed in the future. I also understand that the Director will not invoke this condition until I have an opportunity to participate in the process by which mitigation is identified and quantified.

Signature

City of Homedale by Larry Banes

Date

2/20/98

Please return this form to:

Idaho Dept. of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

MICROFILMED

AUG 06 1998

RECEIVED

FEB 24 1998

**WATER RESOURCES
WESTERN REGION**


WEST - UP - LINE

AND SUBDIVISION OF

607 PLAT
T3N R5W
S.3
LOT 8

48.50

N. 89° 39' W.



MICROFILMED
AUG 06 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

February 19, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

LARRY BAUER
CITY OF HOMEDALE
PO BOX 757
HOMEDALE ID 83628

RE: APPLICATION FOR PERMIT

Dear Applicant:

You recently filed the above referenced application for permit that includes a consumptive use. Your proposed development might impact the water supply related to fishery resources sometime in the future.

Applications that include consumptive use can be processed if applicants are willing to accept a condition of approval that can require mitigation at a later date if the need for mitigation is clearly documented. Mitigation can include steps such as purchasing storage water to offset adverse impacts to fishery resources.

Enclosed is a response form to be completed and returned if you are willing to accept this condition of approval. Please note that mitigation is not required at this time but might be in the future.

Also enclosed is a withdrawal form to be completed and returned if you are not willing to accept the mitigation condition at this time. You will receive a refund for the filing fee if you withdraw the application.

Please let me know if you have any questions about your application.

Sincerely,

MARIA MINICUCCI
Sr. Water Agent

Enclosure

MICROFILMED
AUG 06 1998

Homedale

* 57-07048 2 acres irrig @ Municipal Park
S.W.N.W.S.W. S. 3

1/1/1940 .89 57-10393 Municipal 13/10 claim
3 wells S. 9 N.W.N.E.N.E (2) N.W.S.E.N.E

1/2/1969 .67 57-07027 Municipal ~~3 wells~~
3 wells S. 9 N.W.N.E.N.E (2) N.W.S.E.N.E

63-09260 GW Municipal

All decreed except B63

1/22 9:40 Busy 9:50 cal' back ~ 10:30

337 4641 Larry Bauer

1/26 8:20 left message
Park

Is ^{Park} well connected to municipal system? File xfer to add well to munic. rights

YES. Usually closed (valved) + backflowed

Can other wells irrigate park (via Muni system?)

No NOT enough pressure.

Time irrig'd? ~~for~~

Is currently completed

Title 7 Larry Bauer

Public Works Supervisor

MICHE ML

AUG 06 1998

57-07656

CITY OF HOMEDALE
PO BOX 757
HOMEDALE, ID 83628

Source: GROUNDWATER

Diversion Pt: LOT 8 (SWNWSW) Sec 3 T 03N R 05W in OWYHEE County.

Use: MUNICIPAL	(	0.240 CFS)
Total Diversion:	(	0.240 CFS)

Date Filed: 1/16/1998

00

Place of use is within the city limits of the City of Homedale.
Applicant agrees to mitigate consumptive use in the future as
needed.

MICROFILMED

AUG 06 1998