




T4N
R6W
S.25
NWSW

720 000 FEET
(IDAHO)
48 31000m. N.

MICROFILMED
OCT 29 1997
T. 3 N.


43°37'30"

160 000 FEET (IDAHO)

4 99000m. E.

117°00'

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/D Pump	A.O. Smith	2	1E893	Sears	Code 1E89W
Relift Pump	A.O. Smith	1/2	7A84	Sears	Code 1084E
Pump in Shop	Sta-Rite	3	JML1406T	Sta-Rite	Code 1G96F

*Code to correspond with No. on map and aerial photo

(Cat.#) ↗

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System off

MICROFILMED

SEP 24 1998



T4N
R6W
Sec. 25

No Gov. Lots

57-07646

MICROFILMED
SEP 24 1998

x-2

1 MILE
FEET

INTERIOR - GEOLOGICAL SURVEY, WASHINGTON, D. C. - 1971
HOMEDALE (U.S. 95) 5 MI.
NAMPA (VIA IDAHO 55) 27 MI.

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt =====
○ State Route



ADRIAN, OREG - IDAHO

1 of 4

P/D

Pump
located
on upstream
side of
culvert
under
lane -
near Willow
stand.

View looking
west



P/D

2 HP
Pump
Unit
at
stream

View
Looking
North



MICROFILMED
1998

57-07646


2 of 4



2,000 Gal.
buried tank,
relift
pump +
1" Hydrant
near
house.

View
Looking
Southwest

[Tank under
plywood]



1/2 HP
Relift
Pump and
5 Gal. Air
Tank on
top of
Storage
Tank.

MICROFILMED

SEP 24 1998 57-07646

3 of 4



3 HP
pump
unit
in
shop -
to be
used at
p/d in
future.



P/u
Stock
Trough
on
South
pipe line.

View
Looking
West

REPRODUCED
SEP 24 1998

57-07646

4 of 4



P/u
3' Dia.
Stock
Trough
on
North
pipe line.



P/u
8' Dia.
Stock
Trough
on
North
Pipeline.

MICROFILMED
SEP 24 1998

57-07646

The Owyhee Avalanche

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said The Owyhee Avalanche has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.


4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in

said newspaper, in Two (2)


(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

August 6 and 13, 1997

Signed



Subscribed and sworn to me this 13th day of August A.D., 19 97



Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires April 22, 2002

MICROFILMED

OCT 29 1997

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-07646

✓
SNODERLY, MARVIN J
RT 1 BOX 1312B
HOMEDALE, ID 83628
Source: UNNAMED STREAM
Tributary: SNAKE RIVER
Diversion Pt: SWNWSW Sec
25 T 04N R 06W in OWYHEE
County.

Use: STOCKWATER (0.100 CFS)

Total Diversion:(0.100 CFS)

Date Filed: 6/27/1997

In: OWYHEE County

T04N R06W S25 NWSW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2375 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 25, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

8/6&13/97

RECEIVED

AUG 29 1997

WATER RESOURCES
WESTERN REGION

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 57-07646

Priority: June 27, 1997

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

4.1 AF

This is to certify, that MARVIN J SNODERLY

RT 1 BOX 1312B

HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1997; and has submitted Proof of Beneficial Use on February 3, 1998. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from:

UNNAMED STREAM

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.07 CFS	4.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 25, Township 04N, Range 06W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

04N 06W 25

NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 8TH day of SEPTEMBER, 1998.

MICROFILMED

SEP 24 1998


KARL J. DREHER, Director

FEB 04 1998

Department of Water Resources

APR 16 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 57-07646

Proposed Priority: June 27, 1997

Maximum Diversion Rate:

0.10 CFS

This is to certify, that **MARVIN J SNODERLY**
RT 1 BOX 1312B
HOMEDALE ID 83628

has applied for a permit to appropriate water from:
UNNAMED STREAM tributary of **SNAKE RIVER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.10 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 25, Township 04N, Range 06W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC


04N 06W 25 NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1998.
2. Subject to all prior water rights.
3. Stockwater use is for 300 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

9th day of October, 1997.


for Karl J. Dreher, Director

MICROFILMED

OCT 29 1997

RECEIVED

SEP 24 1997

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant MARVIN J. SNODGRASS Phone 337 4037
Mailing address Box 13123 Newdale ID 83628
2. Source of water supply unnamed stream which is a tributary of Snake River
3. Location of point of diversion is Township 04N Range 06W Sec. 25, in the SW 1/4, NW 1/4, SW 1/4, Govt. Lot _____, B.M., Owyhee County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

[illegible]

5. Total quantity to be appropriated is (a) 10 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Pump 2" outlet
powered to multiple tanks

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. N/A

b. Stockwatering; list number and kind of livestock. 300 BEEF CATTLE

c. Municipal; show name of municipality. N/A

d. Domestic; show number of households. N/A

e. Other; describe fully. None

Microfilm
OCT 29 1967

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	N E				N W				S W				S E				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	06W	25									S								

Total number of acres to be irrigated N/A

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


 Signature of Applicant (and title, if applicable)

Received by [Signature] Date 6/27/1997 Time 11:03 Preliminary check by [Signature]
 Fee \$ 50 Received by [Signature] # W022681 Date 6/27/1997
 Publication prepared by AT Date 7-30-97 Published in Boyle's Annals 8-6-13-97
 Publication approved AT Date 7-14-97



T4N
R6W
S25
NWSW

720 000 FEET
(IDAHO)
48 31000m.N.

AIR FILMED
JUN 29 1937

43°37'30"

160 000 FEET (IDAHO)

4 99000m.E.

117°00'



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

September 8, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MARVIN J SNODERLY
RT 1 BOX 1312B
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07646

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

SEP 24 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.


MICROFILMED

SEP 24 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
SEP 24 1998

CERTIFICATE OF MAILING

I hereby certify that on the 8th day of September, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 57-07646

MARVIN J SNODERLY
RT 1 BOX 1312B
HOMEDALE ID 83628


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 24 1998

MEMORANDUM

TO: File 57-07646

FROM: Sharla

DATE: August 31, 1998

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit No. 57-07646 are as follows

H. RECOMMENDATIONS

Stockwater	1/1 - 12/31	0.07 cfs	4.1 afa
------------	-------------	----------	---------

The volume has been taken from the chart found in Application Processing Admin Memo #3 for 300 cattle based on year-round use

Exam Date. June 5, 1998
Examiner Dan Tomich

MICROFILMED
SEP 24 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 57-07646 DATE 8/28/98 REVIEWER: S H A R L A

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV

Permitted Rate .10 cfs
 Fee limit .20 cfs \$50.00
 Measured 11 cfs
 Theoretical 11 cfs 2" pipe @ 5 fps
 Recommended Total Div Rate .07 cfs

WATER USES	Change (P46)		
<u>Stock</u>	<u>.07</u> cfs	<u>4.1</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31)
_____	_____ cfs	_____ af	(W01/WB5/070/071/075)
TOTALS	<u>.07</u> cfs	<u>4.1</u> af	Domestic (W42 or W43/025/027/R22 or R23)
			Power (042) Fire (077) Wtr Quality (081/R07)

Flow rate .07 cfs X 365 days X 1.98 = 50.6 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes ✓ no SRBA Claim N/A Adjust Memo vol.
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 06 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07646

1. Owner: Marvin J. Snoderly Phone No. (208) 337-4037

Current Address: Rt. 1 Box 1312B Homedale ID 83628

2. Accompanied by: Marvin Snoderly EXAM DATE: 6-5-98

Address: (Same) Phone No. (Same)

Relationship to Permit Holder: (Same)

3. Source: Unnamed Stream tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NW	SW 25	4N	6W	Owyhee	Site Visit Map

2. Place(s) of Use:


Indicate Method of Determination Site Visit Map

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	6W	25																	

MICROFILMED

SEP 24 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: T - None

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
P/D Pump	A.O. Smith	2	1E893	Sears	Code 1E89W
Relift Pump	A.O. Smith	1/2	7A84	Sears	Code 1084E
Pump in Shop	Sta-Rite	3	JML1406T	Sta-Rite	Code 1G96F

*Code to correspond with No. on map and aerial photo

(Cat. #) 51

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - System off

MICROFILMED

SEP 24 1998

E. NARRATIVE/REMARKS/COMMENTS

1. This stockwater system consists of a 2 HP pump at the P/D (unnamed stream), a 2" PE pipe discharge line to a 2000 Gal. buried storage tank near the house; a 1/2 HP relift pump and 5 Gal. air tank on top of the storage tank, and PE pipelines to 3 stock watering troughs.
 2. The 2 HP pump at the P/D in the stream pumps directly into the 2000 Gal. storage tank.
 3. The 1/2 HP pump and 5 Gal. Air tank on top of the storage tank serves as a relift, by pumping water from the tank to the 3 stock troughs.
 4. The relift pump serves 1 stock trough to the south through a 1" PE pipe, which has 2 1" hydrants on it. The hydrants are used to fill up to 2 stock troughs, but only one trough was installed at the time of the exam. Another 1" PE pipe from the relift pump serves 2 stock troughs to the north.
 5. A new 3 HP pump unit was stored in the shop to be used as a replacement for the 2 HP pump at the P/D when needed. (shown in Photo)
 6. The water is used by 300 head of stock; 2 horses and the rest range cattle for about 6 months each year.
- Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 24 1998

Additional Computation Sheets Attached

Measured Method: None: Theoretical C2/. for P/D pump to storage tank;

$$\phi = \frac{(8.8)(214P)(702)}{TDH}$$

$$TDH = H - 50'$$

$$+ H_f - \text{pipe friction}$$

$$+ H_c - \text{Misc.} = 10\% H_f$$

$$+ H_v - \text{velocity head}$$

$$= \frac{V^2}{2g}$$

Using PE pipe tables:

<u>Try Q</u>	<u>TDH</u>	<u>Actual Q</u>
0.10 cfs, 45 Gpm	65'	0.19 cfs
0.20 , 90	106'	0.12
0.15 , 67	85'	0.15

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DB} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{OR} =$$

Allow 0.07 cfs $Q = \frac{0.15 \text{ cfs}}{2}$
for 300 Head $> 0.10 \text{ cfs}$
in Permit

2. Volume Calculations for Other Uses: Stockwater: 300 head for 6 months/yr

1) Based on Allowed: $AFA = \left(\frac{12 \text{ GPD}}{\text{Head}} \right) \left(\frac{300 \text{ Head}}{1} \right) \left(\frac{180 \text{ Days}}{\text{Ann}} \right) \left(\frac{AF}{325,850 \text{ Gal.}} \right) = 2.0 \text{ AFA}$

21 Based on Allowed Div. Rate : $AFA = (0.07 \text{ cts}) (365 \text{ Days}) / (1.9835) = 25.9 \text{ AFA}$
+ Permit use period. = 50.7 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Stockwater</u>	<u>01/01</u>	<u>12/31</u>	<u>0.07</u>	<u>2.0</u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Totals:			<u>0.07</u>	<u>2.0</u>

MICROFILMED
2.0
SEP 24 1998

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other


The diversion rate
should be only 0.07
cts for 300 head.
(0.10 cts in permit)

I. AUTHENTICATION

Field Examiner's Name Dan Tomic Date 6-15-98

Reviewer _____ Date _____

SEAL



T4N
R6W
Sec. 25

T 4 N
720 000 FEET
(IDAHO)


No Gov. Lots

T 3 N

43° 37' 30"

57-07646
(HOMEDALE)
MICROFILMED
SEP 24 1998

1 MILE
FEET



QUADRANGLE LOCATION

INTERIOR-GEOLOGICAL SURVEY WASHINGTON D C - 1971
HOMEDALE (U.S. 95) 5 MI
NAMPA (VIA IDAHO 55) 27 MI

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -
○ State Route

ADRIAN, OREG. - IDAHO

x-2

1 of 4

P/D

Pump
located
on upstream
side of
culvert
under
lane -
near Willow
stand.


View looking
west



P/D

2 HP
Pump
Unit
at
stream


View
Looking
North



IMED

57-07646

2 of 4




2,000 Gal.
buried tank,
relift
pump +
1" Hydrant
near
house.

view
Looking

Southwest

[Tank under
plywood]



1/2 HP
Relift
pump and
5 Gal. Air
Tank on
top of
Storage
Tank.


RED

57-07646

3 of 4



3 HP
pump
unit
in
shop -
to be
used at
p/d in
future.




P/u
stock
Trough
on
South
pipeline.

view
Looking
West

57-07646

4 of 4



P/u

3' Dia.


Stock

Trough

on

North

pipe line.



P/u

8' Dia.

Stock

Trough

on

North

Pipeline.

VIDEO 111

20. 7. 1996

57-07646

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 51-01646 Reviewed by [Signature] Date 3-5-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
NO Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

ATA ENTRY

ew Address _____ Proof Made 2-4-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

March 16, 1998

**KARL J. DREHER
DIRECTOR**

MARVIN J SNODERLY
RT 1 BOX 1312 B
HOMEDALE ID 83628

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07646

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's **WESTERN** Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

APR 16 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 9, 1997

MARVIN J SNODERLY
RT 1 BOX 1312B
HOMEDALE ID 83628

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-07646

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.


Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the

RECEIVED
OCT 17 9 1997

diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

100-100


0057-100

CERTIFICATE OF MAILING

I hereby certify that on the 9th day of October, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 57-07646

MARVIN J SNODERLY
RT 1 BOX 1312B
HOMEDALE ID 83628


Kari Lynn Townsend
Secretary

FILED 10/10/97

10/10/97

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lee
 No.: 57-7646 Name: Snoderly Date: 10/3/97 Ad OK? ✓ Gvmt Lts: ✓
AREA OF CONCERN:

- No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED:

- 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

1 year/no proof

P16

>1 year

- 26A-P17

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

>0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD >0.24 cfs

- 01M (report when notified)

>5 a

- 01M; 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

Existing well

- NA (pre 7/1/87, ✓ WDQ3)

Included w/permit

- Permit No. _____ - _____ - _____ - _____ P99

No drilling permit?

- 046-46B-P23 (post 7/1/87)

irr. in WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated)

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- 31A (modify remark *WB9)

WD (✓ MAP & LISTING)

- R04 (WD # _____)-01J-P08 (MD)

Pumped >0.20 cfs

- 01H-P01 (LD & MD) or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water).

Snake R (01)

- *W22 P04, NA

(02/03-irr)

- 007-P07 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens)

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest area

- 071-070-P53

Fish Propagation

- 029-007-042(req)-081-R07 (WQ)-P10; 044 (N of 1000 Springs)

Irr ≤ 5 acres

- R49/R50/R51/R52 (0.03 cfs/acre +AF)

> 5 acres

- R29/R30/R31/R32 (0.02 cfs/acre +AF)

Mining

- 054(req)-081-R07-P10

Muni (in restricted areas)

- 022, 075, 004 (+memo?)

Power

- 17H/17K(+uses)-08A-025-01N(P19)-028-081-R07(P10), 027 (if no other cons use);

17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18

Stock (BLM/USFS)

- R37 NA

Storage (✓3 compo)

- 080; 18A (in- & out-flow MD within district), 18B-P09 (>10' dam),

LOCATION:

42-248 area

P84 in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev

P52 stream channel alteration)

Irr Dist/Canal Co

- 023 (Twin Falls area)

SWAN FALLS FLAG (See Code Chart)

- B

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) _____

OTHER CONDITIONS:**STANDARD REMARKS:**- DW02/300cc**BENEFICIAL USE DUE:**- 10/1/ 9998**COMMENTS:**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED

SEP 24 1997

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW BY: 6 DATE: 7/22/97 APPLICATION: 57-87696

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map: (show T, R, S, QQ &/or QQQ)
- ☒ Subdivision plat: (for > 1 home in restricted area. $\geq$ 5 homes in non-restricted area)
- ☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
- ☒ Fee:
- ☒ Yes ☐ No* In form to receipt:
- Gov't. Lots:
☒ P/D
☒ P/U

ADDITIONAL INFORMATION

____ ADVERTISE REMARK(S)

(Reviewer identify which remarks)

____ T FLAG CHANGED TO P FLAG

YES NO

- ____ ☒ Overlapping place of use: (Describe source & relationship to present application on next page.)
- ____ ☒ Overlapping point of diversion.
- ____ ☒ Critical groundwater area:
- ____ ☒ Groundwater management area:
- ____ ☒ 1992 moratorium:
- ____ ☒ Copy to SCA staff: (perennial stream, non-pump diversion &/or any mining).
- ____ ☒ Copy to Dam Safety staff: (for any storage)
- ____ ☒ Mitigation plan: where ground water replaces surface water for irrigation, request additional information &/or mitigation plan to address reduced aquifer recharge
- ____ ☒ Send power requirement letter:
- ____ ☒ Send fish farm requirement letter:
- ____ ☒ Power residency affidavit:
- ____ ☒ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
- ____ ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

____ DATE REQUESTED

____ ADDITIONAL INFORMATION ON REVERSE SIDE:

APP. NO. 57-07646

_____ In form for advertising:
 _____ Statewide advertising: (> 10 cfs &/or 1000 af)
 _____ Fee amount, receipt number and date recorded on application:

YES NO

_____ I.D. Health & Welfare
 _____ I.D. District Health
 _____ I.D. Fish & Game
 _____ I.D. Lands
 _____ Adjudication Bureau

YES NO

☒ U.S. BLM
☒ U.S. Forest Service
☐ Water Dist. # _____
☐ Other _____

YES NO

☒ — Affidavit of publication received:
☒ — Application published correctly: If not, record action taken.

✓ Publication dates and paper recorded on application:
 N/A ✓ Protests received. Final date for protest 8-25-97
 N/A ✓ Protests dates, resolution of protest recorded on application:
 ✓ Recommendations attached:
 ✓ Measuring device required:
 ✓ Measuring port required:
 ✓ Water delivered by water master? District # _____
 ✓ Special conditions of approval or cover letter: _____

See below for additional information

Recommended Date or Priority 6/27/97
Recommended by: Gay Date: 9/21/97

STATE OFFICE REVIEW _____

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION:

The Owyhee Avalanche

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS
COUNTY OF OWYHEE)

I, Joe E Aman, being first duly sworn, depose and say

1 That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned

2 That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of The Owyhee Avalanche, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho

3 That the said The Owyhee Avalanche has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice


4 That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in

said newspaper, in Two (2)


(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s)

August 6 and 13, 1997

Signed



Subscribed and sworn to me this 13th day of August A D . 19 97



Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires April 22, 2002

FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-07645 ✓

SNODERLY, MARVIN J
RT 1 BOX 1312B
HOMEDALE, ID 83628
Source: UNNAMED STREAM
Tributary: SNAKE RIVER
Diversion Pt: SWNWSW Sec
25 T 04N R 06W in OWYHEE
County.

Use: STOCKWATER (0.100 CFS)

Total Diversion:(0.100 CFS)

Date Filed: 6/27/1997

In: OWYHEE County

T04N R06W S25 NWSW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2375 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 25, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

8/6&13/97

RECEIVED

AUG 29 1997

WATER RESOURCES
WESTERN REGION



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JULY 31, 1997

Legal Notices Department
Owyhee Avalanche
P.O. Box 97
Homedale, ID 83628

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 25, 1997.

Yours truly,

SUE TAYLOR
Secretary/Office Coordinator

Encl.

RECORDED

OCT 29 1997

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before AUGUST 25, 1997. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 8/ 6/1997 & 8/13/1997

NOTED 11/11

OCT 29 1997

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

APR 29 1987

57-07646

SNODERLY, MARVIN J
RT 1 BOX 1312B
HOMEDALE, ID 83628

Source: UNNAMED STREAM

Tributary: SNAKE RIVER

Diversion Pt: SWNWSW Sec 25 T 04N R 06W in OWYHEE County.

Use: STOCKWATER (0.100 CFS)

Total Diversion: (0.100 CFS)

Date Filed: 6/27/1997

In: OWYHEE County
T04N R06W S25

NWSW

130/30

OCT 29 1997