



THIS SKETCH IS MADE SOLELY TO ASSIST
IN LOCATING THE PROPERTY. THE COMPANY
ASSUMES NO LIABILITY FOR VARIATION,
IF ANY WITH AN ACTUAL SURVEY.



J. D. WILLIAMS STATE CONTROLLER'S WARRANT WARRANT ON THE TREASURER OF THE STATE OF IDAHO BOISE, IDAHO		STATE OF IDAHO		 92-9/1241	
560 107529569 01/21/97					
AGENCY WARRANT NO. 1		DATE			
PAY		SUSAN WILSON/CONNIS WILSON			
TO THE		P.O. BOX 518			
ORDER OF		GRANDVIEW, ID 83624		\$50.00	
1ST INTERSTATE BANK		MAIN OFFICE, BOISE, ID		AMOUNT  J.D. WILLIAMS - STATE CONTROLLER	
#0107529569#		#124100093:		#0000005000#	

1001
 1002
 1003
 1004
 1005
 1006
 1007
 1008
 1009
 1010
 1011
 1012
 1013
 1014
 1015
 1016
 1017
 1018
 1019
 1020
 1021
 1022
 1023
 1024
 1025
 1026
 1027
 1028
 1029
 1030
 1031
 1032
 1033
 1034
 1035
 1036
 1037
 1038
 1039
 1040
 1041
 1042
 1043
 1044
 1045
 1046
 1047
 1048
 1049
 1050
 1051
 1052
 1053
 1054
 1055
 1056
 1057
 1058
 1059
 1060
 1061
 1062
 1063
 1064
 1065
 1066
 1067
 1068
 1069
 1070
 1071
 1072
 1073
 1074
 1075
 1076
 1077
 1078
 1079
 1080
 1081
 1082
 1083
 1084
 1085
 1086
 1087
 1088
 1089
 1090
 1091
 1092
 1093
 1094
 1095
 1096
 1097
 1098
 1099
 1100
 1101
 1102
 1103
 1104
 1105
 1106
 1107
 1108
 1109
 1110
 1111
 1112
 1113
 1114
 1115
 1116
 1117
 1118
 1119
 1120
 1121
 1122
 1123
 1124
 1125
 1126
 1127
 1128
 1129
 1130
 1131
 1132
 1133
 1134
 1135
 1136
 1137
 1138
 1139
 1140
 1141
 1142
 1143
 1144
 1145
 1146
 1147
 1148
 1149
 1150
 1151
 1152
 1153
 1154
 1155
 1156
 1157
 1158
 1159
 1160
 1161
 1162
 1163
 1164
 1165
 1166
 1167
 1168
 1169
 1170
 1171
 1172
 1173
 1174
 1175
 1176
 1177
 1178
 1179
 1180
 1181
 1182
 1183
 1184
 1185
 1186
 1187
 1188
 1189
 1190
 1191
 1192
 1193
 1194
 1195
 1196
 1197
 1198
 1199
 1200
 1201
 1202
 1203
 1204
 1205
 1206
 1207
 1208
 1209
 1210
 1211
 1212
 1213
 1214
 1215
 1216
 1217
 1218
 1219
 1220
 1221
 1222
 1223
 1224
 1225
 1226
 1227
 1228
 1229
 1230
 1231
 1232
 1233
 1234
 1235
 1236
 1237
 1238
 1239
 1240
 1241
 1242
 1243
 1244
 1245
 1246
 1247
 1248
 1249
 1250
 1251
 1252
 1253
 1254
 1255
 1256
 1257
 1258
 1259
 1260
 1261
 1262
 1263
 1264
 1265
 1266
 1267
 1268
 1269
 1270
 1271
 1272
 1273
 1274
 1275
 1276
 1277
 1278
 1279
 1280
 1281
 1282
 1283
 1284
 1285
 1286
 1287
 1288
 1289
 1290
 1291
 1292
 1293
 1294
 1295
 1296
 1297
 1298
 1299
 1300
 1301
 1302
 1303
 1304
 1305
 1306
 1307
 1308
 1309
 1310
 1311
 1312
 1313
 1314
 1315
 1316
 1317
 1318
 1319
 1320
 1321
 1322
 1323
 1324
 1325
 1326
 1327
 1328
 1329
 1330
 1331
 1332
 1333
 1334
 1335
 1336
 1337
 1338
 1339
 1340
 1341
 1342
 1343
 1344
 1345
 1346
 1347
 1348
 1349
 1350
 1351
 1352
 1353
 1354
 1355
 1356
 1357
 1358
 1359
 1360
 1361
 1362
 1363
 1364
 1365
 1366
 1367
 1368
 1369
 1370
 1371
 1372
 1373
 1374
 1375
 1376
 1377
 1378
 1379
 1380
 1381
 1382
 1383
 1384
 1385
 1386
 1387
 1388
 1389
 1390
 1391
 1392
 1393
 1394
 1395
 1396
 1397
 1398
 1399
 1400
 1401
 1402
 1403
 1404
 1405
 1406
 1407
 1408
 1409
 1410
 1411
 1412
 1413
 1414
 1415
 1416
 1417
 1418
 1419
 1420
 1421
 1422
 1423
 1424
 1425
 1426
 1427
 1428
 1429
 1430
 1431
 1432
 1433
 1434
 1435
 1436
 1437
 1438
 1439
 1440
 1441
 1442
 1443
 1444
 1445
 1446
 1447
 1448
 1449
 1450
 1451
 1452
 1453
 1454
 1455



T45
R2E
Sec. 35
NWSN

p/o
p/u
9 AC. NE of Canal

No Gov. Lots

MICROFILMED
AUG 20 1998

57-07622

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 57-07622

Priority: December 19, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that SUSAN WILSON
CONNIS WILSON

PO BOX 518

GRANDVIEW ID 83624-0518

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 19, 1995; and has submitted Proof of Beneficial Use on December 24, 1996. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 35, Township 04S, Range 02E
OWYHEE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04S 02E 35

NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 10TH day of AUGUST, 1998.

Acting for

KARL J. DREHER, Director

MICROFILMED
JUG 20 1998

RECEIVED

AUG 10 1998

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 57-07622

Date of Priority: December 19, 1995

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

Comes now

SUSAN WILSON

CONNIS WILSON

PO BOX 518

GRANDVIEW ID 83624-0518

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 57-07622, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 35, Township 04S, Range 02E
OWYHEE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

04S 02E 35

NWSW

pd CK# 1367 of 8/3/98

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 5:04 P.M., this 3 day of AUGUST, 1998.

MICROFILMED

AUG 20 1998

Connie O. Wilson
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 57-07622

FOR DEPARTMENT USE ONLY

Preliminary check by SVK Fee = 5000 Received by LS # 6043079 Date 8/10/98

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 57-07622 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

Witness my hand this 10TH day of AUGUST, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

AUG 20 1998

7/94

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00Receipt No. 12-82Receipt By: RLTDate Received: 12-20-96

RECEIVED

DEC 24 1996

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 57-07622 Telephone No. 834-25362. Name(s) of Permit Holder(s): Susan D. Wilson & Connie A. Wilson3. Mailing Address: P.O. Box 518 Grand View, Id. 836244. Source of Water: Ground Water If GROUNDWATER (well), Date Drilled: mo. 8 / yr. 94a. Well Driller: Hiddleston DRILLING Drilling Permit Number: 57 - 94 - W-0038 - 000b. OPTIONAL:
Pump Horsepower: 1/2 Pressure (psi): 60 Dynamic pumping level (ft): 20'

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): 20 Bovine 2 PigsIrrigation (No. of acres): N/A Other: _____6. Total rate of diversion and/or volume for which proof is submitted: .04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No XFlow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Connie or Susan Wilson Telephone Number: 834-2536Address: P.O. Box 518 Grand View, Id. 83624

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Connie A. Wilson Date: Dec 22, 96
(include your title, if on behalf of company or organization)

14-10-107-10

14-10-107-10

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 57-07622

Proposed Priority: December 19, 1995 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **SUSAN WILSON**
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 83624-0518

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 35, Township 02S, Range 02E
OWYHEE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

02S 02E 35 NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1997**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

15th day of February, 1996

Karl J. Dreher
for Karl J. Dreher, Director

RECEIVED

FEB 23

RECEIVED
FEB 12 1996

Ident. No. 57-07622

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

APPLICATION FOR PERMIT

...To appropriate the public waters of the State of Idaho

1. Name: SUSAN WILSON 208-834-2536
Address: PO BOX 518
GRAND VIEW ID 83624
AND/OR
Name: CONNIS WILSON 208-834-2536
Address: PO BOX 518
GRAND VIEW ID 83624

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWSW Sec. 35, Township 02S, Range 02E
OWYHEE County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.040		

5. Total quantity to be appropriated is:
0.040 CFS (and/or) AF

6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc.
CASED WELL
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 51
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 08/04/1994
Drilling Firm HIDDLESTON DRILLING
Well was drilled for RANDY POLLARD

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).

FEB 23 1996

8. Place of Use: DOMESTIC

TWN RGE SEC
02S 02E 35 NWSW

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:
domestic use for one home

11. Map of proposed point of diversion and place of use attached? ☒


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Conner A. Wilson
Applicant

Received by W Date 12/19/95 Time 1:30 Preliminary check by ly
Fee \$ 50⁰⁰ Receipted by W # W020192 Date 12/19/95
Publication prepared by AT Date 12-27-95 Published in Owyhee Avalanche
Publication approved AT Date 2-1-96

FEB 23 1996

THIS SKETCH IS MADE SOLELY TO ASSIST
IN LOCATING THE PROPERTY. THE COMPANY
ASSUMES NO LIABILITY FOR VARIATION,
IF ANY WITH AN ACTUAL SURVEY.





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 11, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 83624-0518

RE: WATER RIGHT NO. 57-07622

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

AUG 20 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

2 AUG 20 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


3 AUG 20 1998

CERTIFICATE OF MAILING

I hereby certify that on the 11th day of August, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 57-07622

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 83624-0518


Kari Lynn Townsend
Secretary

MICROFILMED

AUG 20 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 27, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 83624-0518


RE: WATER RIGHT NO. 57-07622

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within 14 days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

for

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

AUG 20 1998

WALL-TO-WALL

225

01:56 01:57 01:58 01:59 02:00

Abstract

ADDENDUM

J. D. Williams
J. D. WILLIAMS - STAFF

1ST INTERSTATE BANK
MAIN OFFICE, BOISE, ID

0107529569# 1212410009312

2144446-00000 700000

1241-0793
1241-0793
1241-0793

MICROFILMED

AUG 20 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 6, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SUSAN WILSON
PO BOX 518
GRANDVIEW ID 83624

RE: Amendment of Permit 57-07622

Dear Susan:

Thank you for calling this afternoon in response to my letter notifying you that your permit must be amended. As you requested, I have enclosed photocopies of the following items from your water right file.

- Application for Permit signed by Connis A. Wilson
- Permit to Appropriate Water issued to you on February 15, 1996
- Proof of Beneficial Use signed by Connis A. Wilson.

As we discussed on the phone, before a water right license can be issued you must amend your permit to show the correct legal description for your point of diversion and place of use. The actual location is NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 35, Township 4 South, Range 2 East, whereas the permit issued in accordance with your application indicated the NW $\frac{1}{4}$ SW $\frac{1}{4}$, Section 35, Township 2 South, Range 2 East.

I have also looked into the refund of the \$50.00 examination fee submitted with your Proof of Beneficial Use. As Julie Yarbrough stated in her January 9, 1997, letter to you, an examination fee is not required for an appropriation of 0.04 cfs from ground water. According to our records, a refund check of \$50.00 was issued on January 21, 1997. Our accounting section has asked the state controller's office to obtain a copy of the cancelled check. I was told this process may take up to two weeks.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

MICROFILMED

AUG 20 1998

SD-2503-1

Idaho Department Of Water Resources
Receipt Maintenance II - Maint Screen IDate 07/06/98
Time 15.21 15

Receipt Number	C037282	Receipt Amt	50 00

Receipt Type	CK	Check Number	0885__
Date & Time	12/24/1996 10.26.30	Julian Date	-
From Payer	WILSON, CONNIS R./SUSAN D_____		
User ID	KTOWNSEN		
Adjust Flag	W	Rec. Group	F
Trans Number	_____	Trans Yr-Mo	____-__
AR Number	_____		
Receipt Remarks	_____		
Update Remarks	_____		
Amount Refunded	_____50 00	Refund Date	01/21/1997
Refund Reason	_____		
Refund Name	SUSAN WILSON/CONNIS WILSON_____	Refund CK No	__1864

Receipted Fees	__	Water Right Numbers	__

(Enter=Continue) (GOLD2=Update)

MICROFILMED

AUG 20 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 1, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 83624-0518

RE: WATER RIGHT NO. 57-07622

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

AUG 20 1998

WR0749NP

No. L57-07622

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT PROFILE REPORT

DATE: 07/01/98

PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	SUSAN WILSON	12/19/1995	DOMESTIC	01/01 12/31	0.040 CFS	1.20 AFA
C	CONNIS WILSON					
	PO BOX 518			TOTAL DIVERSION:	0.040 CFS	1.20 AFA
	GRANDVIEW ID 83624-0518					
	(208) 834-2536					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.040 CFS

Point(s) of Diversion: T04S R02E S35

NWSW

OWYHEE County

Place of use Legal Description for: DOMESTIC

NE				NW				SW				SE			
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE
T	R	S		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
04S	02E	35	.												

Pou County: OWYHEE

Other Water Rights Listing Overlapping Place(s) of use:
57-07535

Remarks: GEN Domestic use is for 1 home.

Dates: App. Received: 12/19/1995 Priority Date: 12/19/1995
 Proof Due Date: 02/01/1997 Proof Made Date: 12/24/1996
 Exam Made Date: 04/15/1997 Exam Sent to S.O.: 01/28/1998
 Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 06/30/98 CZIMMERM

B/U FIELD EXAM REVIEW

by Cindy LouPermit #: 57-07622 Name: Wilson Date: 6/30/98 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change?

SOURCE ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Addn'l 1/4? Legal T4S P39
 Same 1/4? W32 P36
 Overlap(s) none

P/U ✓ Amendment Needed? T4S P41
 Overlap(s) none
 (Gov't use special T's) *P/D & P/U Amend P37

RATE ✓ Permit/proof fee limits 0.04 1 ~~0.04~~ 1.00
_____ Measured Quantity = NA cfs Theoretical Quantity = 0.04 cfs
allow permitted 0.04 cfs.
 (HP) $\frac{8.8 \times 0.70 \times 0.5}{20 + (231 \times 25)} = 0.04$ cfs
✓ Recommended capacity 0.04 cfs
✓ Recommended rate 0.04 cfs

VOLUME ✓ Season: (1) 1/1 - 12/31 = 365 days
 Calculations: allow 1.2 AF

✓ Flow limit: cfs x days/yr. x 1.9835 = _____ AF
✓ Recommended volume 1.2 AF

USES ✓ Same Nature of Use? _____ P46
_____ Amendment Needed? _____

REMARKS Multiple p/d's in same 1/4? Use W32
✓ (1) W32/1

CONDITIONS _____ Measuring Device (R43) or Lockable Controlling Works (R02)
_____ Watermaster Control (R04) - WD # _____
_____ Irrigation rate/annual volume overlap
_____ GW irrigation replaces surface water (050)
_____ GW irrigation supplements surface water (065)
_____ Water Quality
_____ Other _____

PRIORITY App Rcd 12/19/95 Due 2/1/97 Rcd'd 12/24/96
 Receipt# CO37282 Fee OK? (Yes) No 450 Refunded
 Order to Reinstate Needed? Yes No Done? _____ Advanced to: _____
 Priority 12/19/95 Examined 4/15/97

COMMENTS Amend to correct township.

USE	CFS	VOLUME
<u>Dom</u>	<u>0.04</u>	<u>1.2</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
<u>_____</u>	<u>_____</u>	<u>_____</u>
TOTAL	<u>0.04</u>	<u>1.2</u>

SRBA Overlap none
 Adjustment Memo _____
 LICENSE
 #1 AMEND: P37/P38
 #2 AMEND: (SP42)(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 29 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07622

1. Owner: Susan & Connie Wilson Phone No. (208) 834-2536

Current Address: P.O. Box 518, Grandview, ID 83624-0518

2. Accompanied by: (office exam) EXAM DATE: 4-15-97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	35	4S	2E	anyhee	Assessor's office

2. Place(s) of Use:

Indicate Method of Determination Assessor's office

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4S	2E	35											D						

MICROFILMED

JUN 20 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☐ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - office exam.

MICROFILMED

AUG 20 1998



E. NARRATIVE/REMARKS/COMMENTS

1. This was done as an office exam.

2. Called Owyhee County Assessor's Office:
Susan & Connie Wilson have 9 Acres
NE of canal in T4S, R2E, Sec. 35,
NWSW. They are buying under
contract from Randy & Dee Pollard -
(Name shown on Well Drilling
Permit # 57-94-W-0038-000).

3. The Property location is in T4S not
T2S as shown on Permit.

Have conditions of permit approval been met? ☒ yes

☐ no
MICROFILMED

AUG 20 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method: Now - office exam.Allow 0.04 cfs**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

2. Volume Calculations for Other Uses:

Domestic: Allow 1.2 AFA**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01/01</u>	<u>12/31</u>	<u>0.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>1.2</u>

2. Recommended Amendments

☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Don Zambel Date 1-26-98

Reviewer _____ Date _____

P/D, P/U is
in T45 not
T25 as shown
on permit.

MICROFILMED
SEAL
AUG 20 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 9, 1997

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRAND VIEW ID 83624

PROOF ACKNOWLEDGMENT LETTER

RE: Permit No. 57-07622

Dear Permit Holder:

The Department is in receipt of the proof of beneficial use statement and the \$50.00 license examination fee filed in connection with the above referenced water right permit.

A license examination fee is not required for a rate of diversion of 0.04 cfs or less from a ground water source, therefore, I have initiated the process to refund the \$50.00 exam fee. The refund should arrive in seven (7) to ten (10) business days under separate cover.

Please be advised that Section 42-248, Idaho Code, which became affective on July 1, 1996, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Please contact any office of the department for the proper form to file a change of ownership of a water right and/or a change in the address of the owner. Failure to maintain current records with the department could result in the assessment of a monetary penalty.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have any questions concerning the field examination, contact the **WESTERN** Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

C: IDWR - Region,
Fiscal

MICROFILMED
JAN 23 1997

November 30, 1996

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 836240518

PROOF DUE NOTICE

RE: PERMIT NO. 57-07622

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1997. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

DATE 11/1/97





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 15, 1996

SUSAN WILSON
CONNIS WILSON
PO BOX 518
GRANDVIEW ID 83624-0518

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-07622

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

FEB 23 1996

UD5805NP
(00-5805)

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLING PERMIT/LOG INDEX

DATE: 02/13/96
PAGE: 1

PERMIT
NUMBER

OWNER
CODE

NAME & ADDRESS

TWP RGE SEC TRACT LOT ACC
FLG COUNTY

57-94-W-0038-000

0

DEE POLLARD
PO BOX 241
GRANDVIEW, ID 83624
(208) 834-2310

02S 02E 35 NW SW
04S 02E 35 NW SW I ELMORE

0

RANDY POLLARD
PO BOX 241
GRANDVIEW, ID 83624
(208) 834-2322

Subdivision Well Site Location and Description:

Subdivision Name:
Well Site Address: 1/4 ML N ON HWY 78/ML MKR 54
City, State: GRANDVIEW, ID

Lot(s):
Block(s):

Geographic Location:
GPS Site ID:
Lat: : :
Long: : :
Accuracy Code:

Proposed Use of Well: Domestic

Proposed Casting Diameter: 6 in.
Anticipated Bottom Temp: 85F or less

Proposed Depth: 60 Ft.

Well Use Comments:

Driller License No: 0035

Firm Name: HIDDLESTON & SON INC
Official: RON HIDDLESTON

Permit Status: Filed

Verbal Issued Date: 07/29/1994	Receipt No.	Receipt Date	Fee
Verbal Issued Time: 09:23:10	W017843	08/01/1994	\$ 35.00
Received Date: 08/01/1994			
Approved Date: 08/01/1994			
Proposed Start Date: 08/10/1994			
Extension Date:			
Extension Expiration:			

Specific Conditions:

Permit Remarks: ADDRESS OF SITE: 1/4 MILE NORTH ON HWY 78; MILE MARKER 54

Conditions of Approval: This drilling permit is valid for two (2) months from the approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.

This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required prior to construction of this well. The local Health Department should be contacted for septic tank/drainfield locations. Domestic wells must not be drilled closer than 100' from any drainfield and 50' from any septic tank.

The well shall be constructed by a driller currently licensed in the state of Idaho who must maintain a copy of the drilling permit at the drilling site.

FEB 23 1996

WELL DRILLING PERMIT/LOG INDEX: Permit No. 57-94-W-0038-000 (cont'd)

Conditions of Approval: Approval of this drilling permit does not authorize trespass on the land of another party.

This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

This drilling permit does not represent a right to divert and use the water of the State of Idaho.

If the bottom hole temperature of 85 Degrees F (29.44 °C) or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

The use of water from this well is for Domestic purposes only which includes irrigation of up to 1/2 acre of land with all combined uses not to exceed 13,000 gallons per day (42-111[A]), or for Domestic uses other than for homes, organization camps, public campgrounds or livestock where the diversion rate and volume does not exceed .04 cfs and 2500 gpd (42-111[B]).

Comments: Date: 12 01 1995 User-ID: JCARLSON Subject: Mrs Pollard call on well location, cap, bacterial problems. She indicated that the well is approx. 40' from septic, her husband had designated one location they came when no one was there and put it in another. They did not put a water tight steel cap on the well and the health dist. will not pass the well with bacterial contamination. Mrs. Pollard did buy a water tight cap from Middleton's after the well was drilled. She indicated that their realtor had made contact with the drillers and they were not interested. This is all 4th hand information at this point.

WELL DRILLER'S LOG REPORT

Drilling Permit No: 57-94-W-0038-000

Water Right No:

Log Status: Sent To/Microfilmed

Injection Permit No:

Nature of Work: REPLACE

Construction Method: AIR ROTARY

Casing Diameter:	6	In.	Static Water Level:	20	Ft.	Actual Start Date:	08/04/1994
Depth of Casing:	50	Ft.	Temperature:		F.	Well Finish Date:	08/04/1994
Total Depth:	51	Ft.	Production Rate:	10.00	GPM	Log Received Date:	08/08/1994
Screen Installed?	No					Certification Date:	08/05/1994

Field Inspection Date:

Inspector:

Well Log Remarks:

SURFACE SEAL 24' BENTONITE USED, POUR METHOD.
COMPLETED WELL DEPTH 50 FT.
REFILMED ORIGINAL IN INSPECTED LOCATION, WELL REPORT CAN BE FOUND
IN WELL REPORTS RECEIVED DECEMBER 1995. DW

17 13 1995

The Owyhee Avalan

P.O. BOX 97 • HOMEDALE, ID 83628 • 2

AFFIDAVIT OF PUBLICATI

STATE OF IDAHO)
) ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and mentioned was and now over the age of twenty-one years, not a in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereb and now am the publisher of **The Owyhee Avalanche**, a newsp tion printed and published weekly, on Wednesday of each and e Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed s ously and uninterruptedly in said County during a period of n weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from sal affixed, was published in the regular issue thereof, and not a s

said newspaper, in TWO (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the

January 3 & 10, 1996

Signed

Subscribed and sworn to me this 10th day of January A.D., 19 96

Claine Black

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires August 18, 2001

FEB 23 1996

NOTICE APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-07621

MOONE, GREGORY J
438 5TH ST N EXT
NAMPA, ID 83687

Source: GROUNDWATER

Diversion Pt: SENE Sec 29 T 01S R 02W in OWYHEE County.

Use: IRRIGATION (0.300 CFS)
DOMESTIC (0.020 CFS)
STOCKWATER (0.020 CFS)
RECREATION STORAGE (4.00AF)
DIVERSION TO STORAGE (0.100 CFS)
Total Diversion: (0.340 CFS)

Date Filed: 12/14/1995

In: OWYHEE County

T01S R02W S29 SENE

15.0 ACRES TOTAL

57-07622

WILSON, SUSAN

WILSON, CONNIS

PO BOX 518

GRAND VIEW, ID 83624

Source: GROUNDWATER

Diversion Pt: NWSW Sec 35 T 02S R 02E in OWYHEE County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 12/19/1995

In: OWYHEE County

T02S R02E S35 NWSW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before JANUARY 22, 1996. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Publish: Jan 3 & 10, 1996

RECEIVED

FEB 01 1996

WATER RESOURCES
WESTERN REGION

57-07622

WILSON, SUSAN
WILSON, CONNIS
PO BOX 518
GRAND VIEW, ID 83624

Source: GROUNDWATER

Diversion Pt: NWSW Sec 35 T 02S R 02E in OWYHEE County.

Use: DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.040 CFS)

Date Filed: 12/19/1995

In: OWYHEE County	
T02S R02E S35	NWSW

DEC 23 1996