






RECEIVED

APR 05 1999

Department of Water Resources

MICROFILMED
APR 13 1999

IDAHO DEPARTMENT OF WATER RESOURCES

1301 North Orchard St.

P.O. Box 83720

Boise, ID 83720-0098

(208) 327-7900

TO

L57-07606

REX TRAMMEL

RT 1

PO BOX 1096A

HOMEDALE


ID 83628

TRAM001 836282017 1398 02 04/02/99
FORWARD TIME EXP RTN TO SEND

TRAMMEL
15610 CHAPARRAL AVE
CALDWELL ID 83605-8346


RETURN TO SENDER

4.5.99 - WTR 2 database
updated & license
formalised. Not



MICROFILMED

APR 13 1999



State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 57-07606

Priority: December 28, 1994

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

1.3 AF

This is to certify, that REX TRAMMEL

RT 1

PO BOX 1096A

HOMEDALE ID 83628

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 28, 1994; and has submitted Proof of Beneficial Use on January 12, 1996. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.06 CFS	1.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 15, Township 03N, Range 05W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

03N 05W 15

NENW

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 29th day of

MARCH, 1999.


Acting for KARL J. DRENER, Director

NOT FILMED

APR 13 1999

RECEIVED

JAN 12 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 57-07606 Telephone No. (208) 337-5110
2. Name(s) of Permit Holder(s): REX LAWRENCE TRAMMEL
3. Mailing Address: RT. 1 Box 1096A, HOMEDALE ID., 83628
4. Source of Water: WELL If **GROUNDWATER** (well), Date Drilled: mo. 12 / yr. 94
 - a. Well Driller: COONS & WELL DRILLING Drilling Permit Number: 57-94-W-0067
 - b. **OPTIONAL:**
Pump Horsepower: 1 HP. Pressure (psi): _____ Dynamic pumping level (ft): 60
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .060 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No <u>✓</u>
	Has the measuring device been installed?	Yes _____ or No <u>✓</u>
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No <u>✓</u>
	Has the measurement port been installed?	Yes _____ or No <u>✓</u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: REX OR JOANNE TRAMMEL Telephone Number: (208) 337-5110
Address: RT 1 Box 1096A, HOMEDALE ID. 83628
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

[Signature]
(include your title, if on behalf of company or organization)

FEB 23 1996

Date:

1/10/96

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 57-07606

Proposed Priority: December 28, 1994 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **REX TRAMMEL**

RT 1

PO BOX 1096A

HOMEDALE ID 83628

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 15, Township 03N, Range 05W
OWYHEE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

03N 05W 15 NENW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1996**.
2. Subject to all prior water rights.
3. Domestic use is for 1 home.
4. Stockwater is for 3 horses.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

10th day of March, 1995


R. Keith Higginson, Director

for



MAR 28 1995

RECEIVED
MAR 07 1995

Department of Water Resources

Ident. No. 57-07606

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: REX TRAMMEL 208-343-4143
Address: PO BOX 1096A ROUTE 1
HOMEDALE ID 83628
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENW Sec. 15, Township 03N, Range 05W
OWYHEE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.020		
DOMESTIC	01/01	12/31	0.040		
5. Total quantity to be appropriated is:
0.060 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
6" WELL, 143' DEEP W/1 HP PUMP TO PLACE OF USE.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 143
feet.
 - d. Is groundwater with a temperature greater than 85F being sought? NO
 - e. If well is already drilled, when? 12/09/1994
Drilling Firm COONSE WELL DRILLING
Well was drilled for REX TRUMMEL
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year(s).
8. Place of Use: STOCKWATER

TWN RGE SEC
03N 05W 15

NENW

28 1995

Place of Use: DOMESTIC Same as Stockwater (D.B. changed) gy


TWN RGE SEC
03N 05W 15 NENW

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks: Domestic use is for one home. (D.B. change gy)
Stockwater is for 3 horses.

11. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by  Date 12-28-94 Time 3:35 PM Preliminary check by 


Fee \$ 50 Receipted by  # W018470 Date 12-28-94

Publication prepared by  Date 1-11-95 Published in Canyon Advertiser

Publication approved  Date 2-6-95

RECEIVED

MAR 28 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 6, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

TROY W RICE
DELORES G RICE
RT 1 BOX 1096A
HOMEDALE ID 83628

RE: Change of Ownership for Water Right 57-07606

Dear Mr. & Mrs. Rice:

The ownership change form that you submitted is being returned to you.

In order for us to process an ownership change we must have not only the change request form but the required support documentation as well.

If you will return the ownership change form **along with** a copy of a deed, title policy, contract of sale or other legal document showing your ownership of the property and water rights and a legal description of the property we will be able to complete your request.

If you have any questions regarding this matter, please call me at 208-327-7941.

Sincerely,

Kari Lynn Townsend
Secretary

/k

Enclosure

STATE OF IDAHO
IDaho DEPARTMENT OF WATER RESOURCES
NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.

Incomplete forms will be returned.

RECEIVED

COPY

APR 30 1999

Department of Water Resources

1. Water Right Number(s) 57-07606

Adjudication Claim Number(s) _____

2. The following **REQUIRED** information must be submitted with this form.

A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE, or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.

AND

B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency (formerly ASCS) AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.

3. Name and Address of Former Owner/Claimant(s)

Rex TRAMMEL

Caldwell IDAHO

4. New Owner/Claimant(s)

TROY W. Rice Delores G. Rice

Name connector (Check one): ☐ AND, ☐ OR, ☒ AND/OR

New Mailing Address

Rt 1 Box 1096A

City, State and ZIP Code

Homedale IDAHO 83628

New Telephone Number

(208) 337-5071

5. Date you acquired the property

MARCH 1st 1998

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres actually irrigated _____

Number and type of stock _____

Diversion rate in CFS _____

cubic feet per second

Number of homes _____

Other uses _____

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner/Claimant(s)

Troy W. Rice

Date 4-26-99

Delores G. Rice

Date 4-26-99

(Corporations or other organizations must submit a list of directors/officers demonstrating authority to sign form.)

8. For Snake River Basin Adjudication Claims: If you are represented by an attorney and you want IDWR to correspond directly with your attorney for all matters related to your claims, please attach a Notice of Appearance completed by your attorney

RECEIVED

APR 05 1999

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

1301 North Orchard St.

P.O. Box 83720

Boise, ID 83720-0098

(208) 327-7900

IDAHO DEPARTMENT OF WATER RESOURCES

ID 83678

TRAM001 836282017 1398 02 04/02/99
FORWARD TIME EXP RTN TO SEND
TRAN001
15610 CHAPARRAL AVE
CALDWELL ID 83605-8346

RETURN TO SENDER

PROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 31, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

REX TRAMMEL
RT 1
PO BOX 1096A
HOMEDALE ID 83628

RE: WATER RIGHT NO. 57-07606

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED
APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 31st day of March, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 57-07606

REX TRAMMEL
RT 1
PO BOX 1096A
HOMEDALE ID 83628


Kari Lynn Townsend
Secretary

MICROFILMED
APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 13 1999

B/U FIELD EXAM REVIEW

By CindyPermit #: 57-7606 Name: Trammel Date: 3/24/99 ✓ Lots ✓

NAME Chng Same ✓ Or Address Change? _____

SOURCE _____ ✓ Clarify source _____
_____ Prelim. Order to Void - Source change.

P/D _____ ✓ Amendment Needed? Addn'l 1/4? _____ Legal _____ P39
 Same 1/4? _____ W32 _____ P36
 Overlap(s) None

P/U _____ ✓ Amendment Needed? _____ P41
 Overlap(s) None
 (Gov't use special #'s) _____ *P/D & P/U Amend? P37

RATE _____ ✓ Permit/proof fee limits 0.06 / 0.20
_____ ✓ Measured Quantity = _____ cfs Theoretical Quantity = 0.06 cfs
allow permitted
 (HP) 8.8 x 0.70 x _____ = ? cfs
_____ + (2.31 x _____)
_____ ✓ Recommended capacity 0.06 cfs
_____ ✓ Recommended rate 0.06 cfs

VOLUME _____ ✓ Season: (1) 1/1 - 12/31 = 365 days
 Calculations: dom = 1.2 } 1.3 AF
stock = 0.1
_____ ✓ Flow limit: 0.06 cfs x 365 days/yr. x 1.9835 = 43.4 AF
_____ ✓ Recommended volume 1.3 AF

USES _____ ✓ Same Nature of Use? _____ P46
_____ Amendment Needed? _____

REMARKS _____ Multiple p/d's in same 1/4? Use W32 _____
✓ ① W01/1

CONDITIONS _____ Measuring Device (R43) or Lockable Controlling Works (R02)
_____ Watermaster Control (R04) - WD # _____
_____ Irrigation rate/annual volume overlap
_____ GW irrigation replaces surface water (050)
_____ GW irrigation supplements surface water (065)
_____ Water Quality
_____ Other _____

PRIORITY App Rcd 12/28/94 Due 3/1/96 Rcd 1/12/96
 Receipt# C034441 Fee OK? Yes No \$ 50
 Order to Reinstall Needed? Yes No Done? _____ Advanced to: _____
 Priority 12/28/94 Examined 7/1/97

COMMENTS: license as permitted.

USE	CFS	VOLUME
Stock	0.02	0.1
Dom	0.04	1.2
<u>✓</u>	<u>✓</u>	<u>✓</u>
TOTAL	0.06	1.3

SRBA Overlap _____
 Adjustment Memo _____
 LICENSE
 #1 AMEND: _____/P38
 #2 AMEND: (R)P42/(C)P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 04 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 57-07606

1. Owner: Rex Trammel Phone No. 343-4143

Current Address: Rt 1 PO Box 1096A Homedale ID 83628

2. Accompanied by: _____ EXAM DATE : 7/11/97

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Govt. Lot	¼	¼	¼	Sec	Twp	Rge	County	Method of Determination/Remarks
			NE	NW	15	3N	5W	Owyhee	Cty Assessor's Office

2. Place(s) of Use:

Indicate Method of Determination Same as Above

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	5W	15					D/S												

MICROFILMED

APR 13 1999

3. **Delivery System Diagram:** Include all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

N Aerial Photo Attached (required for irrigation of 10+ acres).

N Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and serial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

This permit is for a domestic well serving 1 home and limited stock. Location of the home and ownership was verified by the Owyhee County Assessor's office and the attached well log. Based on the information found, a field exam was not necessary.

Have conditions of permit approval been met? X yes ___ no

MICROFILMED

APR 13 1999

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:**

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

Internal/external domestic use: 1.2 cfs

3 horses: $3 \times 12 \text{ gpd} \times 365 \text{ dys}/325850 = .04 \text{ afa}$ **H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion		Annual Volume
	From	To	Q (cfs)		V (afa)
<u>Domestic</u>	<u>1/1</u>	<u>12/31</u>	<u>.04</u>		<u>1.2</u>
<u>Stockwater</u>	<u>1/1</u>	<u>12/31</u>	<u>.02</u>		<u>.1</u>
Totals:			<u>.06</u>		<u>1.3</u>

2. Recommended Amendments☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other**I. AUTHENTICATION**Field Examiner's Name Lon Graver Date 12/1/98

Reviewer _____ Date _____

SEAL

MICROFILMED

APR 13 1999

TAX FORM 100 4

INSTRUCTIONS TO ASSESSOR

The original list of tax numbers must be filed for record with the County Recorder on or before the fourth Monday of June in the year in which the assessment is made, and a duplicate of each list must be filed with the Tax Collector. On the return of the original list, duly recorded, the Assessor shall file the same in his office.

ASSESSOR'S LIST OF TAX NUMBERS

TRAMMEL, REX L

OWYHEE COUNTY, IDAHO

214698

SEC 15 3N 5W

Year 1995

TAX NO.	DESCRIPTION OF EACH TRACT OF LAND DESIGNATED BY TAX NUMBER
8	IN TOWNSHIP 3 NORTH, RANGE 5 WEST, B. M., OWYHEE COUNTY, IDAHO Section 15: A portion of the NE1/4 further described as follows: COMMENCING at a found 5/8" iron pin with a 1-1/2" aluminum cap monumenting the North Quarter Corner of said Section 15, from which a found 1/2" iron pin monumenting the Northwest Corner of said Section 15 bears South 89°39'10" West 2,610.82 feet; thence along the Northerly boundary line of said NE1/4 of Section 15 (also being the center line of Pioneer Road), South 89°39'10" West 613.70 feet to a set PK nail and washer, being the REAL POINT OF BEGINNING; thence leaving said Northerly boundary and said center line, running parallel with the Easterly boundary of said NE1/4 of Section 15, South 00°35'42" East 25.00 feet to a set 5/8" iron pin and plastic cap marked LS 944, marking a point on the Southerly right-of-way of said Pioneer Road; thence leaving said Southerly right-of-way and continuing parallel with said Easterly boundary South 00°35'42" East 533.68 feet to a set 5/8" iron pin and plastic cap marked LS 944; thence continuing parallel with said Easterly boundary South 00°35'42" East 10.00 feet to the center line of an irrigation ditch; thence along said irrigation ditch center line North 77°59'35" West 426.70 feet; thence leaving said irrigation ditch center line and running parallel with said Easterly boundary line of the NE1/4 of Section 15, North 00°35'42" West 10.00 feet to a set 5/8" iron pin and plastic cap marked LS 944; thence continuing parallel with said Easterly boundary North 00°35'42" West 442.38 feet to a set 5/8" iron pin and plastic cap marked LS 944, marking a point on the said Southerly right-of-way of Pioneer Road; thence leaving said Southerly right-of-way and continuing parallel with said Easterly boundary North 00°35'42" West 25.00 feet to a set PK nail and washer marking a point on the said Northerly boundary line of the NE1/4 of Section 15 and the said center line of Pioneer Road; thence along said Northerly boundary and said centerline of Pioneer Road North 89°39'10" East 416.42 feet to the REAL POINT OF BEGINNING.

MICROFILMED

APR 13 1999

MICROFILMED

INDEXED

OWYHEE COUNTY RECORDER
 DEPUTY
Christie L. Bennett

OWYHEE COUNTY RECORDER
 DEPUTY
Christie L. Bennett

JUN 23 PM 3 22


FILED-RECORDED

214751

STATE OF IDAHO, County of Owyhee, ss

I, LARRY BACHMAN Assessor in and for said County and State, do hereby certify that the above and foregoing is a true and correct list of tax numbers placed upon the assessment rolls and assessor's plat book of said county to indicate the certain pieces of land described and shown opposite each number in the said list, in accordance with the provisions of Section 63-302, Idaho Code Annotated of the State of Idaho.

N 89° 39' W




THIS DRAWING IS TO BE USED ONLY FOR REFERENCE
PURPOSES AND THE COUNTY IS NOT RESPONSIBLE
FOR ANY INACCURACIES HEREIN CONTAINED.

T3N R5W Sec 15 NENW

MICROFILMED

APR 13 1999



APR 13 1999

Supervisor or Operator _____ Date _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 20, 1996

REX TRAMMEL
RT 1 BOX 1096A
HOMEDALE ID 83628

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 57-07606

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning the field examination, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
FEB 23 1996

FEB 23 1996

1. DRILLING PERMIT NO. 57-94 W-0067-000

Other IDWR No

2. OWNER:


Name KEL TRAMMEL

Address 1096A RT. 1

City HOMEDALE State MI Zip 483628

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location



Twp 3 North ☒ or South ☐
 Rge 5 East ☐ or West ☒
 Sec 15 1/4 NE 1/4 NW 1/4
 Gov't Lot _____ County OWYATTE 10 acres 40 acres 160 acres

Address of Well Site 1076A RT. 1
 City HOMER
 (Give at least name of road + Distance to Road or Landmark)

Lt _____ Bjk. _____ Sub. Name _____

4. PROPOSED USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
CEMENTITE	0	20	200/lbs	OVERDRILL

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☒ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	2	58'	.25	STEEL	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Line
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

12 ft below ground Artesian pressure lb.

Depth flow encountered _____ ft. Describe access port or control devices.

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal /min	Drawdown	Pumping Level	Time
25	-	130	1 1/2 hr

Water Temp. 54° Bottom hole temp. _____

Water Quality test or comments:

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

Completed Depth 143 ft (Measurable)

Date: Started 12-9-94 Completed 12-9-94

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name COONSE WEL DRILLING Firm No. 409

Firm Official: James E. Canouse Date: 12-26-94

Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

December 31, 1995

REX TRAMMEL
RT 1
PO BOX 1096A
HOMEDALE ID 83628

PROOF DUE NOTICE

RE: PERMIT NO. 57-07606

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

FEB 23 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 14, 1995

REX TRAMMEL
RT 1
PO BOX 1096A
HOMEDALE ID 83628

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-07606

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MAR 28 1995

The Owyhee Avalanche

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in

said newspaper, in Two (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

January 18 & 25, 1995

Signed



Subscribed and sworn to me this 25th day of



Notary Pub

Com

1995 2 8 1995

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

55-07459
US DEPT OF INTERIOR
BUREAU OF LAND
MANAGEMENT
3948 DEVELOPMENT AVE
BOISE, ID 83705
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec
35 T 09S R 02W in OWYHEE
County.
Use: DOMESTIC (.040 CFS)
STOCKWATER (.060 CFS)

WILDLIFE (.040 CFS)
Total Diversion: (.140 CFS)
Date Filed: 11/15/1994
In: OWYHEE County
T09S R02W S34 NENE
S35 NWNW

57-07606

TRAMMEL, REX
RT 1

PO BOX 1096A
HOMEDALE, ID 83628
Source: GROUNDWATER
Diversion Pt: NENW Sec 15 T
03N R 05W in OWYHEE
County.

Use: DOMESTIC (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.060 CFS)
Date Filed: 12/28/1994
In: OWYHEE County
T03N R05W S15 NENW
57-07607

HIGHTOWER, CHARLES S
HIGHTOWER, VICKI L
LINDNER, ALAN
LINDNER, DEBRA
HC 79 BOX 34X
MELBA, ID 83641

Source: GROUNDWATER
Diversion Pt: SESW Sec 10 T
02S R 02W in OWYHEE
County.

Use: IRRIGATION (.100 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.140 CFS)
Date Filed: 12/27/1994

In: OWYHEE County
T02S R02W S09 SESE
5.0 ACRES TOTAL

57-07608

TURNER, JOHN L
TURNER, JOYCE B
PO BOX 55

GREENLEAF, ID 836260055
Source: SPRING Tributary:
SNAKE RIVER

Diversion Pt: SESESE Sec 30
T 04N R 05W in OWYHEE
County.

Use: STOCKWATER (.250
CFS)

Total Diversion: (.250 CFS)

Date Filed: 1/4/1995

In: OWYHEE County

T04N R05W S29 Lot 5
(SWSW)

S30 SESE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 together with a protest fee of \$25.00 on or before FEBRUARY 6, 1995. The protestant must also send a copy of the protest to the applicant

R. KEITH HIGGINSON,
Director

Publish

57-07606

TRAMMEL, REX
RT 1
PO BOX 1096A
HOMEDALE, ID 83628

Source: GROUNDWATER

Diversion Pt: NENW Sec 15 T 03N R 05W in OWYHEE County.

Use: DOMESTIC	(.040 CFS)
STOCKWATER	(.020 CFS)
Total Diversion:	(.060 CFS)

Date Filed: 12/28/1994

In: OWYHEE County
 T03N R05W S15 NENW

MAR 28 1995