



CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 10-FOOT CONTOURS
 CONTOUR INTERVAL ON RIVER SURFACE 5 FEET
 DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
 S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
 FOR DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

IDWR map per
 Applicant, map
 10/25/93
 RECEIVED
 JAN 12 1994
 IDAHO
 QUADRANGLE LOCATION

Revisions shown in purple compiled from aerial photographs

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald W. Holloway
(Applicant)


Model 70L

GOULDS PUMPS, INC.



DIMENSIONS AND WEIGHTS


HP	Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
3	3	70L03	S09940	1	230	23.5	22.6	46.1	65
			S09978		200				
			S09970	3	230	20.6	22.6	43.2	65
			S09975		460				
			*S09979		575				
5	5	70L05	S10940	1	230	29.5	25.8	55.3	81
			S10978		200				
			S10970	3	230	23.5	25.8	49.3	81
			S10975		460				
			*S10979		575				
7.5	7	70L07	S11970	1	230	28.0	29.0	57.0	155
			S11978		200				
			S11971	3	230	24.2	29.0	53.2	130
			S11972		460				
			*S11979		575				
10	10	70L10	S12970	1	230	30.6	33.5	64.1	177
			S12978		200				
			S12971	3	230	25.5	33.5	59.0	147
			S12972		460				
			*S12979		575				
15	15	70L15	S13970	1	230	33.1	41.3	74.4	201
			S13978		200				
			S13971	3	230	28.0	41.3	69.3	175
			S13972		460				
			*S13979		575				
20	20	70L20	S14978		200				
			S14971	3	230	30.6	45.0	75.6	201
			S14972		460				
			*S14979		575				
25	25	70L25	S15978		200				
			S15971	3	230	33.2	56.6	89.8	225
			S15972		460				
			*S15979		575				




(All dimensions are in inches and weights in lbs. Do not use for construction purposes.)

*Non-stock motors have a six (6) week lead time.


Water end and motor must be ordered separately and are packaged separately.





(SANDS BASIN 1:62 500)
2670 IV

SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
LINES REPRESENT 10-FOOT CONTOURS
RIVER INTERVAL ON RIVER SURFACE 5 FEET
DATUM IS MEAN SEA LEVEL

T2N SESE
R5W
Sec 15



QUADRANGLE LOCATION

ROAD CLASSIFICATION
Medium-duty ——— Light-duty ———
Unimproved dirt - - - - -
U. S. Route ○ State ○

no Gov lts

[illegible]



57-07577

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in

2 (two)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

November 3 and 10, 1993

Signed

Joe E. Aman

Subscribed and sworn to before me this 10th day of Nov. A.D., 1993

Coring Bowling

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires October 1997

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-07577 ✓

HOLLOWAY, DONALD W
PO BOX 2044

LANCASTER, CA 93539

Source: GROUNDWATER

Diversion Pt: NESESE Sec 15

T 02N R 05W in OWYHEE

County.

Use: IRRIGATION (1.500
CFS)

Total Diversion (1.500 CFS)

Date Filed: 10/12/1993

In: OWYHEE County

T02N R05W S15 SENE NESE
SESE

75.0 ACRES TOTAL

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before NOVEMBER 22, 1993.

R. KEITH HIGGINSON,
Director

Publish November 3 & 10, 1993

RECEIVED

DEC 02 1993

WATER RESOURCES
WESTERN REGION

JAN 12 1994

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 57-07577

IN THE NAME OF DONALD W. HOLLOWAY

)
) **ORDER OF**
) **REINSTATEMENT**
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1996; and,

WHEREAS, the Department notified the permit holder on October 31, 1995, by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the department sent a lapse notice on January 9, 1996, since an acceptable proof of beneficial use or extension of time had not been received; and,

WHEREAS, Section 42-218a, Idaho Code, provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting an acceptable proof of beneficial use on January 22, 1996;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 57-07577 is **REINSTATED** with an advance in priority to November 2, 1993.

DATED this 7th day of February, 1996.



L. GLEN SAXTON

Chief, Water Allocation Bureau

FEB 22 1996

RECEIVED

JAN 22 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 57 07577 Telephone No. (805) 948-2644

2. Name(s) of Permit Holder(s): Donald W. Holloway

3. Mailing Address: 42011 N. Sierra Highway, Lancaster, Ca. 93534

4. Source of Water: Well If **GROUNDWATER** (well), Date Drilled: mo. 3 / yr. 94

a. Well Driller: Bryant Pump Drilling Permit Number: 57 - 94 - W - 0014

b. **OPTIONAL:**
Pump Horsepower: 7 1/2 Pressure (psi): 50 Dynamic pumping level (ft): 220

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 20 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .20 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No x

Has the measuring device been installed? Yes _____ or No x

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No x

Has the measurement port been installed? Yes _____ or No x

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Pump has not been installed at this date. Maximum production of well is .20CFS

Name: Wayne Holloway Telephone Number: (805) 948-2644

Address: 42011 N. Sierra Highway, Lancaster, Ca. 93534

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Wayne Holloway
(include your title, if on behalf of company or organization)

Date: 1-16-96

FEB 23 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 57-07577

Proposed Priority: October 12, 1993 Maximum Diversion Rate: 1.50 CFS

This is to certify, that DONALD W HOLLOWAY

PO BOX 2044

LANCASTER CA 93539-2044

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	1.50 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NESESE , Sec. 15, Township 02N, Range 05W
OWYHEE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	05W	15	SENE 25	NESE 20	SESE 30	75

Total number of acres irrigated: 75

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1996.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
7. Construction of the well must comply with Idaho well construction standards.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JAN 12 1994


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 57-07577

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

28TH day of DECEMBER, 1993.


R. Keith Higginson, Director

RECEIVED

JAN 12 1994

RECEIVED
DEC 22 1993

Ident. No. 57-07577

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: DONALD W HOLLOWAY 805-948-2644
Address: PO BOX 2044
LANCASTER CA 93539
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NESESE Sec. 15, Township 02N, Range 05W
OWYHEE County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 03/15 | 11/15 | 1.500 | | |
5. Total quantity to be appropriated is:
1.500 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
PUMP AND PIPELINE
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is inches; proposed depth of well is
feet.
 - Is groundwater with a temperature greater than 85F being sought? NO
 - If well is already drilled, when?
Drilling Firm
Well was drilled for
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 year(s).
8. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
02N	05W	15	SENE 75	NESE	SESE	75

Total number of acres irrigated: 75

MICROFILMED

JAN 12 1994

9. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

10. Remarks:

11. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Receipted by _____ # _____ Date _____

Publication prepared by 10 27-93 Date St Published in Boyer Ave

Publication approved _____ Date _____

10 2 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald W. Holloway Phone 805-948-2644
Post office address P. O. Box 2044, Lancaster, CA 93539

2 Source of water supply Ground Water which is a tributary of _____

3 Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec 15 Township 2N Range 5W B.M. Owyhee County; additional
points of diversion if any: N/A

4 Water will be used for the following purposes

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

1.50 Amount ~~300 AF~~ for Irrigation purposes from March 15 to November 15 (both dates inclusive) *

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5 Total quantity to be appropriated is (a) 1.50 and/or (b) 300 *

cubic feet per second

acre feet per annum

6 Proposed diverting works.

a Description of ditches, flumes, pumps, headgates, etc. Electric Pump from well into 6" PVC
buried pipe with risers for sprinkler irrigation.

b Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage
_____ to _____ inclusive.

c. Proposed well diameter is 12 inches; proposed depth of well is 400 feet

d. Is ground water with a temperature of greater than 85°F being sought? No

e. If well is already drilled, when? _____; Drilling firm MICRODRILL
Well was drilled for (well owner) _____

JAN 12 1994

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

2 years (minimum 1 year). * No storage per item 6a - appears applying for
enough water for 75 acres. Allow normal season
for area. -RL 10/26/93

8. Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower, show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock. _____
- c Municipal, show name of municipality. _____
- d Domestic, show number of households _____
- e Other, describe fully. _____

9. Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	5W	15				25									20			30	

Total number of acres to be irrigated 75


10. Describe any other water rights used for the same purposes as described above Gem Irrigation

11. a Who owns the property at the point of diversion? Donald W. Holloway


b. Who owns the land to be irrigated or place of use? SAME

c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


12. Remarks: _____



JAN 12 1994




SCALE 1:24,000



CONTOUR INTERVAL 20 FEET
 DOTTED LINES REPRESENT 10-FOOT CONTOURS
 CONTOUR INTERVAL ON RIVER SURFACE 5 FEET
 DATUM IS MEAN SEA LEVEL

*IDWR map per
 Applicant, 10/25/93*
 RO
 Medium-duty
 Unim
 U.S.F.
 - 12 1994
 IDAHO
 QUADRANGLE LOCATION

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth

Donald W. Holloway
(Applicant)

\$65 due for 1.50 cfs, need \$20 refund - see 10/26/93 memo

Received by State Office Date 10-12-93 Time 1:35 Preliminary check by RZ
Fee \$ 85.00 Receipted by J. Vansant # C028763 Date 10-12-93
Publication prepared by ST Date 10-27-93 Published in Cumylen River
Publication approved ST Date 12-7-93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other.

RECORDED

JAN 12 1994

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED SHEET.

Y Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Y Aerial Photo Attached (required for irrigation of 10+ acres).

Y Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		7.5		Goulds	Model 70L

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. **Measurements:** Pump curve supplied by Riverside Inc. (they installed the system.

E. NARRATIVE/REMARKS/COMMENTS

A 12" well equipped with a 7.5 hp submersible pump supplies water to 22 acres via two wheel line sprinklers. The well open discharges into a 30' x 60' pond ~40' south of the well. A booster pump is then used to pump the water from the pond into the irrigation system. Gem Irrigation District water is also used on the acres. No other water rights are used.

The owner had originally planned to develop more acres, but water yield from the well was and remains too low.

Have conditions of permit approval been met? X yes ___ no

F. FLOW CALCULATIONS X Additional Computation Sheets Attached

Measured Method:

Pump Curve Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 22 \times 4.5 = 99$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .16 \times 246 \times 1.9835 = 78$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 78$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion	Annual Volume
	From	To	Q (cfs)	V (afa)
Irrigation	3/15	11/15	.16	78
Totals:			.16	78

2. Recommended Amendments


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name *in* *Cranner* Date 11/20/98

Reviewer _____ Date _____

SEAL

Model 70L

 GOULDS PUMPS, INC.



DIMENSIONS AND WEIGHTS


HP Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
3	3	70L03	3	230	23.5	22.6	46.1	65
				200				
				230				
				460	20.6	22.6	43.2	65
				575				
5	5	70L05	3	230	29.5	25.8	55.3	81
				200				
				230				
				460	23.5	25.8	49.3	81
				575				
7.5	7	70L07	3	230	28.0	29.0	57.0	155
				200				
				230				
				460	24.2	29.0	53.2	130
				575				
HP Stages	W.E. Order No.	Motor Order No.	PH	Motor Volts	Motor Length	W.E. Length	L.O.A.	Wt. (lbs.)
10	10	70L10	3	230	30.6	33.5	64.1	177
				200				
				230				
				460	25.5	33.5	59.0	147
				575				
15	15	70L15	3	230	33.1	41.3	74.4	201
				200				
				230				
				460	28.0	41.3	69.3	175
				575				
20	20	70L20	3	230	30.6	45.0	75.6	201
				200				
				230				
				460				
				575				
25	25	70L25	3	230	33.2	56.6	89.8	225
				200				
				230				
				460				
				575				


(All dimensions are in inches and weights in lbs. Do not use for construction purposes.)

*Non-stock motors have a six (6) week lead time

Water and motor must be ordered separately and are packaged separately.







ISLANDS BASIN 1 62 5001

2670 IV

SCALE 1 24 000



CONTOUR INTERVAL 20 FEET
 LINES REPRESENT 10-FOOT CONTOURS
 R INTERVAL ON RIVER SURFACE 5 FEET
 DATUM IS MEAN SEA LEVEL

TZN SESE

R5W
 sec 15



QUADRANGLE LOCATION

ROAD CLASSIFICATION

Medium duty ——— Light duty

Unimproved dirt - - - - -

U S Route

State

57-01577

HOMEDAL
 N4330-W11

SEE
D-6

D
5

AT
13
14

NHEL

104

31.2 HEL

168 HEL

2
10.6

3
6.8

HEL

88
NHEL

45.6 HEL

HEL
98

LS
22

POISON

14
23

4
00

5

6

7

57-01471

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

1. DRILLING PERMIT NO: 57-94-W-0014-000 OTHER APPLICABLE NO: 57-07577

2. OWNER: Don Holloway Phone: _____
Address: _____

3. WELL LOCATION: Twp 2N, Rge. 5W, Sec. 15, Se 1/4 Se 1/4
County _____ (Provide sketch map and photo on reverse.)

4. DRILLER: Bryant Lic. No. 534
When Drilled? 11/25/95

5. WELL CONSTRUCTION:

Casing Diameter 12' inches Water tight cap? ☒ Yes ☐ No Access Port: ☒ Yes ☐ No

Casing $\geq$ 12 inches above ground? ☐ Yes ☒ No - Describe _____

Depth of Casing 480 ft. Method Drilled Mud Rotary

Condition of Well Casing: ☐ Good ☐ Fair ☐ Poor Describe couldn't see

Control Valve? ☒ Yes ☐ No Pressure Gauge: ☐ Yes ☒ No

Condition of Piping and Valving OK

Auger to a depth of _____ ft. Evidence of Annular Seal ☐ Yes ☐ No

Are there obvious construction problems that may be a source for contamination or waste of water?
☐ Yes ☒ No (Describe in Remarks and Attach Photo - On Reverse)

6. HYDROLOGIC INFORMATION:

Depth to Static Water 10 ft. Water Temperature 60 °F

Flowing Artesian ☐ Yes ☒ No Pressure: 50 (psi)

Water Sample Taken? ☐ Yes ☒ No If yes, describe purpose _____

Water Quality Measurements/Observations (Describe) _____

7. WELL USE:

☐ Domestic	☒ Irrigation	☐ Stock
☐ Test	☐ Municipal	☐ Industrial
☐ Abandoned	☐ Waste Disposal/Injection	☐ Not Used
☐ Other: _____		

8. POSSIBLE CONTAMINATION SOURCES:

Is there evidence of Chemigation? ☐ Yes ☒ No

If yes, is there a check-valve present? ☐ Yes ☒ No

Is there a possible source of contamination nearby? ☐ Yes ☒ No

If yes, what Type?

How far away from the well is this source?

9. REMARKS:

Signature of Dept. Representative & Title

8/8/97
Inspection Date

Inspection Date

PHOTOS, DRAWINGS, OTHER ATTACHMENTS:


Use Typewriter
or
Ball Point Pen

10. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Name DONALD W. HAINWAY
Address 42011 N SIERRA HWY
City LAKELAND State CA Zip 93535

Sketch map location must agree with written location.



T. 2 North ☒ or South ☐
 E. 5 East ☐ or West ☒
 Sec. 15 1/4 SE 1/4 SE 1/4
10 acres 40 acres 160 acres
 Gov't Lot _____ County OWAY / AEE

Address of Well Site JILMO CREEK RD

(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☒ Mud Rotary ☐ Air Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BIRDSEED GRAVEL	480	50	10 TON	PLUMSEA
CEMENT	50	0	5 YARDS	

Was drive shoe seal tested? Y ☐ NO ☒ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
12" ED	480	500	500-91			☐	☒	☐	☐
	500	520	520-91			☐	☐	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐

Final location of shoes none

Top Packer or Headpipe None Bottom Tailpipe None

9. PERFORATIONS/SCREENS

☒ Perforations Method mill cut
☐ Screens Type VEP slot Material plc

From	To	Slot Size	Number	Diameter	Tale/Pipe Size	Casting	Unler
420	210	0.100	12	2 1/4" x 1/2"		☐	☐
						☐	☐
						☐	☐
						☐	☐

Yield gal./min	Drawdown	Pumping Depth	Time
100	340	360	8 HRS

Temperature of water _____ Was a water analysis done? Yes ☐ No ☒

By whom? _____

Water Quality (odor, etc.) _____

Bottom Hole Temperature _____

11. STATIC WATER LEVEL:

10 ft. below surface Depth artesian flow found NONE

Artesian pressure _____ lb. Describe access port _____

Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
24"					
	0	5'	LOAM TOP 30. L		
	5	29	COURSE SAND + BOUNCERS		
	29	340	BLUE CLAY + SANDY		
			BLUE CLAY		
	340	370	HARD BLUE CLAY TO		
			BLACK CLAY		
	370	391	HARD BLUE TO BLACK		
			CLAY + SMALL BOUNCERS		
	391	435	BLUE CLAY TO BLACK CLAY		
	435	445	MED TO COARSE SAND		
	445	480	BLUE CLAY		
	480	647	BLUE + WHITE CLAY		
			SANDY CLAY		
	647	750	SANDY BLUE + WHITE		
			CLAY		
RECEIVED DEC 26 1995 WATER RESOURCES WESTERN REGION					
Date: Started 4-22-94 Completed 11-25-95					

13. DRILLER'S CERTIFICATION



I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name BRYANT Pump & Drill, Inc. Firm No. 0534

Firm Official George W. Burnett Date 12/19/85

and _____
Supervisor or Operator Date _____

(Sign once if Firm Official & Operator)



57-07577

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUse Typewriter
or
Ball Point Pen1. DRILLING PERMIT NO. 57-94-01-0014-0001
Other IDWR No. 57 07577

2. OWNER:

Name RONALD W. HAINWAY
Address 42011 N. S. PRA HWY
City LAWASTER State CA Zip 93035

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.

N					
S					

T 2 North ☒ or South ☐
E.R. 5 East ☐ or West ☒
Sec 15 1/4 SE 1/4 SE 1/4
Gov't Lot _____ County ONLY ONE

Address of Well Site JUMP CREEK RD

(Give at least Direction + Distance to Road or Landmark)

Lot No _____ Block No _____ Subd Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☒ Mud Rotary ☐ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
BIRDEYE TEA CANAL	480	50	60 TON		
CEMENT	50	0	6 YARDS		PUMPED

Was drive shoe seal tested? Y ☐ NO ☒ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Casing	Liner	Steel	Plastic	Welded	Threaded
12" ID	480	+145	50R/H			☐	☒	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐
						☐	☐	☐	☐

Final location of shoes NONETop Packer or Headpipe NONE Bottom Tailpipe NONE

9. PERFORATIONS/SCREENS

☒ Perforations Method MILL CUT
☐ Screens Type VERT SLOT Material PVC

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casing	Liner
480	260	.0100	12 Rows			☐	☐
						☐	☐
						☐	☐

10. WELL TESTS:

☒ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal/min	Drawdown	Pumping Depth	Time
100	340	360	8 HRS

Temperature of water _____ Was a water analysis done? Yes ☐ No ☒

By whom? _____

Water Quality (odor, etc.) _____

Bottom Hole Temperature _____

11. STATIC WATER LEVEL:

10 ft. below surface Depth artesian flow found NONE

Artesian pressure _____ lb Describe access port _____

Describe Controlling Devices: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM	SWL
24"	0	5'	LOAM TOP SOIL		
	5'	29'	COURSE SAND + Boulders		
	29'	30'	BLUE CLAY + SANDY		
			BLUE CLAY		
	30'	37'	HARD BLUE CLAY TO		
			BLACK CLAY		
	37'	39'	HARD BLUE TO BLACK		
			CLAY + SMALL Boulders		
	39'	43'	BLUE CLAY TO BLACK CLAY		
	43'	44'	MED TO COARSE SAND		
	44'	48'	BLUE CLAY		
	48'	64'	BLUE + WHITE CLAY		
			SANDY CLAY		
	64'	75'	SANDY BLUE + WHITE		
			CLAY		
RECEIVED					
JUL 18 1996					
RECEIVED					
DEC 26 1995					
Department of Water Resources					
WATER RESOURCES					
WESTERN REGION					
Date: Started _____ Completed _____					

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name BRYANT PUMP & DRILLING Firm No. 0534Firm Official George Bryant Date 12/19/95

and Supervisor or Operator _____ Date _____

(Sign once if Firm Official & Operator)

FORWARD WHITE COPY TO WATER RESOURCES

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 57-07577 Reviewed by [Signature] Date 2-2-96

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
no Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 57-94-W-0014 000
200.00 Amount paid for permit yes Correct?
no Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50.00 Amount Submitted
yes Correct?
yes Required?
no Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 1-22-96
Date proof due 1-1-96 -
No. of days late 21 = 21
Priority Date 10-12-93 + 285
New Priority Date 11-2-93 306

> 11-2-93

DEFICIENCIES OR ACTION ITEMS

Reinstate + advance Priority to Nov 2, 1993
Advise of measuring device condition
Proof acceptable

DATA ENTRY

New Address 42011 N Sierra HWY Proof Made 1-22-96
Lancaster, CA 93534



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

February 8, 1996
KARL J. DREHER
DIRECTOR

DONALD W. HOLLOWAY
42011 N SIERRA HWY
LANCASTER CA 93534

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 57-07577

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Enclosed is an order reinstating your permit since proof of beneficial use was received after the proof due date. Please note that the priority date has been advanced to November 2, 1993.

Additionally, please be advised that condition #4 of your permit to appropriate water states that a flow measurement port or other measuring device shall be installed prior to diversion of water under this right. This condition must be complied with before the field examination or you can request, in writing, a waiver of the condition.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise, at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

FEB 23 1996

MEMORANDUM

To: File 57-07577
From: L. Glen Saxton *LS*
RE: TELEPHONE CALL FROM PERMIT HOLDER
Date: January 16, 1996

On this date, the permit holder called with questions related to filing the proof of beneficial use (proof) form. He believes that he has filed the proof in the past, but department records do not show that we have received proof. After some discussion, he plans to file proof for 0.20 cfs together with a license examination fee of \$50.

JAN 23 1996

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

January 9, 1996

DONALD W HOLLOWAY
PO BOX 2044
LANCASTER CA 935392044

LAPSE NOTICE

RE: PERMIT NO. 57-07577

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1995. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.


L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 1-9-96
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

FEB 23 1996



October 31, 1995

DONALD W HOLLOWAY
PO BOX 2044
LANCASTER CA 935392044

PROOF DUE NOTICE

RE: PERMIT NO. 57-07577

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1996. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

SEP 23 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 29, 1993

DONALD W HOLLOWAY
PO BOX 2044
LANCASTER CA 93539-2044

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 57-07577


Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,,



JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

[Handwritten signature]

JAN 12 1994

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 57-7577 Date: 12/22/83 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes _____
SYSTEM COMPLETED:
No - ~~26A-P17~~
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - NA
GROUNDWATER:
+ 0.2 cfs <flo-ch> - 01G-~~P03~~ (new), 01C-P03 (existing), NMR
- 0.2 cfs - NMR <flow chart>
Drilling Permit:
Included w/permit - Permit No. _____, P99
Existing well - N/A (if drilled before 7/1/87)
No WD permit? - 046-46A<Irr>-46B-~~P23~~ (if drilled after 7/1/87)
SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>
LOCATION:
Water District - WD No. _____
Surface water - 005 (req) 01J-P08 <flow chart>
(doesn't sink) or 01H-P01 <flow chart>; NMR
Groundwater - P05 (if well has not been drilled)
In stream channel - 030 (stream channel alteration)
Irrigation Dist. - 023
Canal Co. Areas - 023
Drainage Districts - 024
Flood Control Dist. - 063
Boise Front (63) - 058 (Groundwater temperature)
Swan Falls Flag - ~~B~~ <See condition code chart>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non Trust <1> - 048-049 (Consumptive Uses), NA
RIVER BASINS (Surface): Water District Control Condition (005) &....
Boise (63) - 05A (req), 11E (non-domestic use), NA
Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA
Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA
USE:
Fish Propagation - 010/06A/09E-P10 (WQ) & 07A-042 (req)
444 (N 1000 Spr)
Irrigation - 803 (if GW use SW 1st) (~~45A~~ do POU comp.), NA
Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09
Mining - 06A/010/09E-P10 & 054 (req)
Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' dam), NA
Domestic (surface) - 021 (Boise R ↑ L Peak), 27A (Payette R), NA
OWNERSHIP:
Non land owner - 004 (P/D or P/U)
PROTESTED:
Prehearing agreement - 020
OTHER CONDITIONS: - 03A
REMARKS: _____

BENEFICIAL USE DUE: - 1-1-199 6
COMMENTS: - Div Desc.

WR0749NP
No. P57-07577

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/22/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	DONALD W HOLLOWAY PO BOX 2044 LANCASTER CA 935392044 (805) 948-2644	10/12/1993	IRRIGATION	03-15 11-15	1.50 CFS	
TOTAL DIVERSION:					1.50 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T02N R05W S15 NE SE SE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE						
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
02N	05W	15	:					25	:									20		30	:	75.0
TOTAL ACRES																				75.0		

Pou County: OMYHEE

Other Water Rights with Same Point(s) of Diversion and Source:
57-07577

Other Water Rights Listing Overlapping Place(s) of use:
57-04100 57-07577

Conditions of Approval:

- 26A - Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46A - A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
- 46B - Construction of the well must comply with Idaho well construction standards.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Dates:	App. Received:	10/12/1993	Priority Date:	10/12/1993
	Proof Due Date:	01/01/1996	Proof Made Date:	
	Exam Made Date:		Exam Sent to S.O.:	
	Licensed Date:			

WR0749NP
No. P57-07577

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 12/22/93
PAGE: 2

=====

Misc: Water District Number: Field Exam Fee:

Comments: Date: 12/22/1993 User-ID: ZIMMERMA Subject: DIVERSION DESCRIPTION
 Electric pump from well into 6" PVC buried pipe with risers for
 sprinkler irrigation. Proposed 12" by 400' deep well

Audit: 12/22/93 ZIMMERMA 12/22/93 ZIMMERMA

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
5707577	T02N R05W S15	GROUNDWATER																
	:																	25
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:
	:																	:

RECEIPT C028763 HAS BEEN PRINTED
Idaho Department of Water Resources
Receipt Entry

Date: 12/22/93
Time: 13:01:29

Receipt No: C028763 AR No: _____ Date: 10/12/1993 Payoff Part of Acct? N
From: HOLLOWAY, WAYNE _____ Payment Type: CK CHECK Doc No: 2075 _____
Remarks: _____ REFUNDED 20.00

Description	Fund	FD	PCA	Obj	Subsid	
APPLICATION FOR PERMIT _____	229	21	56103	1155	_____	85.00
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
Total Amount:						85.00

(Enter=Inq) (GOLD1=Add/Print) (GOLD2=Change) (GOLD3=Void) (GOLD5=Laser Print)
(GOLD6=Print 2nd Copy) (GOLD7=Enter WR Nos) (GOLD8=Cancel) (Menu _____)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

2N 5W 5.15

INITIAL REVIEW BY: FL DATE: 10/26/93 APPLICATION: 57-7577

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt: \$20 refund needed, see 10/26/93 memo

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☐ ☒ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☐ Critical groundwater area:
☐ ☐ Groundwater management area:
☐ ☐ 1992 moratorium
☐ ☐ Copy to SCA staff (perennial stream, non-pump diversion):
☐ ☐ Send dam safety information:
☐ ☐ Send power requirement letter:
☐ ☐ Send fish farm requirement letter:
☐ ☐ Power residency affidavit:
☐ ☐ Power efficiency form:
☐ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.)
☐ ☐ Diversion greater than 5 cfs or 500 af or irrigation greater than 200 acres: (If yes, attach Large Diversion supplementary analysis sheet.)
☐ ☐ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

☒ Additional information on reverse side:

RECEIVED
DEC 22 1993

Department of Water Resources

PROCESSING

APPLICATION NO. _____

YES NO

☒ ☒
☒ ☒
☒ ☒

In form for advertising:

Statewide advertising: (> 10 cfs &/or 1000 af)

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. # _____

Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☒
☒ ☒

Affidavit of publication received:

Application published correctly: If not, record action taken.

☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☐ ☒
☒ ☒

Publication dates and paper recorded on application:

Protests received. Final date for protest 11-22-93

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, Dnr

Measuring device required:

Measuring port required:

Water delivered by water master? District # _____

Special conditions of approval or cover letter: _____

26A (Allow 2 yrs), 46☒ See below for additional informationRecommended Date or Priority 10/12/1993Recommended by: Dnr Date 12/21/93

STATE OFFICE REVIEW

See below for additional information. By _____ Date _____

ADDITIONAL INFORMATION

overlap- Jam Irrig Dist. (Snake R. water), same land.- 57-041W Springs, 10 other areas SENG.

MEMORANDUM

TO: CHRISTA PONCIA

FROM: STEVE LESTER *SL*

DATE: OCTOBER 26, 1993

SUBJ: REFUND

An application for permit was filed and the amount of water was subsequently changed by staff analysis from a \$85 fee to \$65 fee category. Please issue a \$20 refund to the following party:

Donald W. Holloway
PO Box 2044
Lancaster, CA 93539

Receipt No. C028763

Reason: overpayment

(805-948-2644)

✓ Original to CP 10/26/93

10
JAN 12 1994

57-07577

HOLLOWAY, DONALD W
PO BOX 2044
LANCASTER, CA 93539

Source: GROUNDWATER

Diversion Pt: NESESE Sec 15 T 02N R 05W in OWYHEE County.

Use: IRRIGATION (1.500 CFS)
Total Diversion: (1.500 CFS)

Date Filed: 10/12/1993

In: OWYHEE County
T02N R05W S15 SENE NESE SESE

75.0 ACRES TOTAL

JAN 12 1994

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in

2 (two)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

November 3 and 10, 1993

Signed

Joe E. Aman

Subscribed and sworn to before me this 10th day of Nov. A.D., 1993

Corinne Bowling

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires October 1997

FOUR WATER RIGHT
The Following
application(s) have been filed
to appropriate the public
waters of the State of Idaho:
57-07577 ✓

HOLLOWAY, DONALD W
PO BOX 2044
LANCASTER, CA 93539
Source: GROUNDWATER
Diversion Pt: NESESE Sec 15
T 02N R 06W in OWYHEE
County.
Use: IRRIGATION (1.500
CFS)
Total Diversion (1.500 CFS)
Date Filed: 10/12/1993
In: OWYHEE County
T02N R06W S15 SESE NESE
SESE
75.0 ACRES TOTAL

Permits will be subject to
all prior water rights.
Protests may be submitted
based on the criteria of Sec.
42-203A, Idaho Code.
Protests must be filed with
the Director, Dept. of Water
Resources, Western Region,
2735 Airport Way, Boise,
Idaho 83705 on or before
NOVEMBER 22, 1993.

RECEIVED

DEC 02 1993

WATER RESOURCES
WESTERN REGION

JAN 9 1994