


Complete the following map showing land and point of diversion proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at N/A, this 24 day of September, 19 92.

Sam Jordan
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by SR Fee = \$20.00 Received by JTD Date 9-29-92
Publication prepared by AA Date 10/14/92 Published in Smelter avalanche
Publication dates 10/21 * 10/28/92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby approve the above referenced application for amendment. See the attached sheet for the conditions of approval.

Witness my hand this 26 day of February, 19 93
L. Glen Saxton
Chief, Water Allocation Bureau

APR 14 1993

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in

two (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

December 24, 1992

Signed

Joe E. Aman

Subscribed and sworn to before me this 24 day of Dec, A.D., 1992

Conie Bowling

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires October 1997

NOTICE OF CORRECTION OF APPLICATION FOR AMENDMENT OF A PERMIT

Notice is hereby given that on October 21 and 28, 1992, Application for Amendment of Permit No. 57-07502 in the name of Dan Jordan was advertised in error.

The Point of Diversion was advertised as T04S R02E Sec. 32, **SWSWNE**, Owyhee County. Whereas, the Point of Diversion should have read T04S R02E Sec. 32 **SWSWNW**, Owyhee County.

Any protest against approval of this water right application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before December 21, 1992.

R. Keith Higginson, Dir.
Publish December 2 & 9, 1992

RECEIVED
JAN 4 1992

Department of Water Resources
Western Regional Office

MICROFILMED
APR 14 1993

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in two(2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

October 21-28, 1992

Signed Joe E. Aman

Subscribed and sworn to before me this 28th day of October A.D., 1992

Cornie Bowling

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires October 1997


NOTICE OF APPLICATION FOR AMENDMENT

No. 57-07502

Notice is hereby given that permit No. 57-07502 in the name of Dan Jordan was filed on 10/13/1989 for the diversion of 3.00 cfs and 37 acre-feet (storage) from groundwater with a point of diversion within the SWSWNE Sec. 32 T04S R02E to be used for diversion to storage, fish propagation storage, fish propagation and heating purposes from 1/01 to 12/31 within portions of SWNW Sec. 32 T04S R02E, Owyhee County.


The permit holder now proposes to amend the permit by changing of

MICROFILMED
APR 14 1993



BRUNEAU - GRAND VIEW

GROUNDWATER MANAGEMENT AREA
(Designated Oct. 29, 1982)



RECEIVED

Revised → OCT 31 1995

WATER RESOURCES
WESTERN REGION

RECEIVED


APR 20 1995

WATER RESOURCES
WESTERN REGION

RECEIVED

NOV 03 1995

Department of Water



MICROFILMED
DEC 11 1995

1" = 132 FT

O = Depth of Pond or canal

-<-<- Pipeline direction of Flow

RECEIVED

OCT 31 1995

WATER RESOURCES
WESTERN REGION

Revised →

RECEIVED


APR 20 1995

WATER RESOURCES
WESTERN REGION

RECEIVED

NOV 03 1995

Department of Water Resources




1" = 132 FT

O = Depth of Pond or canal

-<-<- Pipeline direction of flow

MICROFILMED

DEC 11 1995



RECEIVED
DEC 19 1994

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF ENGINEER

Permit No. G-26685

his proof is for Completion of Works & Beneficial Use In Water District No. _____Name of applicant Margaret A. BachmanSource of water supply: Subterranean SW 1/4 NW 1/4 32Location of point of diversion: Is in the SW 1/4 NW 1/4 of Section 5T. 4 S. R. 2 E. B.M. County of Owyhee

Describe works as they exist, giving dimensions and capacities of same: _____

Well in NW 1/4, Sec. 5, 5 S., R. 2 E.

Reported depth is 2012' x 10" - Cased 576' x 10". Top of casing is .2' above LSD and has a flange welded to top with a plate and gasket bolted in place. A 10" x 18" horizontal pipe with a flange tees off from casing 18" below top of casing into an open ditch. No control valve. The ground is ~~dry~~ wet in a 50' to 100' radius around casing. Alkali is very thick over this wetted area indicating the well is leaking a great amount around casing into upper strata. It is reported the well flowed 60" but an old 2" cippolatti weir has a white water mark, still visible, 2" to 2 1/2" above crest indicating 23 to 25 miners inches flow. Discharge was measured in ditch approximately 40' below well with a V notch weir = .27' = .096 cfs. Water temperature at discharged pipe was 108° F. There is talk of plugging and abandoning this well and developing the well mentioned below, by drilling deeper.

Well in SW 1/4, Sec. 32, 4 S., 2 E. Sec. 31, Twp. 4 S., Rge. 2 E.

Reported depth 2810' x 10" - Cased 872' x 10". Top of casing is 2.0' feet above LSD. There is no flange ring welded to top of casing, but there is a steel plate - 3/4" x 12" diameter laying on top of casing. A 10" x 6' horizontal pipe tees from casing to open ditch with top of pipe at LSD. There is a 10" Gate Valve on end of discharge pipe, which was wide open. This well can be controlled, but was not being controlled. This well was reported to flow 40", Mr. Bachman stated this well was used to furnish water during the construction of the Missile Site near by. He stated a 1000 gallon tank could be filled in 9 minutes.

The ground is dry around well. No alkali on top of ground. The discharge was measured over a V notch weir at .24' = .072 cfs. This well has gas mixed with the water. Temperature is 110° F.

Remarks:

Mr. Bachman stated he raised grain for 3 years on this land, but it didn't look like it was farmed last year.

MICROFILMED

DEC 19 1989

SW 1/4 Sec 32, 4 S., 2 E. V notch weir = 0.72
.168 cfs

By pumping the wells the capacity of the works can be greatly increased.


This examination was made on the 11th day of March, 1964

(Signed)

Layne Johnson

Examiner


26685




Scale: 2 inches Equals 1 Mile. Draw Map in Ink.

56685

Will have 200' x 300' x 20' Floating Pond
NW corner of property



8/10/1989
Assumptions:
yellow = fish ponds
blue = other storage
fish ponds:
58,200 ft³
other:
1,555,000 ft³
Total: 1,613,200



RECEIVED

NOV 03 1995

PROOF OF BENEFICIAL USE

 $\sqrt{2}$

1. Permit No. 57-07502 Telephone No. 208-834-2018
2. Name(s) of Permit Holder(s): Dan Jordan
3. Mailing Address: ITC 79 Box 2257 Oreana, ID 83650
4. Source of Water: well If GROUNDWATER (well), Date Drilled: mo. / yr 64
- a. Well Driller. Drilling Permit Number: - - -
- b. **OPTIONAL:**
Pump Horsepower. Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit).
Domestic (No. of households). Stockwater (No. and type of stock):
Irrigation (No. of acres): Other: Fish Propagation, heating, Diversion to Storage
6. Total rate of diversion and/or volume for which proof is submitted 3.00 cfs OR 370 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional** Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|-------------------------------|--|---|----|--|
| Measuring Device: | Is a measuring device required? | Yes ☒ | or | No ☐ |
| | Has the measuring device been installed? | Yes ☒ | or | No ☐ |
| Flow Measurement Port: | Is a flow measurement port required? | Yes ☐ | or | No ☒ |
| | Has the measurement port been installed? | Yes ☒ | or | No ☐ |
8. Fee Enclosed: \$ 150 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system
- Name: Dan Jordan Telephone Number: 208-834-2018
- Address: ITC 79 Box 2257 Oreana, ID 83650
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho

Signature of permit holder: Dan Jordan
(include your title, if on behalf of company or organization)

Date: 10-31-77

DEC 11 1995

RECEIVED

NOV 09 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 57-07502

Name(s) of Permit Holder: Dan Jordan

Mailing Address: HC 79 Box 2257 Oreana, ID 83050

Date Proof is Due: Dec 1 1994 Telephone No. 208 814-2018

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

I have completed a series of ponds, canals, a hatchery greenhouse.

I have included a map of all existing facilities or improvements.

Costing \$ 40,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The Farm is surrounded by private and BLM land. I am still in the process of trying to purchase or establish a right of way for runoff. Before using the full volume of water set forth in the permit I need to establish a place for it to go.

Permit holder(s) request an extension to Dec 1, 19 95.

FEE: \$50.00

Dan Jordan
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to December 1, 1995.

Signed this 15th day of November, 19 94.

J. Shw Sawyer
Chief, Water Allocation Bureau
DEC 19 1994

Form 211
2/80Ident. No. 57-07502

SEP 29 1992

STATE OF IDAHO

Department of Water Resources
Western Regional Office

APPROVED

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now Dan Jordan Phone 834-2018
 of (address) HC 79 Box 2257 Oreana, Id 83650, and represents to the
 Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
 No. 57-07502, and requests that the permit and permit map be changed as follows: ADD P/D

1. Point of diversion: SW 1/4 NW 1/4, Section 32, Township 04S, Range 02E B.M.,
 County of Owyhee. Other points of diversion: New proposed well
same legal description as existing well. Maybe 50' between
proposed and existing well.

- (NO-CHANGE)
 2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

3. Place of use or land to be irrigated:

(NO-CHANGE)

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total number of acres to be irrigated = _____

4. a. Who owns the property at the point of diversion? Dan Jordan
 b. Who owns the land to be irrigated or the place of use? Dan Jordan
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
 applicant to make this filing: _____

APR 14 1993

* SW 1/4 SW 1/4 per applicant; may 5 per 57-07502. - 82-
 11/15/92

Complete the following map showing land and point of diversion proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.

A hand-drawn diagram on graph paper. The diagram consists of a rectangle with a width of 32 units and a height of 45 units. The width is labeled '32' and the height is labeled '45'. A point labeled 'P.D.' is marked on the left side of the rectangle, with a small circle around it. A label 'proposed P.D.' is written below the 'P.D.' label. The entire diagram is drawn on a grid of dashed lines.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at ~~Atlanta, Georgia~~ NA, this 24 day of September, 19 92.

Sam Jordan
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by [Signature] Fee = \$20.00

Received by JH Date 9-29-92

Publication prepared by JS Date 10/14/92

Published in Quayle avalanche

Publication dates 10/21 & 10/28/92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby approve the above referenced application for amendment. See the attached sheet for the conditions of approval.

Witness my hand this

26th day of

February

1993

Chief, Water Allocation Bureau


APR 14 1988

CONDITIONS OF APPROVAL

Amendment of Permit No. 57-07502

1. The previous conditions as set forth in Permit No. 57-07502 must be met.
2. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
3. Construction of the well must comply with Idaho well construction standards.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Two points of diversion are located within SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 04S, Rng. 02E, B.M., Owyhee County.
6. Well located in NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 5, Twp. 05S, Rng. 02E must be abandoned according to the Idaho Rules and Regulations 'Well Construction Standards', Section 3,12. and 4,7., and, Title 42, Chapter 16, Idaho Code. An application for abandonment must be submitted and approved by the Department before construction on new well can occur.

Dated this 26th day of February, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

APR 14 1993

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in

two (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

December 21, 1992

Signed

[Signature]

Subscribed and sworn to before me this 7th day of Dec A.D., 1992

[Signature]

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires APR October 1997

NOTIFICATION OF APPLICATION FOR AMENDMENT OF A PERMIT

Notice is hereby given that on October 21 and 28, 1992, Application for Amendment of Permit No. 57-07502 in the name of Dan Jordan was advertised in error.

The Point of Diversion was advertised as T04S R02E Sec. 32, **SWSWNE**, Owyhee County. Whereas, the Point of Diversion should have read T04S R02E Sec. 32 **SWSWNW**, Owyhee County.

Any protest against approval of this water right application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before December 21, 1992.

R. Keith Higginson, Dir.
December 2 & 9, 1992

Department of Water Resources
Western Regional Office

APR 14 1993

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
COUNTY OF OWYHEE)ss

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho.

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper, is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said

newspaper, in two(2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

October 21 & 28, 1992

Signed

Joe E. Aman

Subscribed and sworn to before me this 28th day of October A.D., 1992

Conrad Bauling

Notary Public in and for the State of Idaho
Residing at Homedale, Idaho
Commission expires October 1997

FOR AMENDMENT

No. 57-07502

Notice is hereby given that permit No. 57-07502 in the name of Dan Jordan was filed on 10/13/1989 for the diversion of 3.00 cfs and 37 acre-feet (storage) from groundwater within the SWSWNE Sec. 32 T04S R02E to be used for diversion to storage, fish propagation storage, fish propagation and heating purposes from 1/01 to 12/31 within portions of SWNW Sec. 32 T04S R02E, Owyhee County, Idaho.

By _____
Notary Public

APR 14 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 57-07502

Proposed Priority: October 13, 1989

Maximum Diversion Rate:

3.00 CFS

This is to certify, that **DAN JORDAN**
HC 79 BOX 2257
OREANA, ID 83650

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION	01/01 to 12/31	3.00 CFS	
FISH PROP. STORAGE	01/01 to 12/31		37.0 AF
HEATING	01/01 to 12/31	3.00 CFS	
DIVERSION TO STORAGE	01/01 to 12/31	3.00 CFS	
	Totals	3.00 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWSWNW

Sec. 32, Township 04S, Range 02E
OWYHEE County

PLACE OF USE: FISH PROPAGATION

TWN RGE SEC

04S 02E 32

SWNW

PLACE OF USE: FISH PROP. STORAGE, same as FISH PROPAGATION use

PLACE OF USE: HEATING, same as FISH PROPAGATION use

PLACE OF USE: DIVERSION TO STORAGE, same as FISH PROPAGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1994**.
2. Subject to all prior water rights.
3. Use of water under this permit shall be non-consumptive.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
6. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
7. The permit holder shall be required to provide the Department, upon request, information showing volume changes per hour necessary to maintain an adequate environment for the fish propagation facility. Volume changes per hour shall be based upon actual fish production.

MICROFILMED

DEC 19 1989

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 57-07502

CONDITIONS/REMARKS:

8. Use of water under this right is subject to policies set forth in the State of Idaho Water Plan, including Policy No. 5G.
9. Assignment or sale of this permit is subject to a determination by the Department that the permit holder has proceeded to develop the permit with due diligence and without speculation.
10. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of December, 1989.

for J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

Dec 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Dan Jordan Phone 834-2018
Post office address HC 79, Box 2257 Oreana, Id. 83650
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec 32 Township 4S Range 2E B.M. Owyhee County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3.00 for Diversion to storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 3.00 for Heating purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 3.00 for Fish Propagation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 37.0 for Fish Prop. Storage purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3.00 and/or (b) 2.5 37.0 *
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Existing well (Re: 57-02218), canals
for cooling, storage/production ponds 19'-20'-4', greenhouse.
- b. Height of storage dam N/A (excavated ponds) feet; active reservoir capacity 2.5 37.0 *
acre-feet; total reservoir capacity 2.5 37.0 *
acre-feet, period of year when water will be diverted to storage:
1/1 to 12/31 inclusive.
- c. Proposed well diameter is 10 inches; proposed depth of well is 2810 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

DEC 13 1989

* Total storage revised per applicant's letter of 10/9/89 (see diagram attached to letter for details).
Letter received on 10/13/89. No added fee required. 82 10/19/89

8. Description of proposed uses (if irrigation only, go to item 9)

- a Hydropower; show total feet of head and proposed capacity in KW _____
- b Stockwatering, list number and kind of livestock _____
- c Municipal; show name of municipality _____
- d Domestic, show number of households _____
- e Other; describe fully. Fish prop : Several pools, production building *
Heating : 4800 ft² greenhouse
800 ft² hatchery
2350 ft² house

9 Description of place of use

- a If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
45	26	32							H										
									G										

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above None

- 11 a. Who owns the property at the point of diversion? Applicant
- b Who owns the land to be irrigated or place of use? Applicant
- c If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12 Remarks: Same well as in Right 57-02218.

RECORDED

DEC 13 1989

* Fish prop. and heating details are found in applicant's letter dated 10/19/89. 82 10/19/89

R2E

T
4
S

P.D.
Use $\rightarrow$ of

32

Also see attached
maps,

SL 8/17/89

ENCLOSURE

SEP 19 1989

SECRET

~~DEC 19 1989~~

Dan Jordan
(Applicant)

Received by DL Date 11-30-88 Time 2:00 pm Preliminary check by SL
Fee \$ 545- Receipted by DL # C003634 Date 11-28-88
\$ 85 & 40- SL W004322 8-10-89 check rec'd
Publication prepared by GG Date 8-30-89 Published in Owyhee Avalanche at washburn
Publication approved SL Date 10-11-89 9/6 & 9/13/89 this day.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

MICROFILMED
DEC 14 1989



BRUNEAU - GRAND VIEW

GROUNDWATER MANAGEMENT AREA
(Designated Oct. 29, 1982)



ORIGINAL FRONT PAGE.
REVISED AS NOTED.

FL 8-17-89

Form 202
6/85

Ident No _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Dan Jordan Phone 834-2018
Post office address HC 79, Box 2257, Oreana ID 83650
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 32 Township 4S Range 2E B.M. Dwyhee County, additional
points of diversion if any. _____
4. Water will be used for the following purposes. 1-1 12-31 *
Amount 3.00 for Diversion to Storage purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
N/A $\rightarrow$ Amount 2.5 for Stor. For Fish Prop. purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 2.5 for Fish Propagation purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 3.00 for Heating purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.0 3.00 and/or (b) 2.5
cubic feet per second acre feet per annum
6. Proposed diverting works.
- a. Description of ditches, flumes, pumps, headgates, etc Existing well developed
For 57-02218, 2810 ft x 10 in., canals for cooling,
storage ponds, production ponds, 19-20' x 4' production ponds,
100' x 30' greenhouse.
- b. Height of storage dam N/A feet, active reservoir capacity 2.5 acre-feet; total
reservoir capacity 2.5 acre-feet, period of year when water will be diverted to storage.
1/1 to 12/31 inclusive
- c. Proposed well diameter is 10 inches; proposed depth of well is 2810 feet *
3000
- d. Is ground water with a temperature of greater than 90°F being sought? yes
7. Time required for the completion of the works and application of the water to have been used beneficial use is
5 years (minimum 1 year).

NOT RECORDED

DEC 13 1989

* per phone conv with D Jordan 1/9/89, FL.

Original front
pg, revised as
noted
FL

8 Description of proposed uses (if irrigation only, go to item 9).

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock _____
- c. Municipal, show name of municipality. _____
- d. Domestic, show number of households. _____
- e. Other, describe fully. Fish propagation: 19 - 20' x 4' production pools and hatchery building.
Heating: greenhouse (per info in item 6a).

9 Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
45	2E	32							H										
									G *										

Total number of acres to be irrigated _____

10 Describe any other water rights used for the same purposes as described above None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

12. Remarks: _____

MICROFILMED

DEC 19 1989

* Added from info in item 4. 82 8/7/89.

RECEIVED
OCT 11 1989

Dept. of Water

THE OWYHEE AVALANCHE

P.O. BOX 97 • HOMEDALE, ID 83628 • 208/337-4681

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
)ss
COUNTY OF OWYHEE)

I, Joe E. Aman, being first duly sworn, depose and say:

1. That I am a citizen of the United States of America, and at all times hereinafter mentioned was and now over the age of twenty-one years, not a party to nor interested in the proceedings hereinafter mentioned.

2. That during the time of the publication of the notice hereinafter mentioned, I was and now am the publisher of **The Owyhee Avalanche**, a newspaper of general circulation printed and published weekly, on Wednesday of each and every week, in the City of Homedale, County of Owyhee and State of Idaho

3. That the said **The Owyhee Avalanche** has been printed and published continuously and uninterruptedly in said County during a period of more than seventy-eight weeks prior to the first publication of the attached notice.

4. That said notice of which a printed copy, taken from said newspaper is hereto affixed, was published in the regular issue thereof, and not a supplement thereto, in said newspaper, in Two (2)

(consecutive) calendar weekly issue(s) of said newspaper, in the following date(s):

September 6 and 13, 1989

Signed

Joe E. Aman

Subscribed and sworn to before me this

13th day of Sept A.D., 1989

Oliver Anna Petrick

Notary Public in and for the State of Idaho
Residing at Nampa, Idaho
Commission expires October 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

57-07502

JORDAN, DAN

HC 79 BOX 2257

OREANA, ID 83650

Source: GROUNDWATER

Diversion Pt: SWSWNW Sec 32 T 04S R 02E

Use: FISH PROPAGATION (3.000 CFS)

FISH PROP. STORAGE (2.50 AF)

HEATING (3.000 CFS)

DIVERSION TO STORAGE (3.000 CFS)

Dated Filed: 8/10/1989

In: T04S R02E S32 SWNW

57-07504

ROBINSON, MERVILLE A.

OREANA, ID 83650

Source: WASTE WATER

Tributary: PICKET CREEK

Diversion Pt: SESW Sec 24 T 04S R 01W

Use: IRRIGATION (.360 CFS)

Date Filed: 8/07/1989

In: T04S R01W S24 SESW SWSE

18.0 ACRES TOTAL

The permit(s) will be subject to all prior rights. Protests must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before SEPTEMBER 25, 1989

R. Keith Higginson,
Director

Publish: September 6 and 13, 1989

FILED
OCT 11 1989

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 57-67502 Reviewed by [Signature] Date 11-16-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
no Drilling permit required?
 / Copy in the file? Drilling Permit No.
 / Amount paid for permit Correct?
 / Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
150.00 Amount Submitted
yes Correct?

yes Required?
yes Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> / </u>
Date proof due	<u> </u>	
No. of days late	<u> </u>	
Priority Date	<u> </u>	
New Priority Date	<u> </u>	

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 10-31-95

November 16, 1995

DAN JORDAN
HC 79 BOX 2257
OREANA ID 83650

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 57-07502

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the WESTERN Regional Office in Boise at (208)334-2190.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary


c: IDWR - Region

RECEIVED
DEC 11 1995

RECEIVED

Revised → OCT 31 1995

WATER RESOURCES
WESTERN REGION



DEC 11 1995

1" = 132 FT

D = Depth of Pond or canal

- - - - Pipeline direction of Flow

RECEIVED

NOV 03 1995

Department of Water Resources

RECEIVED

APR 20 1995

WATER RESOURCES
WESTERN REGION

RECEIVED

OCT 31 1995

WATER RESOURCES
WESTERN REGION

Revised →

RECEIVED

APR 20 1995

WATER RESOURCES
WESTERN REGION

RECEIVED

NOV 03 1995


Department of Water Resources

1" = 132 FT

0 = Depth of Pond or Canal

- < - < - Pipeline direction of flow

DEC 11 1995



September 30, 1995

DAN JORDAN
HC 79 BOX 2257
OREANA ID 83650

PROOF DUE NOTICE

RE: PERMIT NO. 57-07502

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1995. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED
DEC 11 1995



ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 57-07502 Reviewed by GM Date 11/15/94

BASIC INFORMATION

11-9-94 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is delay by a government agency?
_____ Is supporting documentation needed to complete the file? _____ Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend extend to December 1, 1995,
for due diligence.*

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address X
Change Proof Due Date 12-1-95
Change Priority Date X



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1994

Dan Jordan
HC 79 Box 2257
Oreana, ID 83650

RE: Permit No. 57-07502

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to December 1, 1995. Please note that the department has granted this extension based on **due diligence**. It is important that you work diligently toward the completion of this project during the construction period allowed since the department **will not** be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Of fice

DEC 19 1994



DEC 19 1994

September 30, 1994

DAN JORDAN
HC 79 BOX 2257
OREANA ID 83650

PROOF DUE NOTICE

RE: PERMIT NO. 57-07502

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



DEC - 8 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 2, 1993

DAN JORDAN
HC 79 BOX 2257
OREANA ID 83650

RE: Permit No. 57-07502

Dear Water Right Holder:

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit. Please note the conditions of approval on the third page. For your convenience, I have enclosed an 'Application for Repair or Abandonment of a Well' form.

If you have any questions concerning these documents, please feel free to contact our offices.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

A faint, rectangular stamp, possibly a date stamp, located in the bottom right corner of the page.

APR 14 1993

MEMORANDUM

TO: Application for Amendment 57-07502
FROM: Brenda Miller
DATE: February 8, 1993
RE: Recommended Conditions of Approval

=====

The above referenced Application for Amendment is being recommended for approval with the following conditions:

- 1) The conditions as set forth in Permit No. 57-07502 are met.
- 046 2) Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 46B 3) Construction of the well must comply with Idaho well construction standards.
- 01G 4) Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 5) Two points of diversion are located within SWNW, S32, T04S, R02E.

APR 14 1993

B
AMENDMENT OF PERMIT NO. 57-7502 REVIEW

TYPE OF CHANGE: P/D P/U ADD P/D NATURE OF USE

AREA OF CONCERN: None

PROOF OF BENEFICIAL DUE DATE 12-1-94 Under 6 months? No

GROUNDWATER:

GT. 0.2 cfs - 01G, 01C
LT. 0.2 cfs - NMR <flow chart>
Drilling Permit No. -
Not included - 046-46A-46B (if domestic-don't use A)

SURFACE WATER: not in w/d - 01C (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. _____
Surface water - 005, R04-01H (LT.2 w/pump)
R04-01J (GT.2)
Swan Falls Flag - M (1, Blank or Other)
Trust - ~~051-052-053~~ (Consumptive Uses) ON PERMIT
Non Trust <1> - 048-049

RIVER BASINS (Surface Water)

Boise (63) - 05A & 11E
Payette (65) - 047, 059
Snake (01, 02 & 03) - 11A (01), 061 (02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, ^{09C}~~09E~~, or 010 (WQ/Choose One), ON PERMIT
042 (req.), 002 (MD), 07A (Spec.),
044 (Policy 5G)
Power - Use Power Review
Mining - 06A, 010, or 09E & 054(req.)
Storage - 18A-for multiple m/devices(In WD),
18B (Size)
Rec/Wildlf/Aes - 027 (Non-Consumptive) ON PERMIT
Domestic - 021 (restricted areas & Boise River
upstream from Lucky Peak)
27A (Payette River & main tributaries)

NON LAND OWNER - 004
PROTEST AGREEMENT - 020

Recommended conditions same as on the permit or subsequent amendment(s)
to the permit? Yes _____ No ✓

Proposed recommendations ONLY ADDED ONE MORE CONCERNING
WELL CONSTRUCTION STANDARDS.
ALSO: 2 points of diversion within
SWNW, S32, T04S, R02E.

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: SC

Right Number 52-07502

Applicant OKR Jordan

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

☒ Description of amended point(s) of diversion.

☒ Amount, nature and period of use. If increased, delay date of priority.

☒ Description of amended places of use. If expanded, delay date of priority.

☒ Ownership of point of diversion and place of use.

☒ Map.

☒ Signature (must be permit holder).

☒ Fee.

☒ Existing water rights from the same source, amended place of use.

☒ Right number(s) _____

☒ Yes ☐ No Should amendment be advertised?

☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received.

☒ Amendment published correctly. *Readvertised*

None ☐ Protests processed.

☒ Approve.

☐ Deny.

Conditions _____

By Dnr Date 2/3/1993

STATE OFFICE PROCESSING:

☐ Amendment correct and complete. By _____ Date _____

☐ Approved copy sent to applicant and to Region. By _____

RECEIVED
FEB 9 1993

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

NOTICE OF CORRECTION OF APPLICATION FOR AMENDMENT OF A PERMIT

Notice is hereby given that on October 21 and 28, 1992, Application for Amendment of Permit No. 57-07502 in the name of Dan Jordan was advertised in error.

The Point of Diversion was advertised as T04S R02E Sec. 32, SWSWNE, Owyhee County. Whereas, the Point of Diversion should have read T04S R02E Sec. 32 SWSWNW, Owyhee County.

Any protest against approval of this water right application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Way, Boise, ID 83705 on or before December 21, 1992.

R. Keith Higginson, Dir.

Advertised in the Owyhee Avalanche on December 2 and 9, 1992.

APR 12 1993

Owyhee Co.

NOTICE OF (APPLICATION FOR AMENDMENT)
(AMENDED APPLICATION FOR PERMIT)

Notice is hereby given that (application) No. 59-07502
(permit)
in the name of DAN JORDAN
was filed on 10/13/1989 for the diversion of 3.0 cfs and 37 new-foot (storage)
from groundwater
with a point of diversion within the SWSW 1/4 S 32 T 45 R 2E
to be used for diversion to storage, fish propagation storage,
fish propagation, & heating purposes from 1/1
to 12/31 within portions of SWSW 1/4 S 32 T 45 R 2E

The (applicant) now proposes to amend the (application)
(permit holder) (permit)
by changing the
point of diversion to include two
wells within SWSW 1/4 S 32 T 45 R 2E

Any protest against the approval of the proposed amendment must be filed with
the Department of Water Resources, Statehouse, 450 W. State St., Boise, ID
83720 on or before _____

R. Keith Higginson
Director

Published _____
and _____

APR 14 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 24, 1992

OWYHEE AVALANCHE
PO BOX 97
HOMEDALE ID 83628

Re: Error in Advertising, Application for Permit 57-7502 in the
name of Dan Jordan

Dear Legal Dept.:

Enclosed is a copy of the original notice for the
above-referenced application and the affidavit of publication
received by our office. Note that there is a discrepancy in the
two notices.

Please readvertise this application with the enclosed notice of
correction. Upon receipt of an affidavit of publication for the
correction notice, we will forward the bill for the first
publication to our accounting section.

Thank you for your cooperation.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Sue'.

Sue Taylor
Secretary, Office Coordinator

Enclosures: Copy of Original Notice
Copy of Affidavit
Legal notice

RECEIVED

APR 14 1993

NOTICE OF APPLICATION FOR AMENDMENT

NO. 57-07502

Notice is hereby given that permit No. 57-07502 in the name of Dan Jordan was filed on 10/13/1989 for the diversion of 3.00 cfs and 37 acre-feet (storage) from groundwater with a point of diversion within the SWSWNW Sec. 32 T04S R02E to be used for diversion to storage, fish propagation storage, fish propagation and heating purposes from 1/01 to 12/31 within portions of SWNW Sec. 32 T04S R02E, Owyhee County.

The permit holder now proposes to amend the permit by changing the point of diversion to include two wells within SWSWNW Sec. 32 T04S R02E. The water will be used for the same purposes and place of use as described as above.

Any protest against the approval of the proposed amendment must be filed with the Department of Water Resources, Western Region, 2735 Airport Way, Boise, Idaho 83705 on or before November 9, 1992.

R. Keith Higginson
Director

Published in the Owyhee Avalanche on 10/21 and 10/28/1992.

APR 14 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 11, 1989

DAN JORDAN
HC 79 BOX 2257
OREANA, ID 83650

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P57-07502

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED
DEC 19 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED

DEC 19 1989

RECEIVED

DEC 19 1989

11-17-89

Mark: this app.
is for use of water
from a "hot" water
well. Please review
& make any comments
you feel necessary - thanks!
Ray

I spoke to Dan Jordan:
11-22 -89- This system
is O.K. The well in section
5 however needs to be
plugged since it is flowing
free a small amount
of water. (20-50 gpm?)
(Need to V, it out) Mrs

170 45 2E 32 JWSWNW
SWNW

Form No. 202a.
3/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: SL DATE: 8/17/89 APPLICATION: 57-07502

REQUIRED INFORMATION

☒ Name: (If applicant is a corporation or partnership, names and addresses for the director, officers, and other partners must be included.)
☒ Address:
☒ Source: (See USGS Quad for names of water sources)
☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
☒ County:
☒ Quantity: (flow and/or volume)
☒ Period of use: Gov't. Lots: N P/D
☒ Nature of proposed use: (Include description of use) N P/U
☒ Description of diverting works:
☒ Time required for beneficial use of water:
☒ Place of use or acres irrigated:
☒ Map:
☒ Signature: (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee:
☒ Yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

☒ ☐ Overlapping place of use: (Describe source & relationship to present application on the back.)
☒ ☐ Overlapping point of diversion:
☐ ☐ Field check required: Field check by: _____
☐ ☐ Field report attached:
☐ ☒ Critical groundwater area:
☐ ☒ Groundwater management area:
☐ ☒ Diversion within interim protected river area
☐ ☒ Send dam safety information:
☐ ☒ Send power requirement letter:
☒ ☒ Send fish farm requirement letter:
☐ ☒ Power residency affidavit:
☐ ☒ Power efficiency form:
☒ ☐ Within trust water boundary: (If yes, attach Trust Water Supplementary Analysis Sheet.) *But nonconsumptive uses so OK to process*
☐ ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

*REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

Fish farm info & heating info per letter
DATE REQUESTED: 9/12/89 *response received 10/13/89*
☒ Additional information on reverse side:
Rate of Flow Analysis *per applicant info in letter of 10/4/89 and Admin memo # 15 & 23.*

Department of Water Resources

PROCESSING

APPLICATION NO. 57-07502

YES NO

☒ ☐
☒ ☐
☒ ☐

In form for advertising:

Statewide advertising:

Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

☒ ☐
☒ ☐
☒ ☐
☒ ☐

I.D. Health and Welfare

I.D. Fish and Game

I.D. Lands

Adjudication Bureau

YES NO

☐ ☒
☐ ☒
☐ ☒
☐ ☒

U.S. BLM

U.S. Forest Svc.

Water Dist. #

Other

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ ☐
☒ ☐

Affidavit of publication received:

Application published correctly: If not, record action taken.

☒ ☐
☒ ☐
☒ ☐
☒ ☐
☒ ☐
☒ ☐

Publication dates and paper recorded on application:

Protests received. Final date for protest September 25, 1989

Protest dates, resolution of protest recorded on application:

Recommendations attached: Approve, OAR

Measuring device required:

Measuring port required:

Water delivered by water master? District #

Special conditions of approval or cover letter:

(works have already commenced) Recommend that 5 yrs be allowed for completion of this project.OIC, OAA

See below for additional information

Recommended Date or Priority Delay to 10/13/89 Due to increase in amt requested.Recommended by: DASDate 10/19/89

STATE OFFICE REVIEW

P23, P03P17
O7A 42 44
27 46 26 OIG O9C

See below for additional information. By

KWDate 11-28-89

ADDITIONAL INFORMATION

Priority delayed due to increased flow and additional payment.Overlap

P10 57-02218 same well - see attached? Report of Engineer (from 1964)
 plus " " irrigation.
 02-07065 Snake River, irrigation.

App. in TRUST area - NON-CONSUMPTIVE

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF ENGINEER

Permit No. Q-26685

his proof is for Completion of Works & Beneficial Use In Water District No. _____

Name of applicant Margaret A. Bachman

Source of water supply: Subterranean SW 1/4 32

Location of point of diversion: Is in the SW 1/4 of Section 5

T. 4 S. R. 2 E. County of Owyhee

Describe works as they exist, giving dimensions and capacities of same: _____

Well in SW 1/4, Sec. 5, 5 S., R. 2 E.

Reported depth is 2012' x 10" - Cased 576' x 10". Top of casing is .2' above LSD and has a flange welded to top with a plate and gasket bolted in place. A 10" x 18" horizontal pipe with a flange tee off from casing 18" below top of casing into an open ditch. No control valve. The ground is ~~very~~ very shlick over this wetted area indicating the well is leaking a great amount around casing into upper strata. It is reported the well flowed 60" but an old 2" cippolatti weir has a white water mark, still visible, 2" to 2 1/2" above crest indicating 23 to 25 miners inches flow. Discharge was measured in ditch approximately 40' below well with a V notch weir = .27' = .096 cfs. Water temperature at discharged pipe was 108° F. There is talk of plugging and abandoning this well and developing the well mentioned below, by drilling deeper.

Well in SW 1/4, Sec. 32, 4 S., R. 2 E. Sec. 31, 4 S., R. 2 E.

Reported depth 2810' x 10" - Cased 872' x 10". Top of casing is 2.0' feet above LSD. There is no flange ring welded to top of casing, but there is a steel plate - 3/4" x 12" diameter laying on top of casing. A 10" x 6" horizontal pipe tees from casing to open ditch with top of pipe at LSD. There is a 10" Gate Valve on end of discharge pipe, which was wide open. This well can be controlled, but was not being controlled. This well was reported to flow 40". Mr. Bachman stated this well was used to furnish water during the construction of the Missile Site near by. He stated a 1000 gallon tank could be filled in 9 minutes.

The ground is dry around well. No alkali on top of ground. The discharge was measured over a V notch weir at .24' = .072 cfs. This well has gas mixed with the water. Temperature is 110° F.

Remarks:

Mr. Bachman stated he raised grain for 3 years on this land, but it didn't look like it was farmed last year.

DEC 19 1939


SW NW Sec 32, 4 S., R. 2 E. V notch weir = .072
.168 cfs

By pumping the wells the capacity of the works can be greatly increased.

This examination was made on the 11 day of March, 1940

(Signed)

Lynn Johnson



Scale: 2 inches Equals 1 Mile. Draw Map in ink.

36685

Analysis of Heating Rate of FlowS. Lester
10/19/69

Source Temp = 105 °F

1) House2350 ft², internal temp. 70-75 °F (use 72.5°),
energy efficiency assumed "Better" *

$$E = [e \cdot \Delta T] A \quad \text{where: } e = .44, \Delta T = 72.5 - (-2) = 74.5$$

$$A = 2350 \quad \uparrow t_o$$

$$E = [.44 \cdot 74.5] 2350 = 77,033$$

$$W = \frac{Q}{(500)(\Delta T_s)} \quad \text{where: } Q = E, \Delta T_s = .6(S - t) \text{ and}$$

$$S = 105, t = 74.5$$

$$W = \frac{77033}{(500)[.6(105 - 74.5)]} = \underline{8.4 \text{ gpm}}$$

if assume average efficiency (e = .67), then W = 12.8 gpm
 " " " " and t_o = -8, then W = 17.2 gpm

2) GREENHOUSE4800 ft², internal temp. 70-80 °F (use 75°),
energy efficiency assumed "average/poor."

$$E = [e \cdot \Delta T] A \quad \text{where } e = \frac{.67 + .11}{2} = .89$$

$$\Delta T = 75 - (-2) = 77; A = 4800$$

$$E = [.89 \cdot 77] 4800 = 328,944$$

$$W = \frac{Q}{(500)(\Delta T_s)} \quad \text{where } Q = E, \Delta T_s = .6(S - t) \text{ and}$$

$$S = 105, t = 77$$

$$W = \frac{328,944}{(500)[.6(105 - 77)]} = \underline{39.2 \text{ gpm}}$$

MICROFILMED

DEC 19 1969

if assume poor efficiency (e = .11), then W = 48.8 gpm
 " " " " t_o = -8, then W = 67.0 gpm

* assume outside design temp (t_o) for this area about average
 between Boise (4 °F) & Pocatello (-8 °F). upland desert region.

3) HATCHERY 800 ft², internal temp 70-80 °F (use 75°),
energy efficiency assumed "average"

$$E = [e \cdot \Delta T] A \quad \text{where } e = .67, \Delta T = 75 - (-2) = 77, A = 800$$

$$E = (.67 \cdot 77) 800 = 41272$$

$$W = \frac{Q}{500(\Delta T_s)} \quad \text{where } Q = E, \Delta T_s = .6(S - t) \text{ and } S = 105, t = 77$$

$$W = \frac{41272}{500[(.6)(105 - 77)]} = 4.9 \text{ gpm}$$

if assume poor efficiency (e = 1.11), then W = 8.1 gpm
" " " " t = -8, then W = 11.2 gpm

4) FISH PONDS 58,200 ft², internal temp 70-80 °F (use 75°),
energy efficiency assumed "average"

$$E = (e \cdot \Delta T) A \quad \text{where } e = .67, \Delta T = 75 - (-2) = 77, A = 58,200$$

$$E = (.67 \cdot 77) 58,200 = 3,002,538$$

$$W = \frac{Q}{500(\Delta T_s)} \quad \text{where } Q = E, \Delta T_s = .6(S - t) \text{ and } S = 105, t = 77$$

$$W = \frac{3,002,538}{500[(.6)(105 - 77)]} = 357.4 \text{ gpm}$$

MICROFILM

DEC 19 1989

if assume poor efficiency (e = 1.11), then W = 592.2 gpm
" " " " t = -8, then W = 812.4 gpm

5) TOTAL FLOW ESTIMATES

	minimum (GPM)	maximum
HOUSE	8.4	17.2
GREENHOUSE	39.2	67.0
HATCHERY	4.9	11.2
PONDS	357.4	812.4
TOTAL	409.9	907.8

Close enough to
3.00 cfs requested.
that no reduction in
app will be
req'd.
to 10/19/89
2.02 cfs,
allow 2.02 cfs

October 9, 1989

RECEIVED
OCT 13 1989

Steve Lester
Sr. Water Resource Agent
Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705

Department of Water Resources
Western Regional Office

Dear Steve,

Here is the information you requested dealing with my application for permit #57-07502. Included are construction plans and a tax notice.

The plan is to heat the following:

House	2350 SQ FT
Hatchery	800 SQ FT
Greenhouse	4800 SQ FT

The hot water will be used to heat outdoor and indoor fish ponds and tanks to 70-80 F. The hatchery and greenhouse will be heated from the water in the fish tanks. The house will be heated to 70-75 F.

Water temperature is 105 F.

Energy conservation steps will be taken to conserve as much heat as possible.

All ponds and most tanks will be buried underground to insulate from the cold. The greenhouse will be covered with two layers of visquene to provide 6"-12" of dead air space to help insulate and maintain temperature.

The hatchery building will be buried at least 2-3 ft for added insulation.

The house is fairly new and already pretty energy efficient. It has good insulation, double pane windows, weatherstripping etc. I may add storm doors to help conserve heat.

I hope this information will help in facilitating processing of application. Please let me know if you have any questions or concerns over the plans. If you need more information let me know. I'll help in any way I can.

Thank you

D. Jordan
Dan Jordan
208-834-2018

RECEIVED

DEC 13 1989

THIS IS NOT A BILL

CATEGORY DESCRIPTION	LOTS/ACRES	MARKET VALUE
5 DRY GRAZING	19.000 AC	475
10 RURAL HOMESITE	1.000 AC	4,500
31 RURAL RES BLDG		61,863

TAXPAYERS 1988
VALUATION ASSESSMENT NOTICE

Taxes are based on the valuation
listed on this statement

IF THERE ARE ANY QUESTIONS
REGARDING THIS STATEMENT
NOTIFY THE ASSESSOR'S OFFICE BEFORE

JUNE 17, 1988

See the reverse side for further references

KEEP THIS COPY FOR YOUR RECORDS

TOTALS 20.000

66,838

Mail To:

JORDAN, DANIEL

DBA: DESERT HAWK AQUATIC FARMS

HC 79 BOX 2257

OREANA ID 83650

W2SWNW 32 4S 2E



PROPERTY ADDRESS

PARCEL NO. RP 0142401

A TAX CODE 24-00

DEC 19 1989

Will have 200' x 300' x 20' Pooling Pond
NW corner of property





State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 12, 1989

Dan Jordan
HC 79, Box 2257
Oreana, ID. 83650

Re: Application for Permit 57-07502

Dear Dan:

Your application was advertised on 9/6 and will be advertised for the second time on 9/13 in the Owyhee Avalanche. Processing of the application continues, but before approval occurs, additional information is needed.

For fish propagation, two items are requested.

✓ 1) Construction plans should be submitted to show the anticipated size and number of fish ponds. Please include the length, width, and depth of each pond.

✓ 2) Possessory interest in the land at the place of use should be provided. A copy of a tax notice, deed, or contract are acceptable examples.

The use of water for heating also requires more information. Four items are important.

✓ 1) The size of the area to be heated is needed. The application specifies a 30' by 100' greenhouse. Is this correct? Are any other areas going to be heated? If so, please list the type of building (house, shop, etc.) and square feet of each unit.

✓ 2) What is the desired inside design temperature in each unit to be heated? For example, the inside design temperature for a home is assumed to be 70 degrees (F).

✓ 3) What is the temperature of the source of water, which in this case is the well? The temperature at the wellhead is sufficient.

✓ 4) What energy conservation steps are anticipated? Please provide any information on R factors, storm doors and/or windows, single or double pane glass, weatherstripping, caulking, and any other methods that may be used to conserve energy.

DLC 19 1989

✓ See applicant's response letter of 10/9/89, and Attachment A
Fish prop - rate of flow based on 58,200 ft³ storage for fish ponds
is acceptable (per Admin. memo #15)
Heating - Recommend 2.02 cfs (per Admin. memo #23)

8/10/19/89

Letter to D. Jordan, Appl. 57-07502
page 2

The above information will be used to evaluate the rate of flows in your application to determine if the flows are reasonable. Please let me know if I may provide additional help. Please respond within 30 days to facilitate processing of the application.

Sincerely,

Steve Lester
Sr. Water Resource Agent

SL:sl

DEC 19 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705 - (208) 334-2190

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 1, 1989

State of Idaho
Department of Fish and Game
P.O. Box 25
Boise, ID 83720

Re: Application for Permit No. 57-07502 in the name of Dan Jordan

Dear Sir:

Enclosed is a copy(s) of the above-referenced application(s) for permit which may be of interest to your agency. Please review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week period and is required to take final action shortly thereafter, however, if your agency desires to file a formal protest against the approval of this application(s), your written protest must be received in this office by September 25, 1989.

If you have any questions regarding the application, please contact this office.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill, Jr.".

DAVID R. TUTHILL, JR., P. E.
Manager, Western Regional Office

DRT:st

Enclosure(s):

RECEIVED
DEC 19 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Western Region
2735 AIRPORT WAY

Boise, Idaho 83705
(208) 334-2190

AUGUST 30, 1989

Owyhee Avalanche
P.O. Box 97
Homedale, ID 83628

Dear Legal Dept.:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1989.

Yours truly,

GAIL GARRETT
Secretary

Encl.

Microfilm

DEC 19 1989

57-07502

JORDAN, DAN
HC 79 BOX 2257
OREANA, ID 83650

Source: GROUNDWATER

Diversion Pt: SWSWNW Sec 32 T 04S R 02E

Use: FISH PROPAGATION	(3.000 CFS)	
FISH PROP. STORAGE		(2.50 AF)
HEATING	(3.000 CFS)	
DIVERSION TO STORAGE	(3.000 CFS)	

Date Filed: 8/10/1989

In: T04S R02E S32 SWNW

57-07502

8/10/1989

CONVERSATION MEMORANDUM

DATE 8/17/89
FILE 57-07502NAME OF PARTY Dan JordanEMPLOYEE Stan LesterRE: Summary of delays in application

11/28/88 Appl. submitted for 1.0 cfs & 2.5 m/ft. with \$45 fee.

12/20/88 DK noted that applicant will submit construction plan & map.

1/9/89 Dan J. called to discuss application. I mistakenly informed him that area was in gwrma & thus subject to approval problems.

Applicant increased flow to 3.0 cfs during this telecon. He said that additional \$40 fee would be sent.

8/7/89 DRT noticed that application is outside of gwrma after discussion with Dan J. (telephone & office visits between 1/9 & 8/7). *

I called Dan & he again said would submit \$40 fee.

8/10/89 \$40 fee rec'd at Western.

INDEXED

DEC 14 1989

* He informed DRT that additional info would be submitted



RECEIVED
AUG 1 1989

Water Resources
Western Region

2735 Airport Way

Boise Idaho 83705

Attention: Steve Lester

Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. _____
Name(s) of Permit Holder(s): Dan Jordan
Post Office Address: HC 79 Box 2257
Oreana ID 83650 Tel. No. 83650 834-2018
☒ I hereby certify that construction of diversion works for the above referenced permit began on 1956 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

11-28-88
Date

Dan Jordan
Signature of Permit Holder

Received 11/30/88 ↑

MAIL ROOM

DEC 19 1989

Steve,

this check ~~is~~ is for the
permit to increase our water
rights. Dan spoke with you regarding
this. Any questions please call
him @ 834-2018 or
Debbie @ 377-5300 8-5pm

Debra S Jordan